

Vac-Con

Date 4/29/2026
Number 114263
Type of Quote Dual Engine Combination
PO
Attn Travis Foley

Quote

Retail Purchaser Independence Iowa Ship To Iowa Delivery Included

Comments

Price excludes any applicable sales taxes, tag, title or registration fees.
Price excludes any applicable F.E.T., tag, title or registration fees.
Price excludes any applicable tag, title or registration fees.
Option content is subject to engineering approval.

Model Number - V PD3612/1500 (824 at 18" or Equivalent) L H P

Standard Equipment Includes:

Vacuum System (as specified by Model Number)
Cyclone Separator - Fan and PD Systems
Hydrostatic Blower Drive via FEPTO unless Transfer Case or PRO Selected - 98% Operating Efficiency
1/4" Corten Steel Debris Tank - (size as specified by model number)
Flat Style Rear Door with hydraulic door locks - Including open/close
5" Butterfly valve and 10' of lay flat hose
Debris tank Dumping: minimum 50 deg., hydraulic telescopic lift Cylinder - power up/power down
60" Dump Height - Not Available with 15 cubic yard debris tank
Rear Bumper - Does Not Include Tow Hooks
Front Tow Hooks
Hinge type / Body Prop Permanently mount debris body prop
Debris Body Flush out - 8 Jet
Automatic Vacuum Breaker with Float Arm Assembly/Level Indicator and overflow protection
Behind Cab Boom Support and Docking Station at Front Bumper
8" vacuum intake hose
4 Way Hydraulic Boom with 270 Degree Rotation with Joystick Controls
Front mounted 600' capacity (1" hose) - Hydraulic Fixed Hose Reel
400' high pressure jet rodder hose
Two (2) Emergency Stop Button Locations: Operator Station and Mid-Body
60 gpm/2000 psi water pump system
Water Pump Remote Oil Drain - Quick disconnects
Water pump drive: Standard Aux Engine is GM 6.0L Gasoline, 172HP
5 year Water Pump Drive Warranty - See certificate for details
Auxiliary Engine Remote Oil Drain - Quick Disconnects
Cross-Linked Polyethylene Water Tanks
Full Length Steps on Lower Water Tanks for Maintenance Access
Water Tank Drain - 1/4 Ball Valve
Heavy Duty Manual Hose Rewind Guide with Dual Aluminum Rollers
Hose guide (Tiger Tail)
10' Leader Hose

20 gpm at 750 psi wash down hand gun with 25' of hose and nozzle - 50' Capacity Hand Gun Hose will replace this standard options if selected.

Storage Box Behind Cab 16" x 42" x 96" - Standard on all models except 3yd

1) each Sanitary and Penetrator Nozzles

Cooling Package - Air to Oil Heat Exchanger for Hydraulics and Transfer Cases, if applicable

Remote Lube Bank for Boom Rotator and Boom Lift Cylinders - Ground Level

20.5' aluminum intake pipe(1-3', 1-5', 1-6', and 1-6.5' nozzle)

LED/ICC lighting

Sherwin Williams Fast Clad High Solids Zinc Rich Primed, Sealed with Sherwin Williams Duraspar Epoxy Primer.

Sherwin Williams Duraspar Polyurethane Single Stage Gloss and Textured Paint

5# Fire Extinguisher - In Cab

Set of Triangles

12 month standard warranty - see certificate for details

5 year debris tank warranty - see certificate for details

10 year water tank warranty - see certificate for details

Note: PD Blower will include a Final Filter - Steel Mesh

Main Information

Model	PD3612/1500 (824 at 18" or Equivalent)
Blower	Hydrostatic Drive
Boom	10' Aluminum Telescoping Boom with Pendant Control Station PRO Reel (Precision Reel Operation) Articulating to driver's and curb side (800 x 1" Capacity) Includes 12VDC Auxiliary hydraulic pump. Transfer case selection required for Dual Engine builds. Single Eng units with PRO Reel select Winter Recirc.
Hose Reel	
Jet Rodder Hose	600' x 1" Jet Rodder Hose
Water System	80/2500, GIANT 7000, GM 6.0 GAS 172 HP

Hose Brand Cobra Hose Brand

Other Items

QtyDescription

- 1 12VDC Emergency Back-Up Hydraulic Pump - PRO
- 1 7" Digital Display - PRO
- 1 Additional Flood Light in Front of Reel - PRO
- 1 Advanced Controls with Dual Joysticks - PRO
- 1 Digital Debris Tank Level Gauge - PRO
- 1 Digital Hose Footage Counter - PRO
- 1 Digital Water Level Gauge - PRO
- 1 Extended Vac-Con Debris Tank Warranty (10 Years Total)
- 1 Extended Vac-Con Water Tank Warranty (Lifetime)
- 1 One Touch Remote Transfer Case Engagement - PRO
- 1 On-Site Training with Vac-Con Manufacturer Representative
- 1 Planetary Drive Motor (Pay Out/Retrieve) - PRO
- 1 Sewer Guidance System with Front/Rear Camera and Monitor in Cab - PRO
- 1 Rear, Hydraulic Pump Off System, w/20' lay flat Hose
- 1 Winter Recirculating connection for high pressure circuit.
- 1 Air Purge System
- 1 Power Guide "Reel Power" level wind guide
- 1 Lazy Susan Pipe Rack (Holds 5 Pipes)
- 1 LED 4 Strobes - (2) front bumper / (2) rear bumper - Whelen 500 Series TIR6 01-0663507129E - Amber

- 1 Remote Control (Wireless): Boom, Vacuum Breaker, Throttle & Debris Body (includes Hi-Dump, if applicable).
Does not include remote cable pendant controls for boom or hi dump.
- 1 Remote Boom Grease Zerk Assembly (Ground Level - includes water pump drive) - If Applicable
- 1 Remote Debris Tank Grease Assembly (Ground Level)
- 1 Paint: To be advised
- 1 LED Boom Mounted Flood Lights with Limb Guard - Whelen NP6BB Worklight
- 1 Midbody LED Strokes - Frame Mounted - Whelen 500 Series TIR6 01-0663507129E - Amber
- 1 Winter Recirculating System for Rodder Hose -FEPTO and AUX-driven water pumps
Hydroexcavation Package Includes: 50 foot handgun hose reel with 1/2" hose, 711-53686 72" 1/2" schedule 80
lance with single forward spray nozzle, Storage tubes for lances, Heavy duty unloader valve, Main control ball
valve, Variable flow valve
- 1 Transfer Case (Required for PRO Reel)

Truck Chassis Information

Pool Truck Chassis Model **Freightliner 114SD Plus (Not for use in California) 6x4 66000GVWR ISL370 3000RDS**

	Machine	Total
		\$589,643.00
Offered by: <u>Andrew Armstrong</u> ___		
Delivery	\$5,000.00	
	Total	\$594,643.00

Accepted by: _____