

PLAT COMMITTEE October 9, 2024

Case Number: 2024-PLT-064

**Property Address:** 4310 North Carroll Road (Approximate Address)

**Location:** Lawrence Township, Council District # 15

**Petitioner:** Lennar Homes of Indiana, LLC, by Brett Huff

**Zoning:** D-P (FF)

**Request:** Approval of a Subdivision Plat, to be known as Clifton Trace North, dividing

30.89 acres into 51 Single-Family residential lots.

Current Land Use: Undeveloped/ Linear Park

**Staff Reviewer:** Desire Irakoze, Principal Planner II

#### **PETITION HISTORY**

This is the first hearing for this plat petition.

#### STAFF RECOMMENDATION

Staff recommends that the Plat Committee **Approval** and find that the plat, file-dated September 9<sup>th</sup>,2024, complies with the standards of the Subdivision regulations, subject to the following conditions:

- 1. That the applicant provide a bond, as required by Section 741-210, of the Consolidated Zoning and Subdivision Ordinance.
- 2. Subject to the Standards and Specifications of Citizens Energy Group, Sanitation Section.
- 3. Subject to the Standards and Specifications of the Department of Public Works, Drainage Section.
- 4. Subject to the Standards and Specifications of the Department of Public Works, Transportation Section.
- 5. That addresses and street names, as approved by the Department of Metropolitan Development, be affixed to the final plat prior to recording.
- 6. That the Enforcement Covenant (Section 741-701, of the Consolidated Zoning and Subdivision Ordinance) be affixed to the final plat prior to recording.
- 7. That the Site Distance Covenant (Section 741-702, of the Consolidated Zoning and Subdivision Ordinance) be affixed to the final plat prior to recording.
- 8. That the Sanitary Sewer Covenant (Section 741-704, of the Consolidated Zoning and Subdivision Ordinance) be affixed to the final plat prior to recording.



- 9. That the Storm Drainage Covenant (Section 741-703, of the Consolidated Zoning and Subdivision Ordinance) be affixed to the final plat prior to recording.
- 10. That the plat restrictions and covenants, done in accordance with the rezoning commitments, be submitted prior to recording the final plat.
- 11. That all the standards related to secondary plat approval listed in Sections 741-207 and 741-208 of the Consolidated Zoning and Subdivision Ordinance be met prior to recording the final plat.
- 12. The plat shall be updated to incorporate a 6-foot sidewalk requirement along the internal streets, throughout the development.
- 13. The plat shall be amended to clearly indicated the location of an 8-foot-wide nature trial, including connection points as specified in the Development Plan Statements.

#### **PETITION OVERVIEW**

#### SITE PLAN AND DESIGN

The subject site is zoned D-P, it was rezoned D-P classification in 2004 (2004-ZON-070) to provide for a single-family residential development. The D-P was amended in 2005 to include a 32-acre park (Subject location). The D-P was rezoned in 2024 (2024-ZON-081) to remove the park component and to provided for the proposed 51-lot single-family development.

#### **STREETS**

The plat would provide for three new local streets and connects to Kylemore Drive. This plat proposes one entrance and exit by way of the Louden Place Subdivision.

#### **SIDEWALKS**

Sidewalks are required along all proposed interior streets.

#### **GENERAL INFORMATION**

Existing Zoning	D-P (FF)	
Existing Land Use	Linear Park	
Comprehensive Plan	The 38 <sup>th</sup> Street Corridor Plan – density of 1.75-3.5 units per acre	
Surrounding Context	Zoning	Land Use
North:	D-P (FF)	Residential
South:	D-P (FF)	Residential
East:	D-P (FF)	Enter Land Use
West:	D-P (FF)	Residential
Thoroughfare Plan		
Enter Street(s)	Local	50' requirement vs 52' Proposed
Petition Submittal Date	9/06/2024	
Final Plat Submittal Date	09/06/2024	



### SUBDIVISION PLAT REGULATIONS

741-203 Required Documents for Approval		EVALUATION
	<ul> <li>741.201.A-C – Primary Plat Requirements:</li> <li>Plat name, Legal Description, Surveyor Seal, Scale.</li> <li>Boundary Lines, Existing Street Names and dimensions.</li> <li>Layout of Proposed Streets – names, widths, classifications.</li> <li>Layout of all easements and purpose thereof.</li> <li>Layout of lots with numbering and dimensions.</li> <li>Floodway/Floodplain Delineation.</li> <li>Topographic Map.</li> <li>Area Map.</li> </ul>	Satisfied
	<ul> <li>741-203.D – Traffic Control Plan</li> <li>Traffic control street signs and devices.</li> <li>Traffic calming devices.</li> <li>Bicycle facilities.</li> <li>Sidewalks and pedestrian facilities.</li> <li>Transit facilities, such as bus stops pads or shelter.</li> <li>Street lighting.</li> </ul>	Satisfied-See Commitment #12
	<ul> <li>741-203.E- Natural infrastructure plan (major plats containing more than 20 lots)</li> <li>Placement of all proposed drainage facilities for the subdivision, indicating type of facility and if the facility is to be designed to be wet or dry</li> <li>Location of Open Space Areas of the open space common area, indicating size and general improvements</li> <li>Location of any Stream Protection Corridors in accordance with Section 744-205 (Stream Protection Corridors)</li> </ul>	Satisfied-See Commitment # 13



	741-205 – Waivers	
	The granting of the waiver or modification will not be detrimental to the public health, safety, or welfare or injurious to other property	
	<ul> <li>The conditions upon which the request is based are individual to the property for which the relief is sought and are not applicable generally to other property;</li> </ul>	
	<ul> <li>Because of the particular physical surroundings, shape, or topographical conditions of the specific property involved, a particular hardship would result, as distinguished from a mere inconvenience, if the strict letter of these regulations is carried out;</li> </ul>	None Requested
	<ul> <li>The resulting subdivision fulfills the purpose and intent of these regulations at an equal or higher standard than what would have been possible without the deviation; and</li> </ul>	
	The relief sought shall not in any manner vary from the provisions of the Zoning Ordinance, or official zoning base maps, except as those documents may be amended in the manner prescribed by law.	
741-300 Design and Installation Standards	All proposed plats submitted for Committee approval under the provisions of these regulations shall meet these standards to the satisfaction of the Committee unless waived by the Committee.	EVALUATION
	<ul> <li>741-302.A – Lots:</li> <li>Comply with zoning district and any cluster approval or variance grant.</li> <li>Lots must have positive drainage away from buildings.</li> <li>No more than 25% of lot area may be under water.</li> <li>Side lots lines at right angles to streets or radial to curving street line.</li> <li>Layout of lots with numbering and dimensions.</li> <li>Floodway/Floodplain Delineation.</li> <li>Topographic Map.</li> </ul>	Satisfied
	<ul> <li>741-302.B – Frontage and Access:         <ul> <li>Through lots should be avoided except where necessary for primary arterial separation and topography challenges.</li> <li>Triple frontage lots are prohibited.</li> <li>Lots abutting alleys must have vehicular access exclusively from alley.</li> <li>Lots shall not have direct access to arterial streets.</li> </ul> </li> <li>Non-residential plats shall provide cross-access easements to limits points of access to existing street network to no more than one per 500 feet.</li> </ul>	Satisfied
	741-302.C – Blocks:  • Shall not exceed maximum block lengths per Table 741-302.1  • If exceeded, it must be demonstrated that:  • There are improved pedestrian easements at intervals of 400 feet or less.  • Adequate traffic calming provisions are made.  • The block length must be exceeded because of physical conditions of the land.	Satisfied
741-303 Streets and Connectivity	All proposed plats shall allocate adequate areas for streets in conformity with the Comprehensive Plan and Official Thoroughfare Plan for Marion County, Indiana, and these regulations.	EVALUATION



	741-303.A – General:	
	<ul> <li>Subdivisions shall provide a logical street layout in relation to topographical conditions, public convenience, safety, multi-modal use and the proposed use of the land to be served by such streets. Triple frontage lots are prohibited.</li> </ul>	
	<ul> <li>Streets shall intersect as nearly as possible at right angles. No street shall intersect another at an angle of less than 75 degrees.</li> </ul>	
	<ul> <li>Not more than two streets shall intersect at any one point.</li> </ul>	Satisfied
	<ul> <li>Bicycle lanes meeting the Indiana Manual on Uniform Traffic Control Devices (IMUTCD) for location, width, and marking shall be provided along collector streets.</li> </ul>	
	<ul> <li>All streets shall be dedicated to the public. Alleys may be private.</li> </ul>	
	<ul> <li>Turn lanes or other improvements recommended by the Department of Public Works shall be added to the existing street system to minimize the impact of the connection upon the existing street system.</li> </ul>	
	741-303.B – Through Connectivity (Metro Context Area):	
	<ul> <li>Emergency vehicles must not have to use more than two different local streets (any street other than a primary arterial, a secondary arterial or a collector street) to reach their destination.</li> </ul>	
	<ul> <li>Permanently dead-ended streets and alleys, except for cul-de-sac streets, are prohibited.</li> </ul>	
	<ul> <li>All existing or platted streets that terminate at the property boundary line of a proposed subdivision shall be continued into the proposed subdivision to provide street connections to adjoining lands and streets within the proposed subdivision.</li> </ul>	Satisfied
	<ul> <li>Streets entering opposite sides of another street shall be laid out either directly opposite one another or with a minimum offset of 125 ft. between their centerlines.</li> </ul>	
	<ul> <li>Whenever cul-de-sac streets are created, a 15-foot-wide pedestrian access/public utility easement shall be provided between the cul-de-sac head or street.</li> </ul>	
	<ul> <li>Subdivisions with 30 or more lots shall have more than one entrance to the existing street network.</li> </ul>	
	741-303.D – Cul-de-sacs (Metro Context Area):	
	<ul> <li>In the Metro Context Area, cul-de-sac lengths shall not exceed 500 feet or serve more than 20 dwelling units.</li> </ul>	Satisfied
741-304-316 Additional Development		
Items		EVALUATION
	741.304.A-C – Traffic Control Devices:	
	<ul> <li>Street name signs, traffic control signs, bike route signs.</li> </ul>	0-4:-5:1
	Traffic control devices for streets exceeding 900 feet in length.	Satisfied
	<ul> <li>Bicycle Facilities for subdivisions with a collector street serving more than 100 dwelling units.</li> </ul>	
	741.305 – Numbering and naming:	Street
	Street numbering per adopted addressing guidelines.	numbering not
	<ul> <li>Streets that are extensions or continuations of existing or approved streets must bear the name of such existing street.</li> </ul>	submitted



741.306 – Sidewalks:	aball be was ideal along all internal and automate	Satisfied	
	shall be provided along all internal and external streets.		
	nts, Utilities, Stream Protection Corridors: ements shall be located along lot lines and shall be a minimum		
All BMPs easement	and drainage facilities must be located within an easement. The must accommodate adequate access for maintenance.	Satisfied	
	pedestrian easements shall be 15 feet in width and be dopen to the public unless specifically declared otherwise.	Gationida	
All utilities	shall be located underground.		
	isions must be designed in accordance with the Stream Corridor requirements of Section 744-205.		
	eas, Open Space and Public Sites (Compact Context Area):		
·	for subdivisions with more than 20 dwelling units.		
	esements shall be provided to connect all common areas to a set right-of-way. The minimum width of such access must be at set.	Satisfied- See	
	en Space Requirements: Multi-purpose path, natural ng area, entrance landscaping.	Commitment #13	
game cou	Open Space Requirements: Community garden, dog park, rt, picnic area, playground, pool, etc. Additional component or every 30 additional dwelling units overall.		
Reservation	on of land for public/semi-public purpose.		
741-312 – Monuments			
Profession found, mo	nt reference monuments shall be placed in the subdivision by a mal Surveyor. Where no existing permanent monuments are numents must be installed no more than 600 feet apart in any the second in accordance with the schedule in Table 741-312-1.	Satisfied	
741.313 – Flood Contro	l:		
	oment shall comply with all provisions of Section 742-203 (Flood oning District).		
	and Floodway Fringe zones shall be delineated and labeled on y plat and the plat to be recorded.	Satisfied	
For Zone .	AE areas, the plat must show the BFE topographic line.		
	A areas, the plat must show the delineation study with the and floodway fringe lines shown on the FIRM maps.		
741.316 – Street Lightin	ng:		
	isions must be designed and constructed in accordance with the hting requirements of Section 744-600 (Street and Exterior	Satisfied	




### **EXHIBITS**

### **SITE LOCATION**






#### **SITE PLAN**





#### **AMENTIEIS PLAN**







1 View from Clifton Trace of Clifton North





**2** Entrance to Clifton Trace North looking at Louden Place





3 Multi-Purpose Path heading towards Louden Place Subdivision, west of subject site.