

PLAT COMMITTEE

August 12, 2026

Case Number: 2026-PLT-038
Property Address: 9906 E. 63rd Street
Location: Lawrence Township, Council District #10
Petitioner: Joe Calderon, by BT Law
Zoning: D-1
Request: Approval of a Subdivision Plat to be known as Borkowski's Subdivision, dividing 0.918 acres into two (2) lots.
Waiver Requested: Waiver of the sidewalk requirement along 63rd Street and Pleasant Woods Lane.
Current Land Use: Residential
Staff Reviewer: Jasmine Dillard Nikolich, Senior Planner

PETITION HISTORY

This is the first petition for this plat petition.

STAFF RECOMMENDATION

Staff recommends that the Plat Committee **approve** and find that the plat, file-dated July 2, 2026, complies with the standards of the Subdivision regulations, subject to the following conditions:

1. That the applicant provide a bond, as required by Section 741-210, of the Consolidated Zoning and Subdivision Ordinance.
2. Subject to the Standards and Specifications of Citizens Energy Group, Sanitation Section.
3. Subject to the Standards and Specifications of the Department of Public Works, Drainage Section.
4. Subject to the Standards and Specifications of the Department of Public Works, Transportation Section.
5. That addresses and street names, as approved by the Department of Metropolitan Development, be affixed to the final plat prior to recording.
6. That the Enforcement Covenant (Section 741-701, of the Consolidated Zoning and Subdivision Ordinance) be affixed to the final plat prior to recording
7. That the Site Distance Covenant (Section 741-702, of the Consolidated Zoning and Subdivision Ordinance) be affixed to the final plat prior to recording.
8. That the Sanitary Sewer Covenant (Section 741-704, of the Consolidated Zoning and Subdivision Ordinance) be affixed to the final plat prior to recording.

9. That the Storm Drainage Covenant (Section 741-703, of the Consolidated Zoning and Subdivision Ordinance) be affixed to the final plat prior to recording.
10. That the plat restrictions and covenants, done in accordance with the rezoning commitments, be submitted prior to recording the final plat.
11. That all the standards related to secondary plat approval listed in Sections 741-207 and 741-208 of the Consolidated Zoning and Subdivision Ordinance be met prior to recording the final plat.
12. That the waiver of the sidewalk requirement along East 63rd Street and Pleasant Woods Lane be **approved**.

PETITION OVERVIEW

SITE PLAN AND DESIGN

This site is zoned D-1 for residential uses and is a corner lot currently developed with one (1) residential structure, one (1) attached garage, and one (1) detached shed. The placement of the primary structure appears to be legally non-conforming. The proposed plat would subdivide the property into two (2) lots. Lot 1 is currently vacant and would contain a new single-family residential structure to the south. Lot 2 would contain the existing residential structure with the attached garage and detached shed to the north. Each lot would have a width of around 104.36 feet. Lot 1 would have an area of around 21,801 square feet and Lot 2 would have an area of around 18,177 square feet (minimum 24,000 square feet lot required in D-1). The City of Lawrence Board of Zoning Appeals approved a variance (#26-LSV-13) for a reduced area of development. Additional information regarding the variance can be found in the approval letter below. The proposed plat generally meets the remaining standards of the D-1 zoning classification.

STREETS

All lots would be accessed via private drive that connects to 63rd Street and Pleasant Woods Lane. No new streets are proposed.

SIDEWALKS

Sidewalks do not exist on the subject site's location along 63rd Street and Pleasant Woods Lane. Due to the lack of sidewalk connection, staff would concur an approval of the requested waiver.

PROCEDURE

This plat petition, if approved, only legally establishes the division of land. Any new developments would be required to meet all development standards of the D-1 district and any approved variances, including, but not limited to, setbacks, minimum lot width and frontage, and minimum open space.

Existing Zoning	D-1	
Existing Land Use	Single-family dwelling	
Comprehensive Plan	Suburban Neighborhood	
Surrounding Context	Zoning	Land Use
	North: D-A	Single-family residential
	South: D-1	Single-family residential
	East: D-P	Single-family residential
	West: D-1	Single-family residential
Thoroughfare Plan		
63 rd Street	Primary Arterial	50-feet existing and 20-feet proposed
Pleasant Woods Lane	Local Street	50-feet existing and 25-feet proposed
Petition Submittal Date	July 2, 2026	
Final Plat Submittal Date	July 2, 2026	

SUBDIVISION PLAT REGULATIONS

741-203 Required Documents for Approval		EVALUATION
	741.201.A-C – Primary Plat Requirements: - Plat name, Legal Description, Surveyor Seal, Scale. - Boundary Lines, Existing Street Names and dimensions. - Layout of Proposed Streets – names, widths, classifications. - Layout of all easements and purpose thereof. - Layout of lots with numbering and dimensions. - Floodway/Floodplain Delineation. - Topographic Map. - Area Map.	Satisfied with approved variance #260LSV-13
	741-203.D – Traffic Control Plan - Traffic control street signs and devices. - Traffic calming devices. - Bicycle facilities. - Sidewalks and pedestrian facilities. - Transit facilities, such as bus stops pads or shelter. - Street lighting.	Satisfied

	741-203.E– Natural infrastructure plan (major plats containing more than 20 lots) • Placement of all proposed drainage facilities for the subdivision, indicating type of facility and if the facility is to be designed to be wet or dry • Location of Open Space Areas of the open space common area, indicating size and general improvements • Location of any Stream Protection Corridors in accordance with Section 744-205 (Stream Protection Corridors)	Satisfied
	741-205 – Waivers • The granting of the waiver or modification will not be detrimental to the public health, safety, or welfare or injurious to other property • The conditions upon which the request is based are individual to the property for which the relief is sought and are not applicable generally to other property; • Because of the particular physical surroundings, shape, or topographical conditions of the specific property involved, a particular hardship would result, as distinguished from a mere inconvenience, if the strict letter of these regulations is carried out; • The resulting subdivision fulfills the purpose and intent of these regulations at an equal or higher standard than what would have been possible without the deviation; and • The relief sought shall not in any manner vary from the provisions of the Zoning Ordinance, or official zoning base maps, except as those documents may be amended in the manner prescribed by law.	Sidewalk Waiver See Condition #12 above
741-300 Design and Installation Standards	<i>All proposed plats submitted for Committee approval under the provisions of these regulations shall meet these standards to the satisfaction of the Committee unless waived by the Committee.</i>	EVALUATION
	741-302.A – Lots: • Comply with zoning district and any cluster approval or variance grant. • Lots must have positive drainage away from buildings. • No more than 25% of lot area may be under water. • Side lots lines at right angles to streets or radial to curving street line. • Layout of lots with numbering and dimensions. • Floodway/Floodplain Delineation. • Topographic Map.	Satisfied with approved variance #260LSV-13


	741-302.B – Frontage and Access: - Through lots should be avoided except where necessary for primary arterial separation and topography challenges. - Triple frontage lots are prohibited. - Lots abutting alleys must have vehicular access exclusively from alley. - Lots shall not have direct access to arterial streets. - Non-residential plats shall provide cross-access easements to limits points of access to existing street network to no more than one per 500 feet.	Satisfied
	741-302.C – Blocks: - Shall not exceed maximum block lengths per Table 741-302.1 - If exceeded, it must be demonstrated that: - There are improved pedestrian easements at intervals of 400 feet or less. - Adequate traffic calming provisions are made. - The block length must be exceeded because of physical conditions of the land.	Satisfied
741-303 Streets and Connectivity	All proposed plats shall allocate adequate areas for streets in conformity with the Comprehensive Plan and Official Thoroughfare Plan for Marion County, Indiana, and these regulations.	EVALUATION
	741-303.A – General: - Subdivisions shall provide a logical street layout in relation to topographical conditions, public convenience, safety, multi-modal use and the proposed use of the land to be served by such streets. <i>Triple frontage lots are prohibited.</i> - Streets shall intersect as nearly as possible at right angles. No street shall intersect another at an angle of less than 75 degrees. - Not more than two streets shall intersect at any one point. - Bicycle lanes meeting the Indiana Manual on Uniform Traffic Control Devices (IMUTCD) for location, width, and marking shall be provided along collector streets. - All streets shall be dedicated to the public. Alleys may be private. - Turn lanes or other improvements recommended by the Department of Public Works shall be added to the existing street system to minimize the impact of the connection upon the existing street system.	Satisfied

	<i>741-303.B – Through Connectivity (Metro Context Area):</i> - Emergency vehicles must not have to use more than two different local streets (any street other than a primary arterial, a secondary arterial or a collector street) to reach their destination. - Permanently dead-ended streets and alleys, except for cul-de-sac streets, are prohibited. - All existing or platted streets that terminate at the property boundary line of a proposed subdivision shall be continued into the proposed subdivision to provide street connections to adjoining lands and streets within the proposed subdivision. - Streets entering opposite sides of another street shall be laid out either directly opposite one another or with a minimum offset of 125 ft. between their centerlines. - Whenever cul-de-sac streets are created, a 15-foot-wide pedestrian access/public utility easement shall be provided between the cul-de-sac head or street. - Subdivisions with 30 or more lots shall have more than one entrance to the existing street network.	Satisfied
	<i>741-303.D – Cul-de-sacs (Metro Context Area):</i> In the Metro Context Area, cul-de-sac lengths shall not exceed 500 feet or serve more than 20 dwelling units.	Satisfied
741-304-316 Additional Development Items EVALUATION		
	<i>741.304.A-C – Traffic Control Devices:</i> <i>Street name signs, traffic control signs, bike route signs.</i> <i>Traffic control devices for streets exceeding 900 feet in length.</i> <i>Bicycle Facilities for subdivisions with a collector street serving more than 100 dwelling units.</i>	Satisfied
	<i>741.305 – Numbering and naming:</i> <i>Street numbering per adopted addressing guidelines.</i> <i>Streets that are extensions or continuations of existing or approved streets must bear the name of such existing street.</i>	Required
	<i>741.306 – Sidewalks:</i> <i>Sidewalks shall be provided along all internal and external streets.</i>	Sidewalk Waiver See Condition #12 above
	<i>741.307-309 – Easements, Utilities, Stream Protection Corridors:</i> <i>Utility easements shall be located along lot lines and shall be a minimum of 10 feet.</i> <i>All BMPs and drainage facilities must be located within an easement. The easement must accommodate adequate access for maintenance.</i> <i>Generally, pedestrian easements shall be 15 feet in width and be considered open to the public unless specifically declared otherwise.</i> <i>All utilities shall be located underground.</i> <i>All subdivisions must be designed in accordance with the Stream Protection Corridor requirements of Section 744-205.</i>	Satisfied


	<i>741.310 – Common Areas, Open Space and Public Sites (Compact Context Area):</i> <i>Required for subdivisions with more than 20 dwelling units.</i> <i>Access easements shall be provided to connect all common areas to a public street right-of-way. The minimum width of such access must be at least 15 feet.</i> <i>Basic Open Space Requirements: Multi-purpose path, natural landscaping area, entrance landscaping.</i> <i>Additional Open Space Requirements: Community garden, dog park, game court, picnic area, playground, pool, etc. Additional component required for every 30 additional dwelling units overall.</i> <i>Reservation of land for public/semi-public purpose.</i>	Satisfied
	<i>741-312 – Monuments</i> <i>Permanent reference monuments shall be placed in the subdivision by a Professional Surveyor. Where no existing permanent monuments are found, monuments must be installed no more than 600 feet apart in any straight line and in accordance with the schedule in Table 741-312-1.</i>	Satisfied
	<i>741.313 – Flood Control:</i> <i>All development shall comply with all provisions of Section 742-203 (Flood Control Zoning District).</i> <i>Floodway and Floodway Fringe zones shall be delineated and labeled on the primary plat and the plat to be recorded.</i> <i>For Zone AE areas, the plat must show the BFE topographic line.</i> <i>For Zone A areas, the plat must show the delineation study with the floodway and floodway fringe lines shown on the FIRM maps.</i>	Satisfied
	<i>741.316 – Street Lighting:</i> <i>All subdivisions must be designed and constructed in accordance with the Street Lighting requirements of Section 744-600 (Street and Exterior Lighting).</i>	Required

EXHIBITS

2026PLT038; Aeria Map



2026PLT038; Preliminary Primary Plat



2026PLT038; Findings of Fact

**METROPOLITAN DEVELOPMENT COMMISSION
PLAT COMMITTEE
HEARING EXAMINER
OF MARION COUNTY, INDIANA**

**WAIVER OF THE SUBDIVISION REGULATIONS
FINDINGS OF FACT**

1. The granting of the waiver or modification will not be detrimental to the public health, safety, or welfare or injurious to other property because:

there are no sidewalks that exist today on the north side of 63rd Street or Pleasant Woods Lane, and the addition of one home will not generate significant pedestrian traffic to justify a partial sidewalk.

2. The conditions upon which the request is based are individual to the property for which the relief is sought and are not applicable generally to other property because:

only one parcel of property is involved in the request.

3. Because of the particular physical surroundings, shape, or topographical conditions of the specific property involved, a particular hardship would result, as distinguished from a mere inconvenience, if the strict letter of these regulations is carried out:

there are apparent drainage swales located along the Pleasant Woods Lane frontage and utility poles along the 63rd Street frontage, which render the installation of sidewalks impractical.

4. The resulting subdivision fulfills the purpose and intent of these regulations at an equal or higher standard than what would have been possible without the deviation because:

there will be one new lot with a new home, adding property tax base without creating significant enough demand for a new sidewalk.

5. The relief sought shall not in any manner vary from the provisions of the Zoning Ordinance, or official zoning base maps, except as those documents may be amended in the manner prescribed by law because:

the new lot will meet setback requirements and all other develop standards except as approval by variance.

2026PLT038; City of Lawrence Variance Approval Letter



City of
Lawrence
Indiana

July 28, 2026

Catherine Borkowski
11715 Fox Rd, Suite 400-225
Lawrence, IN 46236

RE: Petition #26 LSV 13
Parcel 4019277
9906 E 63rd St
Lawrence, IN 46236

To Whom It May Concern,

On July 21, 2026 the Lawrence Board of Zoning Appeals heard your petition for a Variance of Development Standards of Chapter 744, Art. II, Sec. 01.B., Table 744-201-1 to allow for one parcel to be 21,801 square feet and the other to be 18,177 square feet (minimum 24,000 s.f. lots required in D-1).

The City of Lawrence Board of Zoning Appeals granted your petition with a unanimous vote.

The Board's Findings are of record in the office of the Board of Zoning Appeals. If you have any questions regarding this matter, please contact our office.

Remain in good health,

Mary Campbell
Board Secretary

2026PLT038; Photographs

Photo 1: Subject Site Viewed from the North (July 2026)



Photo 2: Subject Site Viewed from the East (July 2026)



Photo 3: Subject Site Viewed from the South (July 2026)



Photo 4: Subject Site Viewed from the West (July 2026)





**Department of Metropolitan Development
Division of Planning
Current Planning**