

PLAT COMMITTEE September 10, 2025

Case Number: 2025-PLT-057

**Property Address:** 7305 Kentucky Avenue (*Approximate Address*)

Location: Decatur Township, Council District #21

Petitioner: Oberlin Development, LLC, by Rick Ellis

**Zoning:** C-S

**Request:** Approval of a Subdivision Plat, to be known as Oberlin at Camby Village,

Section 3, dividing 19.36 acres into 47 lots, with a proposed 550-foot length cul-de-sac (maximum 500-foot length of the cul-de-sac permitted). The Plat

Committee may permit up to 550-foot cul-de-sac length.

Waivers Requested: None

Current Land Use: Undeveloped

**Staff Reviewer:** Noah Stern, Senior Planner

#### **PETITION HISTORY**

This is the first hearing for this plat petition.

#### **STAFF RECOMMENDATION**

Staff recommends that the Plat Committee **approve** and find that the plat, file-dated August 5, 2025 complies with the standards of the Subdivision regulations, subject to the following conditions:

- 1. That the applicant provides a bond, as required by Section 741-210, of the Consolidated Zoning and Subdivision Ordinance.
- 2. Subject to the Standards and Specifications of Citizens Energy Group, Sanitation Section.
- 3. Subject to the Standards and Specifications of the Department of Public Works, Drainage Section.
- 4. Subject to the Standards and Specifications of the Department of Public Works, Transportation Section.
- 5. That addresses and street names, as approved by the Department of Metropolitan Development, be affixed to the final plat prior to recording.
- 6. That the Enforcement Covenant (Section 741-701, of the Consolidated Zoning and Subdivision Ordinance) be affixed to the final plat prior to recording
- 7. That the Site Distance Covenant (Section 741-702, of the Consolidated Zoning and Subdivision Ordinance) be affixed to the final plat prior to recording.
- 8. That the Sanitary Sewer Covenant (Section 741-704, of the Consolidated Zoning and Subdivision Ordinance) be affixed to the final plat prior to recording.



- 9. That the Storm Drainage Covenant (Section 741-703, of the Consolidated Zoning and Subdivision Ordinance) be affixed to the final plat prior to recording.
- 10. That the plat restrictions and covenants, done in accordance with the rezoning commitments, be submitted prior to recording the final plat.
- 11. That all the standards related to secondary plat approval listed in Sections 741-207 and 741-208 of the Consolidated Zoning and Subdivision Ordinance be met prior to recording the final plat.
- 12. That a lighting plan compliant with Section 744-600 of the Consolidated Zoning and Subdivision Ordinance be submitted prior to recording the final plat.
- 13. That a site plan including a concrete sidewalk along the entire frontage on Kentucky Avenue in compliance with Section 744-302 of the Consolidated Zoning and Subdivision Ordinance be submitted prior to recording the final plat.

#### **PETITION OVERVIEW**

#### SITE PLAN AND DESIGN

The subject site is zoned C-S and is undeveloped. It was rezoned to the C-S classification in 2022 (2022-ZON-112) to provide for the proposed certain C-3 uses and D-4 and D5II uses. The proposed plat generally meets the standards of the zoning classification and the zoning commitments.

#### **STREETS**

The plat would provide for two new streets: one local street and one cul-de-sac. The proposed cul-de-sac would be approximately 550 feet in linear feet.

#### **SIDEWALKS**

Sidewalks are required along Kentucky Avenue and all proposed interior streets.

#### **GENERAL INFORMATION**

Existing Zoning	C-S	
Existing Land Use	Undeveloped	
Comprehensive Plan	Suburban Neighborhood	
Surrounding Context	Zoning	Land Use
North:	C-5	Commercial
South:	C-S	Undeveloped
East:	C-4	Undeveloped
West:	C-7	Commercial
Thoroughfare Plan		
Kentucky Avenue	Primary Arterial	165-foot existing and 102-feet proposed
Petition Submittal Date	August 5, 2025	· ·



### SUBDIVISION PLAT REGULATIONS

741-203  Required Documents for A	pproval	EVALUATION
Required Documents for A	•	EVALUATION
741.201.A-C	C – Primary Plat Requirements:  Plat name, Legal Description, Surveyor Seal, Scale.	
	Boundary Lines, Existing Street Names and dimensions.	
	Layout of Proposed Streets – names, widths, classifications.	
	Layout of all easements and purpose thereof.	Satisfied
	Layout of lots with numbering and dimensions.	Gationoa
	Floodway/Floodplain Delineation.	
	Topographic Map.	
	Area Map.	
741-203 D -	- Traffic Control Plan	
•	Traffic control street signs and devices.	
•	Traffic calming devices.	
•	Bicycle facilities.	Satisfied
•	Sidewalks and pedestrian facilities.	
•	Transit facilities, such as bus stops pads or shelter.	
•	Street lighting.	
741-203.E-	Natural infrastructure plan (major plats containing more than 20 lots)	
•	Placement of all proposed drainage facilities for the subdivision, indicating type of facility and if the facility is to be designed to be wet or dry	Satisfied
•	Location of Open Space Areas of the open space common area, indicating size and general improvements	
	Location of any Stream Protection Corridors in accordance with Section 744-205 (Stream Protection Corridors)	
741-205 – V	Vaivers	
•	The granting of the waiver or modification will not be detrimental to the public health, safety, or welfare or injurious to other property	None Requested
•	The conditions upon which the request is based are individual to the property for which the relief is sought and are not applicable generally to other property;	
•	Because of the particular physical surroundings, shape, or topographical conditions of the specific property involved, a particular hardship would result, as distinguished from a mere inconvenience, if the strict letter of these regulations is carried out;	
•	The resulting subdivision fulfills the purpose and intent of these regulations at an equal or higher standard than what would have been possible without the deviation; and	
•	The relief sought shall not in any manner vary from the provisions of the Zoning Ordinance, or official zoning base maps, except as those documents may be amended in the manner prescribed by law.	



741-300 Design and Installation	All proposed plats submitted for Committee approval under the provisions of these regulations shall meet these standards to the satisfaction of the	
Standards	Committee unless waived by the Committee.	EVALUATION
	741-302.A – Lots:	
	<ul> <li>Comply with zoning district and any cluster approval or variance grant.</li> </ul>	
	<ul> <li>Lots must have positive drainage away from buildings.</li> </ul>	
	<ul> <li>No more than 25% of lot area may be under water.</li> </ul>	Satisfied
	<ul> <li>Side lots lines at right angles to streets or radial to curving street line.</li> </ul>	
	<ul> <li>Layout of lots with numbering and dimensions.</li> </ul>	
	Floodway/Floodplain Delineation.	
	Topographic Map.	
	741-302.B – Frontage and Access:	
	<ul> <li>Through lots should be avoided except where necessary for primary arterial separation and topography challenges.</li> </ul>	
	Triple frontage lots are prohibited.	
	<ul> <li>Lots abutting alleys must have vehicular access exclusively from alley.</li> </ul>	Satisfied
	<ul> <li>Lots shall not have direct access to arterial streets.</li> </ul>	
	<ul> <li>Non-residential plats shall provide cross-access easements to limits points of access to existing street network to no more than one per 500 feet.</li> </ul>	
	741-302.C – Blocks:	
	Shall not exceed maximum block lengths per Table 741-302.1	
	If exceeded, it must be demonstrated that:	
	<ul> <li>There are improved pedestrian easements at intervals of 400 feet or less.</li> </ul>	Satisfied
	<ul> <li>Adequate traffic calming provisions are made.</li> </ul>	
	<ul> <li>The block length must be exceeded because of physical conditions of the land.</li> </ul>	



Connectivity	for Marion County, Indiana, and these regulations.	EVALUATION
	<ul> <li>741-303.A – General:</li> <li>Subdivisions shall provide a logical street layout in relation to topographical conditions, public convenience, safety, multi-moda use and the proposed use of the land to be served by such streets. Triple frontage lots are prohibited.</li> </ul>	I
	<ul> <li>Streets shall intersect as nearly as possible at right angles. No street shall intersect another at an angle of less than 75 degrees</li> </ul>	
	<ul> <li>Not more than two streets shall intersect at any one point.</li> </ul>	Satisfied
	<ul> <li>Bicycle lanes meeting the Indiana Manual on Uniform Traffic Control Devices (IMUTCD) for location, width, and marking shall be provided along collector streets.</li> </ul>	
	<ul> <li>All streets shall be dedicated to the public. Alleys may be private</li> </ul>	
	<ul> <li>Turn lanes or other improvements recommended by the Department of Public Works shall be added to the existing street system to minimize the impact of the connection upon the existin street system.</li> </ul>	
	741-303.B – Through Connectivity (Metro Context Area):	
	<ul> <li>Emergency vehicles must not have to use more than two different local streets (any street other than a primary arterial, a secondary arterial or a collector street) to reach their destination.</li> </ul>	
	<ul> <li>Permanently dead-ended streets and alleys, except for cul-de-sa streets, are prohibited.</li> </ul>	С
	<ul> <li>All existing or platted streets that terminate at the property boundary line of a proposed subdivision shall be continued into the proposed subdivision to provide street connections to adjoining lands and streets within the proposed subdivision.</li> </ul>	Satisfied
	<ul> <li>Streets entering opposite sides of another street shall be laid out either directly opposite one another or with a minimum offset of 125 ft. between their centerlines.</li> </ul>	
	<ul> <li>Whenever cul-de-sac streets are created, a 15-foot-wide pedestrian access/public utility easement shall be provided between the cul-de-sac head or street.</li> </ul>	
	<ul> <li>Subdivisions with 30 or more lots shall have more than one entrance to the existing street network.</li> </ul>	
	741-303.D – Cul-de-sacs (Metro Context Area):	
	<ul> <li>In the Metro Context Area, cul-de-sac lengths shall not exceed 500 feet or serve more than 20 dwelling units.</li> </ul>	Satisfied
1-304-316		
ditional De	velopment Items	EVALUATION
	741.304.A-C – Traffic Control Devices:	
	Street name signs, traffic control signs, bike route signs.	Satisfied
	Traffic control devices for streets exceeding 900 feet in length.	Satisfied
	<ul> <li>Bicycle Facilities for subdivisions with a collector street serving more than 100 dwelling units.</li> </ul>	




741.305 –	- Numbering and naming:		
•	Street numbering per adopted addressing guidelines.	Satisfied	
•	Streets that are extensions or continuations of existing or approved streets must bear the name of such existing street.		
741.306 –	- Sidewalks:	Satisfied	
•	Sidewalks shall be provided along all internal and external streets.	Satisfied	
741.307-3	309 – Easements, Utilities, Stream Protection Corridors:		
•	<ul> <li>Utility easements shall be located along lot lines and shall be a minimum of 10 feet.</li> </ul>		
•	All BMPs and drainage facilities must be located within an easement. The easement must accommodate adequate access for maintenance.	Satisfied	
•	Generally, pedestrian easements shall be 15 feet in width and be considered open to the public unless specifically declared otherwise.		
•	All utilities shall be located underground.		
•	All subdivisions must be designed in accordance with the Stream Protection Corridor requirements of Section 744-205.		
741.310 – Area):	- Common Areas, Open Space and Public Sites (Compact Context		
•	Required for subdivisions with more than 20 dwelling units.		
•	Access easements shall be provided to connect all common areas to a public street right-of-way. The minimum width of such access must be at least 15 feet.	Satisfied	
•	Basic Open Space Requirements: Multi-purpose path, natural landscaping area, entrance landscaping.		
•	Additional Open Space Requirements: Community garden, dog park, game court, picnic area, playground, pool, etc. Additional component required for every 30 additional dwelling units overall.		
•	Reservation of land for public/semi-public purpose.		
741-312 -	- Monuments		
•	Permanent reference monuments shall be placed in the subdivision by a Professional Surveyor. Where no existing permanent monuments are found, monuments must be installed no more than 600 feet apart in any straight line and in accordance with the schedule in Table 741-312-1.	Satisfied	
741.313 –	- Flood Control:		
•	All development shall comply with all provisions of Section 742-203 (Flood Control Zoning District).	Satisfied	
•	Floodway and Floodway Fringe zones shall be delineated and labeled on the primary plat and the plat to be recorded.		
•	For Zone AE areas, the plat must show the BFE topographic line.		
•	For Zone A areas, the plat must show the delineation study with the floodway and floodway fringe lines shown on the FIRM maps.		
741.316 –	- Street Lighting:		
•	All subdivisions must be designed and constructed in accordance with the Street Lighting requirements of Section 744-600 (Street and Exterior Lighting).	Satisfied	



### **EXHIBITS**




**Aerial Photo** 




**Preliminary Plat** 































## PHOTOS

