

PLAT COMMITTEE December 11, 2024

Case Number: 2024-PLT-069

Property Address: 2163 and 2179 North Illinois Street (Approximate Addresses)

Location: Center Township, Council District #12

Petitioner: Near North Development Corporation, by Leslie Steinert

Zoning: MU-2 (RC); D-8 (RC) (Pending)

Request: Approval of a Subdivision Plat to be known as 22nd and Illinois Townhomes

Subdivision, dividing 1.2 acres into 23 single-family attached lots and one

block.

Waiver Requested: None

Current Land Use: Undeveloped

Staff Reviewer: Michael Weigel, Senior Planner

PETITION HISTORY

This is the first public hearing for this petition.

STAFF RECOMMENDATION

Staff recommends that the Plat Committee **approve** and find that the plat, file-dated November 4, 2024, complies with the standards of the Subdivision regulations, subject to the following conditions:

- 1. That the applicant provides a bond, as required by Section 741-210, of the Consolidated Zoning and Subdivision Ordinance.
- 2. Subject to the Standards and Specifications of Citizens Energy Group, Sanitation Section.
- 3. Subject to the Standards and Specifications of the Department of Public Works, Drainage Section.
- 4. Subject to the Standards and Specifications of the Department of Public Works, Transportation Section.
- 5. That addresses and street names, as approved by the Department of Metropolitan Development, be affixed to the final plat prior to recording.
- 6. That the Enforcement Covenant (Section 741-701, of the Consolidated Zoning and Subdivision Ordinance) be affixed to the final plat prior to recording
- 7. That the Site Distance Covenant (Section 741-702, of the Consolidated Zoning and Subdivision Ordinance) be affixed to the final plat prior to recording.
- 8. That the Sanitary Sewer Covenant (Section 741-704, of the Consolidated Zoning and Subdivision Ordinance) be affixed to the final plat prior to recording.



- 9. That the Storm Drainage Covenant (Section 741-703, of the Consolidated Zoning and Subdivision Ordinance) be affixed to the final plat prior to recording.
- 10. That the plat restrictions and covenants, done in accordance with the rezoning commitments, be submitted prior to recording the final plat.
- 11. That all the standards related to secondary plat approval listed in Sections 741-207 and 741-208 of the Consolidated Zoning and Subdivision Ordinance be met prior to recording the final plat.
- 12. That all required internal sidewalks will be affixed to the final plat prior to recording.
- 13. That the traffic plan and natural infrastructure plan be affixed to the final plat prior to recording.

PETITION OVERVIEW

SITE PLAN AND DESIGN

This property comprised of two parcels is the subject of two pending petitions: one is a variance case that was approved to allow for (among other items) the creation of lots with deficient square footage, and the other is a rezoning case that will be heard on November 20th by the Metropolitan Development Commission to rezone the property to the D-8 zoning district. Approval of this plat would divide 1.2 acres into 23 single-family attached lots and one block. The proposed plat meets the standards of the D-8 zoning district other than the grant provided by 2024-CVR-837.

STREETS

The property is bordered by 22nd Street to the north and Illinois Street to the west. One new private street (Herald Drive) would be created with three access points to the existing alley. Herald Drive would also be accessible by 22nd Street from the north.

SIDEWALKS

Sidewalks are required and existing along both Illinois Street and West 22nd Street. Internal walkways would also be required to allow for pedestrian access by townhomes that do not front on either existing street. All required sidewalks will be installed and affixed to the final plat prior to recording.

GENERAL INFORMATION				
Existing Zoning	MU-2 (RC); D-8 (RC) Pending			
Existing Land Use	Undeveloped			
Comprehensive Plan	Medium-Density Mixed-Use			
Surrounding Context	<u>Zoning</u>	Land Use		
North:	C-4	Commercial		
South:	D-8	Commercial		
East:	C-4 / MU-2	Parking Lot / Undeveloped		
West:	C-4	Commercial		
Thoroughfare Plan				
Illinois Street	Primary Arterial	70-foot existing right-of-way and		



78-foot proposed right-of-way
22nd Street Primary Arterial 60-foot existing right-of-way and
78-foot proposed right-of-way and
78-foot proposed right-of-way and
48-foot existing right-of-way and
48-foot proposed right-of-way

Petition Submittal Date November 4, 2024

SUBDIVISION PLAT REGULATIONS

741-203			
Required Doc	Required Documents for Approval		
	741.203.A-C – Primary Plat Requirements:		
	Plat name, Legal Description, Surveyor Seal, Scale.		
	Boundary Lines, Existing Street Names, and dimensions.		
	 Layout of Proposed Streets – names, widths, classifications. 		
	Layout of all easements and purpose thereof.	Satisfied	
	Layout of lots with numbering and dimensions.		
	Floodway/Floodplain Delineation.		
	Topographic Map.		
	Area Map.		
	741-203.D – Traffic Control Plan		
	Traffic control street signs and devices.		
	Traffic calming devices.	See	
	Bicycle facilities.	Commitment	
	Sidewalks and pedestrian facilities.	#13	
	Transit facilities, such as bus stops pads or shelter.		
	Street lighting.		
	741-203.E- Natural infrastructure plan (major plats containing more than 20 lots)		
	 Placement of all proposed drainage facilities for the subdivision, indicating type of facility and if the facility is to be designed to be wet or dry 	See Commitment	
	 Location of Open Space Areas of the open space common area, indicating size and general improvements 	#13	
	Location of any Stream Protection Corridors in accordance with Section 744-205 (Stream Protection Corridors)		



	741-205 – Waivers	
	The granting of the waiver or modification will not be detrimental to the public health, safety, or welfare or injurious to other property	
	The conditions upon which the request is based are individual to the property for which the relief is sought and are not applicable generally to other property;	
	Because of the particular physical surroundings, shape, or topographical conditions of the specific property involved, a particular hardship would result, as distinguished from a mere inconvenience, if the strict letter of these regulations is carried out;	None Requested
	 The resulting subdivision fulfills the purpose and intent of these regulations at an equal or higher standard than what would have been possible without the deviation; and 	
	The relief sought shall not in any manner vary from the provisions of the Zoning Ordinance, or official zoning base maps, except as those documents may be amended in the manner prescribed by law.	
741-300		
Design and Installation Standards	All proposed plats submitted for Committee approval under the provisions of these regulations shall meet these standards to the satisfaction of the Committee unless waived by the Committee.	EVALUATION
	741-302.A – Lots:	
	 Comply with zoning district and any cluster approval or variance grant. 	
	Lots must have positive drainage away from buildings.	
	No more than 25% of lot area may be under water.	Satisfied
	Side lots lines at right angles to streets or radial to curving street line.	
	Layout of lots with numbering and dimensions.	
	Floodway/Floodplain Delineation.	
	Topographic Map.	
	741-302.B – Frontage and Access:	
	 Through lots should be avoided except where necessary for primary arterial separation and topography challenges. 	
	Triple frontage lots are prohibited.	
	 Lots abutting alleys must have vehicular access exclusively from alley. 	Satisfied
	 Lots shall not have direct access to arterial streets. 	
	 Non-residential plats shall provide cross-access easements to limits points of access to existing street network to no more than one per 500 feet. 	
	741-302.C – Blocks:	
	Shall not exceed maximum block lengths per Table 741-302.1	
	If exceeded, it must be demonstrated that:	
	 There are improved pedestrian easements at intervals of 400 feet or less. 	Satisfied
	 Adequate traffic calming provisions are made. 	
	 The block length must be exceeded because of physical conditions of the land. 	



741-303 Streets and Connectivity	All proposed plats shall allocate adequate areas for streets in conformity with the Comprehensive Plan and Official Thoroughfare Plan for Marion County, Indiana, and these regulations.	EVALUATION
Connectivity	741-303.A – General:	LVALOATION
	Subdivisions shall provide a logical street layout in relation to topographical conditions, public convenience, safety, multi-modal use and the proposed use of the land to be served by such streets. Triple frontage lots are prohibited.	
	 Streets shall intersect as nearly as possible at right angles. No street shall intersect another at an angle of less than 75 degrees. 	
	 Not more than two streets shall intersect at any one point. 	Satisfied
	 Bicycle lanes meeting the Indiana Manual on Uniform Traffic Control Devices (IMUTCD) for location, width, and marking shall be provided along collector streets. 	<u> </u>
	 All streets shall be dedicated to the public. Alleys may be private. 	
	 Turn lanes or other improvements recommended by the Department of Public Works shall be added to the existing street system to minimize the impact of the connection upon the existing street system. 	
	741-303.B – Through Connectivity (Metro Context Area):	
	 Emergency vehicles must not have to use more than two different local streets (any street other than a primary arterial, a secondary arterial or a collector street) to reach their destination. 	
	 Permanently dead-ended streets and alleys, except for cul-de-sac streets, are prohibited. 	
	 All existing or platted streets that terminate at the property boundary line of a proposed subdivision shall be continued into the proposed subdivision to provide street connections to adjoining lands and streets within the proposed subdivision. 	Within Compact Context Area
	 Streets entering opposite sides of another street shall be laid out either directly opposite one another or with a minimum offset of 125 ft. between their centerlines. 	
	 Whenever cul-de-sac streets are created, a 15-foot-wide pedestrian access/public utility easement shall be provided between the cul-de-sac head or street. 	
	 Subdivisions with 30 or more lots shall have more than one entrance to the existing street network. 	
	741-303.D – Cul-de-sacs (Metro Context Area):	
	 In the Metro Context Area, cul-de-sac lengths shall not exceed 500 feet or serve more than 20 dwelling units. 	None proposed
741-304-316		
Additional De	velopment Items	EVALUATION
	741.304.A-C – Traffic Control Devices:	
	 Street name signs, traffic control signs, bike route signs. 	See Commitment
	Traffic control devices for streets exceeding 900 feet in length.	#13
	 Bicycle Facilities for subdivisions with a collector street serving more than 100 dwelling units. 	



7	41.305 – Numbering and naming:		
	Street numbering per adopted addressing guidelines.	Satisfied	
	 Streets that are extensions or continuations of existing or approved streets must bear the name of such existing street. 		
7	41.306 – Sidewalks:	See Commitment	
	Sidewalks shall be provided along all internal and external streets.	#12	
7	41.307-309 – Easements, Utilities, Stream Protection Corridors:		
	 Utility easements shall be located along lot lines and shall be a minimum of 10 feet. 		
	 All BMPs and drainage facilities must be located within an easement. The easement must accommodate adequate access for maintenance. 	Satisfied	
	 Generally, pedestrian easements shall be 15 feet in width and be considered open to the public unless specifically declared otherwise. 		
	All utilities shall be located underground.		
	 All subdivisions must be designed in accordance with the Stream Protection Corridor requirements of Section 744-205. 		
	41.310 – Common Areas, Open Space and Public Sites (Compact Context rea):		
	 Required for subdivisions with more than 20 dwelling units. 	Not Applicable	
	 Access easements shall be provided to connect all common areas to a public street right-of-way. The minimum width of such access must be at least 15 feet. 		
	 Basic Open Space Requirements: Multi-purpose path, natural landscaping area, entrance landscaping. 		
	 Additional Open Space Requirements: Community Garden, dog park, game court, picnic area, playground, pool, etc. Additional component required for every 30 additional dwelling units overall. 		
	Reservation of land for public/semi-public purpose.		
7	41-312 – Monuments		
	 Permanent reference monuments shall be placed in the subdivision by a Professional Surveyor. Where no existing permanent monuments are found, monuments must be installed no more than 600 feet apart in any straight line and in accordance with the schedule in Table 741-312-1. 	Satisfied	
7	41.313 – Flood Control:		
	 All development shall comply with all provisions of Section 742- 203 (Flood Control Zoning District). 		
	 Floodway and Floodway Fringe zones shall be delineated and labeled on the primary plat and the plat to be recorded. 	Satisfied	
	For Zone AE areas, the plat must show the BFE topographic line.		
	 For Zone A areas, the plat must show the delineation study with the floodway and floodway fringe lines shown on the FIRM maps. 		
7	41.316 – Street Lighting:		
	 All subdivisions must be designed and constructed in accordance with the Street Lighting requirements of Section 744-600 (Street and Exterior Lighting). 	Satisfied	




EXHIBITS

2024-PLT-069; Aerial Map





2024-PLT-069; Secondary Plat






2024-PLT-069; Site Layout (per 2024-CVR-837)





2024-PLT-069; Photographs



View looking south along North Illinois Street



View looking north along North Illinois Street





View of site looking north across Mc Lean Place



View of site looking northwest from adjacent property to the east





View of site looking northt from adjacent property to the east



View of site looking west





View of site looking west



View of site looking west





View of site looking south across West 22nd Street



View of site looking south across West 22nd Street