ADICO
CONSULTING ENGINEERS

Thursday, October 22, 2026

David Morales
Quiddity Engineering, LLC
1575 Sawdust Road, Suite 400
The Woodlands, TX 77380
dmorales@quiddity.com

Re: Wynserra Section 4 Final Plat
Letter of Recommendation to Approve
COIC Project No. 8709
ALLC Project No. 710-26-002-051

Dear Mr. Morales:

On behalf of the City of Iowa Colony, Adico, LLC has reviewed the second submittal for Wynserra Section 4 Final Plat, being +/-24.30 acres out of the Chester S. Gorbet Survey, Abstract No. 64, located in the City of Iowa Colony, Brazoria County, Texas, received on or about October 22, 2026. The review of the plat is based on the City of Iowa Colony Subdivision Ordinance dated August 2002, and as amended.

Based on our review, we have no objection to the final plat as resubmitted on October 22, 2026.

Please provide at least two (2) sets of mylars and ten (10) prints of the plat to Kayleen Rosser, City Secretary, by no later than Tuesday, October 27, 2026, for consideration at the November 3, 2026, Planning and Zoning Commission meeting.

Following consideration at the Planning and Zoning Commission meeting, the plat will be placed on the November 16, 2026, City Council agenda for consideration.

Should you have any questions, please do not hesitate to call our office.

Sincerely,
Adico, LLC

Dinh V. Ho, P.E.
TBPE Firm No. 16423

Cc: Kayleen Rosser
File: 710-26-002-051

APPROVED, ADICO, LLC, 10222026

LEGEND:


AC . . . . . "Acres"
AE . . . . . "Aerial Easement"
B.C.D.R. . . . . "Brazoria County Deed Records"
BL . . . . . "Building Line"
C.C.F. . . . . "County Clerk's File"
DU . . . . . "Dwelling Unit"
Esmt. . . . . "Easement"
FND . . . . . "Found"
O.P.R.B.C. . . . . "Official Public Records, Brazoria County"
POB . . . . . "Point of Beginning"
No. . . . . "Number"
PUE . . . . . "Public Utility Easement"
ROW . . . . . "Right-of-Way"
SSE . . . . . "Sanitary Sewer Easement"
Sq. Ft. . . . . "Square Feet"
Stm SE . . . . . "Storm Sewer Easement"
UE . . . . . "Utility Easement"
VOL., PG. . . . "Volume and Page"
WLE . . . . . "Waterline Easement"
(1) . . . . . "Block Number"
● . . . . . "Set 3/4-inch Iron Rod with cap stamped "Quiddity Eng. Property Corner" as per certification"
. . . . . "Street Name Break"


RESTRICTED RESERVE A
Restricted to Open Space, Landscape, and Incidental Utility Purposes Only
0.0682 AC
2,971 Sq. Ft.

RESTRICTED RESERVE B
Restricted to Open Space, Landscape, and Incidental Utility Purposes Only
0.0912 AC
3,974 Sq. Ft.

RESTRICTED RESERVE C
Restricted to Open Space, Landscape, and Incidental Utility Purposes Only
0.0884 AC
3,850 Sq. Ft.

RESTRICTED RESERVE D
Restricted to Open Space, Landscape, and Incidental Utility Purposes Only
0.0720 AC
3,135 Sq. Ft.





VICINITY MAP
Scale: Not to Scale
KEY MAP 727F

GENERAL NOTES:

1. The coordinates shown hereon are Texas South Central Zone No. 4204 State Plane Grid coordinates (NAD83) and may be brought to surface by applying the following combined scale factor: 1.00013478.
2. According to Map No. 48039C0275K of the Federal Emergency Management Agency's Flood Insurance Rate Maps for Brazoria County, revised December 30, 2020, the subject tract is situated within Unshaded Zone "X", defined as areas determined to be outside the 0.2% annual chance (500-year) floodplain.
3. Absent written authorization by the affected utilities, all utility and aerial easements must be kept unobstructed from any non-utility improvements or obstructions by the property owner. Any unauthorized improvements or obstructions may be removed by any public utility at the property owner's expense. While wooden posts and paneled wooden fences along the perimeter and back to back easements and alongside rear lot lines are permitted, they too may be removed by public utilities at the property owner's expense should they be an obstruction. Public Utilities may put said wooden posts and paneled wooden fences back up, but generally will not replace with new fencing.
4. All building lines along street rights-of-way are as shown on the plat.
5. Sidewalks must be constructed as part of the issuance of a building permit.
6. No building permits will be issued until all storm drainage improvements, which may include detention, have been constructed.
7. The final plat will expire two (2) years after final approval by the City Council if construction of the improvements has not commenced within the two (2) year period or the one (1) year extension period granted by City Council.
8. This plat contains Type II lots, and is subject to such regulations defined in the Development Agreement between Maple Farms Holdings and the City of Iowa Colony dated August 12, 2024.
9. All drainage easements shown hereon shall be kept clear of fences, buildings, plantings and other obstructions to the operation and maintenance of drainage facilities.
10. All property shall drain into the drainage easement only through an approved drainage structure.
11. All drainage easements and detention pond reserves shown on this plat will be maintained by the property owners and/or business owners; provided, however, any governmental entity have jurisdiction, including, without limitation, Brazoria County, Texas and Brazoria County Drainage District #5, shall have the right, but not the obligation to enter upon the drainage easements to perform maintenance operations at any time after the date hereof.
12. The property identified in the foregoing plat lies with Brazoria County Drainage District No. 5.
13. All storm water drainage pipes, culverts, tiles or other (including driveway culverts) will be minimum 24" I.D. or equal.
14. There are no pipeline easements, or pipelines within the boundaries of this plat.
15. This plat is subject to the Development Agreement between Maple Farms Holdings and the City of Iowa Colony, dated August 12, 2024.
16. This plat lies within Brazoria County Municipal Utility District No. 90.
17. Plat approval is subject to approval of adjacent Wynserra Street Dedication and Reserves Sec 1 plat.
18. Utility easements to be dedicated with adjacent Wynserra Water Plant Plat.

BRAZORIA COUNTY DRAINAGE DISTRICT #5 NOTES:

1. Slab elevations (finished floor) shall be minimum of two (2) feet above the Base Flood Elevation (BFE) or two (2) feet above natural grade, whichever is greater.
2. All drainage easements shown hereon shall be kept clear of fences, buildings, plantings and other obstructions to the operation and maintenance of drainage facilities.
3. All property shall drain into the drainage easement only through an approved drainage structure.
4. All drainage easements and detention pond reserves shown on this plat, will be maintained by the property owners and/or business owners; provided, however, and governmental entity have jurisdiction, including, without limitation, Brazoria County, Texas and Brazoria County Drainage District #5, shall have the right, but not the obligation to enter upon the drainage easements to perform maintenance operations at any time after the date hereof.
5. The property identified in the foregoing plat lies with Brazoria County Drainage District #5.
6. This rural commercial site employs a natural drainage system, which is intended to provide drainage for the site that is similar to that which existed under pre-development conditions. Thus, during large storm events, ponding of water should be expected to occur on the site to the extent it may have prior to development, but such ponding should not remain for an extended period of time.
7. Land use within the commercial site is limited to an average imperviousness of no more than 40 percent. The drainage and/or detention system has been designed with the assumption that this average percent, imperviousness will not be exceeded. If this percentage is to be exceeded, a replat and/or redesign of the system may be necessary.
8. Other than shown hereon, there are no pipeline easements or pipelines within the boundaries of this plat.
9. All storm water drainage pipes, culverts, tiles or other (including driveway culverts) will be a minimum of 24" I.D. or equal.
10. Dedicated drainage easement(s) granted to Brazoria County Drainage District #5 for drainage maintenance purposes shall include 45 feet top of bank, plus the sum (footage) of both ditch side slopes and channel bottom and 45 feet of bank on the opposite bank.
11. Dedicated ingress/egress accesses are granted to Brazoria County Drainage District #5 (see District Resolution No. 2007-06 & No. 2007-07). Access will be gated and locked with Brazoria County Drainage District #5's lock.
12. Prohibited use of "metal" pipe in storm water/sewer applications (see District Resolution No. 2007-08).
13. Prohibited use of "rip-rap" in storm water/sewer applications (District policy).
14. Pipelines, utility lines and other crossing under any Brazoria County Drainage District #5 ditch require approval and permitting prior to construction.
15. All dedicated storm water drainage and/or access easements to be granted to Brazoria County Drainage District #5 by the property owner will be initiated and recorded, at property owner's expense, in Brazoria County, Texas with a 'Recorded Document Number' affixed to said easement prior to final project approval granted by Brazoria County Drainage District #5 Board of Commissioners.
16. It will be the property owner's responsibility to verify if any Brazoria County Drainage District #5 'Dedicated' drainage easements are on or cross their property. If so, the property owner will comply as stated within the recorded easement.
17. Project field start-up will start within 365 calendar days from date shown here. Continuous and reasonable field site work is expected. See Brazoria County drainage criteria manual section 1, Introduction; Sub-Section 1.5. Plat and Plan approval process, and drainage acceptance procedures; time limit for approval and Brazoria County Drainage District #5 Resolution 2011-1, allowable time(s) and procedures for starting-up approved projects.

FINAL PLAT OF WYNSERRA SEC 4

A SUBDIVISION OF 24.30 ACRES OF LAND OUT OF THE CHESTER S. GORBET SURVEY, A-64 BRAZORIA COUNTY, TEXAS

122 LOTS 4 RESERVES 4 BLOCKS

JULY 2026

OWNER
DRP TX 5, LLC,
a Delaware limited liability company
520 Madison Ave, 21st Floor
New York, NY 10022
713-783-6702

ENGINEER/PLANNER/SURVEYOR:
QUIDDITY
Quiddity Engineering, LLC
Texas Board of Professional Engineers and Land Surveyors
Registration Nos. F-23290 & 10046100
6330 West Loop South, Suite 150 • Bellaire, TX 77401 • 713.777.5337

APPROVED, ADICO, LLC, 10222026

STATE OF TEXAS §

COUNTY OF BRAZORIA §

A METES & BOUNDS description of a certain 24.30 acre tract of land situated in the Chester S Gorbet Survey, Abstract No. 64 in Brazoria County, Texas, being out of a called 706.497 acre tract of land conveyed to DRP TX 5, LLC. by Special Warranty Deed recorded in Clerk's File No. 2025032723 of the Brazoria County Official Public Records (BCOPR); said 24.30 acre tract being more particularly described as follows with all bearings being based on the Texas Coordinate System of 1983, South Central Zone;

COMMENCING at found Concrete Monument being a south corner of said 706.497 acre tract, being common with the east corner of a called 2 acre tract to Hortense Mitchell by Quitclaim Deed recorded in Clerk's File No. 2012018372 BCOPR, and being in the northwest line of a called 11.97 acre tract of land conveyed to Breda Gobellan by Special Warranty Deed recorded in Clerk's File No. 2008029823 BCOPR;

THENCE, North 49°35'52" East, along the south line of said 706.497 acre tract, common with the northwest line of said 11.97 acre tract, 687.48 feet to a found Concrete Monument;

THENCE, North 01°56'03" West, departing the northwest line of said 11.97 acre tract, continuing along south line of said 706.497 acre tract, 95.45 feet to a 5/8–inch iron rod with cap stamped Miller Survey;

THENCE, North 87°56'21" East, along the south line of said 706.497 acre tract of land, 427.04 feet to a found 3/4–inch iron rod with cap stamped "Quiddity ENG Property Corner";

North 02°03'39" West, 149.85 feet to a found 3/4–inch iron rod with cap stamped "Quiddity ENG Property Corner" being the POINT OF BEGINNING of the herein described tract;

THENCE, North 74°42'13" West, 170.53 feet to a found 3/4–inch iron rod with cap stamped "Quiddity ENG Property Corner";

THENCE, North 47°49'49" West, 130.79 feet to a found 3/4–inch iron rod with cap stamped "Quiddity ENG Property Corner"being in the east line of proposed Wynserra Water Plant No. 1;

THENCE, along said east line of Proposed Wynserra Water Plant No. 1 the following seven (7) courses and distances:

1. North 41°24'59" West, 64.53 feet to a found 3/4–inch iron rod with cap stamped "Quiddity ENG Property Corner";
2. North 13°29'41" East, 15.14 feet to a found 3/4–inch iron rod with cap stamped "Quiddity ENG Property Corner";
3. North 54°17'31" East, 114.30 feet to a found 3/4–inch iron rod with cap stamped "Quiddity ENG Property Corner" being at the beginning of a non–tangent curve to the right;
4. Along the arc of said non–tangent curve to the right having a radius of 325.00 feet, a central angle of 08°36'51", an arc length of 48.86 feet, and a long chord bearing North 31°24'04" West, 48.82 feet to a found 3/4–inch iron rod with cap stamped "Quiddity ENG Property Corner";
5. North 27°05'39" West, 3.45 feet to a found 3/4–inch iron rod with cap stamped "Quiddity ENG Property Corner";
6. South 62°54'21" West, 110.00 feet to a found 3/4–inch iron rod with cap stamped "Quiddity ENG Property Corner";
7. North 72°05'39" West, 14.14 feet to a found 3/4–inch iron rod with cap stamped "Quiddity ENG Property Corner";

THENCE, North 27°05'39" West, 544.73 feet to a found 3/4–inch iron rod with cap stamped "Quiddity ENG Property Corner"beign at the beginning of a non–tangent curve to the right;

THENCE, along the arc of said non–tangent curve to the right having a radius of 1975.00 feet, a central angle of 01°32'15", an arc length of 52.99 feet, and a long chord bearing North 63°40'28" East, 52.99 feet to a found 3/4–inch iron rod with cap stamped "Quiddity ENG Property Corner";

THENCE, North 25°33'24" West, 50.00 feet to a found 3/4–inch iron rod with cap stamped "Quiddity ENG Property Corner"being at the beginning of a non–tangent curve to the right;

THENCE, along the arc of said non–tangent curve to the right having a radius of 24.97 feet, a central angle of 88°36'09", an arc length of 38.61 feet, and a long chord bearing North 71°19'32" West, 34.88 feet to a found 3/4–inch iron rod with cap stamped "Quiddity ENG Property Corner";

THENCE, North 27°05'39" West, 89.98 feet to a found 3/4–inch iron rod with cap stamped "Quiddity ENG Property Corner";

THENCE, North 62°54'21" East, 27.00 feet to a found 3/4–inch iron rod with cap stamped "Quiddity ENG Property Corner";

THENCE, North 17°54'21" East, 14.14 feet to a found 3/4–inch iron rod with cap stamped "Quiddity ENG Property Corner";

THENCE, North 17°54'21" East, 14.14 feet to a found 3/4–inch iron rod with cap stamped "Quiddity ENG Property Corner";

THENCE, North 62°54'21" East, 45.57 feet to a found 3/4–inch iron rod with cap stamped "Quiddity ENG Property Corner";

THENCE, North 68°35'12" East, 157.78 feet to a found 3/4–inch iron rod with cap stamped "Quiddity ENG Property Corner";

THENCE, North 71°49'41" East, 105.14 feet to a found 3/4–inch iron rod with cap stamped "Quiddity ENG Property Corner";

THENCE, North 72°54'31" East, 52.58 feet to a found 3/4–inch iron rod with cap stamped "Quiddity ENG Property Corner";

THENCE, North 75°00'36" East, 52.58 feet to a found 3/4–inch iron rod with cap stamped "Quiddity ENG Property Corner";

THENCE, North 77°06'41" East, 105.16 feet to a found 3/4–inch iron rod with cap stamped "Quiddity ENG Property Corner";

THENCE, North 79°12'45" East, 52.58 feet to a found 3/4–inch iron rod with cap stamped "Quiddity ENG Property Corner";

THENCE, North 81°25'05" East, 47.92 feet to a found 3/4–inch iron rod with cap stamped "Quiddity ENG Property Corner";

THENCE, North 81°55'34" East, 51.79 feet to a found 3/4–inch iron rod with cap stamped "Quiddity ENG Property Corner";

THENCE, North 82°33'32" East, 47.96 feet to a found 3/4–inch iron rod with cap stamped "Quiddity ENG Property Corner";

THENCE, North 84°00'47" East, 52.59 feet to a found 3/4–inch iron rod with cap stamped "Quiddity ENG Property Corner";

THENCE, North 86°55'03" East, 105.16 feet to a found 3/4–inch iron rod with cap stamped "Quiddity ENG Property Corner";

THENCE, North 89°33'25" East, 173.22 feet to a found 3/4–inch iron rod with cap stamped "Quiddity ENG Property Corner";

THENCE, South 56°37'04" East, 137.64 feet to a found 3/4–inch iron rod with cap stamped "Quiddity ENG Property Corner";

THENCE, South 02°03'39" East, 964.52 feet to a found 3/4–inch iron rod with cap stamped "Quiddity ENG Property Corner";

THENCE, South 39°09'48" West, 105.26 feet to a found 3/4–inch iron rod with cap stamped "Quiddity ENG Property Corner";

THENCE, South 87°56'21" West, 488.80 feet to the POINT OF BEGINNING, CONTAINING 24.30 acres of land in Brazoria County, Texas.


LINE TABLE		
LINE	BEARING	DISTANCE
L1	N74°42'13"W	170.53'
L2	N47°49'49"W	130.79'
L3	N41°24'59"W	64.53'
L4	N13°29'41"E	15.14'
L5	N54°17'31"E	114.30'
L6	N27°05'39"W	3.45'
L7	S62°54'21"W	110.00'
L8	N72°05'39"W	14.14'
L9	N25°33'24"W	50.00'
L10	N27°05'39"W	89.98'
L11	N62°54'21"E	27.00'
L12	N17°54'21"E	14.14'
L13	N62°54'21"E	45.57'
L14	N68°35'12"E	157.78'
L15	N71°49'41"E	105.14'
L16	N72°54'31"E	52.58'
L17	N75°00'36"E	52.58'
L18	N77°06'41"E	105.16'
L19	N79°12'45"E	52.58'
L20	N81°25'05"E	47.92'
L21	N81°55'34"E	51.79'
L22	N82°33'32"E	47.96'
L23	N84°00'47"E	52.59'
L24	N86°55'03"E	105.16'
L25	N89°33'25"E	173.22'
L26	S56°37'04"E	137.64'
L27	S39°09'48"W	105.26'
L28	S44°28'10"W	7.29'
L29	N47°03'39"W	6.16'
L30	S87°56'21"W	285.80'
L31	N27°05'39"W	171.81'
L32	S37°41'35"W	5.25'
L33	N77°48'21"W	21.63'
L34	N53°36'57"W	14.00'

LINE TABLE		
LINE	BEARING	DISTANCE
L35	S08°32'45"E	115.01'
L36	S07°41'34"E	115.05'
L37	S37°30'40"W	13.91'
L38	S42°56'21"W	14.14'
L39	S87°56'21"W	115.00'
L40	S87°56'21"W	115.00'
L41	S47°03'39"E	14.14'
L42	N68°01'58"E	59.92'
L43	N71°01'44"E	52.08'
L44	N72°38'15"E	52.08'
L45	N74°14'46"E	52.08'
L46	N75°51'17"E	52.08'
L47	N77°27'48"E	52.08'
L48	N79°04'19"E	52.08'
L49	N80°40'50"E	52.08'
L50	N82°17'21"E	52.08'
L51	N83°53'52"E	52.08'
L52	N85°30'23"E	52.08'
L53	N87°06'54"E	52.08'
L54	N88°43'25"E	115.14'
L55	N02°03'39"W	537.91'
L56	S87°56'21"W	276.10'
L57	N88°41'30"E	48.79'
L58	S78°23'34"E	45.59'
L59	S61°28'47"E	45.59'
L60	S44°34'00"E	45.59'
L61	S29°25'32"E	47.08'
L62	S16°45'17"E	69.20'
L63	N76°16'28"E	55.82'
L64	N76°31'19"E	49.53'
L65	N78°20'06"E	49.53'
L66	S82°27'05"E	50.84'
L67	S27°05'39"E	150.00'
L68	N89°05'10"E	20.00'

CURVE TABLE						
CURVE	RADIUS	DELTA ANGLE	ARC LENGTH	CHORD BEARING	CHORD LENGTH	TANGENT
C1	325.00'	8°36'51"	48.86'	N31°24'04"W	48.82'	24.48'
C2	1975.00'	1°32'15"	52.99'	N63°40'28"E	52.99'	26.50'
C3	24.97'	88°36'09"	38.61'	N71°19'32"W	34.88'	24.37'
C4	2000.00'	26°15'57"	916.85'	N77°26'11"E	908.85'	466.63'
C5	50.00'	87°22'12"	76.24'	S45°44'44"E	69.07'	47.76'
C6	50.00'	90°00'00"	78.54'	S42°56'21"W	70.71'	50.00'
C7	300.00'	64°58'00"	340.16'	N59°34'39"W	322.23'	191.00'
C8	5000.00'	4°38'40"	405.29'	N24°46'19"W	405.18'	202.76'
C9	1710.00'	3°11'10"	95.09'	N64°29'56"E	95.07'	47.56'
C10	1710.00'	14°53'32"	444.46'	N73°32'17"E	443.21'	223.49'
C11	50.00'	94°31'20"	82.49'	S51°45'18"E	73.45'	54.11'
C12	600.00'	16°41'17"	174.76'	S03°51'01"W	174.14'	88.00'
C13	25.00'	22°39'35"	9.89'	N79°15'38"E	9.82'	5.01'
C14	50.00'	133°04'57"	116.14'	N45°31'41"W	91.73'	115.22'
C15	25.00'	23°04'26"	10.07'	S09°28'34"W	10.00'	5.10'
C16	25.00'	23°04'26"	10.07'	S13°35'52"E	10.00'	5.10'
C17	50.00'	136°08'52"	118.81'	N42°56'21"E	92.77'	124.22'
C18	25.00'	23°04'26"	10.07'	N80°31'26"W	10.00'	5.10'
C19	25.00'	87°28'54"	38.17'	N70°03'23"W	34.57'	23.92'
C20	25.00'	91°16'20"	39.82'	N20°27'21"E	35.75'	25.56'
C21	25.00'	90°54'09"	39.66'	N68°28'33"W	35.63'	25.40'
C22	25.00'	92°02'51"	40.16'	S22°59'16"W	35.98'	25.91'
C23	25.00'	85°24'32"	37.27'	S67°56'36"E	33.91'	23.07'
C24	25.00'	22°35'26"	9.86'	N69°48'59"E	9.79'	4.99'
C25	50.00'	138°11'46"	120.60'	N52°22'52"W	93.42'	130.92'
C26	25.00'	21°44'31"	9.49'	S05°50'46"W	9.43'	4.80'
C27	25.00'	16°14'08"	7.08'	S01°59'55"W	7.06'	3.57'
C28	50.00'	262°36'06"	229.16'	S54°49'06"E	75.13'	56.91'
C29	25.00'	71°20'44"	31.13'	N40°48'35"E	29.16'	17.95'
C30	25.00'	96°03'58"	41.92'	S21°37'54"W	37.18'	27.80'

LOT SUMMARY TABLE

BLOCK	LOT	AREA	BLOCK	LOT	AREA
1	1	6,532	4	1	7,592
1	2	6,442	4	2	6,458
1	3	6,380	4	3	6,458
1	4	6,386	4	4	6,458
1	5	6,381	4	5	6,458
1	6	6,365	4	6	6,458
1	7	6,391	4	7	6,458
1	8	6,408	4	8	6,458
1	9	6,391	4	9	6,458
1	10	6,391	4	10	6,458
1	11	6,408	4	11	6,458
1	12	6,977	4	12	6,458
1	13	6,971	4	13	6,458
1	14	6,409	4	14	7,204
1	15	6,399	4	15	6,987
1	16	6,386	4	16	6,360
1	17	6,377	4	17	6,360
1	18	6,367	4	18	6,360
1	19	8,192	4	19	6,360
1	20	10,008	4	20	6,360
1	21	8,170	4	21	6,360
1	22	6,247	4	22	6,360
1	23	6,250	4	23	6,360
1	24	6,250	4	24	6,600
1	25	6,250	4	25	7,558
1	26	6,250	4	26	6,360
1	27	6,250	4	27	6,360
1	28	6,250	4	28	6,360
1	29	6,250	4	29	6,360
1	30	6,250	4	30	6,524
1	31	6,200	4	31	7,667
1	32	6,200	4	32	7,667
1	33	6,250	4	33	7,667
1	34	6,250	4	34	6,819
1	35	6,250	4	35	6,000
1	36	7,165	4	36	6,000
1	37	11,043	4	37	6,000
1	38	10,234	4	38	9,762
1	39	6,170	4	39	7,795
1	40	6,250	4	40	6,178
1	41	6,250	4	41	6,178
1	42	6,250	4	42	8,668
1	43	6,250	4	43	9,321
1	44	6,250	4	44	7,902
1	45	6,851	4	45	8,626
1	46	7,266	4	46	9,224
1	47	7,129	4	47	15,408
1	48	7,531	4	48	8,244
1	49	7,434	4	49	6,851
1	50	7,046	4	50	6,486
1	51	7,376	4	51	6,404
BLOCK	LOT	AREA	4	52	7,306
2	1	6,755	4	53	14,145
2	2	6,000	4	54	9,695
2	3	6,000	4	55	5,913
2	4	6,038	4	56	6,131
2	5	6,659	4	57	6,131
BLOCK	LOT	AREA	4	58	6,131
3	1	7,755	4	59	6,131
3	2	6,327	4	60	6,131
3	3	6,461	4	61	6,131
3	4	6,620	4	62	7,639



VICINITY MAP
Scale: Not to Scale
KEY MAP 727F

LOT TYPE TABLE			
PLAT	TYPE I–60'	TYPE II–50'	TYPE III–40'
WYNSERRA SEC 1		81	
WYNSERRA SEC 2			107
WYNSERRA SEC 3	100	2	2
WYNSERRA SEC 4		122	
TOTAL	100	205	109

PARKLAND BANK

PLAT	NUMBER OF LOTS	PARKLAND REQUIREMENT (1 AC/54 DU) 46 AC	PRIVATE PARK/ OPEN SPACE DEDICATION	PRIVATE PARK CREDIT (100%)	DRAINAGE/ DETENTION	DRAINAGE/ DETENTION (50%)	PARK CREDIT PROVIDED (AC)	PARKLAND TAKEN FROM BANK (AC)	REMAINING PARK CREDIT (AC)
WYNSERRA STD AND RESERVES SEC 1	0	0.00	3.26	3.26	44.44	22.22	25.48	0.00	25.48
WYNSERRA SEC 1	81	1.50	1.04	1.04	0.00	0.00	1.04	0.46	25.02
WYNSERRA SEC 2	107	1.98	1.08	1.08	0.00	0.00	1.08	0.90	24.12
WYNSERRA SEC 3	104	1.93	1.71	1.71	0.00	0.00	0.32	0.22	23.90
WYNSERRA SEC 4	122	2.26	0.32	0.32	0.00	0.00	0.32	1.94	21.96
TOTAL	414	7.67	7.41	7.41	44.44	22.22	29.63		21.96

FINAL PLAT OF WYNSERRA SEC 4

A SUBDIVISION OF 24.30 ACRES OF LAND OUT OF THE CHESTER S. GORBET SURVEY, A-64 BRAZORIA COUNTY, TEXAS

122 LOTS 4 RESERVES 4 BLOCKS

JULY 2026

OWNER
DRP TX 5, LLC,
a Delaware limited liability company
520 Madison Ave, 21st Floor
New York, NY 10022
713–783–6702

ENGINEER/PLANNER/SURVEYOR:
QUIDDITY
Quiddity Engineering, LLC
Texas Board of Professional Engineers and Land Surveyors
Registration Nos. F-23290 & 10046100
6330 West Loop South, Suite 150 • Bellaire, TX 77401 • 713.777.5337

APPROVED, ADICO, LLC, 10222026

STATE OF TEXAS §

COUNTY OF BRAZORIA §

We, DRP TX 5, LLC, a Delaware limited liability company, acting by and through _____, _____, owner hereinafter referred to as Owners of the 24.30 acre tract described in the above and foregoing map of Wynserra Sec 4, do hereby make and establish said subdivision and development plan of said property according to all lines, dedications, restrictions, and notations on said maps or plat and hereby dedicate to the use of the public forever, all streets (except those streets designated as private streets, or permanent access easements), alleys, parks, water courses, drains, easements and public places shown thereon for the purposes and considerations therein expressed; and do hereby bind ourselves, our heirs, successors and assigns to warrant and forever defend the title on the land so dedicated.

FURTHER, Owners have dedicated and by these presents do dedicate to the use of the public for public utility purpose forever unobstructed aerial easements. The aerial easements shall extend horizontally an additional eleven feet, six inches (11' 6") for ten feet (10' 0") perimeter ground easements or seven feet, six inches (7' 6") for fourteen feet (14' 0") perimeter ground easements or five feet, six inches (5' 6") for sixteen feet (16' 0") perimeter ground easements, from a plane sixteen feet (16' 0") above the ground level upward, located adjacent to and adjoining said public utility easements that are designated with aerial easements (U.E. and A.E.) as indicated and depicted hereon, whereby the aerial easement totals twenty one feet, six inches (21' 6") in width.

FURTHER, Owners have dedicated and by these presents do dedicate to the use of the public for public utility purpose forever unobstructed aerial easements. The aerial easements shall extend horizontally an additional ten feet (10' 0") for ten feet (10' 0") back-to-back ground easements, or eight feet (8' 0") for fourteen feet (14' 0") back-to-back ground easements or seven feet (7' 0") for sixteen feet (16' 0") back-to-back ground easements, from a plane sixteen feet (16' 0") above ground level upward, located adjacent to both sides and adjoining said public utility easements that are designated with aerial easements (U.E. and A.E.) as indicated and depicted hereon, whereby the aerial easement totals thirty feet (30' 0") in width.

IN TESTIMONY WHEREOF, the DRP TX 5, LLC, a Delaware limited liability company, has caused these presents to be signed by_____ , _____, thereunto authorized this ____ day of _____, 202__,

DRP TX 5, LLC,
a Delaware limited liability company,

By: DW General Partner, LLC
Its Manager

By: _____

Name: _____

Title: _____

STATE OF NEW YORK §

COUNTY OF _____ §

BEFORE ME, the undersigned authority, on this day personally appeared _____ , _____, known to me to be the persons whose names are subscribed to the foregoing instrument and acknowledged to me that they executed the same for the purposes and considerations therein expressed.

GIVEN UNDER MY HAND AND SEAL OF OFFICE, this _____ day of _____, 20__.

_____
Notary Public in and for the State of New York

_____
Print Name

My commission expires: _____

I, Steven Jares, a Registered Professional Land Surveyor of the State of Texas, hereby certify that this subdivision is true and correct; was prepared from an actual boundary survey of the property made on the ground under my supervision according to the standards of practice of the Texas Board of Professional Land Surveyors; that the plat boundary corners have been tied to the nearest street intersection; that the boundary corners, angle points, points of curvature/tangency and other points of reference were marked on the ground before I signed and sealed this document; and that all previously existing property markers are sufficiently described on this document as found and all set markers are a minimum 5/8-inch diameter iron rod with surveyor's cap.

_____
Steven Jares,
Registered Professional Land Surveyor
Texas Registration No. 5317

This plat is hereby APPROVED by the City of Iowa Colony City Engineer, this _____ day of _____, 202__.

_____
Dinh V. Ho, P.E.

CERTIFICATE OF PLANNING COMMISSION

This is to certify that City Planning Commission of the City of Iowa Colony, Texas this _____ day of _____, 20__, has approved this plat and subdivision of Wynserra Sec 4 as shown hereon.

_____ _____
David Hurst, Chairman Demond Woods

_____ _____
Brenda Dillon Terry Hayes

_____ _____
Les Hosey Robert Wall

_____
De'Angelique Hardeman

CERTIFICATE OF CITY COUNCIL

This is to certify that City Council of the City of Iowa Colony, Texas this _____ day of _____, 20__, has approved this plat and subdivision of Wynserra Sec 4 as shown hereon.

_____ _____
Wil Kennedy, Mayor Margaret Madariaga

_____ _____
Arnetta Hicks-Murray Marquette Greene-Scott


_____ _____
Timothy Varlack Kareem Boyce

_____
Sydney Hargroder

APPROVED BY BRAZORIA COUNTY DRAINAGE DISTRICT #5

_____ _____
Lee Walden, P.E. Date Kerry Osburn Date
President Vice President

_____ _____
Brandon Middleton Date Dinh V. Ho, P.E. Date
Secretary/Treasurer District Engineer



VICINITY MAP
Scale: Not to Scale KEY MAP 727F

FINAL PLAT OF
WYNSERRA
SEC 4
A SUBDIVISION OF 24.30 ACRES OF LAND
OUT OF THE CHESTER S. GORBET SURVEY, A-64
BRAZORIA COUNTY, TEXAS

122 LOTS 4 RESERVES 4 BLOCKS

JULY 2026

OWNER
DRP TX 5, LLC,
a Delaware limited liability company
520 Madison Ave, 21st Floor
New York, NY 10022
713-783-6702

ENGINEER/PLANNER/SURVEYOR:
QUIDDITY
Quiddity Engineering, LLC
Texas Board of Professional Engineers and Land Surveyors
Registration Nos. F-23290 & 10046100
6330 West Loop South, Suite 150 • Bellaire, TX 77401 • 713.777.5337

K:\30006\30006-0010-01 Wynserra Section 4 WSD&P\2 Design Phase\Planning\Wynserra Sec 4- plat.dwg Oct 22,2026 - 3:38pm kblake