

PORTLAND CEMENT STUCCO KEY NOTE NO. 1A: MFG: STO SPECIFIED. EQUAL BY DRYVIT OR MASTER BUILDERS (NO SUBSTITUTES) SERIES: STO POWERWALL TEXTURE: FINE COLOR: STUCCO TO HAVE INTEGRAL COLOR MATCHING SHERWIN WILLIAMS "POSITIVE RED" SW6871 (SHER-CRYL) GLOSS

PORTLAND CEMENT STUCCO

KEY NOTE NO. 1B: MFG: STO SPECIFIED. EQUAL BY DRYVIT OR MASTER BUILDERS (NO SUBSTITUTES) SERIES: STO POWERWALL TEXTURE: FINE COLOR: STUCCO TO HAVE INTEGRAL COLOR MATCHING SHERWIN WILLIAMS "SOFTER TAN" SW6141

UNIT MASONRY KEY NOTE NO. 2A:

TYPE: CONCRETE MASONRY UNIT (CMU) MFG: (REFER TO PROJECT MANUAL) SIZE: 8"X8"X16" (NOM.) **TEXTURE: SPLIT FACE** COURSING: RUNNING BOND COLOR: UNIT TO HAVE INTEGRAL COLOR MATCHING SHERWIN WILLIAMS "SOFTER TAN" SW6141 NOTE: REFER TO "CONCRETE MASONRY UNIT SPECIAL SCHEDULE OF TREATMENTS" FOR ADDITIONAL REQUIREMENTS.

KEY NOTE NO. 2B:

TYPE: CONCRETE MASONRY UNIT (CMU) MFG: (REFER TO PROJECT MANUAL) SIZE: 8"X8"X16" (NOM.) **TEXTURE: SMOOTH FACE** COURSING: RUNNING BOND COLOR: UNIT TO HAVE INTEGRAL COLOR MATCHING SHERWIN WILLIAMS "SOFTER TAN" SW6141 NOTE: REFER TO "CONCRETE MASONRY UNIT SPECIAL SCHEDULE OF TREATMENTS" FOR ADDITIONAL REQUIREMENTS.

FLASHING AND SHEET METAL KEY NOTE NO. 3:

TYPE: STANDING SEAM ROOFING SYSTEM MFG: (REFER TO PRE-ENGINEERED METAL BUILDING SHOP DRAWINGS) COLOR: GALVALUME

KEY NOTE NO. 4:

TYPE: CAP FLASHING AT MASONRY MFG: (REFER TO PRE-ENGINEERED METAL BUILDING SHOP DRAWINGS) FINISH: PREFINISHED COLOR: EQUAL TO BUTLER BUILDING "COOL BIRCH WHITE"

KEY NOTE NO. 5:

TYPE: CAP FLASHING AT STUCCO MFG: (REFER TO PRE-ENGINEERED METAL BUILDING SHOP DRAWINGS) FINISH: FACTORY PRIMED AND FIELD PAINT COLOR: SHERWIN WILLIAMS "POSITIVE RED" SW6871 (SHER-CRYL) GLOSS WITH SHERWIN WILLIAMS THREE COMPONENT (B65T105 / B65V105 / B65C105) CLEAR URETHANE

KEY NOTE NO. 6:

TYPE: PRE-ENGINEERED METAL BUILDING CONDUCTOR HEAD AND DOWNSPOUTS MFG: (OWNER FURNISHED / CONTRACTOR INSTALLED) FINISH: GALVANIZED METAL

DOORS AND WINDOWS

KEY NOTE NO. 12: TYPE: STEEL DOORS AND FRAMES (DOORS NO. 2 AND 7) MFG: (OWNER FURNISHED / CONTRACTOR INSTALLED) FINISH: FACTORY PRIMED AND FIELD PAINTED COLOR: SHERWIN WILLIAMS (MATCH ADJACENT MASONRY COLOR) (SEMI-GLOSS)

KEY NOTE NO. 12:

TYPE: STEEL DOORS AND FRAMES (DOORS NO. 3) MFG: (REFER PROJECT MANUAL) FINISH: FACTORY PRIMED AND FIELD PAINTED COLOR: SHERWIN WILLIAMS (MATCH ADJACENT MASONRY COLOR) (SEMI-GLOSS)

KEY NOTE NO. 13:

TYPE: (REFER TO WINDOW SCHEDULE) MFG: EFCO, KAWNEER, OR OLD CASTLE (VISTA WALL). (NO SUBSTITUTES) COLOR: EFCO "IVY", KAWNEER "DARK IVY", VISTA WALL "INTERSTATE GREEN"

PRE-FABRICATED METAL CANOPY KEY NOTE NO. 14:

TYPE: EXTRUDED ALUMINUM; WALL MOUNTED MFG: ARCHITECTURAL SHADE PRODUCTS FINISH: KYNAR FINISH COLOR: (MATCH WINDOW SYSTEM)

PAINTING KEY NOTE NO. 15:

TYPE: STEEL BOLLARDS (REFER TO CIVIL DRAWINGS) FINISH: FIELD PRIMED AND PAINTED COLOR: SHERWIN WILLIAMS "HUNT CLUB" SW6468 (SEMI-GLOSS)

EXTERIOR FINISH SCHEDULE

KEY NOTES

- (1A) PORTLAND CEMENT STUCCO AT ENTRY TOWER
- (1B) PORTLAND CEMENT STUCCO CORNICE AT PERIMETER OF BUILDING (2A) CONCRETE MASONRY UNIT (CMU) EXTERIOR WALL CONSTRUCTION (ACCENT COURSE). REFER TO PLANS, SECTIONS, AND DETAILS FOR ADDITIONAL REQUIREMENTS.
- 2B CONCRETE MASONRY UNIT (CMU) EXTERIOR WALL CONSTRUCTION (FIELD). REFER TO PLANS, SECTIONS, AND DETAILS FOR ADDITIONAL REQUIREMENTS.
- (NOT USED).
- 4 PRE-ENGINEERED METAL BUILDING SHEET METAL FLASHING (AT STUCCO CORNICE)
- 5 PRE-ENGINEERED METAL BUILDING SHEET METAL FLASHING (A STUCCO ENTRY TOWER)
- 6 PRE-ENGINEERED METAL BUILDING SHEET METAL CONDUCTOR HEAD AND DOWNSPOUT SYSTEM.
- (7) CONCRETE MASONRY UNIT (CMU) CORNER FINISHED JAMB UNIT.
- 8 LINE OF ROOF BEYOND WITH 1/4":12" SLOPE MINIMUM.
- (9) SURFACE MOUNTED SIGN OWNER FURNISHED AND INSTALLED. PROVIDE BACKING FOR MOUNTING AND ROUGH-IN ELECTRICAL COORDINATE REQUIREMENTS WITH OWNER. REFER TO SHEET SG2.1.
- 10 BUILDING ADDRESS NUMBERS IN 6" HIGH HELVETICA WHITE VINYL ADHERED TO EXTERIOR FACE OF GLAZING.
- $\langle 11 \rangle$ PRE-ENGINEERED METAL BUILDING THRU WALL SCUPPER SYSTEM.
- (12) EXTERIOR DOOR AND FRAME SYSTEM. REFER TO FLOOR PLAN AND DOOR SCHEDULE FOR TYPES.
- (13) EXTERIOR WINDOW SYSTEM. REFER TO FLOOR PLAN AND WINDOW SCHEDULE FOR TYPES.
- 14 PRE-FABRICATED METAL CANOPY SYSTEM. REFER TO EXTERIOR FINISH SCHEDULE AND WALL SECTIONS FOR DETAILS.
- (15) STEEL BOLLARDS, REFER TO CIVIL AND STRUCTURAL DRAWINGS.
- $\langle 16 \rangle$ HOSE BIB, REFER TO PLUMBING DRAWINGS.
- $\langle 17 \rangle$ LIGHT FIXTURE, REFER TO ELECTRICAL DRAWINGS.
- (NOT USED).
- (19) MECHANICAL ROOF TOP UNIT, REFER TO MECHANICAL DRAWINGS.
- 20 MECHANICAL WALL PENETRATIONS, REFER TO MECHANICAL DRAWINGS. PROVIDE FRAMING, FLASHING, AND SEALANT AS REQUIRED. INSTALL RESTROOM EXHAUST FANS 12" MINIMUM ABOVE INTERIOR CEILING FRAMING.
- (21) ROOFTOP UNIT.
- (22) CONNECT EACH DOWNSPOUT TO UNDERGROUND STORM SEWER SYSTEM. (23) MASONRY CONTROL JOINT, REFER TO STRUCTURAL DRAWINGS
- PROVIDE SEALANT OVER 1/2" DIAMETER FOAM BACKER ROD.
- (24) RUSTICATION JOINT, REFER TO DETAIL 6/A3.2.

