

March 29, 2022

Ms. Victoria Newton
Executive Secretary
Executive Council of Iowa
State Capitol
LOCAL

Re: Emergency Allocations of Funds


Dear Ms. Newton,

On or about March 23, 2022 the Iowa Communications Network (ICN) received physical damage to ICN Communications equipment in Des Moines, Iowa. An email was sent to the Office of the Auditor of State and the Executive Council. This letter represents a claim for \$24,356.36 in accordance with Chapter 29C.20 of the Code of Iowa for an emergency allocation of funds to repair damages sustained. Paid invoices will be included upon completion of repairs.

It was determined ICN equipment was damaged due to rodent chew along 150th Street, between Glass Avenue and Indigo Avenue in Floyd County. This will require relocation of the fiber. Enclosed are the damage assessment and cost estimate to restore that damaged equipment to normal operating condition.

If you have any questions regarding this claim, please call my office at 515-725-4666 located in the Grimes State Office Building.

Sincerely,



Randy Goddard
Executive Director

Enclosures

cc: Office of Auditor of State (Tammy Hollingsworth)
ICN Operations Division (Dave Augspurger)
ICN Finance Division (Kammy McHone)

Randy Goddard, Executive Director

Grimes State Office Building, 400 E. 14th Street, Des Moines, IA 50319 Phone: 515-725-4692 icn.iowa.gov

IOWA TELECOMMUNICATIONS AND TECHNOLOGY COMMISSION

March 29, 2022

Estimate for ICN Fiber Cable Damage: Outside Plant Log #34220107

This estimate is for the relocation damaged ICN cable along 150th St between Glass Ave and Indio Ave in Floyd County. The damaged ICN cable is a result of natural causes (rodent chew). The ICN notified the Executive Council of ICN's intent to submit this as a claim for reimbursement on March 23, 2022. Relocation will require approximately 1000-ft of new cable be placed and two maintenance splices introduced.

FNS Tech hours services have been included in this estimate for the emergency repair on 1/12/2022

Estimated costs for this project are listed below:

| | |
|---------------------------------|-------------|
| Construction Labor and material | \$20,400.00 |
| Splicing labor | \$2,740.00 |
| ICN-provided material | \$1,216.36 |
| Fiber Network Service Hours | \$0.00 |
| Total: | \$24,356.36 |

Please feel free to contact me if you have any questions.

David Augspurger
ICN Outside Plant Lead
515-725-4604
david.augspurger@iowa.gov

Randy Goddard, Executive Director

Grimes State Office Building, 400 E. 14th Street, Des Moines, IA 50319 Phone: 515-725-4692 icn.iowa.gov

IOWA TELECOMMUNICATIONS AND TECHNOLOGY COMMISSION

ESTIMATE

| | | | |
|-------------------|---|-----------------|------------|
| PROJECT | aged fibers along 150th St between glass ave and Indigo | COUNTY | Floyd |
| OSP LOG # | 34220107 | INC/PRB | INC0047328 |
| LINK ID(S) | 209 | FIBER CT | 12F |

| | | |
|---------------------------------------|--------------------|--|
| Contracted Labor and Materials | | |
| Construction Labor | \$17,600.00 | |
| Construction Materials | \$2,800.00 | |
| Splicing Labor | \$2,740.00 | |
| ICN Provided Materials | \$1,216.36 | |
| Miscellaneous | \$0.00 | |
| Engineering Design | \$0.00 | |
| TOTAL: | \$24,356.36 | |

VENDOR CONSTRUCTION

| CATEGORY | ITEM | UNIT | RATE | QTY | SUBTOTAL |
|--------------------------------------|----------------------------------|------|----------|-------|--------------------|
| Horizontal Boring | Rural 1 ea 1.25" conduit | LF | \$11.00 | 1,000 | \$11,000.00 |
| Handhole Placement | Rural Std 24x36x30 | EA | \$450.00 | 2 | \$900.00 |
| Fiber Installation | New Duct Rural | LF | \$2.00 | 1,200 | \$2,400.00 |
| Expose/Lower Cable | Rural Expose Existing Live Cable | LF | \$7.00 | 200 | \$1,400.00 |
| Misc | Place Warning Marker-Rural | EA | \$25.00 | 2 | \$50.00 |
| Misc | Mobilization | LS | \$750.00 | 1 | \$750.00 |
| Misc | Material Pick Up | EA | \$350.00 | 1 | \$350.00 |
| Misc | Backhoe/Mini Excavator | HR | \$125.00 | 6 | \$750.00 |
| VENDOR CONSTRUCTION SUBTOTAL: | | | | | \$17,600.00 |

SPLICING LABOR

| CATEGORY | ITEM | UNIT | UNIT RATE | QTY | SUBTOTAL |
|---------------------------------|-----------------------|-------------|-----------|-----|-------------------|
| Splicing labor | Splicing Mobilization | LS | \$500.00 | 1 | \$500.00 |
| Splicing labor | Prep Splice Closure | EA | \$150.00 | 2 | \$300.00 |
| Splicing labor | Fusion Splicing | Splicing 1- | \$60.00 | 12 | \$720.00 |
| Splicing labor | Fusion Splicing | Splicing 1- | \$60.00 | 12 | \$720.00 |
| Splicing labor | Off Hours Charge | LS | \$500.00 | 1 | \$500.00 |
| SPLICING LABOR SUBTOTAL: | | | | | \$2,740.00 |

ICN PROVIDED MATERIALS

| CATEGORY | ITEM | UNIT | QTY | UNIT RATE | SUBTOTAL | PART # |
|---|-------------------------------|------|------|-----------|-------------------|-----------------------|
| Fiber Cable | 48F Armored SM Cable | LFT | 1500 | \$0.60 | \$900.00 | SOP48LAA3BBKOFX |
| Locate Facilities | TriView Warning Marker 78In | EA | 2 | \$16.71 | \$33.42 | TVFL7800 |
| Splice Closure | *450A Splice Closure (w/lugs) | EA | 2 | \$126.88 | \$253.76 | FOSC450-A4-4-NT-0-A1V |
| Splice Tray | *A Tray 12-pos | EA | 2 | \$12.01 | \$24.02 | 497817-000 |
| Shield Bond Connector | *Shield Bond Connector | EA | 4 | \$1.29 | \$5.16 | 4460-D |
| ICN PROVIDED MATERIALS SUBTOTAL: | | | | | \$1,216.36 | |

VENDOR PROVIDED MATERIALS

| CATEGORY | ITEM | UNIT | QTY | UNIT RATE | SUBTOTAL | |
|--|---------------------------|------|------|-----------|-------------------|------|
| Duct | 1.25" Orange HPDE Duct | LFT | 1000 | \$1.10 | \$1,100.00 | 13.5 |
| Handholes | 24x36x30 Tier 15 HH w/lid | EA | 2 | \$850.00 | \$1,700.00 | 0 |
| VENDOR PROVIDED MATERIALS SUBTOTAL: | | | | | \$2,800.00 | |

ENGINEERING DESIGN

| CATEGORY | ITEM | UNIT | QTY | UNIT RATE | SUBTOTAL |
|-------------------------------------|------|------|-----|-----------|---------------|
| ENGINEERING DESIGN SUBTOTAL: | | | | | \$0.00 |

MISCELLANEOUS

| CATEGORY | ITEM | UNIT | QTY | UNIT RATE | SUBTOTAL | NOTES |
|--------------------------------|------|------|-----|-----------|---------------|-------|
| MISCELLANEOUS SUBTOTAL: | | | | | \$0.00 | |

Rodent damage Floyd County along 150th St between Glass Ave and Indigo Ave (34220107)

1 message


Augsburger, Dave <daugspurger@icn.state.ia.us>

Wed, Mar 23, 2022 at 12:47 PM

To: "Dana [AOS] Davis" <Dana.Davis@aos.iowa.gov>, Executive Council group email <ExecutiveCouncil@tos.iowa.gov>, "Harris, Victoria [ICN]" <victoria.harris@iowa.gov>, "Hollingsworth, Tammy [AOS]" <tammy.hollingsworth@aos.iowa.gov>, Kammy Mchone <kammy.mchone@iowa.gov>, Ryan Mulhall <ryan.mulhall@iowa.gov>, Scott Pappan <scott.pappan@iowa.gov>, "Harris, Chris [ICN]" <chris.harris@iowa.gov>

Good afternoon,

Technicians have discovered multiple spare fiber issues while performing monthly preventive maintenance. Further investigation led to suspected rodent activity in the area due to rodent holes and mounds in the area along 150th St between Glass Ave and Indigo Ave in Floyd County. The ICN would like to submit this as a claim for reimbursement for damages due to natural causes (rodent chew). Please let me know of any questions.





Respectfully,

Dave Augspurger
Iowa Communications Network
Sr. Telecommunications Engineer | Outside Plant Lead
515-725-4604 (office) | 515-229-2013 (cell)