

MEMBERS OF COUNCIL

HON. KIM REYNOLDS
GOVERNOR

HON. PAUL D. PATE
SECRETARY OF STATE

HON. ROB SAND
AUDITOR OF STATE

HON. ROBY SMITH
TREASURER OF STATE

HON. MIKE NAIG
SECRETARY OF AGRICULTURE



Executive Council of Iowa

CAPITOL BUILDING
DES MOINES, IOWA 50319
PHONE: 515 281-5368
FAX: 515 281-7562

August 3, 2026

Accounting Department
Office of the Treasurer
Lucas Building
321 E 12th Street
Des Moines, IA, 50319

The Executive Council, in a meeting held on this date, approved Iowa Communications Network's request for an emergency allocation of \$25,378.00, subject to audit of actual invoices and supporting documentation and demonstration that no costs covered by the maintenance contract have been included. On April 30, 2026, excessive erosion resulted in an exposed cable in a ditch along US 34 near Highway Station 155. Request was to cover repair costs.

EXECUTIVE COUNCIL OF IOWA

*Merary De
Guerrero*

Merary De Guerrero
Acting Executive Secretary

cc: Ryan Mulhall, Executive Director, ICN
Kammy McHone, Finance Division, ICN
Dave Augspurger, Operations Division, ICN
Heather Hackbarth, Department of Management
Matt Bender, Department of Management

AOS Claim # 4361
TOS Job # _____



OFFICE OF AUDITOR OF STATE
STATE OF IOWA

State Capitol Building
Des Moines, Iowa 50319-0006
Telephone (515) 281-5834

Rob Sand
Auditor of State

July 16, 2026

Kristi Onstot
Executive Council

Subject: Exposed Cable in Ditch along US 34 near Highway Station 155 on April 30,
2026 Iowa Communications Network
Claim dated May 28, 2026
AOS Claim ID: 4361

In accordance with Executive Council policy, we have examined the claim for 29C.20 funds for the above-mentioned damage. It is our conclusion that the above-mentioned damage incurred by the Iowa Communications Network (ICN) is covered by Chapter 29C.20 of the Code of Iowa. The amount requested may include costs that will be covered by a monthly maintenance contract for technician services that are not additional expenses to ICN. The actual claim for reimbursement should only be for expenses that exceed the technician hours per the maintenance agreement.

Therefore, we recommend an Executive Council allocation for the requested amount of \$25,378.00, subject to audit of actual invoices and supporting documentation and demonstration that no costs covered by the maintenance contract have been included.

Sincerely,

A handwritten signature in black ink, appearing to read "Brian R. Brustkern".

Brian R. Brustkern, CPA
Deputy Auditor of State

cc: Ryan Mulhall, Executive Director, ICN
Kammy McHone, Finance Division, ICN
Dave Augspurger, Operations Division, ICN
Heather Hackbarth, Department of Management



May 28, 2026

Ms. Kristi Onstot
Executive Secretary
Executive Council of Iowa
State Capitol

Re: Emergency Allocations of Funds

Dear Ms. Onstot,

On or about April 29, 2026 the Iowa Communications Network (ICN) received physical damage to ICN Communications equipment in Des Moines, Iowa. An email was sent to the Office of the Auditor of State and the Executive Council. This letter represents a claim for \$25,378.00 in accordance with Chapter 29C.20 of the Code of Iowa for an emergency allocation of funds to repair damages sustained. Paid invoices will be included upon completion of repairs.

It was determined ICN equipment was exposed as the result of continued and excessive erosion at a culvert along Highway 34 near Highway Station 155 in Monroe County. This will require relocation of the conduit and replacing the damaged fiber. Enclosed are the damage assessment and cost estimate to restore that damaged equipment to normal operating condition.

If you have any questions regarding this claim, please call my office at 515-725-4666.

Sincerely,

Ryan Mulhall
Executive Director

cc:
Office of Auditor of State Tammy Hollingsworth
ICN Operations Division Dave Augspurger
ICN Finance Division Kammy McHone



May 14, 2026

Estimate for ICN Fiber Cable Damage Repair: Outside Plant Log #68260707

This estimate is for the relocation of approximately 1500 feet of new conduit and cable to restore exposed cable at a culvert along Iowa Highway 34 near Highway Station 155 in Monroe County. The exposed cable is the result of continued and excessive erosion. The Executive Council was notified of the ICN's intent to submit this as a claim for reimbursement on April 30, 2026.

Permanent restoration will require placement of approximately 1500 feet of new conduit and cable, addition of two new splices, handholes, material, and labor to cut over to new cable.

ESTIMATED COSTS

Contracted Labor and Materials

Construction Labor	\$19,910.00
Construction Materials	\$2,138.00
Splicing Labor	\$3,330.00
ICN Provided Materials	\$0.00
Miscellaneous	\$0.00
Total	\$25,378.00

Please feel free to contact me if you have any questions.

Respectfully,
Dave Augspurger
Sr Telecom Specialist | OSP Lead
Outside Plant
Iowa Communications Network
400 East 14th Street, Des Moines, IA 50319
515-725-4604 office
515-229-2013 cell
daugspurger@icn.state.ia.us
icn.iowa.gov

Iowa Communications Network Estimate	
Project:	Monroe - Melrose - Exposed fiber - Link 1518 - STA. 155 - Hwy 34
Outside Plant Log Number	68260707
County	Monroe
Link ID	1518
INC-PRB	Not applicable
Fiber Count	8
Contracted Labor and Materials	Costs
Construction Labor	\$19,910.00
Construction Materials	\$2,138.00
Splicing Labor	\$3,330.00
ICN Provided Materials	\$0.00
Miscellaneous	\$0.00
Engineering Design	\$0.00
TOTAL	\$25,378.00



Washout: LOG 68260707 - Monroe Co- Melrose - Exposed fiber - Link 1518 (8F) - STA. 155

2 messages

Augspurger, Dave <daugspurger@icn.state.ia.us>

Thu, Apr 30, 2026 at 8:19 AM

To: ICN Executive Council Notice <ICNExecutiveCouncilNotice@iowa.gov>

Cc: Jacob Jordan <jacob.jordan@iowa.gov>

Good morning,

Yesterday, an ICN field technician discovered an exposed cable in a ditch along US 34 near Highway Station 155 (this is independent of the similar washout at Sta. 233). The exposure is the result of continued and excessive erosion and will require relocation. The ICN would like to submit this as a claim for reimbursement for damages due to natural causes (erosion). Please let us know of any questions or concerns.

Respectfully,

Dave Augspurger

Sr Telecom Specialist | OSP Lead

Outside Plant

Iowa Communications Network

400 East 14th Street, Des Moines, IA 50319

515-725-4604 office

515-229-2013 cell

daugspurger@icn.state.ia.us

icn.iowa.gov




**Iowa Communications
Network**

***Notice to Recipient:** This e-mail is meant only for the intended recipient(s) of the transmission, and may be a communication that is privileged by law. If you receive this e-mail in error, any review, use, dissemination, distribution, copying, or storing of the e-mail or its contents is prohibited. Please notify me immediately of the error by return e-mail, and please delete this message from your system. Thank you in advance for your cooperation.*







'Tammy Hollingsworth' via ICN Executive Council Notice

<ICNExecutiveCouncilNotice@iowa.gov>

Reply-To: Tammy Hollingsworth <Tammy.Hollingsworth@aos.iowa.gov>

To: "Augspurger, Dave" <daugspurger@icn.state.ia.us>, ICN Executive Council Notice

<ICNExecutiveCouncilNotice@iowa.gov>

Cc: Jacob Jordan <jacob.jordan@iowa.gov>

Tue, May 5, 2026 at 2:53 PM

Notification of 29C.20 Damages Received – AOS Claim #4361

From: icnexecutivecouncilnotice@iowa.gov <icnexecutivecouncilnotice@iowa.gov> **On Behalf Of** Augspurger, Dave

Sent: Thursday, April 30, 2026 8:20 AM

To: ICN Executive Council Notice <ICNExecutiveCouncilNotice@iowa.gov>

Cc: Jacob Jordan <jacob.jordan@iowa.gov>

Subject: Washout: LOG 68260707 - Monroe Co- Melrose - Exposed fiber - Link 1518 (8F) - STA. 155

Good morning,

Yesterday, an ICN field technician discovered an exposed cable in a ditch along US 34 near Highway Station 155 (this is independent of the similar washout at Sta. 233). The exposure is the result of continued and excessive erosion and will require relocation. The ICN would like to submit this as a claim for reimbursement for damages due to natural causes (erosion). Please let us know of any questions or concerns.

Respectfully,

Dave Augspurger

Sr Telecom Specialist | OSP Lead

Outside Plant

Iowa Communications Network

400 East 14th Street, Des Moines, IA 50319

515-725-4604 office

515-229-2013 cell

daugspurger@icn.state.ia.us

icn.iowa.gov

Notice to Recipient: This e-mail is meant only for the intended recipient(s) of the transmission, and may be a communication that is privileged by law. If you receive this e-mail in error, any review, use, dissemination, distribution, copying, or storing of the e-mail or its contents is prohibited. Please notify me immediately of the error by return e-mail, and please delete this message from your system. Thank you in advance for your cooperation.