

October 27, 2022

Tammy Hollingsworth
Office of Auditor of State
Lucas State Office building
321 E 12th St, 2nd Floor
Des Moines, IA 50319

Executive Council:

On August 19th, the Iowa State Fair experienced damage to our communications infrastructure due to multiple lightning strikes during a significant storm event. Immediately after the storm, our Communications Department was able to redirect existing equipment in order for us to continue functionality for the rest of the fair.

This equipment is critical for our continued work processes and support services. The equipment has been ordered, but we've been told it will take 6-8 months to receive.

The Iowa State Fair Communications Tech III researched equipment replacement and established an estimate in the amount of \$27,300. The Iowa State Fair is requesting reimbursement of \$27,300 under Chapter 29C.20.

If you have any questions, please contact me at 515.401.1513 or at sjorgensen@iowastatefair.org.

Sincerely,



Stacy Jorgensen
HR/Risk Management Director



Newton, Victoria [TOS]

From: Joe Kunkel <JKunkel@iowastatefair.org>
Sent: Thursday, October 27, 2022 8:39 AM
To: Frank Robey
Subject: Storm Damaged 8-19-22

Brand-Model	Replacment Cost Est.	Description
Ruckus - T301s	\$1,000	AP 6299-OD-VI-SE 74:3E:2B:0B:92:00
Ruckus - T610s	\$2,200	AP 6459 Depot SW 60:D0:2C:18:BC:90
Ruckus - T610s	\$2,200	AP 6572-RI-PP1 SN:301903004734
Ruckus - T301s	\$1,000	AP 6289-OD-VI-ES Outdoor VI-East Side South end- t301s SN:521504814498
Ruckus - T610s	\$2,200	AP 6390-OD-INF-N Infield North by Restroom - t610 - 120 SN:151703003596
Ruckus - T610	\$2,200	AP 6399-OD-EP-A
Ruckus - T610s	\$2,200	AP 6590-TRI SN:311903000378
Ruckus - T610s	\$2,200	AP 6588-TRI SN:301903004780
Ruckus - T610	\$2,200	AP 6501-OD-EP-N SN:311803001090
Ruckus - T610	\$2,200	AP 6661-OD-EP-S SN:102172004203
Ruckus - T750SE	\$2,200	AP 7349-OD-Ruan-SE SN:972272000094
Ruckus - H510	\$300	AP 7372-Infield3 BAD
Comtrend AR-5381u	\$200	Modem 6250 VDSL Modem SN:14B3034XXXF-AA111400 BAD
HP2520-8G-PoE	\$500	Switch - Carpenter shop, In use w\POE Fault
HP2530-8G-PoE	\$500	Switch - Elwell Park
HP2520-8G-PoE	\$500	Switch - 179 Triangle HP 8port POE Fault SN:CN236JD0FV
HP2530-8G-PoE	\$500	Switch - Gate 11 POE
HP2530-8G-PoE	\$500	Switch - VI FR, 2 POE
AXIS - P3227.LVE	\$600	Camera - Gate11 Ext Street
AXIS - P3719-PLE	\$1,900	Camera - Elwell Park 360
Est. Total	\$27,300	Price Update 10-26-22

JOE KUNKEL

COMMUNICATIONS TECHNICIAN - IOWA STATE FAIR

Phone: 515.401.1514 **Email:** JKUNKEL@IOWASTATEFAIR.ORG

P.O. BOX 57130

DES MOINES, IA 50317-0003