



**OFFICE OF AUDITOR OF STATE
STATE OF IOWA**

Rob Sand
Auditor of State

State Capitol Building
Des Moines, Iowa 50319-0004
Telephone (515) 281-5834

January 21, 2026

Kristi Onstot
Executive Council
L O C A L

Subject: Damages to Microwave System Paths at Various ISICS Towers (Mitchellville to Story, Denison to Shelby and Audubon to Carroll) on December 19, 2025
Department of Public Safety
Claim dated December 30, 2025
AOS Claim ID: 4208

In accordance with Executive Council policy, we have examined the claim for 29C.20 funds for the above-mentioned damages. It is our conclusion that the above damage incurred by the Department of Public Safety is covered by Chapter 29C.20 of the Code of Iowa. Therefore, we recommend Executive Council approval in the amount of \$67,500.00, subject to an audit of actual invoices.

Sincerely,

Brian R. Brustkern, CPA
Deputy Auditor of State

cc: Lieutenant Joshua Duden, Communications and Interoperability Bureau,
Department of Public Safety
Heather Hackbarth, Department of Management

Kim Reynolds
Governor
Chris Cournoyer
Lt. Governor



Department of Public Safety

Stephan Bayens
Commissioner

December 30, 2025

AON 29C.20 allocation request ref. microwave dish misalignments between multiple ISICS communication towers. AOS #4208

State of Iowa Executive Council:

On 12-19-25, Motorola personnel discovered several misaligned microwave dishes between multiple ISICS towers. The damage was caused by high winds in the area. This misalignment affects system operability and realignment repairs are necessary. The affected dishes include:

- Mitchellville ISICS tower to Story ISICS tower microwave path
- Denison ISICS tower to Shelby ISCS tower microwave path
- Audubon ISICS tower to Carroll ISICS tower microwave path

Motorola Warranty Representative Dave Gordon was able to provide the DPS Interoperability Communications Bureau a repair estimate of \$22,500 per microwave path for a total amount of \$67,500. Repairs will commence once a tower crew becomes available.

The DPS Interoperability Communications Bureau is respectfully submitting a 29C.20 allocation request for \$67,500 regarding this act of nature damage.

Thank you for your consideration.

Sincerely,

A handwritten signature in blue ink that reads "Joshua Duden".

Lieutenant Joshua Duden
Iowa DPS Communications & Interoperability Bureau
Office of the Commissioner
215 E. 7th Street
Des Moines, IA 50319

From: [Dave Gordon](#)
To: [Duden Joshua](#)
Cc: [DAVID GORDON](#)
Subject: ** External Email Alert ** Re: Damage estimates
Date: Monday, December 29, 2025 12:09:11 PM
Attachments: [image001.png](#)

****External Email Alert**** This email is from outside DPS. **DO NOT CLICK** links or attachments unless you expected them. If unsure please forward to soc@iowa.gov for review.

Good Morning,

Here you go.

Motorola		
Estimate	Date	Site Description
\$	8/12/2025	Brooklyn ISICS Tower lightning strike possible on Aug 12, 25
45,000		
\$	11/26/2025	Cedar Rapids ISICS Tower - Dish and Radome Damaged due to winter blizzard/ wind gusts
9,800		
\$	12/19/2025	Mitchellville to Story Microwave dish misalignment due to high winds
22,500		
\$	12/19/2025	Denison to Shelby Microwave dish misalignment due to high winds
22,500		
\$	12/19/2025	Audubon to Carroll Microwave dish misalignment due to high winds
22,500		
\$	12/6/2025	Newton ISICS Tower Radome damaged due to winter blizzard/wind
9,800		
\$	12/17/2025	Woodbury WIT Tower Radome damage due to winter blizzard/wind
9,800		

Please let me know if you have any questions.

Thanks,

Dave

On Mon, Dec 29, 2025 at 8:51 AM Duden Joshua <duden@dps.state.ia.us> wrote:

Dave,

Could you get me damage estimates for the following:

8/12/2025	Brooklyn ISICS Tower lightning strike possible on Aug 12, 25
11/26/2025	Cedar Rapids ISICS Tower - Dish and Radome Damaged due to winter blizzard/ wind gusts
12/19/2025	Mitchellville to Story Microwave dish misalignment due to high winds
12/19/2025	Denison to Shelby Microwave dish misalignment due to high winds
12/19/2025	Audubon to Carroll Microwave dish misalignment due to high winds
12/6/2025	Newton ISICS Tower Radome damaged due to winter blizzard/wind
12/17/2025	Woodbury WIT Tower Radome damage due to winter blizzard/wind