

MEMBERS OF COUNCIL

HON. KIM REYNOLDS
GOVERNOR

HON. PAUL D. PATE
SECRETARY OF STATE

HON. ROB SAND
AUDITOR OF STATE

HON. ROBY SMITH
TREASURER OF STATE

HON. MIKE NAIG
SECRETARY OF AGRICULTURE



Executive Council of Iowa

CAPITOL BUILDING
DES MOINES, IOWA 50319
PHONE: 515 281-5368

December 2, 2024

Accounting Department
Office of the Treasurer
Lucas Building
321 E 12th Street
Des Moines, IA, 50319

The Executive Council, in a meeting held on this date, approved payment of the following cost item:

Department of Public Safety.....\$9,500.00
On May 10, 2023, Fayette County ISICS Communication Tower was damaged by storm. Request was to cover repair costs.

This represents full and final payment, and this allocation closed.

EXECUTIVE COUNCIL OF IOWA

Kristi Onstot

Kristi Onstot
Executive Secretary

cc: Lieutenant Heath Hove, Interoperability Communications Bureau, Department of Public Safety
Sergeant Joshua Duden, Interoperability Communications Bureau, Department of Public Safety
Matt Bender, Department of Management
Heather Hackbarth, Department of Management

AOS Claim ID 3541
TOS Job # _____



OFFICE OF AUDITOR OF STATE
STATE OF IOWA

Rob Sand
Auditor of State

State Capitol Building
Des Moines, Iowa 50319-0004
Telephone (515) 281-5834

November 4, 2024

Kristi Onstot
Executive Council
L O C A L

Subject: Damages to Radome Cover on Fayette County ISICS Communication Tower due to Storm on May 10, 2023
Department of Public Safety
Claim dated May 15, 2023
AOS Claim ID: 3541

In accordance with Executive Council policy, we have examined the invoices and supporting documentation for final payment related to the loss and have found the items to be in order as shown below:

Documented request			<u>\$ 9,500.00</u>
Executive Council Allocation			\$ 9,500.00
Less:			
Previous payments	\$	0.00	
This payment		<u>9,500.00</u>	
Total			<u>\$ 9,500.00</u>
Remaining Executive Council allocation			<u>\$ 0.00</u>

We recommend reimbursement be made in the amount of \$9,500.00. This represents full and final payment of the loss.

Sincerely,

Brian R. Brustkern, CPA
Deputy Auditor of State

cc: Lieutenant Joshua Duden, Communications & Interoperability Bureau, Department of Public Safety

Fayette / 4529
FAYE

MOTOROLA100L245JD323



ORIGINAL INVOICE

Motorola Solutions, Inc.
500 West Monroe
Chicago IL 60661
United States
Federal Tax ID: 36-1115800

Transaction Number 8330287121	Transaction Date 21-SEP-2024	Transaction Total 9,500.00 USD
P.O. Number FY25-4529	P.O. Date 20-SEP-2024	Customer Account No 1000199978
Payment Terms Net Due in 60 Days		Payment Due Date 20-NOV-2024

Visit our website at www.motorolasolutions.com

Bill To Address

IOWA, STATE OF
ATTN: Accounts Payable
215 E 7TH ST
DES MOINES IA 50319
United States

Ship To Address

IOWA, STATE OF
215 E 7TH ST
DES MOINES IA 50319
United States

IMPORTANT INFORMATION

For all invoice payment inquiries contact
AccountsReceivable@motorolasolutions.com
Telephone: 800-247-2346
Fax: +1(631)883-4238

Sales Order(s): 3203502209

SPECIAL INSTRUCTIONS / COMMENTS

Depot SO#	Item Number	Description	Qty.	Unit Price (USD)	Amount (USD)
	SVCFS-ONSITE-RSP-IO	Date Completed :01-JUL-24 Description of work :SICS Fayette site radome replacement Authorized by : Heather Dixon FIELD SVC-ON SITE RESPONSE SVCS	1	8,266.00	8,266.00
	SVCFS-PARTS-IO	FIELD SERVICE - PARTS CHARGES	1	1,234.00	1,234.00
				USD Subtotal	9,500.00
				USD Total Tax	0.00
				USD Total	9,500.00
				USD Amount Due	9,500.00

ASO 3541

Please detach here and return the bottom portion with your payment

Payment Coupon

Transaction Number 8330287121	Customer Account No 1000199978	Payment Due Date 20-NOV-2024	Transaction Total 9,500.00 USD	Amount Paid
----------------------------------	-----------------------------------	---------------------------------	-----------------------------------	-------------

Please put your Transaction Number and your Customer Account Number on your payment for prompt processing.

IOWA, STATE OF
ATTN: Accounts Payable
215 E 7TH ST
DES MOINES IA 50319
United States

Payment Transfer Details

Bank of America, Dallas
WIRE Routing Transit Number: 026009593
ACH/EFT Routing Transit Number: 111000012
SWIFT: BOFAUS3N
Bank Account No: 3756319806

Send Payments To:



Motorola Solutions, Inc.
13108 Collections Center Drive
Chicago IL 60693
United States

Please provide your remittance details to:
US.remittance@motorolasolutions.com



Motorola Solutions, Inc.
500 West Monroe
Chicago IL 60661
United States
Federal Tax ID: 36-1115800

Visit our website at www.motorolasolutions.com

ORIGINAL INVOICE			
Transaction Number 8330287121	Transaction Date 21-SEP-2024	Transaction Total 9,500.00 USD	
P.O. Number FY25-4529		P.O. Date 20-SEP-2024	Customer Account No 1000199978
Payment Terms Net Due in 60 Days			Payment Due Date 20-NOV-2024



73282916
\$*****9,500.00
10/10/2024
PRC MOTOROL100C24SJD325

00933
MOTOROLA SOLUTIONS INC
13108 COLLECTION CENTER DR
CHICAGO IL 60693-0001

FOR QUESTIONS, CONTACT:
PUBLIC SAFETY, DEPT OF
515-725-6245

LINE #	UNIT	CHECK DESCRIPTION	INVOICE #	INVOICE DATE	AMOUNT
01	STATEWIDE INTEROPERABILITY	ISICS FAYETTE SITE RADOME REPLACEMENT FOR ONE DISH, WORK COMPLETE 7/1/24	8330287121	09/21/24	\$ 9,500.00
			INV 8330287121		

TOTAL WARRANT AMOUNT
\$*****9,500.00

SAE001

For additional information about this payment, please go to <https://i3public.iowa.gov/payments/index.faces>

Account Numbers

0001-25-595-R75-4529-2693

State of Iowa Warrant

VOID 6 MONTHS AFTER 10-10-24

No. 73282916

TO THE
Treasurer of State
Des Moines, Iowa 50319

33-2308
730

NINE THOUSAND FIVE HUNDRED DOLLARS NO CENTS

AMOUNT

\$*****9,500.00

MOTOROLA SOLUTIONS INC
13108 COLLECTION CENTER DR
CHICAGO IL 60693-0001

MOTOROL100C24SJD325

DEPARTMENT OF ADMINISTRATIVE SERVICES
AUTHORIZED SIGNATURE

From: [Pierce Richard](#)
To: [Tammy Hollingsworth](#); [ExecutiveCouncil \[TOS\]](#)
Cc: [DAVID GORDON](#); [Dostal Sandra](#); [Duden Joshua](#)
Subject: 5-10-23 Notification of 29C20 Damage to Fayette ISICS Tower - Broken Radome
Date: Saturday, May 13, 2023 3:53:15 PM
Attachments: [image002.jpg](#)
[image001.jpg](#)
[IMG_0013.jpg](#)

Tammy and Executive Council

On 5-10-23, DOT personnel reported there was damage to the radome on the Fayette County ISICS Tower due to flying debris. Please accept this email as the initial notification of AON 29C20

Damage to this tower. See attached photo. A repair estimate will be provided upon receipt.

Thank you

Capt. Pierce

From: Dave Gordon <dave.gordon@motorolasolutions.com>
Sent: Saturday, May 13, 2023 2:40 PM
To: ISICSNOC <ISICSNOC@DPS.STATE.IA.US>
Cc: DAVID GORDON <dave.gordon@motorolasolutions.com>
Subject: ** External Email Alert ** Fwd: FW: West Union tower

****External Email Alert**** This email is from outside DPS. **DO NOT CLICK** links or attachments unless you expected them. If unsure please forward to ITOC@dps.state.ia.us for review.

Forwarding this report to you from IDOT regarding a broken radome at Fayette site.

I was with Steve Gray this week and mentioned he should probably send these to ISICSNOC.

Thanks,

Dave

----- Forwarded message -----

From: Gray, Steven <Steven.Gray@iowadot.us>
Date: Wed, May 10, 2023 at 2:34 PM
Subject: FW: West Union tower
To: Dave Gordon (dave.gordon@motorolasolutions.com)
<dave.gordon@motorolasolutions.com>, Knoll, Douglas <Douglas.Knoll@iowadot.us>, brittain@dps.state.is.us <brittain@dps.state.is.us>, Richardson, Scott [DPS] <richards@dps.state.ia.us>
Cc: Brown, Daniel <Daniel.Brown@iowadot.us>, Ackerman, Darren <DARREN.ACKERMAN@iowadot.us>, Gray, Steven <Steven.Gray@iowadot.us>

Dave Gordon,

Our Communications Field Tech, Darren Ackerman, discovered a damaged dish at the Fayette Co, (West Union) tower location. Please see the attached photo. Please forward the information to appropriate Personnel. Thanks.



STEVEN GRAY

TELECOMMUNICATIONS DESIGN SPECIALIST

IT/COMMUNICATIONS TECHNOLOGY BUREAU (WIRELESS)

iowadot.gov Iowa Department of Transportation

Office: 515-239-1552 Steven.gray@iowadot.us

From: Ackerman, Darren <DARREN.ACKERMAN@iowadot.us>

Sent: Wednesday, May 10, 2023 14:27

To: Gray, Steven <Steven.Gray@iowadot.us>; Knoll, Douglas <Douglas.Knoll@iowadot.us>

Subject: West Union tower

Good afternoon gentlemen

I was in West Union and noticed the tower had some damage. Just thought I would let you know if you were not aware already. Thanks!

Get [Outlook for iOS](#)

--

Dave Gordon
Customer Support Manager
Motorola Solutions, Inc.
State of Iowa

M: +1.319.321.1134

E: dave.gordon@motorolasolutions.com

For more information on how and why we collect your personal information, please visit our [Privacy Policy](#).

Motorola Solutions, Inc.
1301 E. Algonquin Road
Schaumburg, IL 60196
U.S.A.

Mobile: +1-319-321-1134
Email: dave.gordon@motorolasolutions.com

September 26, 2024

Captain Heath Hove
Iowa Department of Public Safety
Interoperability Communications Bureau
215 E. 7th St.
Des Moines, IA 50319
RE: Fayette ISICS Tower – Broken Radome

Captain Hove,

Below you will find the report for the Fayette site repair work for the broken radome. Attached is the invoice for the repair work.

Please review and contact me directly with any questions.

Thanks,



Dave Gordon
Customer Support Manager
State of Iowa
Motorola Solutions, Inc.

Fayette ISICS Tower – Storm Damage Report

On May 13, 2023, DOT technician reported a damaged dish at the Fayette tower.

Motorola had a tower crew onsite to replace the broken radome on July 1, 2024.

Fayette Broken Radome – Before and After Photos



From: [Dostal Sandra](#)
To: [Dustin Puhse](#); [Iowa State](#)
Subject: ISCS Fayette Motorola Invoice & Payment
Date: Monday, October 14, 2024 10:19:40 AM
Attachments: [ISCS Fayette Motorola Invoice & Payment\(1\).pdf](#)
[Invoice\(1\).pdf](#)

Cycle Date	Object Class	Object	Line Description	Vendor Invoice Number	Check Number	Ref Doc Code	Doc CD	Ref Doc ID	Doc ID	Vendor Customer Name	Vendor Customer	Posting Am
10/10/24	406	2693	ISCS Fayette site radome replacement for one dish, work complete 7/1/24	8330287121	000000073282916	PRC	AD	MOTOROL10OC24SJD325	ADC10102400000157402	Motorola Solutions Inc	000020993390	9,500.00

Sandra Dostal
 Administrative Assistant | DPS Interoperability Communication Bureau
 Office of the Commissioner
 Administrative Services Division
 Iowa Department of Public Safety
 215 East 7th Street, Des Moines, Iowa 50319
 Office: 515-725-6095
 Fax: 515-725-6193
dostal@dps.state.ia.us
<https://dps.iowa.gov/>
<https://dpscareers.com/>

MEMBERS OF COUNCIL

HON. KIM REYNOLDS
GOVERNOR

HON. PAUL D. PATE
SECRETARY OF STATE

HON. ROB SAND
AUDITOR OF STATE

HON. ROBY SMITH
TREASURER OF STATE

HON. MIKE NAIG
SECRETARY OF AGRICULTURE



Executive Council of Iowa

CAPITOL BUILDING
DES MOINES, IOWA 50319
PHONE: 515 281-5368

July 15, 2024

Accounting Department
Office of the Treasurer
Lucas Building
321 E 12th Street
Des Moines, IA, 50319

The Executive Council, in a meeting held on today's date, approved the Department of Public Safety's request for a supplemental emergency allocation in the amount of \$778.00, subject to an audit of actual invoices. This brings the total allocation to \$9,500.00. On May 10, 2023, a radome cover on Fayette County ISICS communication tower was damaged by a storm. Request was to cover repair costs.


EXECUTIVE COUNCIL OF IOWA

Kristi Onstot

Kristi Onstot
Executive Secretary

cc: Captain Richard Pierce, Bureau Chief, Department of Public Safety
Matt Bender, Department of Management
Heather Hackbarth, Department of Management

AOS Claim # 3541
TOS Job # _____



OFFICE OF AUDITOR OF STATE
STATE OF IOWA

Rob Sand
Auditor of State

State Capitol Building
Des Moines, Iowa 50319-0004
Telephone (515) 281-5834 Facsimile (515) 281-6518

July 3, 2024

Kristi Onstot
Executive Council
L O C A L

Subject: Damages to Radome Cover on Fayette County ISICS Communication Tower due
to Storm on May 10, 2023
Department of Public Safety
Claim dated May 15, 2023
AOS Claim ID: 3541

In accordance with Executive Council policy, we have examined the claim for 29C.20 funds for the above-mentioned damages. The Department has requested a supplemental allocation of \$778.00. It is our conclusion that the above damage and additional costs expected to be incurred by the Department of Public Safety are covered by Chapter 29C.20 of the Code of Iowa. Therefore, we recommend Executive Council approval of the supplemental allocation request of \$778.00, subject to an audit of actual invoices. This increases the total allocation to \$9,500.00.

Sincerely,

A handwritten signature in black ink, appearing to read "Brian R. Brustkern".

Brian R. Brustkern, CPA
Deputy Auditor of State

cc: Lieutenant Heath Hove, Interoperability Communications Bureau, Department of
Public Safety

Kim Reynolds
Governor
Adam Gregg
Lt. Governor



Department of Public Safety

Stephan Bayens
Commissioner

June 4, 2024

Ref. 6-4-24 Updated AON 29C20 Allocation Request ref. 5-10-23 AON Damage to the Fayette ISICS Communication Tower radome cover due to flying debris.

State of Iowa Executive Council:

On 5-13-23, Dave Gordon, Motorola Customer Support Manager, advised that DOT Personnel observed on 5-10-23 storm winds caused flying debris to break the radome cover on the Fayette ISICS Communication Tower. On 5-13-23, an initial 29C20 notification was sent to the Executive Council regarding this Act of Nature (AON) Damage to the Fayette ISICS tower site (See attached email).

On 5-28-24, Motorola advised the new radome covers have arrived in the USA from the new Italian manufacturer, The new, updated estimate to repair the damaged radome on the Fayette ISICS Tower is \$9,500.00.

The DPS Interoperability and Communications Bureau is respectfully submitting an updated 29C20 Allocation Request for \$9,500.00 regarding this AON damage

Thank you for your consideration.

Sincerely,

Captain Richard Pierce
Bureau Chief
Iowa DPS Communications & Interoperability Bureau
Office of the Commissioner
215 E.7th Street
Des Moines, Ia 50319

MEMBERS OF COUNCIL

HON. KIM REYNOLDS
GOVERNOR

HON. PAUL D. PATE
SECRETARY OF STATE

HON. ROB SAND
AUDITOR OF STATE

HON. ROBY SMITH
TREASURER OF STATE

HON. MICHAEL L. NAIG
SECRETARY OF AGRICULTURE



Executive Council of Iowa

CAPITOL BUILDING
DES MOINES, IOWA 50319
PHONE: 515 281-5368

July 10, 2023

Accounting Department
Office of the Treasurer
Lucas Building
321 E 12th Street
Des Moines, IA, 50319

The Executive Council, in a meeting held on today's date, approved the Department of Public Safety's request for an emergency allocation in the amount of \$8,722.00, subject to audit of actual invoices. On May 10, 2023, a storm caused damages to the radome cover on the Fayette County ISICS Communication Tower. Request was to cover repair costs.

EXECUTIVE COUNCIL OF IOWA

Victoria Newton

Victoria Newton
Executive Secretary

cc: Captain Richard Pierce, Iowa State Patrol, Department of Public Safety
Joel Lunde, Department of Management

AOS Claim # 3541
TOS Job # _____



OFFICE OF AUDITOR OF STATE
STATE OF IOWA

Rob Sand
Auditor of State

State Capitol Building
Des Moines, Iowa 50319-0004
Telephone (515) 281-5834 Facsimile (515) 281-6518

June 19, 2023

Victoria Newton
Executive Council
L O C A L

Subject: Damages to Radome Cover on Fayette County ISICS Communication Tower due
to Storm on May 10, 2023
Department of Public Safety
Claim dated May 15, 2023
AOS Claim ID: 3541

In accordance with Executive Council policy, we have examined the claim for 29C.20 funds for the above-mentioned damages. It is our conclusion that the above damage incurred by the Department of Public Safety is covered by Chapter 29C.20 of the Code of Iowa. Therefore, we recommend Executive Council approval in the amount of \$8,722.00, subject to an audit of actual invoices.

Sincerely,

A handwritten signature in blue ink, appearing to read "Ernest H. Ruben, Jr.".

Ernest H. Ruben, Jr., CPA
Deputy Auditor of State

cc: Captain Richard Pierce, Bureau Chief, Department of Public Safety
Joel Lunde, Department of Management

Kim Reynolds
Governor
Adam Gregg
Lt. Governor



Department of Public Safety

Stephan Bayens
Commissioner

May 15, 2023

Ref. AON 29C20 Allocation Request for 5-10-23 AON Damage to the Fayette ISICS Communication Tower radome cover due to flying debris.

State of Iowa Executive Council:

On 5-13-23, Dave Gordon, Motorola Customer Support Manager, advised that DOT Personnel observed on 5-10-23 storm winds caused flying debris to break the radome cover on the Fayette ISICS Communication Tower. On 5-13-23, an initial 29C20 notification was sent to the Executive Council regarding this Act of Nature (AON) Damage to the Fayette ISICS tower site (See attached email).

On 5-15-23, Motorola provided an email advising the repair estimate for the damage to the Fayette ISICS Tower is \$8,722.00. Repairs will commence when tower crews become available.

The DPS Interoperability and Communications Bureau is respectfully submitting a 29C20 Allocation Request for \$8,722.00 regarding this AON damage.

Thank you for your consideration.

Sincerely,

Captain Richard Pierce
Bureau Chief
Iowa DPS Communications & Interoperability Bureau
Office of the Commissioner
215 E.7th Street
Des Moines, Ia 50319

Newton, Victoria [TOS]

From: Pierce Richard <pierce@dps.state.ia.us>
Sent: Saturday, May 13, 2023 3:53 PM
To: Hollingsworth, Tammy [AOS]; ExecutiveCouncil [TOS]
Cc: DAVID GORDON; Dostal Sandra; Duden Joshua
Subject: 5-10-23 Notification of 29C20 Damage to Fayette ISICS Tower - Broken Radome
Attachments: image001.jpg; IMG_0013.jpg

Tammy and Executive Council

On 5-10-23, DOT personnel reported there was damage to the radome on the Fayette County ISICS Tower due to flying debris. Please accept this email as the initial notification of AON 29C20 Damage to this tower. See attached photo. A repair estimate will be provided upon receipt.

Thank you

Capt. Pierce

From: Dave Gordon <dave.gordon@motorolasolutions.com>
Sent: Saturday, May 13, 2023 2:40 PM
To: ISICSNOC <ISICSNOC@DPS.STATE.IA.US>
Cc: DAVID GORDON <dave.gordon@motorolasolutions.com>
Subject: ** External Email Alert ** Fwd: FW: West Union tower

****External Email Alert**** This email is from outside DPS. **DO NOT CLICK** links or attachments unless you expected them. If unsure please forward to ITOC@dps.state.ia.us for review.

Forwarding this report to you from IDOT regarding a broken radome at Fayette site.

I was with Steve Gray this week and mentioned he should probably send these to ISICSNOC.

Thanks,

Dave

----- Forwarded message -----

From: Gray, Steven <Steven.Gray@iowadot.us>
Date: Wed, May 10, 2023 at 2:34 PM
Subject: FW: West Union tower
To: Dave Gordon (dave.gordon@motorolasolutions.com) <dave.gordon@motorolasolutions.com>, Knoll, Douglas <Douglas.Knoll@iowadot.us>, brittain@dps.state.is.us <brittain@dps.state.is.us>, Richardson, Scott [DPS] <richards@dps.state.ia.us>
Cc: Brown, Daniel <Daniel.Brown@iowadot.us>, Ackerman, Darren <DARREN.ACKERMAN@iowadot.us>, Gray, Steven <Steven.Gray@iowadot.us>

Dave Gordon,

Our Communications Field Tech, Darren Ackerman, discovered a damaged dish at the Fayette Co, (West Union) tower location. Please see the attached photo. Please forward the information to appropriate Personnel. Thanks.



STEVEN GRAY

TELECOMMUNICATIONS DESIGN SPECIALIST

IT/COMMUNICATIONS TECHNOLOGY BUREAU (WIRELESS)

iowadot.gov Iowa Department of Transportation

Office: 515-239-1552 Steven.gray@iowadot.us

From: Ackerman, Darren <DARREN.ACKERMAN@iowadot.us>
Sent: Wednesday, May 10, 2023 14:27
To: Gray, Steven <Steven.Gray@iowadot.us>; Knoll, Douglas <Douglas.Knoll@iowadot.us>
Subject: West Union tower

Good afternoon gentlemen

I was in West Union and noticed the tower had some damage. Just thought I would let you know if you were not aware already. Thanks!

Get [Outlook for iOS](#)

--

Dave Gordon
Customer Support Manager
Motorola Solutions, Inc.
State of Iowa

M: +1.319.321.1134
E: dave.gordon@motorolasolutions.com

For more information on how and why we collect your personal information, please visit our [Privacy Policy](#).

Newton, Victoria [TOS]

From: DAVID GORDON <dave.gordon@motorolasolutions.com>
Sent: Monday, May 15, 2023 4:13 PM
To: Pierce Richard
Subject: ** External Email Alert ** Re: 5-15-23 Estimate confirmation ref Fayette County Radome damage

****External Email Alert**** This email is from outside DPS. **DO NOT CLICK** links or attachments unless you expected them. If unsure please forward to ITOC@dps.state.ia.us for review.

Yes, that should work.

Dave

On Mon, May 15, 2023 at 12:48 PM Pierce Richard <pierce@dps.state.ia.us> wrote:

Dave,

Would I be good to use the same radome damage estimates for Fayette Co ISICS Tower as we used for Iowa, Shelby and Atlantic ISICS Tower radome damage? Those estimates were \$8722.00 each. Let me know, because if I am I will submit the 29C20 Allocation Request to the Executive Council now.

Captain Richard Pierce

Bureau Chief

Iowa DPS Communications Interoperability Bureau

Office of the Commissioner

215 E.7th Street

Des Moines, Ia 50319

Work Ph# (515) 725-6113

Cell Ph# (712) 269-0730

Email: pierce@dps.state.ia.us



--
Dave Gordon
Customer Support Manager
Motorola Solutions, Inc.
State of Iowa

M: +1.319.321.1134
E: dave.gordon@motorolasolutions.com

For more information on how and why we collect your personal information, please visit our [Privacy Policy](#).