MEMBERS OF COUNCIL

HON. KIM REYNOLDS GOVERNOR

HON. PAUL D. PATE SECRETARY OF STATE

HON. ROB SAND AUDITOR OF STATE

HON. ROBY SMITH TREASURER OF STATE

HON. MIKE. NAIG SECRETARY OF AGRICULTURE



# Executive Council of Iowa

CAPITOL BUILDING DES MOINES, IOWA 50319 PHONE: 515 281-5368

May 6, 2024

Accounting Department Office of the Treasurer Lucas Building 321 E 12<sup>th</sup> Street Des Moines, IA, 50319

The Executive Council, in a meeting held on this date, approved Iowa Communications Network's request for an emergency allocation in the amount of \$46,677.19. On November 30, 2023, a cable was damaged by a rodent along US 30 near the Carroll and Green County Line. Request was to cover repair costs.

EXECUTIVE COUNCIL OF IOWA

Kristi Onstot

Kristi Onstot Acting Executive Secretary

cc: Randy Goddard, Executive Director, ICN Kammy McHone, Finance Division, ICN Dave Augspurger, Operations Division, ICN Heather Hackbarth, Department of Management Matt Bender, Department of Management



# OFFICE OF AUDITOR OF STATE

STATE OF IOWA

Rob Sand Auditor of State

State Capitol Building Des Moines, Iowa 50319-0004 Telephone (515)281-5834 Facsimile (515)281-6518

April 11, 2024

Victoria Newton Executive Council L O C A L

 Subject: Damaged Cable due to Rodent Chew along US 30 Near the Carroll and Greene County Line on November 30, 2023
 Iowa Communications Network (ICN) Claim dated December 21, 2023
 AOS Claim ID: 3639

In accordance with Executive Council policy, we have examined the claim for 29C.20 funds for the above-mentioned damage. It is our conclusion that the above damage incurred by the Iowa Communications Network (ICN) is covered by Chapter 29C.20 of the Code of Iowa. The amount requested may include costs that will be covered by a monthly maintenance contract for technician services that are not additional expenses to ICN. The actual claim for reimbursement should only be for expenses that exceed the technician hours per the maintenance agreement.

Therefore, we recommend an Executive Council allocation in the amount of \$46,677.19 subject to an <u>audit</u> of actual invoices and supporting documentation and demonstration that only costs not covered by the maintenance contract have been included.

Sincerely,

Bi RAS

Brian R. Brustkern, CPA Deputy Auditor of State

cc: Randy Goddard, Executive Director, ICN Kammy McHone, Finance Division, ICN Dave Augspurger, Operations Division, ICN Heather Hackbarth, Department of Management

Governor Kim Reynolds Lt. Governor Adam Gregg



December 21, 2023

Ms. Victoria Newton Executive Secretary Executive Council of Iowa State Capitol LOCAL

Re: Emergency Allocations of Funds

Dear Ms. Newton,

On or about November 30, 2023 the Iowa Communications Network (ICN) received physical damage to ICN Communications equipment in Des Moines, Iowa. An email was sent to the Office of the Auditor of State and the Executive Council. This letter represents a claim for \$46,677.19 in accordance with Chapter 29C.20 of the Code of Iowa for an emergency allocation of funds to repair damages sustained. Paid invoices will be included upon completion of repairs.

It was determined ICN equipment was damaged due to rodent chew at Middle Silver Creek along US 30 near the Carroll County and Green County line in Iowa. This will require relocation. Enclosed are the damage assessment and cost estimate to restore that damaged equipment to normal operating condition.

If you have any questions regarding this claim, please call my office at 515-725-4666 located in the Grimes State Office Building.

Sincerely,

andy Goldent

Randy Goddard Executive Director

Enclosures cc: Office of Auditor of State (Tammy Hollingsworth) ICN Operations Division (Dave Augspurger) ICN Finance Division (Kammy McHone)

 Randy Goddard, Executive Director

 Grimes State Office Building, 400 E. 14th Street, Des Moines, IA 50319
 Phone: 515-725-4692
 icn.iowa.gov

IOWA TELECOMMUNICATIONS AND TECHNOLOGY COMMISSION



### December 20, 2023

## Estimate for ICN Fiber Cable Damage: Outside Plant Log #37240107

This estimate is for the relocation of a damaged ICN cable along Highway 30 near the Carroll and Greene County line. The area of signal loss was excavated and confirmed to have been damaged by rodent activity. The Executive Council was notified of the ICN's intent to submit this as a claim for reimbursement on November 30, 2023. Repair will require approximately one mile of new cable be placed via directional bore and relocation of two existing maintenance splices.

Estimated costs for this project are listed below:

	TOTAL:	\$46,677.19
Engineering Design		\$0.00
Miscellaneous		\$0.00
ICN Provided Materials		\$6,817.19
Splicing Labor		\$3,770.00
Construction Materials		\$3,330.00
Construction Labor		\$32,760.00
Contracted Labor and Materials		

Please feel free to contact me if you have any questions.

David Augspurger ICN Outside Plant Lead 515-725-4604 david.augspurger@iowa.gov

PROJECT	Rodent chew relo US 30 Carroll	& Greene	ESTIMAT		COUNTY		Carroll
OSP LOG #	3724010		. County Dorden		INC/PRB		INC0058575
LINK ID(S)	1127				FIBER CT		12
Contracted Labo	r and Materials Construction Labor		¢00 700 00				
			\$32,760.00 \$3,330.00				
	Construction Materials						
INT DURING A DOL.	Splicing Labor		\$3,770.00				
ICN Provided Ma	terials		\$6,817.19				
Miscellaneous			\$0.00				
Engineering Desi	ign		\$0.00				
	ΤΟΤΑ	_:	\$46,677.19				
						NAMO ALCONOMICS CONTRACTOR	ພດສາສາເພາະສະຫະການສະຫຼຸມ ແລະ
VENDOR CONST	RUCTION					NARANAN MARK	
CATEGORY	ITEM	UNIT	RATE	QTY	ser protocologica	SUBTOTAL	
Horizontal Boring	Rural 1 ea 1,25" conduit	ĹF	\$9.00	1 190		\$10,710.00	
Handhole Placement	Rural Std 24x36x30	EA	\$500.00	2		\$1,000.00	
Fiber Installation	Existing Duct Rural	LF	\$2,25	660		\$1,485.00	
Fiber Installation	New Duct Rurat	LF	\$1,25	4,440		\$5,550.00	
Expose/Lower Cable	Rural Expose Existing Live Cable	LF	\$20.00	200		\$4,000.00	
Plowing	Rural Plow 1 ea 1.25" Duct	LF	\$2.00	3,250		\$6,500.00	
Misc	Place Warning Marker-Rural	EA	\$25.00	3,250		\$25.00	
Misc	Place Locate Pedestal-Rural	EA	\$75.00	1		\$75.00	
Misc	Mobilization	LS	\$500.00	2		\$1,000.00	
Misc	Mobilization mileage adder	MILES	\$2.50	66		\$165.00	
Misc	Material Pick Up	EA	\$250.00	1		\$250.00	
Misc	Backhoe/Min) Excavator	HR	\$250.00	8		\$2,000.00	
			TRUCTION SU			\$32,760,00	
	19 of all the second and a strain of the second second second second as the second second second second second					DI IDTATAI	
CATEGORY	ITEM	UNIT	UNIT RATE	QTY		SUBTOTAL	
Splicing labor	Splicing Mobilization	LS	\$1,250.00	1		\$1,250.00	
Splicing labor	Prep Splice Closure	EA	\$350.00	2		\$700.00	
Splicing labor	Fusion Splicing	Splicing		24		\$1,320.00	
Splicing labor	Off Hours Charge	LS	\$500.00 NG LABOR SU	1 070741		\$500.00	
		SPLICI	NG LADOR SD			\$3,770.00	
ICN PROVIDED M	ne di Maline de la companya de la c						
CATEGORY	ITEM		UNIT	QTY		SUBTOTAL	PART #
ocate Facilities	TriView Test Station	etad bediktartaki	<b>EA</b>	tomer	\$41,20	\$41,20	
Handholes	24x36x30 Tier 15 HH w/lid		EA	2	\$699,00	\$1,398.00	
Splice Closure	*450A Splice Closure (w/lugs)		EA	2	\$143,38	\$286,76	FOSC450-A4-4-NT-0-A1V
	*A Tray 12-pos	e seese eesta aan aan ah		2			
	r *Shield Bond Connector		EA	4	\$1.29	\$5.16	4460-D
Sealing Kit	*FOSC Closure Sealing Kit		EA	2	\$1.64		1F6818-000
ocate Facilities	1/2" x 6' Ground Rod		EA	1	\$7.80	\$7.80	<del>####</del>
ocate Facilities	1/2" Ground Rod Clamp		EA	10	\$1.35		GRC12
ocate Facilities	6 AWG Bare Solid Copper Ground Wire		<b>LFT</b>		\$0.33	\$8,25	a a the second
이 가장에 가장 것 같아. 영화 가장 가장 가장 가지 않는 것이 같아.	12 AWG HDPE Orange Solid Copper W	ire	LFT	50	\$0.13	\$6.50	PE3012BC-07
ocate Facilities			LFT	6450	\$0.78	\$5,034.87	SOP96LAA3EBKOFX
ocate Facilities	96F Armored SM Cable	ivini-	AATCOLALAGO			\$6,817.19	
ocate Facilitíes Fiber Cable	ICN PRO	VIDED N	IATERIALS SU	JI OIAL.			
.ocate Facilities Fiber Cable VENDOR PROVID	ICN PRO ED MATERIALS	VIDED N					
.ocate Facilities Fiber Cable VENDOR PROVID	<i>ICN PRO</i> ED MATERIALS ITEM	VIDED N	UNIT	QTY	UNIT RATE	SUBTOTAL	
.ocate Facilities Fiber Cable /ENDOR PROVID CATEGORY	ICN PRO ED MATERIALS ITEM 1,25" Orange HPDE Duct		UNIT LFT	QTY 4440	UNIT RATE \$0.75	SUBTOTAL \$3,330.00	13.5
ocate Facilities	ICN PRO ED MATERIALS ITEM 1,25" Orange HPDE Duct		UNIT	QTY 4440			13.5
Locate Facilities Fiber Cable VENDOR PROVID CATEGORY Duct	ICN PRO ED MATERIALS ITEM 1,25" Orange HPDE Duct VENDOR PRO		UNIT LFT	QTY 4440		\$3,330.00	13.5
ocate Facilities Fiber Cable VENDOR PROVID CATEGORY Duct ENGINEERING DE	ICN PRO ED MATERIALS ITEM 1,25" Orange HPDE Duct VENDOR PRO		UNIT LFT	QTY 4440		\$3,330.00 \$3,330.00	13.5
ocate Facilities Fiber Cable VENDOR PROVID CATEGORY Duct ENGINEERING DE	ICN PRO IED MATERIALS ITEM 1,25" Orange HPDE Duct <i>VENDOR PRO</i> ESIGN ITEM	VIDED M	UNIT LFT IATERIALS SUI	QTY 4440 B <i>TOTAL</i> : QTY	\$0.75 UNIT RATE	\$3,330.00 \$3,330.00	13.5
Locate Facilities Fiber Cable VENDOR PROVID CATEGORY Duct ENGINEERING DE CATEGORY	ICN PRO ED MATERIALS ITEM 1,25° Orange HPDE Duct VENDOR PRO ESIGN ITEM	VIDED M	UNIT LFT JA <i>TERIALS SUI</i> UNIT	QTY 4440 B <i>TOTAL</i> : QTY	\$0.75 UNIT RATE	\$3,330.00 \$3,330.00 SUBTOTAL	13.5
ocate Facilities Fiber Cable VENDOR PROVID CATEGORY Duct ENGINEERING DE	ICN PRO ED MATERIALS ITEM 1,25° Orange HPDE Duct VENDOR PRO ESIGN ITEM	VIDED M	UNIT LFT JA <i>TERIALS SUI</i> UNIT	QTY 4440 B <i>TOTAL</i> : QTY	\$0.75 UNIT RATE	\$3,330.00 \$3,330.00 SUBTOTAL \$0,00	13.5 NOTES

-----



# Gopher chew US 30 Carroll / Green County line 37240107

#### Augspurger, Dave <daugspurger@icn.state.ia.us>

Thu, Nov 30, 2023 at 6:39 AM

To: Victoria Harris <victoria.harris@iowa.gov>, Scott Pappan <scott.pappan@iowa.gov>, Kammy McHone <kammy.mchone@iowa.gov>, Ryan Mulhall <ryan.mulhall@iowa.gov>, Executive Council group email <ExecutiveCouncil@tos.iowa.gov>, "Dana [AOS] Davis" <Dana.Davis@aos.iowa.gov>, "Hollingsworth, Tammy [AOS]" <tammy.hollingsworth@aos.iowa.gov>, "Mulhall, Ryan" <ryan.mulhall@icn.state.ia.us>

Good morning,

While investigating a signal loss issue along US 30 near the Carroll & Green County line, an ICN field technician discovered significant evidence of gopher activity. Tracing the loss to a specific area, the tech found gopher mounds on top of the cable alignment. Repair will require relocation of existing cable throughout the area of gopher activity (.5 to 1 mile). The ICN would like to submit this as a claim for reimbursement for damages due to natural causes (rodent chew). Please let me know of any questions.

Respectfully,

#### **Dave Augspurger**

Sr Telecom Specialist | OSP Lead

**Outside Plant** 

Iowa Communications Network

400 East 14th Street, Des Moines, IA 50319

515-725-4604 office

515-229-2013 cell

david.augspurger@icn.state.ia.us

icn.iowa.gov



Notice to Recipient: This e-mail is meant only for the intended recipient(s) of the transmission, and may be a communication that is privileged by law. If you receive this e-mail in error, any review, use, dissemination, distribution, copying, or storing of the e-mail or its contents is prohibited. Please notify me immediately of the error by return e-mail, and please delete this message from your system. Thank you in advance for your cooperation.



ļ.

