MEMBERS OF COUNCIL

HON. KIM REYNOLDS GOVERNOR

HON. PAUL D. PATE SECRETARY OF STATE

HON. ROB SAND AUDITOR OF STATE

HON. ROBY SMITH TREASURER OF STATE

HON. MIKE. NAIG SECRETARY OF AGRICULTURE



Executive Council of Jowa

CAPITOL BUILDING DES MOINES, IOWA 50319 PHONE: 515 281-5368

June, 2023

Accounting Department Office of the Treasurer Lucas Building 321 E 12th Street Des Moines, IA, 50319

The Executive Council, in a meeting held on this date, approved Iowa Communications Network's request for an emergency allocation in the amount of \$10,270.00, subject to audit of actual invoices and supporting documentation and demonstration that no costs covered by the maintenance contract have been included. On January 23, 2023, a cable was vandalized along SE 1th Street at Bridge North of MLK Parkway. Request was to cover repair costs.

EXECUTIVE COUNCIL OF IOWA

Victoria Newton

Victoria Newton Executive Secretary

cc: Randy Goddard, Executive Director, ICN Kammy McHone, Finance Division, ICN Dave Augspurger, Operations Division, ICN Joel Lunde, Department of Management

> AOS Claim # 3441 TOS Job # ____



OFFICE OF AUDITOR OF STATE STATE OF IOWA

Rob Sand Auditor of State

State Capitol Building Des Moines, Iowa 50319-0004 Telephone (515) 281-5834 Facsimile (515) 281-6518

April 18, 2023

Victoria Newton Executive Council L O C A L

 Subject: Vandalized Cable along SE 14th Street at Bridge North of MLK Parkway on January 23, 2023
 Iowa Communications Network (ICN)
 Claim Dated March 9, 2023
 AOS Claim ID: 3441

In accordance with Executive Council policy, we have examined the claim for 29C.20 funds for the above-mentioned damage. It is our conclusion that the abovementioned damage incurred by the Iowa Communications Network (ICN) is covered by Chapter 29C.20 of the Code of Iowa. Therefore, we recommend an Executive Council allocation in the amount of \$10,270.00, subject to an audit of <u>actual</u> invoices.

Sincerely,

Ernest H. Ruben, Jr., CPA Deputy Auditor of State

cc: Randy Goddard, Executive Director, ICN Kammy McHone, Finance Division, ICN Dave Augspurger, Operations Division, ICN Joel Lunde, Department of Management

Newton, Victoria [TOS]

| From: | Tammy Hollingsworth <tammy.hollingsworth@aos.iowa.gov></tammy.hollingsworth@aos.iowa.gov> |
|----------|---|
| Sent: | Friday, April 28, 2023 10:04 AM |
| То: | ExecutiveCouncil [TOS] |
| Subject: | RE: 29C.20 letters |

For Claim #3441 – ICN's letter shows \$10,720 (which is a typo on their end). All of the support documents \$10,270.

From: ExecutiveCouncil [TOS] <ExecutiveCouncil@tos.iowa.gov>
Sent: Friday, April 28, 2023 8:35 AM
To: Tammy Hollingsworth <Tammy.Hollingsworth@AOS.IOWA.GOV>; Dana Davis <Dana.Davis@AOS.IOWA.GOV>
Cc: Starcevic, Greg [TOS] <greg.starcevic@tos.iowa.gov>
Subject: RE: 29C.20 letters

CAUTION: This email originated from outside of AOS. Do not click links or open attachments unless you recognize the sender and know the content is safe.

I got most of these on Monday's agenda. I had 2 that I held back:

AOS Claim 1650 – Just making sure that the DAS reimbursement request was wrong and instead of subtracting they were adding?

AOS Claim 3441 – ICN letter requests \$10,720.00, but the AOS letter recommends \$10,270.00 – was there a reason it was less or was this just a typo?

Victoria Newton | Executive Secretary

Treasurer of State • State Capitol Building 1007 E Grand Ave 1st Floor • Des Moines, Iowa 50319 [p] 515.281.5368 • [w] IowaTreasurer.gov

From: Dana Davis <<u>Dana.Davis@AOS.IOWA.GOV</u>>
Sent: Thursday, April 27, 2023 1:46 PM
To: ExecutiveCouncil [TOS] <<u>ExecutiveCouncil@tos.iowa.gov</u>>
Cc: Starcevic, Greg [TOS] <<u>Greg.Starcevic@tos.iowa.gov</u>>
Subject: 29C.20 letters

Good Afternoon!

Here are a few letters ready for EC.

Thank you!



Dana Davis

Executive Assistant Office of Auditor of State Lucas State Office Building 321 E 12th St Des Moines, IA 50319 (515)281-5834 This email message and its attachments may contain confidential information that is exempt from disclosure under Iowa Code chapters 22, 139A, and other applicable law. Confidential information is for the sole use of the intended recipient. If you believe that you have received this transmission in error, please reply to the sender, and then delete all copies of this message and any attachments. If you are not the intended recipient, you are hereby notified that any review, use, retention, dissemination, distribution, or copying of this message may be prohibited by law.

Auditor.lowa.Gov

This email message and its attachments may contain confidential information that is exempt from disclosure under Iowa Code chapters 22, 139A, and other applicable law. Confidential information is for the sole use of the intended recipient. If you believe that you have received this transmission in error, please reply to the sender, and then delete all copies of this message and any attachments. If you are not the intended recipient, you are hereby notified that any review, use, retention, dissemination, distribution, or copying of this message may be prohibited by law.

Auditor.lowa.Gov



Governor Kim Reynolds Lt. Governor Adam Gregg

March 9, 2022

Ms. Victoria Newton Executive Secretary Executive Council of Iowa State Capitol LOCAL

Re: Emergency Allocations of Funds

Dear Ms. Newton,

On or about January 23, 2023 the Iowa Communications Network (ICN) received physical damage to ICN Communications equipment in Des Moines, Iowa. An email was sent to the Office of the Auditor of State and the Executive Council. This letter represents a claim for \$10,720.00 in accordance with Chapter 29C.20 of the Code of Iowa for an emergency allocation of funds to repair damages sustained. Paid invoices will be included upon completion of repairs.

It was determined ICN equipment was deliberately damaged in an attempt to harvest copper along SE 14 Street at the bridge north of MLK Parkway in Des Moines, IA in Polk County, IA. This will require repair and relocation. Enclosed are the damage assessment and cost estimate to restore that damaged equipment to normal operating condition.

If you have any questions regarding this claim, please call my office at 515-725-4666 located in the Grimes State Office Building.

Sincerely,

Randy Ġoddard Executive Director

Enclosures cc: Office of Auditor of State (Tammy Hollingsworth) ICN Operations Division (Dave Augspurger) ICN Finance Division (Kammy McHone)

Randy Goddard, Executive Director

Grimes State Office Building, 400 E. 14th Street, Des Moines, IA 50319 Phone: 515-725-4692 icn.iowa.gov

IOWA TELECOMMUNICATIONS AND TECHNOLOGY COMMISSION



March 10, 2023

Estimate for ICN Fiber Cable Damage: Outside Plant Log #77233907

This estimate is for the repair of a deliberately severed ICN cable along SE 14th St at the bridge north of MLK Parkway in Des Moines. The conduit was opened by force and the cable within deliberately severed. It is believed this was an attempt to harvest copper. Emergency restoration required a new, temporary cable be placed along the bridge and spliced into the existing cable at existing handholes at either end. Permanent repair will require restoration of the damaged conduit and placement of new cable through the conduit and into existing handholes. The ICN notified the Executive Council of ICN's intent to submit this as a claim for reimbursement on January 23-2023.

Estimated costs for this project are listed below:

| Emergency Construction Labor & material | | \$7,000.00 |
|---|--------|-------------|
| Emergency Splicing labor | | \$3,270.00 |
| ICN-provided material | | \$0.00 |
| | Total: | \$10,270.00 |

Please feel free to contact me if you have any questions.

David Augspurger ICN Outside Plant Lead 515-725-4604 david.augspurger@iowa.gov

Randy Goddard, Executive Director

Grimes State Office Building, 400 E. 14th Street, Des Moines, IA 50319 Phone: 515-725-4692 icn.iowa.gov

IOWA TELECOMMUNICATIONS AND TECHNOLOGY COMMISSION

| | ···· | | ESTIMATE | | | | |
|---|--|--|---|--|--|--|------------|
| PROJECT | SE 14th St bridge | e just N of E MLK JI | R PKWY | | COUNTY | | Polk |
| OSP LOG # | | 77233907 | | | INC/PRB | | INC0054035 |
| LINK ID(S) | | 2062B | | | FIBER CT | | 36F |
| Contracted Lab | or and Materials | ····· | | <u> </u> | <u>. </u> | · · · · · · · · · · · · · · · · · · · | |
| • | Construction Labor | | \$0.00 | | | | |
| | Construction Materia | ls | \$0.00 | | | | |
| | Splicing Labor | | \$0.00 | | | | |
| CN Provided M | aterials | | \$0.00 | | | | |
| Miscellaneous | | | \$10,270.00 | | | | |
| Engineering De | sign | | \$0.00 | | | | |
| | | TOTAL: | \$10,270.00 | | | | |
| | | | 7-07-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0- | | | | |
| | | | | | | | |
| ENDOR CONS | a na gérara (géra dega data data data data data data data) | | | | | | |
| CATEGORY | ITEM | UNIT | RATE | QTY | | SUBTOTAL | |
| | | VENDOR CONS | STRUCTION SUB | TOTAL | | \$0.00 | |
| | | | | | | | |
| SPLICING LABO | JR | | | | | | |
| SPLICING LABC | a futka daaraguka daarka daaraa juragda jaguka. | UNIT | | | | | |
| SPLICING LABO CATEGORY | DR ITEM | UNIT | | QTY | | SUBTOTAL | |
| CATEGORY | ITEM | | UNIT RATE | QTY | | | |
| CATEGORY CN PROVIDED | ITEM MATERIALS | | NG LABOR SUE | QTY | | SUBTOTAL \$0.00 | |
| CATEGORY | ITEM | SPLIC | NG LABOR SUE | QTY BTOTAL: QTY | UNIT RATE | SUBTOTAL | PART # |
| CATEGORY CN PROVIDED | ITEM MATERIALS | | NG LABOR SUE | QTY BTOTAL: QTY | UNIT RATE | SUBTOTAL \$0.00 | PART # |
| CATEGORY CN PROVIDED CATEGORY | ITEM MATERIALS | SPLIC | NG LABOR SUE | QTY BTOTAL: QTY | UNITRATE | SUBTOTAL \$0.00 SUBTOTAL | PART# |
| CATEGORY CN PROVIDED CATEGORY | ITEM MATERIALS ITEM | SPLIC | NG LABOR SUE UNIT IATERIALS SUE | QTY 3707AL: QTY 3707AL: | | SUBTOTAL \$0.00 SUBTOTAL \$0.00 | PART# |
| CATEGORY CN PROVIDED CATEGORY VENDOR PROV | ITEM MATERIALS ITEM IDED MATERIALS ITEM | SPLICI | NG LABOR SUE UNIT IATERIALS SUE UNIT | QTY 3707AL: QTY 3707AL: QTY | | SUBTOTAL \$0.00 SUBTOTAL \$0.00 SUBTOTAL | PART # |
| CATEGORY CN PROVIDED CATEGORY VENDOR PROV CATEGORY | ITEM MATERIALS ITEM IDED MATERIALS ITEM VEN | SPLIC | NG LABOR SUE UNIT IATERIALS SUE UNIT | QTY 3707AL: QTY 3707AL: QTY | | SUBTOTAL \$0.00 SUBTOTAL \$0.00 | PART # |
| CATEGORY CN PROVIDED CATEGORY VENDOR PROV CATEGORY ENGINEERING I | ITEM MATERIALS ITEM IDED MATERIALS ITEM VEN DESIGN | SPLICI | NG LABOR SUE UNIT IATERIALS SUE UNIT IATERIALS SUE | QTY BTOTAL: QTY BTOTAL: QTY BTOTAL: | UNIT RATE | SUBTOTAL \$0.00 SUBTOTAL \$0.00 SUBTOTAL \$0.00 | PART # |
| CATEGORY CN PROVIDED CATEGORY VENDOR PROV CATEGORY | ITEM MATERIALS ITEM IDED MATERIALS ITEM VEN | SPLICI ICN PROVIDED N DOR PROVIDED N | NG LABOR SUE UNIT IATERIALS SUE UNIT IATERIALS SUE UNIT | QTY BTOTAL: QTY BTOTAL: QTY BTOTAL: QTY | | SUBTOTAL \$0.00 SUBTOTAL \$0.00 SUBTOTAL | PART # |
| CATEGORY CN PROVIDED CATEGORY VENDOR PROV CATEGORY ENGINEERING I | ITEM MATERIALS ITEM IDED MATERIALS ITEM VEN DESIGN | SPLICI ICN PROVIDED N DOR PROVIDED N | NG LABOR SUE UNIT IATERIALS SUE UNIT IATERIALS SUE | QTY BTOTAL: QTY BTOTAL: QTY BTOTAL: QTY | UNIT RATE | SUBTOTAL \$0.00 SUBTOTAL \$0.00 SUBTOTAL \$0.00 | PART # |
| CATEGORY CN PROVIDED CATEGORY VENDOR PROV CATEGORY ENGINEERING I | ITEM MATERIALS ITEM IDED MATERIALS ITEM VEN DESIGN ITEM | SPLICI ICN PROVIDED N DOR PROVIDED N | NG LABOR SUE UNIT IATERIALS SUE UNIT IATERIALS SUE UNIT | QTY BTOTAL: QTY BTOTAL: QTY BTOTAL: QTY | UNIT RATE | SUBTOTAL \$0.00 SUBTOTAL \$0.00 SUBTOTAL \$0.00 SUBTOTAL | PART # |
| CATEGORY CN PROVIDED CATEGORY VENDOR PROV CATEGORY ENGINEERING I CATEGORY | ITEM MATERIALS ITEM IDED MATERIALS ITEM VEN DESIGN ITEM | SPLICI ICN PROVIDED N DOR PROVIDED N | NG LABOR SUE UNIT IATERIALS SUE UNIT IATERIALS SUE UNIT | QTY BTOTAL: QTY BTOTAL: QTY BTOTAL: QTY | UNIT RATE UNIT RATE | SUBTOTAL \$0.00 SUBTOTAL \$0.00 SUBTOTAL \$0.00 SUBTOTAL \$0.00 | |
| CATEGORY CN PROVIDED CATEGORY VENDOR PROV CATEGORY ENGINEERING I CATEGORY | ITEM MATERIALS ITEM IDED MATERIALS ITEM VEN DESIGN ITEM | SPLICI | NG LABOR SUE UNIT MATERIALS SUE UNIT MATERIALS SUE UNIT NG DESIGN SUE | QTY BTOTAL: QTY BTOTAL: QTY BTOTAL: QTY BTOTAL: | UNIT RATE UNIT RATE UNIT RATE | SUBTOTAL \$0.00 SUBTOTAL \$0.00 SUBTOTAL \$0.00 SUBTOTAL \$0.00 SUBTOTAL | NOTES |
| CATEGORY CN PROVIDED CATEGORY VENDOR PROV CATEGORY ENGINEERING CATEGORY WISCELLANEOI CATEGORY | ITEM MATERIALS ITEM IDED MATERIALS ITEM VEN DESIGN ITEM | SPLICI | NG LABOR SUE UNIT MATERIALS SUE UNIT MATERIALS SUE UNIT NG DESIGN SUE UNIT | QTY BTOTAL: QTY BTOTAL: QTY BTOTAL: QTY BTOTAL: | UNIT RATE UNIT RATE | SUBTOTAL \$0.00 SUBTOTAL \$0.00 SUBTOTAL \$0.00 SUBTOTAL \$0.00 | |



Vandalism - cable deliberately cut along SE 14th St in Des Moines 77233907 INC0054035

Augspurger, Dave <daugspurger@icn.state.ia.us>

Mon, Jan 23, 2023 at 8:02 AM To: Victoria Harris <victoria.harris@iowa.gov>, Kammy McHone <kammy.mchone@iowa.gov>, Executive Council group email <ExecutiveCouncil@tos.iowa.gov>, "Dana [AOS] Davis" <Dana.Davis@aos.iowa.gov>, Scott Pappan <scott.pappan@iowa.gov>, "Hollingsworth, Tammy [AOS]" <tammy.hollingsworth@aos.iowa.gov>, Ryan Mulhall <ryan.mulhall@iowa.gov>, "Harris, Chris [ICN]" <chris.harris@iowa.gov>, Deborah Evans <deb.evans@iowa.gov>

Good morning,

The ICN experienced disruption to traffic for customers in Des Moines over the weekend. Field technicians isolated the damage to a section of cable along SE 14th St at the viaduct over the railroad tracks north of MLK Parkway. The damage was identified as deliberately cut fiber cable (either simply vandalism or possibly an attempt to harvest copper). Further damage was found to the conduit system attached to the bridge. A temporary cable has been placed externally along the bridge to restore service. A permanent relocation plan will likely require repair of the conduit system and replacement of fiber cable. ICN will reach out to the City Police Department this morning but I suspect it will be highly unlikely the perpetrator(s) could be identified. The ICN would like to submit this as a claim for reimbursement. Please let me know of any guestions or concerns.

Respectfully,

Dave Augspurger Iowa Communications Network Sr. Telecommunications Engineer | Outside Plant Lead 515-725-4604 (office) | 515-229-2013 (cell)



