

STATUS OF STATE AID (Iowa Code 29C.20) NON-HSEMD ALLOCATIONS
Quarterly Update, 06/30/2025 FY25 Q4
Presented by Office of Treasurer of State

Job Number	Date of Event	Department	Type of Event	Original Allocation	Remaining State Liability
2176		DOT	Derecho damage to numerous DOT buildings and facilities	\$ 1,493,236.27	\$ 559,916.14
2177		DOC	Boiler failure in the main facility	\$ 21,046.41	\$ 21,046.41
2181	08/10/2020	DNR	Derecho damage to multiple parks	\$ 215,049.00	\$ 156,214.67
21AB		DNR	Flood damage at Wapsipinicon State Park in Jones County	\$ 12,739.51	\$ 1,202.36
22BD		DPS	Damage to communication tower at Palo Alto site by lightning strike	\$ 10,598.00	\$ 10,598.00
2304	04/29/2019	DNR	Flood damages at wildlife management areas along Missouri River Wildlife Unit	\$ 157,160.86	\$ 93,482.57
2311	07/12/2022	DPS	Damage to Sioux ISICS Communication Tower generator by mice	\$ 35,178.00	\$ 35,178.00
2363	12/15/2021	DHS	Damage to multiple buildings at Glenwood RC from high winds	\$ 391,195.70	\$ 391,195.70
2364	08/19/2022	ISF	Damage to communications infrastructure from lightning strikes	\$ 27,300.00	\$ 27,300.00
2368	03/05/2022	DNR	Damage to Red Haw State Park by a tornado	\$ 408,102.00	\$ 603,738.44
2384	3/31/23 & 4/4/23	DHS	Iowa Individual Assistance Grant Program	\$ 370,000.00	\$ 370,000.00
2388	03/18/2019	DNR	Wildlife Management Areas in Mills, Fremont, & Pottawattamie counties were damaged by flood.	\$ 228,938.21	\$ 228,938.21
2414	03/31/2023	DPS	Storm caused damages to the radome cover on the Adair North ISICS communication tower.	\$ 8,722.00	\$ 8,722.00
2446	5/8/23	DAS	Vehicle #105630 was damaged by hail.	\$ 7,870.49	\$ 7,870.49
2458	4/13/23	DNR	A wildfire took place at Loess Hills State Forest.	\$ 1,814,320.00	\$ 837,920.00
2509	11/28/22	DPS	Mice caused damages to the Cherokee ISICS tower generator.	\$ 3,500.00	\$ 3,500.00
2512	3/14/19	DNR	A flood caused damages to Wilson Island State Recreation Area.	\$ 3,688.14	\$ 3,688.14
2515	4/26/23	DNR	A flood caused damages at various wildlife management areas in Scott, Jackson, and Louisa counties.	\$ 34,800.00	\$ 34,800.00
2600	2/19/24	DAS	Vehicle #27 was damaged by a raccoon.	\$ 3,275.06	\$ 3,275.06
2624	12/19/23	DOC	A fire from a gas leak caused damage to two water heaters at the Iowa State Penitentiary.	\$ 95,972.97	\$ 95,972.97
2626	12/17/23	DNR	Gate & trail systems at Preparation Canyon State Park were damaged by a trespassing vehicle.	\$ 25,024.00	\$ 25,024.00
2661	4/27/24	DOC	Limestone fell off a prison wall, damaging an air conditioner unit.	\$ 229,130.00	\$ 229,130.00
2664	1/7/24-1/14/24	DNR	Winter storm damages occurred at Wildcat Den State Park in Muscatine County.	\$ 37,098.35	\$ 30,914.50
2665	5/28/24	DNR	Flooding caused damages to the Dunbar Slough Wildlife Management Area.	\$ 30,000.00	\$ 30,000.00
2683	5/24/24	DNR	A flood caused damages to the Swan Refuge at Red Rock Wildlife Management Area.	\$ 47,088.89	\$ 47,088.89
2685	5/21/24	ICN	Severe weather events exposed cables in Polk, Adams, Wapello, and Black Hawk County.	\$ 9,648.89	\$ 9,648.89
2695	6/12/24	DNR	A hail storm caused damages at Lewis and Clark State Park.	\$ 222,000.00	\$ 222,000.00
2696	7/2/24	DNR	A light pole was hit and damaged at Stone Street Park.	\$ 8,631.75	\$ 8,631.75
2703	4/26/2024-5/9/2024	DPS	Storms & tornadoes caused damage at the various ISICS Communication Towers.	\$ 121,000.00	\$ 13,612.77
2709	5/21/24	DPS	A tornado caused damage to the Adair South ISICS Communication Tower.	\$ 2,000,000.00	\$ 1,982,732.25
2712	5/31/24	DPS	A storm caused damage to Story ISICS Communication Tower.	\$ 12,000.00	\$ 12,000.00
2717	6/12/24	DNR	Building was damaged at Loess Hills State Forest due to a hail storm.	\$ 54,591.00	\$ 54,591.00
2720	4/16/24	DPS	Cables and radome covers on the Beaverdale ISICS Communication Tower was damaged by weather.	\$ 60,000.00	\$ 50,500.00
2732	6/26/24	DNR	A septic tank at Wapsipinicon State Park in Jones County was damaged due to extensive drought conditions.	\$ 40,083.00	\$ 40,083.00

2743	8/29/24	DNR	A beach bathroom at Clear Lake State Park in Cerro Gordo County was damaged by high winds.	\$	6,100.00	\$	6,100.00
2745	6/26/24	DNR	Fairport State Recreation Area was damaged by a flood.	\$	33,771.11	\$	33,771.11
2764	11/6/24	DAS	Vehicle #106188 was damaged by a deer.	\$	27,296.15	\$	27,296.15
2768	11/26/24	ICN	A cable along 285th Avenue in Winneshiek County had extensive rodent damage.	\$	12,847.00	\$	12,847.00
2769	12/12/24	DNR	Campground equipment shed at Elk Rock State Park was broken into.	\$	7,930.00	\$	7,930.00
2770	4/27/23	DNR	Sny Magill boat ramp and Turkey River boat ramp and parking lot were damaged by a flood.	\$	12,028.29	\$	12,028.29
2772	12/30/24	DPS	A radome cover on Sioux County ISICS communication tower was damaged by winds and/or ice.	\$	9,500.00	\$	9,500.00
2796	2/12/24	Uoflowa	Multiple floors at Pappajohn Business Building were damaged due to failed commode valve.	\$	307,714.12	\$	307,714.12
2799	1/26/25	DAS	DPS's bearcat rescue vehicle was damaged by vandalism.	\$	43,620.45	\$	39,642.00
2803	2/28/25	DNR	A shelter roof at Maquoketa Caves State Park was damaged by high winds.	\$	2,202.20	\$	2,202.20
2804	6/28/24	DNR	Sny Magill Boat Ramp & Parking Lot were damaged by flood.	\$	2,260.50	\$	2,260.50
2805	6/24/24	DNR	Multiple wildlife management areas were damaged by flooding.	\$	139,088.14	\$	139,088.14
2808	3/23/25	DPS	Audubon County ISICS Communication Tower was damaged by high winds and wintry mix weather event.	\$	9,500.00	\$	9,500.00
2809	3/5/25	DPS	Cedar Rapids ISICS Communication Tower was damaged due to winter blizzard event.	\$	25,864.00	\$	25,864.00
2812	3/23/25	DPS	Lee County ISICS Communication Tower was damaged due to winter weather mix event.	\$	15,000.00	\$	15,000.00
2813	3/23/25	DPS	Page County ISICS Communication Tower was damaged by high winds and winter weather event.	\$	15,000.00	\$	15,000.00
2814	3/5/25	DPS	Ringgold County ISICS Communication Tower was damaged by blizzard event.	\$	15,000.00	\$	15,000.00
2815	3/5/25	DPS	Sioux and Calhoun ISICS Communication Tower was damaged by winter blizzard.	\$	19,000.00	\$	9,500.00
2817	12/13/24	Uoflowa	A frozen fan coil caused water damages at Field House.	\$	24,082.15	\$	24,082.15
2818	2/15/22	Uoflowa	Furnace Control Malfunction caused pipes to freeze and burst, causing water damages at 1120 E Court St.	\$	10,404.43	\$	10,404.43
2819	6/21/24	Uoflowa	Heavy rains caused flood damages to the dock at Lakeside Labs.	\$	5,458.00	\$	5,458.00
2820	1/16/24	Uoflowa	A failed heating unit caused Myriad Technology Plaza to lose power & pipes to freeze.	\$	85,634.43	\$	85,634.43
2821	1/10/23	Uoflowa	State Hygienic Laboratory was damaged by a failed soldering joint on heating hot water pipe.	\$	38,729.48	\$	38,729.48
2822	12/16/24	Uoflowa	A roof leak caused water damages to Theater Building.	\$	17,707.92	\$	17,707.92
2827	3/5/25	DAS	Vehicle #221 was damaged due to blizzard conditions.	\$	20,636.72	\$	20,636.72
2837	4/18/25	DAS	Vehicle #62 was damaged by hail.	\$	2,700.83	\$	2,700.83
2838	4/17/25	DAS	Vehicle #82 was damaged by hail.	\$	4,901.00	\$	4,901.00
2839	4/17/25	DAS	Vehicle #346 was damaged by hail.	\$	2,234.00	\$	2,234.00
2840	4/17/25	DAS	Vehicle #367 was damaged by hail.	\$	2,801.65	\$	2,801.65
2841	4/18/25	DAS	Vehicle #452 was damaged by hail.	\$	3,235.00	\$	3,235.00
2842	4/17/25	DAS	Vehicle #476 was damaged by hail.	\$	2,032.25	\$	2,032.25
2843	4/18/25	DAS	Vehicle #483 was damaged by hail.	\$	6,086.83	\$	6,086.83
2844	4/23/25	DAS	Vehicle #511 was damaged by hail.	\$	7,051.66	\$	7,051.66
2845	4/17/25	DAS	Vehicle #975 was damaged by hail.	\$	8,348.64	\$	8,348.64
2846	4/17/25	DAS	Vehicle #1791 was damaged by hail.	\$	10,330.07	\$	10,330.07
2847	4/18/25	DAS	Vehicle #1852 was damaged by hail.	\$	3,585.25	\$	3,585.25
2848	4/13/25	DAS	Vehicle #1941 was damaged by a fallen tree branch.	\$	5,881.38	\$	5,881.38
2849	4/22/25	DAS	Vehicle #2635 was damaged by a deer.	\$	6,745.20	\$	6,745.20
2850	4/18/25	DAS	Vehicle #105487 was damaged by hail.	\$	10,717.75	\$	10,717.75

2375	4/8/25	DPS	Adams County ISICS Communications Tower was damaged by high winds.	\$	26,564.00	\$	26,564.00
2376	5/6/25	DPS	Springbrook ISICS Communications Tower was damaged by heavy winds.	\$	9,500.00	\$	9,500.00
2377	2/20/25	DOC	Grove Unit was damaged by a hot water tank leak at Fort Dodge.	\$	200,000.00	\$	200,000.00
2380	3/21/25	DOC	Buildings and equipment were damaged due to sewage backup and failed pumps at Newton.	\$	38,464.48	\$	38,464.48
2381	2/28/25	DNR	Two buildings at Beeds Lake State Park were damaged by high winds and a fallen tree.	\$	8,791.62	\$	8,791.62
2382	2/3/25	DNR	Entry portal gates at Pilot Knob State Park were damaged by a vehicle crash.	\$	35,000.00	\$	35,000.00
2384	4/18/25	DAS	Vehicle #102 & vehicle #192 were damaged by hail.	\$	4,959.75	\$	4,959.75
2385	4/23/25	DAS	Vehicle #395 was damaged by a deer.	\$	2,593.00	\$	2,593.00
2386	4/17/25	DAS	Vehicle #469 was damaged by hail.	\$	8,075.25	\$	8,075.25
2387	4/23/25	DAS	Vehicle #828 was damaged by hail.	\$	8,089.35	\$	8,089.35
2388	4/18/25	DAS	Vehicle #1746 was damaged by hail.	\$	8,405.70	\$	8,405.70
2389	4/14/25	DAS	Vehicle #105126 was damaged by a raccoon.	\$	4,651.96	\$	4,651.96
TOTALS				\$	9,577,110.21	\$	7,575,159.47