



OFFICE OF AUDITOR OF STATE  
STATE OF IOWA

Rob Sand  
Auditor of State

State Capitol Building  
Des Moines, Iowa 50319-0004  
Telephone (515) 281-5834

July 14, 2025

Kristi Onstot  
Executive Council  
L O C A L

Subject: Damages to Audubon County ISICS Communications Tower due to High Winds  
and Wintry Mix Weather Event on March 23, 2025  
Department of Public Safety  
Claim dated March 25, 2025  
AOS Claim ID: 4013

In accordance with Executive Council policy, we have examined the invoices and supporting documentation for final payment related to the loss and have found the items to be in order as shown below:

Documented request		\$ 9,500.00
Executive Council Allocation		\$ 9,500.00
Less:		
Previous payments	\$ 0.00	
This payment	<u>9,500.00</u>	
Total		<u>\$ 9,500.00</u>
Remaining Executive Council allocation		<u>\$ 0.00</u>

We recommend reimbursement be made in the amount of \$9,500.00. This represents full and final payment of the loss.

Sincerely,

A handwritten signature in black ink, appearing to read "Brian R. Brustkern".

Brian R. Brustkern, CPA  
Deputy Auditor of State

cc: Lieutenant Joshua Duden, Interoperability Communications Bureau, Department  
of Public Safety  
Sandra Dostal, Administrative Assistant, Interoperability Communications Bureau,  
Department of Public Safety

**Kim Reynolds**  
Governor  
**Chris Cournoyer**  
Lt. Governor



**Department of Public Safety**

**Stephan Bayens**  
Commissioner

March 25, 2025

29C.20 allocation request ref. broken radome cover on the Audubon County ISICS communication tower. AOS# 4013

State of Iowa Executive Council:

On March 24, a Motorola technician was conducting their duties and reported a broken radome cover on the Audubon County ISICS tower. This damage occurred during a high wind and wintery mix weather event during March of 2025.

Motorola Warranty Representative Dave Gordon was able to provide the DPS Interoperability Communications Bureau an initial estimate of \$9,500 for repairs to the broken radome cover. Repairs have commenced and an invoice will be available soon.

The DPS Interoperability Communications Bureau is respectfully submitting a 29C.20 allocation request for \$9,500 regarding this act of nature damage.

Thank you for your consideration.

Sincerely,

Lieutenant Joshua Duden  
Iowa DPS Communications & Interoperability Bureau  
Office of the Commissioner  
215 E. 7<sup>th</sup> Street  
Des Moines, Ia 50319

**From:** [Hove Heath](#)  
**To:** [Tammy Hollingsworth](#); [ExecutiveCouncil@tos.iowa.gov](mailto:ExecutiveCouncil@tos.iowa.gov)  
**Cc:** [Duden Joshua](#); [Dostal Sandra](#); [DAVID GORDON \(dave.gordon@motorolasolutions.com\)](mailto:DAVID.GORDON@dave.gordon@motorolasolutions.com)  
**Subject:** AON Initial Notification Audubon ISICS tower Damaged Radome  
**Date:** Tuesday, March 25, 2025 8:24:00 AM  
**Attachments:** [Audubon Radome.png](#)

---

Executive Council and Tammy,

Please accept this as our initial notification for Act Of Nature damages from the heavy winds and winter weather mix on Sunday the 23<sup>rd</sup> of March, 2025. Our vendor technician reported it to Motorola on 3-24-25.

Thank you.

**Captain Heath Hove, 385**

**Bureau Chief**

Interoperability Communications Bureau  
Iowa Department of Public Safety  
215 East 7th Street, Des Moines, Iowa 50319  
Office: [515-725-6092](tel:515-725-6092)  
Mobile: [515-204-7288](tel:515-204-7288)  
[hove@dps.state.ia.us](mailto:hove@dps.state.ia.us)  
<https://dps.iowa.gov/>  
<https://dpscareers.com/>



\*NOTICE\* This email message (including any file attachments transmitted with it) is for the sole use of the intended recipient(s) and may contain confidential and legally privileged information. Any unauthorized use or disclosure of this email by an unintended recipient is prohibited. If you have received this e-mail in error please notify the sender by return e-mail and destroy all copies of the original message. No representation is made that this email or any attachments are free of viruses. Virus scanning is recommended and is the responsibility of the recipient.

---

**From:** Dave Gordon <dave.gordon@motorolasolutions.com>  
**Sent:** Monday, March 24, 2025 4:22 PM  
**To:** ISICSAdmin <isicsadmin@dps.state.ia.us>  
**Cc:** DAVID GORDON <dave.gordon@motorolasolutions.com>  
**Subject:** \*\* External Email Alert \*\* Audubon Damaged Radome

**\*\*External Email Alert\*\*** This email is from outside DPS. **DO NOT CLICK** links or attachments unless you expected them. If unsure please forward to ITOC for review.

Good Afternoon,

Our tech Kyler visited the Audubon site and reported a broken radome. This is the primary 6ft dish facing Shelby.



Please contact me with any questions.

--

Dave Gordon  
Customer Support Manager  
Motorola Solutions, Inc.  
State of Iowa

M: +1.319.321.1134

E: [dave.gordon@motorolasolutions.com](mailto:dave.gordon@motorolasolutions.com)

*For more information on how and why we collect your personal information, please visit our [Privacy Policy](#).*



**OFFICE OF AUDITOR OF STATE**  
**STATE OF IOWA**

Rob Sand  
Auditor of State

State Capitol Building  
Des Moines, Iowa 50319-0004  
Telephone (515) 281-5834

April 23, 2025

Kristi Onstot  
Executive Council  
L O C A L

Subject: Damages to Audubon County ISICS Communications Tower due to High Winds  
and Wintry Mix Weather Event on March 23, 2025  
Department of Public Safety  
Claim dated March 25, 2025  
AOS Claim ID: 4013

In accordance with Executive Council policy, we have examined the claim for 29C.20 funds for the above-mentioned damages. It is our conclusion that the above damages incurred by the Department of Public Safety is covered by Chapter 29C.20 of the Code of Iowa. Therefore, we recommend Executive Council approval in the amount of \$9,500.00, subject to an audit of actual invoices.

Sincerely,

A handwritten signature in dark ink, appearing to read "Brian R. Brustkern".

Brian R. Brustkern, CPA  
Deputy Auditor of State

cc: Lieutenant Joshua Duden, Communications & Interoperability Bureau, Department  
of Public Safety  
Heather Hackbarth, Department of Management

**From:** [Tammy Hollingsworth](#)  
**To:** [Hove Heath](#); [ExecutiveCouncil@tos.iowa.gov](mailto:ExecutiveCouncil@tos.iowa.gov)  
**Cc:** [Duden Joshua](#); [Dostal Sandra](#); [DAVID GORDON](#)  
**Subject:** \*\* External Email Alert \*\* RE: AON Initial Notification Audubon ISICS tower Damaged Radome  
**Date:** Tuesday, March 25, 2025 9:04:14 AM  
**Attachments:** [image001.jpg](#)  
[image002.png](#)

---

**\*\*External Email Alert\*\*** This email is from outside DPS. **DO NOT CLICK** links or attachments unless you expected them. If unsure please forward to ITOC for review.

Notification of 29C.20 Damages Received – AOS Claim #4013

---

**From:** Hove Heath <[hove@dps.state.ia.us](mailto:hove@dps.state.ia.us)>  
**Sent:** Tuesday, March 25, 2025 8:25 AM  
**To:** Tammy Hollingsworth <[Tammy.Hollingsworth@AOS.IOWA.GOV](mailto:Tammy.Hollingsworth@AOS.IOWA.GOV)>; [ExecutiveCouncil@tos.iowa.gov](mailto:ExecutiveCouncil@tos.iowa.gov)  
**Cc:** Duden, Joshua [DPS] <[duden@dps.state.ia.us](mailto:duden@dps.state.ia.us)>; Dostal, Sandra [DPS] <[dostal@dps.state.ia.us](mailto:dostal@dps.state.ia.us)>; DAVID GORDON <[dave.gordon@motorolasolutions.com](mailto:dave.gordon@motorolasolutions.com)>  
**Subject:** AON Initial Notification Audubon ISICS tower Damaged Radome

**CAUTION:** This email originated from outside of AOS. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Executive Council and Tammy,

Please accept this as our initial notification for Act Of Nature damages from the heavy winds and winter weather mix on Sunday the 23<sup>rd</sup> of March, 2025. Our vendor technician reported it to Motorola on 3-24-25.

Thank you.

**Captain Heath Hove, 385**

**Bureau Chief**

Interoperability Communications Bureau  
Iowa Department of Public Safety  
215 East 7th Street, Des Moines, Iowa 50319  
Office: 515-725-6092  
Mobile: 515-204-7288  
[hove@dps.state.ia.us](mailto:hove@dps.state.ia.us)  
<https://dps.iowa.gov/>  
<https://dpscarers.com/>



\*NOTICE\* This email message (including any file attachments transmitted with it) is for the sole use of the intended recipient(s) and may contain confidential and legally privileged information. Any unauthorized use or disclosure of this email by an unintended recipient is prohibited. If you have received this e-mail in error please notify the sender by return e-mail and destroy all copies of the original message. No representation is made that this email or any attachments are free of viruses. Virus scanning is recommended and is the responsibility of the recipient.

---

**From:** Dave Gordon <[dave.gordon@motorolasolutions.com](mailto:dave.gordon@motorolasolutions.com)>

**Sent:** Monday, March 24, 2025 4:22 PM

**To:** ISICSAdmin <[isicsadmin@dps.state.ia.us](mailto:isicsadmin@dps.state.ia.us)>

**Cc:** DAVID GORDON <[dave.gordon@motorolasolutions.com](mailto:dave.gordon@motorolasolutions.com)>


**Subject:** \*\* External Email Alert \*\* Audubon Damaged Radome

**\*\*External Email Alert\*\*** This email is from outside DPS. **DO NOT CLICK** links or attachments unless you expected them. If unsure please forward to ITOC for review.

Good Afternoon,

Our tech Kyler visited the Audubon site and reported a broken radome. This is the primary 6ft dish facing Shelby.





Please contact me with any questions.

--

Dave Gordon  
Customer Support Manager  
Motorola Solutions, Inc.  
State of Iowa

M: +1.319.321.1134

E: [dave.gordon@motorolasolutions.com](mailto:dave.gordon@motorolasolutions.com)

*For more information on how and why we collect your personal information, please visit our [Privacy Policy](#).*

---

This email message and its attachments may contain confidential information that is exempt from disclosure under Iowa Code chapters 22, 139A, and other applicable law. Confidential information is for the sole use of the intended recipient. If you believe that you have received this transmission in error, please reply to the sender, and then delete all copies of this message and any attachments. If you are not the intended recipient, you are hereby notified that any review, use, retention, dissemination, distribution, or copying of this message may be prohibited by law.

[Auditor.Iowa.Gov](#)

---

**From:** [Dave Gordon](#)  
**To:** [ISICSAdmin](#)  
**Cc:** [DAVID GORDON](#)  
**Subject:** \*\* External Email Alert \*\* Audubon Damaged Radome  
**Date:** Monday, March 24, 2025 4:22:45 PM  
**Attachments:** [Audubon Radome.png](#)

---

**\*\*External Email Alert\*\*** This email is from outside DPS. **DO NOT CLICK** links or attachments unless you expected them. If unsure please forward to ITOC for review.

Good Afternoon,

Our tech Kyler visited the Audubon site and reported a broken radome. This is the primary 6ft dish facing Shelby.

Audubon Radome.png



Please contact me with any questions.

--

Dave Gordon  
Customer Support Manager

Motorola Solutions, Inc.  
State of Iowa

M: +1.319.321.1134

E: [dave.gordon@motorolasolutions.com](mailto:dave.gordon@motorolasolutions.com)

*For more information on how and why we collect your personal information, please visit our [Privacy Policy](#).*

**From:** [Duden Joshua](#)  
**To:** [Tammy Hollingsworth](#); [ExecutiveCouncil@tos.iowa.gov](mailto:ExecutiveCouncil@tos.iowa.gov)  
**Cc:** [Hove Heath](#); [Dostal Sandra](#); [Cook Katelyn](#); [Clyde Michael](#); [Anderson Kristy](#)  
**Subject:** 29C.20 allocation request ref. broken radome cover on the Audubon County ISICS communication tower. AOS# 4013  
**Date:** Tuesday, March 25, 2025 2:29:00 PM  
**Attachments:** [3-25-25 29C.20 Allocation Request ref. 3-23-25 Audubon ISICS tower radome damage.pdf](#)  
[Motorola tower repiar estimates 3-25-25.pdf](#)  
[image002.png](#)

---

Tammy and Executive Council:

On March 24, a Motorola technician was conducting their duties and reported a broken radome cover on the Audubon County ISICS tower. This damage occurred during a high wind and wintery mix weather event during March of 2025.

Motorola Warranty Representative Dave Gordon was able to provide the DPS Interoperability Communications Bureau an initial estimate of \$9,500 for repairs to the broken radome cover. Repairs have commenced and an invoice will be available soon.

The DPS Interoperability Communications Bureau is respectfully submitting a 29C.20 allocation request for \$9,500 regarding this act of nature damage.

Thank you for your consideration.

**Lieutenant Joshua Duden** ★184★  
Interoperability Communications Bureau  
Iowa Department of Public Safety  
215 East 7th Street, Des Moines, Iowa 50319  
Office: 515-725-6108  
Mobile: 515-559-6988  
[duden@dps.state.ia.us](mailto:duden@dps.state.ia.us)  
<https://dps.iowa.gov/>  
<https://dpscareers.com/>

\*NOTICE\* This email message (including any file attachments transmitted with it) is for the sole use of the intended recipient(s) and may contain confidential and legally privileged information. Any unauthorized use or disclosure of this email by an unintended recipient is prohibited. If you have received this e-mail in error please notify the sender by return e-mail and destroy all copies of the original message. No representation is made that this email or any attachments are free of viruses. Virus scanning is recommended and is the responsibility of the recipient.



Department of  
Administrative Services

1000092681

\$\*\*\*\*\*9,500.00

06/09/2025

PRC MOTORO06JN25SJD325

00576

Motorola Solutions Inc  
13108 Collection Center Dr  
Chicago, IL 60693-0001

FOR QUESTIONS, CONTACT:  
Public Safety, Dept of  
515-725-6249

LINE #	CHECK DESCRIPTION	INVOICE #	INVOICE DATE	AMOUNT
1	ISICS AUDUBON REPLACED ONE RADOME DISH COVER. Work comp	8330305165	05/30/2025	9,500.00

TOTAL WARRANT AMOUNT

SAE001

\$\*\*\*\*\*9,500.00

For additional information about this payment, please go to <https://i3public.iowa.gov/payments/index.faces>

Account Numbers

0001-595-R75-4529-2693

State of Iowa Warrant

VOID 6 MONTHS AFTER 06-09-2025

No. 1000092681

TO  
THE *Treasurer of State*  
*Des Moines, Iowa 50319*

33-2308  
730

NINE THOUSAND FIVE HUNDRED DOLLARS 00 CENTS

AMOUNT

\$\*\*\*\*\*9,500.00

MOTORO06JN25SJD325

Motorola Solutions Inc  
13108 Collection Center Dr  
Chicago, IL 60693-0001

DEPARTMENT OF ADMINISTRATIVE SERVICES  
AUTHORIZED SIGNATURE

1000092681 073023085

8018164908



**Motorola Solutions, Inc.**  
500 West Monroe  
Chicago IL 60661  
United States  
**Federal Tax ID: 36-1115800**

ORIGINAL INVOICE			
<b>Transaction Number</b> 8330305165		<b>Transaction Date</b> 30-MAY-2025	<b>Transaction Total</b> <b>9,500.00 USD</b>
<b>P.O. Number</b> FY25-4529.2		<b>P.O. Date</b> 30-MAY-2025	<b>Customer Account No</b> 1000199978
<b>Payment Terms</b> Net Due in 60 Days			<b>Payment Due Date</b> 29-JUL-2025
<b>Bill To Address</b> IOWA, STATE OF ATTN: Accounts Payable 215 E 7TH ST DES MOINES IA 50319 United States		<b>Ship To Address</b> IOWA, STATE OF 215 E 7TH ST DES MOINES IA 50319 United States	

Visit our website at [www.motorolasolutions.com](http://www.motorolasolutions.com)

#### IMPORTANT INFORMATION

**Sales Order(s):** 3203781729

**For all invoice payment inquiries contact**  
AccountsReceivable@motorolasolutions.com  
Telephone: 800-247-2346  
Fax: +1(631)883-4238

#### SPECIAL INSTRUCTIONS / COMMENTS

Depot SO#	Item Number	Description	Qty.	Unit Price (USD)	Amount (USD)
		Date Completed :13-MAY-25 Description of work :Tower crew replacement of 1 radome dish cover at ISICS Audubon Tower.  Authorized by : Heather Dixon			
	SVCFS-ONSITE-RSP-IO	FIELD SVC-ON SITE RESPONSE SVCS	1	8,266.00	8,266.00
	SVCFS-PARTS-IO	FIELD SERVICE - PARTS CHARGES	1	1,234.00	1,234.00

Please detach here and return the bottom portion with your payment

#### Payment Coupon

<b>Transaction Number</b> 8330305165	<b>Customer Account No</b> 1000199978	<b>Payment Due Date</b> 29-JUL-2025	<b>Transaction Total</b> <b>9,500.00 USD</b>	<b>Amount Paid</b>
---	--	--	---	--------------------

Please put your Transaction Number and your Customer Account Number on your payment for prompt processing.

IOWA, STATE OF  
ATTN: Accounts Payable  
215 E 7TH ST  
DES MOINES IA 50319  
United States

#### Payment Transfer Details

Bank of America, Dallas  
WIRE Routing Transit Number: 026009593  
ACH/EFT Routing Transit Number: 111000012  
SWIFT: BOFAUS3N  
Bank Account No: 3756319806

#### Send Payments To:



Motorola Solutions, Inc.  
13108 Collections Center Drive  
Chicago IL 60693  
United States  
Please provide your remittance details to:  
[US.remittance@motorolasolutions.com](mailto:US.remittance@motorolasolutions.com)



**Motorola Solutions, Inc.**  
500 West Monroe  
Chicago IL 60661  
United States  
**Federal Tax ID: 36-1115800**

Visit our website at [www.motorolasolutions.com](http://www.motorolasolutions.com)

ORIGINAL INVOICE			
Transaction Number 8330305165	Transaction Date 30-MAY-2025	Transaction Total <b>9,500.00 USD</b>	
P.O. Number FY25-4529.2	P.O. Date 30-MAY-2025	Customer Account No 1000199978	
Payment Terms Net Due in 60 Days		Payment Due Date 29-JUL-2025	
USD Subtotal			<b>9,500.00</b>
USD Total Tax			<b>0.00</b>
USD Total			<b>9,500.00</b>
USD Amount Due			<b>9,500.00</b>



Motorola Solutions, Inc.  
1301 E. Algonquin Road  
Schaumburg, IL 60196  
U.S.A.

Mobile: +1-319-321-1134  
Email: dave.gordon@motorolasolutions.com

June 5, 2025

Captain Heath Hove  
Iowa Department of Public Safety  
Interoperability Communications Bureau  
215 E. 7<sup>th</sup> St.  
Des Moines, IA 50319  
RE: Audubon ISICS Tower – Storm Damage Repairs

Captain Hove,

Below you will find the report for the Audubon site for storm damage repairs. Attached is the invoice for the repair work.

Please review and contact me directly with any questions.

Thanks,



**Dave Gordon**  
Customer Support Manager  
State of Iowa  
**Motorola Solutions, Inc.**

### **Audubon ISICS Tower – Storm Damage Report**

On March 24, 2025 Motorola reported a broken radome at the Audubon site.

Motorola had a tower crew onsite to replace the broken radome on May 13, 2025.

### **Broken Radome – Before and After Photos**

