

MEMBERS OF COUNCIL

HON. KIM REYNOLDS  
GOVERNOR

HON. PAUL D. PATE  
SECRETARY OF STATE

HON. ROB SAND  
AUDITOR OF STATE

HON. ROBY SMITH  
TREASURER OF STATE

HON. MICHAEL L. NAIG  
SECRETARY OF AGRICULTURE



## Executive Council of Iowa

CAPITOL BUILDING  
DES MOINES, IOWA 50319  
PHONE: 515 281-5368

July 10, 2023

Accounting Department  
Office of the Treasurer  
Lucas Building  
321 E 12<sup>th</sup> Street  
Des Moines, IA, 50319

The Executive Council, in a meeting held on today's date, approved the Department of Public Safety's request for an emergency allocation and reimbursement in the amount of \$18,984.00. On March 31, 2023, a lightning strike caused damage at the Kossuth ISICS communications tower. Request was to cover repair costs.

This represents full and final payment and this allocation will be closed.

EXECUTIVE COUNCIL OF IOWA

*Victoria Newton*

Victoria Newton  
Executive Secretary

cc: Captain Richard Pierce, Iowa State Patrol, Department of Public Safety  
Joel Lunde, Department of Management

AOS Claim # 2412  
TOS Job # \_\_\_\_\_

MEMBERS OF COUNCIL

HON. KIM REYNOLDS  
GOVERNOR

HON. PAUL D. PATE  
SECRETARY OF STATE

HON. ROB SAND  
AUDITOR OF STATE

HON. ROBY SMITH  
TREASURER OF STATE

HON. MICHAEL L. NAIG  
SECRETARY OF AGRICULTURE



## Executive Council of Iowa

CAPITOL BUILDING  
DES MOINES, IOWA 50319  
PHONE: 515 281-5368



**OFFICE OF AUDITOR OF STATE**  
**STATE OF IOWA**

Rob Sand  
Auditor of State

State Capitol Building  
Des Moines, Iowa 50319-0004  
Telephone (515) 281-5834 Facsimile (515) 281-6518

May 30, 2023

Victoria Newton  
Executive Council  
L O C A L

Subject: Damages to Kossuth ISICS Communications Tower due to Lightning Strike  
on March 31, 2023  
Department of Public Safety  
Claim dated April 14, 2023  
AOS Claim ID: 2412

In accordance with Executive Council policy, we have examined the claim for 29C.20 funds for the above-mentioned damage. It is our conclusion that the above damage incurred by the Department of Public Safety is covered by Chapter 29C.20 of the Code of Iowa. Therefore, we recommend an Executive Council allocation and reimbursement in the amount of \$18,984.00. This represents full and final payment of the loss.

Sincerely,

A handwritten signature in blue ink, appearing to read "Ernest H. Ruben, Jr.".

Ernest H. Ruben, Jr., CPA  
Deputy Auditor of State

cc: Captain Richard Pierce, Bureau Chief, Department of Public Safety  
Joel Lunde, Department of Management

**Kim Reynolds**  
Governor  
**Adam Gregg**  
Lt. Governor



**Department of Public Safety**

**Stephan Bayens**  
Commissioner

April 14, 2023

Reference: 29C20 Reimbursement Claim ref. AON Lightning Damage to Kossuth ISICS Tower on 11-8-22

State of Iowa Executive Council:

On 4-2-23, Motorola submitted an invoice for \$18,984.00 regarding Act of Nature (AON) damage repairs to the Kossuth ISICS Tower site that occurred on 11-8-22 as a result of a lightning strike.

The DPS Interoperability Communications Bureau is respectfully submitting a 29C20 Reimbursement Claim for \$18,984.00 for this AON damage. Attached to this email is the 11-8-22 Initial 29C20 AON Notification of Damage to the Kossuth ISICS tower, the Motorola Invoice dated 3-29-23, a Storm Damage summary report dated 3-31-23 detailing the work conducted with photographs depicting the damage that occurred due to the lightning strike, and a copy of the I-3 payment to Motorola for the repairs.

Thank you for your consideration and assistance with this repair.

Sincerely,

Captain Richard Pierce  
Bureau Chief  
Iowa DPS Communications & Interoperability Bureau  
Office of the Commissioner  
215 E. 7<sup>th</sup> Street  
Des Moines, Ia 50319

Motorola Solutions, Inc.  
1301 E. Algonquin Road  
Schaumburg, IL 60196  
U.S.A.

Mobile: +1-319-321-1134  
Email: dave.gordon@motorolasolutions.com

March 31, 2023

Captain Richard Pierce  
Iowa Department of Public Safety  
Interoperability Communications Bureau  
215 E. 7<sup>th</sup> St.  
Des Moines, IA 50319  
RE: Kossuth Storm Damage Report

Good Afternoon Captain Pierce,

Below you will find the report for the Kossuth site storm damage.

Please review and contact me directly with any questions.

Thanks,



**Dave Gordon**  
Customer Support Manager  
State of Iowa  
**Motorola Solutions, Inc.**

## Kossuth Site Storm Damage Report

On November 10<sup>th</sup>, 2022 there were various microwave alarms at the Kossuth site. There had been thunderstorms in the area that week.

### Kossuth Tower Damage

The technician troubleshot the microwave radio alarms. It was determined that the secondary ODU facing the Winnebago site had been hit by lightning since there was no communication between the ODU and the RAC card in the Aviat INUE chassis. A tower crew was needed to replace the ODU on the tower.

Motorola was able to get a loaner ODU ordered for the site.

Motorola had tower crews try and replace this ODU several times but the winter weather did not allow them to climb on various attempts.

On January 21<sup>st</sup>, 2023 a tower crew was able to successfully climb to replace the damaged ODU.





**Motorola Solutions, Inc.**  
 500 West Monroe  
 Chicago IL 60661  
 United States  
**Federal Tax ID: 36-1115800**

Visit our website at [www.motorolasolutions.com](http://www.motorolasolutions.com)

# ORIGINAL INVOICE

<b>Transaction Number</b> 8330242842	<b>Transaction Date</b> 29-MAR-2023	<b>Transaction Total</b> <b>18,984.00 USD</b>	
<b>P.O. Number</b> Verbal - Captain Pierce		<b>P.O. Date</b> 29-MAR-2023	<b>Customer Account No</b> 1000199978
<b>Payment Terms</b> Net Due in 60 Days			<b>Payment Due Date</b> 28-MAY-2023
<b>Bill To Address</b> IOWA, STATE OF ATTN: Accounts Payable 215 E 7TH ST DES MOINES IA 50319 United States		<b>Ship To Address</b> IOWA, STATE OF 3048 115TH AVE BURT IA 50522 United States	

**IMPORTANT INFORMATION**

**Sales Order(s):** 3202922637

**For all invoice payment inquiries contact**  
 SLT5CTRB@motorolasolutions.com  
 Telephone: 800-247-2346  
 Fax: +1(631)883-4238

**SPECIAL INSTRUCTIONS / COMMENTS**

Depot SO#	Item Number	Description	Qty.	Unit Price (USD)	Amount (USD)
		Date Completed :21-JAN-23 Description of work :ISICS Kossuth Site. Technician went to site on 11-10-22 and reported no activity between RAC card and ODU. He also reported reported storms in the area. Tower crew replaced ODU with a loaner on 1-21-23. The ODU was damaged by lightning. Authorized by : Verbal - Captain Pierce			
	SVCFS-ONSITE-RSP-IO	FIELD SVC-ON SITE RESPONSE SVCS	1	14,105.33	14,105.33
	SVCFS-PARTS-IO	FIELD SERVICE - PARTS CHARGES	1	4,878.67	4,878.67

Please detach here and return the bottom portion with your payment

**Payment Coupon**

<b>Transaction Number</b> 8330242842	<b>Customer Account No</b> 1000199978	<b>Payment Due Date</b> 28-MAY-2023	<b>Transaction Total</b> <b>18,984.00 USD</b>	<b>Amount Paid</b>
---	--	--	--	--------------------

Please put your Transaction Number and your Customer Account Number on your payment for prompt processing.

IOWA, STATE OF  
 ATTN: Accounts Payable  
 215 E 7TH ST  
 DES MOINES IA 50319  
 United States

**Payment Transfer Details**

CHICAGO  
 WIRE Routing Transit Number: 026009593  
 ACH/EFT Routing Transit Number: 111000012  
 SWIFT: BOFAUS3N  
 Bank Account No: 3756319819

**Send Payments To:**



Motorola Solutions, Inc.  
 13104 Collections Center Drive  
 Chicago IL 60693  
 United States  
 Please provide your remittance details to:  
 US.remittance@motorolasolutions.com



**Motorola Solutions, Inc.**  
500 West Monroe  
Chicago IL 60661  
United States  
**Federal Tax ID: 36-1115800**

Visit our website at [www.motorolasolutions.com](http://www.motorolasolutions.com)

# ORIGINAL INVOICE

<b>Transaction Number</b> 8330242842	<b>Transaction Date</b> 29-MAR-2023	<b>Transaction Total</b> <b>18,984.00 USD</b>	
<b>P.O. Number</b> Verbal - Captain Pierce		<b>P.O. Date</b> 29-MAR-2023	<b>Customer Account No</b> 1000199978
<b>Payment Terms</b> Net Due in 60 Days			<b>Payment Due Date</b> 28-MAY-2023

	<b>USD Subtotal</b>	<b>18,984.00</b>
	<b>USD Total Tax</b>	<b>0.00</b>
	<b>USD Total</b>	<b>18,984.00</b>
	<b>USD Amount Due</b>	<b>18,984.00</b>



Fiscal Year	Warrant Number	Line Number	Line Amount	Issued	Redeemed	Vendor Customer
✓ 2023	72441181	1	\$18,984.00	04/11/2023		00002099390

First Prev Next Last

[Search](#) 

▼ [Warrant Information](#)

Fiscal Year : 2023 Amount : \$18,984.00

Warrant Number : 72441181 Vendor Customer : 00002099390

Line Number : 1 Last Updated : 4/11/23

▼ [Issue Information](#)

Issued : 04/11/2023 Void :

Document ID : 041123SJD002COMUTL Duplicate :

Document Line Number : 1 Stop :

Line Amount : \$18,984.00

Comments :

▶ [Redeemed Information](#)

▶ [Fund Accounting](#)

▶ [Detail Accounting](#)

[Top](#)

## Newton, Victoria [TOS]

---

**From:** Pierce Richard <pierce@dps.state.ia.us>  
**Sent:** Thursday, November 10, 2022 11:07 AM  
**To:** ExecutiveCouncil [TOS]; Hollingsworth, Tammy [AOS]  
**Cc:** DAVID GORDON; Duden Joshua; Dostal Sandra  
**Subject:** 11-8-22 Initial 29C20 AON Notification ref Kossuth ISICS Comm. Tower - Possible Lightning Strike Damage

Tammy & Executive Council,

Please accept this email as initial AON notification regarding possible lightning strike damage that occurred on 11-8-22 to the Kossuth ISICS Communication Tower. It appears the strike has damaged the tower's ODU which is the primary communication link to Winnebago Co. (See Below) Motorola Technicians plan to inspect the tower on 11-11-22 weather permitting. If there is damage, an estimate will be obtained and notification provided.

Capt. Pierce

---

**From:** Dave Gordon <dave.gordon@motorolasolutions.com>  
**Sent:** Thursday, November 10, 2022 7:45 AM  
**To:** ISICSAdmin <isicsadmin@dps.state.ia.us>  
**Cc:** Tad Keller <thaddeus.keller@motorolasolutions.com>; Jonathon Neal <jonathon.neal@motorolasolutions.com>; Dan Chigi <danchigi@motorolasolutions.com>; Steven Pyle <steve.pyle@motorolasolutions.com>; DAVID GORDON <dave.gordon@motorolasolutions.com>  
**Subject:** \*\* External Email Alert \*\* Kossuth Site Possible Lightning Damage

**\*\*External Email Alert\*\*** This email is from outside DPS. **DO NOT CLICK** links or attachments unless you expected them. If unsure please forward to [ITOC@dps.state.ia.us](mailto:ITOC@dps.state.ia.us) for review.

Good Morning,

We had a technician at Kossuth yesterday investigating microwave alarms.

There is an issue with an ODU on the primary link to Winnebago.

The tech reported that there was thunderstorms in the area the night before and suspects that the ODU was hit by lightning.

We will have our tower crew inspect this tomorrow, weather permitting to see what else we can find.

Please let me know if you have any questions.

Thanks

Dave Gordon

For more information on how and why we collect your personal information, please visit our [Privacy Policy](#).