

## **LOCATION SURVEY PLAT** OF MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION, BOUNDARY LINES


## Tract No. 1


A tract of land lying and being situated in part of US Survey No. 3157, the east half of the Northeast Quarter and the Southeast Quarter of Section 21 of Township 31 North, Range 13 East, and the west half of the Northwest Quarter and the Southwest Quarter of Section 22 of Township 31 North, Range 13 East of the Fifth Principal Meridian, Cape Girardeau County, Missouri, being more particularly described as follows:


Commence at a No. 4 Rebar as described in MLS Document No. 600-36647 at the common corners of Sections 16, 17, 20, & 21, Township 31 North, Range 13 East; thence S 77 deg. 16 min. 02 sec. E a distance of 4320.46 feet to a found MHTC Boundary Marker on the southerly boundary of Business Route 55 at a point 96.71 feet right of Centerline Station 881+20.76, being the POINT OF BEGINNING; thence along said boundary S 47 deg. 02 min. 12 sec. E a distance of 25.59 feet to a found MHTC Boundary Marker; thence S 58 deg. 50 min 15 sec. E a distance 54.98 feet to a set 5/8"x 24"Rebar with Cap; thence S 39 deg. 02 min. 52 sec. E a distance of 14.88 feet to a set 5/8"x 24"Rebar with Cap; thence N 60 deg. 35 min. 59 sec. E a distance of 11.51 feet to a found MHTC Boundary Marker; thence S 37 deg. 03 min. 12 sec. E a distance of 174.57 feet to a found MHTC Boundary Marker; thence S 21 deg. 52 min. 04 sec. W a distance of 415.35 feet to a found MHTC Boundary Marker; thence S 61 deg. 43 min. 38 sec. W a distance of 138.34 feet to a found MHTC Boundary Marker; thence S 02 deg. 00 min. 40 sec. W a distance of 69.90 feet to a found MHTC Boundary Marker; thence S 88 deg. 10 min. 52 sec. E a distance of 837.26 feet to a set 5/8"x 24"Rebar with Cap; thence S 52 deg. 44 min. 19 sec. E a distance of 197.55 feet to a set 5/8"x 24" Rebar with Cap; thence S 52 deg. 43 min. 49 sec. E a distance of 129.72 feet to a set 5/8"x 24"Rebar with Cap; thence S 52 deg. 42 min. 51 sec. E a distance of 33.91 feet to a set 5/8"x 24"Rebar with Cap; thence S 33 deg. 34 min. 44 sec. E a distance of 353.05 feet to a set 5/8"x 24"Rebar with Cap; thence S 21 deg. 49 min. 25 sec. E a distance of 338.07 feet to a set 5/8"x 24"Rebar with Cap; thence N 85 deg. 17 min. 15 sec. E a distance of 26.86 feet to a found MHTC Boundary Marker; thence S 21 deg. 11 min. 56 sec. E a distance of 531.67 feet to a set 5/8"x 24"Rebar with Cap; thence S 01 deg. 25 min. 02 sec. W a distance of 218.37 feet to a set 5/8"x 24"Rebar with Cap; thence S 23 deg. 56 min. 00 sec. W a distance of 326.31 feet to a set 5/8"x 24"Rebar with Cap; thence S 66 deg. 03 min. 48 sec. E a distance of 70.00 feet to a set 5/8"x 24"Rebar with Cap; thence N 24 deg. 18 min. 15 sec. E a distance of 376.52 feet to a set 5/8"x 24"Rebar with Cap; thence S 36 deg. 41 min. 49 sec. E a distance of 266.27 feet to a set 5/8"x 24"Rebar with Cap; thence N 21 deg. 59 min. 22 sec. W a distance of 1006.59 feet to a set 5/8"x 24"Rebar with Cap; thence N 26 deg. 03 min. 30 sec. W a distance of 351.32 feet to a set 5/8"x 24"Rebar with Cap; thence N 33 deg. 35 min. 47 sec. W a distance of 467.52 feet to a set 5/8"x 24"Rebar with Cap; thence N 33 deg. 35 min. 07 sec. W a distance of 167.61 feet to a set 5/8"x 24"Rebar with Cap; thence N 33 deg. 34 min. 09 sec. W a distance of 26.66 feet to a set 5/8"x 24"Rebar with Cap; thence N 88 deg. 14 min. 23 sec. W a distance of 73.28 feet to a found MHTC Boundary Marker; thence N 88 deg. 10 min. 54 sec. W a distance of 677.25 feet to a set 5/8"x 24"Rebar with Cap; thence N 30 deg. 48 min. 20 sec. W a distance of 88.61 feet to a set 5/8"x 24"Rebar with Cap; thence N 21 deg. 28 min. 26 sec. E a distance of 429.29 feet to a point; thence N 57 deg. 49 min. 45 sec. W a distance of 230.33 feet to a found MHTC Boundary Marker: thence N 58 deg. 41 min. 44 sec. w a distance of 99.68 feet to the POINT OF BEGINNING; containing 6.71 acres, more or less.

A tract of land lying and being situated in part of US Survey No. 3157 and Section 21, Township 31 North, Range 13 East of the Fifth Principal Meridian, Cape Girardeau County, Missouri, being more particularly described as follows:

Commence at a No. 4 Rebar as described in MLS Document No. 600-36647 at the common corners of Sections 16, 17, 20, & 21, Township 31 North, Range 13 East; thence S 77 deg. 16 min. 02 sec. E a distance of 4320.46 feet to a found MHTC Boundary Marker marking the southerly right of way for Business Route 55; thence along said right of way S 58 deg. 41 min. 44 sec. E a distance of 99.68 feet to a found MHTC Boundary Marker; thence S 57 deg. 49 min. 45 sec. E a distance of 230.33 feet to a set 5/8"x 24" Rebar with Cap; thence S 58 deg. 12 min. 11 sec. E a distance of 476.01 feet to a found MHTC Boundary Marker, being the POINT OF BEGINNING; thence S 58  $\,$ deg. 50 min. 32 sec. E a distance of 142.57 feet to a set 5/8"x 24 "Rebar with Cap; thence S 33 deg. 36 min. 07 sec. E a distance of 204.91 feet to a set 5/8"x 24"Rebar with Cap; thence N 88 deg. 14 min. 23 sec. W a distance of 73.28 feet to a found MHTC Boundary Marker; thence N 33 deg. 48 min. 42 sec. W a distance of 291 feet to the POINT OF BEGINNING; containing 0.34 acres, more or less.







SURVEY 1

DDI