

Prepared for:
 ROBERT
 BROGDON
 STATE OF CO AND POLITICAL SUB
 DIV
 4201 E ARKANSAS AVE
 DENVER, CO 80222
 Phone: 303-365-7348

Prepared by:
 Will Schafer
 TRANSWEST TRUCK TRAILER RV
 20770 E 176 FRONTAGE ROAD
 BRIGHTON, CO 80603
 Phone: (303)289-3161

S P E C I F I C A T I O N P R O P O S A L

Description	Weight Front	Weight Rear
Price Level		
SD PRL-27D (EFF:MY24 ORDERS)		
Data Version		
SPECPRO21 DATA RELEASE VER 006		
Vehicle Configuration		
108SD PLUS CONVENTIONAL CHASSIS	6,829	3,748
2024 MODEL YEAR SPECIFIED		
SET BACK AXLE - TRUCK		
TRAILER TOWING PROVISION AT END OF FRAME WITH SAE J560	10	10
LH PRIMARY STEERING LOCATION		
General Service		
TRUCK CONFIGURATION		
DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES)		
NO 2008 CARB EMISSION CERTIFICATION		
NONE		
CONSTRUCTION SERVICE		
GOVERNMENT BUSINESS SEGMENT		
DRY BULK COMMODITY		
TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS		
MAXIMUM 8% EXPECTED GRADE		
SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE		
FREIGHTLINER SD VOCATIONAL WARRANTY		
EXPECTED FRONT AXLE(S) LOAD : 20000.0 lbs		



Prepared for:
 ROBERT
 BROGDON
 STATE OF CO AND POLITICAL SUB
 DIV
 4201 E ARKANSAS AVE
 DENVER, CO 80222
 Phone: 303-365-7348

Prepared by:
 Will Schafer
 TRANSWEST TRUCK TRAILER RV
 20770 E 176 FRONTAGE ROAD
 BRIGHTON, CO 80603
 Phone: (303)289-3161

Description	Weight Front	Weight Rear
EXPECTED REAR DRIVE AXLE(S) LOAD : 36000.0 lbs		
EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 56000.0 lbs		

Truck Service

ROLL OFF/ROLL ON BODY
 STELLAR INDUSTRIES
 EXPECTED BODY/PAYLOAD CG HEIGHT ABOVE
 FRAME "XX" INCHES : 32.0 in

Engine

CUM L9 370 HP @ 2100 RPM; 2100 GOV RPM,
 1250 LB-FT @ 1200 RPM

Electronic Parameters

74 MPH ROAD SPEED LIMIT
 CRUISE CONTROL SPEED LIMIT SAME AS ROAD
 SPEED LIMIT
 PTO MODE BRAKE OVERRIDE - SERVICE
 BRAKE APPLIED
 FUEL DOSING OF AFTERTREATMENT ENABLED
 IN PTO MODE-CLEANS HYDROCARBONS AT
 HIGH TEMPERATURES ONLY
 AUTOMATIC MAINTENANCE MONITOR WITH
 ALERT AT 5% OF INTERVAL REMAINING
 REGEN INHIBIT SPEED THRESHOLD - 0 MPH

Engine Equipment

2010 EPA/CARB/GHG21 CONFIGURATION
 STANDARD OIL PAN
 ENGINE MOUNTED OIL CHECK AND FILL
 SIDE OF HOOD AIR INTAKE WITH DONALDSON
 HIGH CAPACITY AIR CLEANER WITH SAFETY
 ELEMENT, FIREWALL MOUNTED
 DR 12V 160 AMP 36-SI BRUSHLESS
 QUADRAMOUNT PAD ALTERNATOR WITH
 REMOTE BATTERY VOLT SENSE 10
 (2) DTNA GENUINE, FLOODED STARTING, MIN
 2000CCA, 370RC, THREADED STUD BATTERIES
 BATTERY BOX FRAME MOUNTED
 STANDARD BATTERY JUMPERS
 SINGLE BATTERY BOX FRAME MOUNTED LH
 SIDE BACK OF CAB
 WIRE GROUND RETURN FOR BATTERY CABLES
 WITH ADDITIONAL FRAME GROUND RETURN



Prepared for:
 ROBERT BROGDON
 STATE OF CO AND POLITICAL SUB
 DIV
 4201 E ARKANSAS AVE
 DENVER, CO 80222
 Phone: 303-365-7348

Prepared by:
 Will Schafer
 TRANSWEST TRUCK TRAILER RV
 20770 E 176 FRONTAGE ROAD
 BRIGHTON, CO 80603
 Phone: (303)289-3161

Description	Weight Front	Weight Rear
NON-POLISHED BATTERY BOX COVER		
POSITIVE LOAD DISCONNECT WITH CAB MOUNTED CONTROL SWITCH MOUNTED OUTBOARD DRIVER SEAT	2	
PROGRESSIVE LOW VOLTAGE DISCONNECT AT 12.3 VOLTS FOR DESIGNATED CIRCUITS		
CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE		
ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM		
C-BRAKE BY JACOBS WITH HIGH MED LOW BRAKE WITH BRAKE LAMPS	80	
RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE	30	25
ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD ACTIVE REGENERATION AND VIRTUAL REGENERATION REQUEST SWITCH IN CLUSTER AND DASH MOUNTED INHIBIT SWITCH		
10 FOOT 00 INCH (120 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT		
STANDARD CURVE BRIGHT UPPER STACK(S)		
RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP		
6 GALLON DIESEL EXHAUST FLUID TANK	-35	-10
100 PERCENT DIESEL EXHAUST FLUID FILL		
STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING		
LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION		
STANDARD DIESEL EXHAUST FLUID TANK CAP		
STAINLESS STEEL AFTERTREATMENT DEVICE/MUFFLER/TAILOPIPE SHIELD		
AIR POWERED ON/OFF ENGINE FAN CLUTCH		
AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED		
CUMMINS SPIN ON FUEL FILTER		
COMBINATION FULL FLOW/BYPASS OIL FILTER		
1115 SQUARE INCH ALUMINUM RADIATOR		
ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT		



Prepared for:
 ROBERT
 BROGDON
 STATE OF CO AND POLITICAL SUB
 DIV
 4201 E ARKANSAS AVE
 DENVER, CO 80222
 Phone: 303-365-7348

Prepared by:
 Will Schafer
 TRANSWEST TRUCK TRAILER RV
 20770 E 176 FRONTAGE ROAD
 BRIGHTON, CO 80603
 Phone: (303)289-3161

Description	Weight Front	Weight Rear
GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT		
GATES POWERGRIP SHRINK BAND HOSE CLAMPS WHERE POSSIBLE		
RADIATOR DRAIN VALVE		
1350 ADAPTER FLANGE FOR FRONT PTO PROVISION	20	
PHILLIPS-TEMRO 1000 WATT/115 VOLT BLOCK HEATER	4	
CHROME ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR		
ELECTRIC GRID AIR INTAKE WARMER		
DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH		

Transmission

ALLISON 3000 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION

Transmission Equipment

ALLISON VOCATIONAL PACKAGE 223 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, HS, MH AND TRV

ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES

PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY

SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 2, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY

PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE

SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE

PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE

SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE



Prepared for:
 ROBERT BROGDON
 STATE OF CO AND POLITICAL SUB
 DIV
 4201 E ARKANSAS AVE
 DENVER, CO 80222
 Phone: 303-385-7348

Prepared by:
 Will Schafer
 TRANSWEST TRUCK TRAILER RV
 20770 E I76 FRONTAGE ROAD
 BRIGHTON, CO 80803
 Phone: (303)289-3161

Description	Weight Front	Weight Rear
2ND GEAR ENGINE BRAKE ALTERNATE PRESELECT WITH MODERATE DOWNSHIFT STRATEGY		
FUEL SENSE 2.0 DISABLED - PERFORMANCE - TABLE BASED		
DRIVER SWITCH INPUT - DEFAULT - NO SWITCHES		
QUICKFIT BODY LIGHTING CONNECTOR AT END OF FRAME, WITH BLUNTCUTS		
ELECTRONIC TRANSMISSION WIRING TO CUSTOMER INTERFACE CONNECTOR		
MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN		
PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED		
TRANSMISSION PROGNOSTICS - ENABLED 2013		
WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK		
TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK		
SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)		
Front Axle and Equipment		
DETROIT DA-F-20.0-5 20,000# FL1 71.0 KPI/3.74 DROP SINGLE FRONT AXLE	190	
MERITOR 16.5X6 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES	10	
NON-ASBESTOS FRONT BRAKE LINING		
CAST IRON OUTBOARD FRONT BRAKE DRUMS		
FRONT OIL SEALS		
VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL		
STANDARD SPINDLE NUTS FOR ALL AXLES		
MERITOR AUTOMATIC FRONT SLACK ADJUSTERS		
STANDARD KING PIN BUSHINGS		
TRW THP-60 POWER STEERING WITH RCH45 AUXILIARY GEAR	130	
POWER STEERING PUMP		
4 QUART POWER STEERING RESERVOIR		
OIL/AIR POWER STEERING COOLER		



Prepared for:
 ROBERT
 BROGDON
 STATE OF CO AND POLITICAL SUB
 DIV
 4201 E ARKANSAS AVE
 DENVER, CO 80222
 Phone: 303-365-7348

Prepared by:
 Will Schafer
 TRANSWEST TRUCK TRAILER RV
 20770 E 176 FRONTAGE ROAD
 BRIGHTON, CO 80603
 Phone: (303)289-3161

Description	Weight Front	Weight Rear
CURRENT AVAILABLE SYNTHETIC 75W-90 FRONT AXLE LUBE		
Front Suspension		
20,000# FLAT LEAF FRONT SUSPENSION	310	
GRAPHITE BRONZE BUSHINGS WITH SEALS - FRONT SUSPENSION		
AUXILIARY AIR SPRING ON RIGHT SIDE FOR PLOW APPLICATIONS	25	
FRONT SHOCK ABSORBERS		
Rear Axle and Equipment		
MT-40-14XP 40,000# R-SERIES TANDEM REAR AXLE		2,530
5.29 REAR AXLE RATIO		
IRON REAR AXLE CARRIER WITH OPTIONAL HEAVY DUTY AXLE HOUSING		40
MXL 17T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES	20	20
MXL 17T MERITOR EXTENDED LUBE INTERAXLE DRIVELINE WITH HALF ROUND YOKES		
DRIVER CONTROLLED TRACTION DIFFERENTIAL - BOTH TANDEM REAR AXLES		30
(1) INTERAXLE LOCK VALVE, (1) DRIVER CONTROLLED DIFFERENTIAL LOCK FORWARD-REAR AND REAR-REAR AXLE VALVE		
INDICATOR LIGHT FOR EACH INTERAXLE LOCKOUT SWITCH, DISENGAGE INTERAXLE LOCK WITH IGNITION OFF		
INDICATOR LIGHT AND BUZZER FOR EACH DIFFERENTIAL LOCKOUT SWITCH, ENGAGE AT SPEEDS 5 MPH PR LESS, DISENGAGE W/IGN OFF OR SPEEDS EXCEEDING 25 MPH		
MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES		
NON-ASBESTOS REAR BRAKE LINING		
BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S)		
CAST IRON OUTBOARD REAR BRAKE DRUMS		-20
REAR OIL SEALS		
WABCO TRISTOP D LONGSTROKE 2-DRIVE AXLE SPRING PARKING CHAMBERS		20
HALDEX AUTOMATIC REAR SLACK ADJUSTERS		



Prepared for:
 ROBERT
 BROGDON
 STATE OF CO AND POLITICAL SUB
 DIV
 4201 E ARKANSAS AVE
 DENVER, CO 80222
 Phone: 303-365-7348

Prepared by:
 Will Schafer
 TRANSWEST TRUCK TRAILER RV
 20770 E 176 FRONTAGE ROAD
 BRIGHTON, CO 80603
 Phone: (303)289-3161

Description	Weight Front	Weight Rear
CURRENT AVAILABLE SYNTHETIC 75W-90 REAR AXLE LUBE STANDARD REAR AXLE BREATHER(S)		
Rear Suspension		
TUFTRAC GEN2 46,000# REAR SPRING SUSPENSION		470
9.5 INCH NOMINAL RIDE HEIGHT (460MM GLOBAL REFERENCE HEIGHT)		
AXLE CLAMPING GROUP		
55 INCH AXLE SPACING		
FORE/AFT AND TRANSVERSE CONTROL RODS		
REAR SHOCK ABSORBERS - TWO AXLES (TANDEM)		40
Brake System		
WABCO 4S/4M ABS WITH TRACTION CONTROL WITH ATC SHUT OFF SWITCH		
REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES		
FIBER BRAID PARKING BRAKE HOSE		
STANDARD BRAKE SYSTEM VALVES		
STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM		
STD U.S. FRONT BRAKE VALVE		
RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE		
WABCO SYSTEM SAVER HP WITH INTEGRAL AIR GOVERNOR AND HEATER		
AIR DRYER MOUNTED INBOARD ON LH RAIL		
STEEL AIR TANKS MOUNTED AFT INSIDE AND/OR BELOW FRAME JUST FORWARD OF REAR SUSPENSION, NO TRIPLE OR TORPEDO TANKS		
PULL CABLES ON ALL AIR RESERVOIR(S)		
Trailer Connections		
AIR CONNECTIONS TO END OF FRAME WITH GLAD HANDS FOR TRUCK AND NO DUST COVERS		
PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN, ABS CENTER PIN POWERED THROUGH IGNITION		
SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED END OF FRAME		



Prepared for:
 ROBERT
 BROGDON
 STATE OF CO AND POLITICAL SUB
 DIV
 4201 E ARKANSAS AVE
 DENVER, CO 80222
 Phone: 303-365-7348

Prepared by:
 Will Schafer
 TRANSWEST TRUCK TRAILER RV
 20770 E I76 FRONTAGE ROAD
 BRIGHTON, CO 80603
 Phone: (303)289-3161

Description	Weight Front	Weight Rear
Wheelbase & Frame		
5075MM (200 INCH) WHEELBASE		
7/16X3-9/16X11-1/8 INCH STEEL FRAME (11.11MMX282.6MM/0.437X11.13 INCH) 120KSI	380	130
1575MM (62 INCH) REAR FRAME OVERHANG FRAME OVERHANG RANGE: 61 INCH TO 70 INCH		
24 INCH INTEGRAL FRONT FRAME EXTENSION CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 134.25 in	140	-20
CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 131.25 in		
CALC'D FRAME LENGTH - OVERALL : 326.96 in		
CALCULATED FRAME SPACE LH SIDE : 45.79 in		
CALCULATED FRAME SPACE RH SIDE : 182.86 in		
SQUARE END OF FRAME		
FRONT CLOSING CROSSMEMBER		
LIGHTWEIGHT HEAVY DUTY ALUMINUM ENGINE CROSSMEMBER	-12	
STANDARD MIDSHIP #1 CROSSMEMBER(S)		
STANDARD REAR MOST CROSSMEMBER		
HEAVY DUTY SUSPENSION CROSSMEMBER		30
Chassis Equipment		
14 INCH PAINTED STEEL BUMPER		
FRONT TOW HOOKS - FRAME MOUNTED	15	
BUMPER MOUNTING FOR SINGLE LICENSE PLATE		
HUCK-SPIN ROUND COLLAR CHASSIS FASTENERS		
EXTERIOR HARNESES WRAPPED IN ABRASION TAPE		
CLEAR FRAME RAILS FROM BACK OF CAB TO FRONT REAR SUSPENSION BRACKET, BOTH RAILS OUTBOARD		
Fuel Tanks		
80 GALLON/302 LITER ALUMINUM FUEL TANK - LH	10	
25 INCH DIAMETER FUEL TANK(S)		



Prepared for:
 ROBERT BROGDON
 STATE OF CO AND POLITICAL SUB
 DIV
 4201 E ARKANSAS AVE
 DENVER, CO 80222
 Phone: 303-365-7348

Prepared by:
 Will Schafer
 TRANSWEST TRUCK TRAILER RV
 20770 E 176 FRONTAGE ROAD
 BRIGHTON, CO 80603
 Phone: (303)289-3161

	Description	Weight Front	Weight Rear
	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS FUEL TANK(S) FORWARD PLAIN STEP FINISH FUEL TANK CAP(S) DETROIT FUEL/WATER SEPARATOR WITH WATER IN FUEL SENSOR, HAND PRIMER AND 12 VOLT PREHEATER" EQUIFLO INBOARD FUEL SYSTEM HIGH TEMPERATURE REINFORCED NYLON FUEL LINE	-5	
Tires			
	MICHELIN XZU-S2 315/80R22.5 20 PLY RADIAL FRONT TIRES	100	
	MICHELIN XDN2 11R22.5 14 PLY RADIAL REAR TIRES		152
Hubs			
	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS CONMET PRESET PLUS PREMIUM IRON REAR HUBS		
Wheels			
	MAXION WHEELS 10041 22.5X9.00 10-HUB PILOT 5.25 INSET 5-HAND STEEL DISC FRONT WHEELS	66	
	ACCURIDE 28828 22.5X8.25 10-HUB PILOT 2-HAND HD STEEL DISC REAR WHEELS FRONT WHEEL MOUNTING NUTS REAR WHEEL MOUNTING NUTS		104
Cab Exterior			
	108 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB AIR CAB MOUNTING NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE FRONT FENDERS SET-BACK AXLE LH AND RH GRAB HANDLES BRIGHT FINISH RADIATOR SHELL/HOOD BEZEL STATIONARY BLACK GRILLE WITH BRIGHT ACCENTS		



Prepared for:
 ROBERT
 BROGDON
 STATE OF CO AND POLITICAL SUB
 DIV
 4201 E ARKANSAS AVE
 DENVER, CO 80222
 Phone: 303-365-7348

Prepared by:
 Will Schafer
 TRANSWEST TRUCK TRAILER RV
 20770 E I76 FRONTAGE ROAD
 BRIGHTON, CO 80603
 Phone: (303)289-3161

Description	Weight Front	Weight Rear
CHROME HOOD MOUNTED AIR INTAKE GRILLE		
FIBERGLASS HOOD		
HOOD LINER, ADDED FIREWALL AND FLOOR HEAT INSULATION	5	
DUAL 26 INCH RECTANGULAR POLISHED ALUMINUM AIR HORNS ROOF MOUNTED	4	
SINGLE ELECTRIC HORN		
DUAL HORN SHIELDS		
REAR LICENSE PLATE MOUNT END OF FRAME		
HALOGEN COMPOSITE HEADLAMPS WITH BRIGHT BEZELS		
LED AERODYNAMIC MARKER LIGHTS		
DAYTIME RUNNING LIGHTS		
INTEGRAL STOP/TAIL/BACKUP LIGHTS		
STANDARD FRONT TURN SIGNAL LAMPS		
DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS WITH LH AND RH REMOTE		
DOOR MOUNTED MIRRORS		
102 INCH EQUIPMENT WIDTH		
LH AND RH 8 INCH BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS		
RH DOWN VIEW MIRROR		
RH AND LH 8 INCH HEATED STAINLESS STEEL FENDER MOUNTED CONVEX MIRRORS WITH TRIPOD BRACKETS	12	
STANDARD SIDE/REAR REFLECTORS		
PARK BRAKE REMINDER WARNING SYSTEM		
COMPOSITE EXTERIOR SUN VISOR	10	
63X14 INCH TINTED REAR WINDOW		
TINTED DOOR GLASS LH AND RH WITH TINTED NON-OPERATING WING WINDOWS		
RH AND LH ELECTRIC POWERED WINDOWS		
LOWER RH DOOR WINDOW WITH FRESNEL LENS	7	
1-PIECE BONDED HEATED WIPER PARK SOLAR GREEN GLASS WINDSHIELD		
8 LITER (2 GAL) WINDSHIELD WASHER RESERVOIR, CAB MOUNTED, WITH FLUID LEVEL INDICATOR		

Cab Interior

PROFESSIONAL TRIM PACKAGE



Prepared for:
 ROBERT
 BROGDON
 STATE OF CO AND POLITICAL SUB
 DIV
 4201 E ARKANSAS AVE
 DENVER, CO 80222
 Phone: 303-365-7348

Prepared by:
 Will Schafer
 TRANSWEST TRUCK TRAILER RV
 20770 E 176 FRONTAGE ROAD
 BRIGHTON, CO 80603
 Phone: (303)289-3161

Description	Weight Front	Weight Rear
MIST AND CARBON CLOTH INTERIOR "PROFESSIONAL"		
CARBON WITH BASE BLACK ACCENT		
MOLDED PLASTIC DOOR PANEL		
MOLDED PLASTIC DOOR PANEL		
BLACK MATS WITH SINGLE INSULATION		
(1)DASH MOUNTED 12V POWER OUTLET		
(1)DASH MOUNTED DUAL 2.1 AMP USB-C CHARGER		
FORWARD ROOF MOUNTED CONSOLE		
CENTER STORAGE CONSOLE MOUNTED ON BACKWALL	20	
LH DOOR STORAGE POCKET		
DIGITAL ALARM CLOCK IN DRIVER DISPLAY		
(2) CUP HOLDERS LH AND RH DASH		
M2/SD DASH		
5 LB. FIRE EXTINGUISHER	10	
FIRST AID KIT	2	
HEATER, DEFROSTER AND AIR CONDITIONER		
STANDARD HVAC DUCTING WITH PRE-FILTER FOR OUTSIDE AIR INTAKE		
MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH		
STANDARD HEATER PLUMBING WITH BALL SHUTOFF VALVES AT SUPPLY LINES ONLY		
VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR		
BINARY CONTROL, R-134A		
PREMIUM INSULATION		
SOLID-STATE CIRCUIT PROTECTION AND FUSES		
12V NEGATIVE GROUND ELECTRICAL SYSTEM		
PREMIUM LED CAB LIGHTING		
DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME		
KEY QUANTITY OF 4		
LH AND RH ELECTRIC DOOR LOCKS		
TRIANGULAR REFLECTORS WITHOUT FLARES	10	
PREMIUM ISRINGHAUSEN HIGH BACK AIR SUSPENSION DRIVERS SEAT WITH 2 AIR LUMBAR, INTEGRATED CUSHION EXTENSION, TILT AND ADJUSTABLE SHOCK	70	



Prepared for:
 ROBERT
 BROGDON
 STATE OF CO AND POLITICAL SUB
 DIV
 4201 E ARKANSAS AVE
 DENVER, CO 80222
 Phone: 303-365-7348

Prepared by:
 Will Schafer
 TRANSWEST TRUCK TRAILER RV
 20770 E 176 FRONTAGE ROAD
 BRIGHTON, CO 80603
 Phone: (303)289-3161

Description	Weight Front	Weight Rear
BASIC ISRINGHAUSEN HIGH BACK NON SUSPENSION TOOL BOX PASSENGER SEAT		
DUAL DRIVER SEAT ARMRESTS, NO PASSENGER SEAT ARMRESTS	4	
LH AND RH INTEGRAL DOOR PANEL ARMRESTS		
BLACK MORDURA CLOTH DRIVER SEAT COVER		
BLACK MORDURA CLOTH PASSENGER SEAT COVER		
HIGH VISIBILITY ORANGE SEAT BELTS		
ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN		
4-SPOKE 18 INCH (450MM) BLACK STEERING WHEEL WITH SWITCHES		
DRIVER AND PASSENGER INTERIOR SUN VISORS		

Instruments & Controls

ELECTRONIC ACCELERATOR CONTROL		
NO INSTRUMENT PANEL-DRIVER		
INTEGRATED UPPER & LOWER STORAGE PANELS		
ENGINE REMOTE INTERFACE WITH PARK BRAKE INTERLOCK		
BLACK GAUGE BEZELS		
LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM		
DUAL NEEDLE PRIMARY AND SECONDARY AIR PRESSURE GAUGE		
ELECTRONIC AIR RESTRICTION INDICATOR DISPLAYED IN DRIVER DISPLAY		
87 DECIBELS TO 112 DECIBELS AUTOMATIC SELF-ADJUSTING BACKUP ALARM		3
ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES		
KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY		
PREMIUM INSTRUMENT CLUSTER WITH 5.0 INCH TFT COLOR DISPLAY		
DIGITAL PANEL LAMP DIMMER SWITCH IN DRIVER DISPLAY		
HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH		



Prepared for:
 ROBERT
 BROGDON
 STATE OF CO AND POLITICAL SUB
 DIV
 4201 E ARKANSAS AVE
 DENVER, CO 80222
 Phone: 303-365-7348

Prepared by:
 Will Schafer
 TRANSWEST TRUCK TRAILER RV
 20770 E 176 FRONTAGE ROAD
 BRIGHTON, CO 80603
 Phone: (303)289-3161

Description	Weight Front	Weight Rear
2 INCH ELECTRIC FUEL GAUGE		
QUICKFIT POWERTRAIN INTERFACE CONNECTOR UNDER CAB WITH BLUNTCUTS		
DIGITAL DUAL REAR AXLE TEMPERATURE IN DRIVER DISPLAY WITH SENSOR SHIELDS		
ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE		
ELECTRIC ENGINE OIL PRESSURE GAUGE		
2 INCH TRANSMISSION OIL TEMPERATURE GAUGE		
ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER		
ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY		
LEFTHAND OVERHEAD INSTRUMENT PANEL BLANK		
AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH, USB AND AUXILIARY INPUTS, J1939		
DASH MOUNTED RADIO		
(2) RADIO SPEAKERS IN CAB		
POWER AND GROUND STUDS ON TOP OF DASH		
TOP OF DASH MOUNT CB RADIO PROVISION WITH PLATE AND STRAPS	2	
MULTI-BAND AM/FM/WB/CB LH MIRROR MOUNTED ANTENNA SYSTEM		
STANDARD RADIO WIRING WITH STEERING WHEEL CONTROLS		
ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER		
STANDARD VEHICLE SPEED SENSOR		
ELECTRONIC 3000 RPM TACHOMETER		
DETROIT CONNECT PLATFORM HARDWARE		
3 YEARS DAIMLER CONNECTIVITY BASE PACKAGE (FEATURES VARY BY MODEL) POWERED BY DETROIT CONNECT		
TMC RP1226 ACCESSORY CONNECTOR LOCATED BEHIND PASSENGER SIDE REMOVEABLE DASH PANEL		
IGNITION SWITCH CONTROLLED ENGINE STOP		
TWO EXTRA HARDWIRED SWITCHES IN DASH, ROUTE TO UNDER CAB, BLUNTCUT		



Prepared for:
 ROBERT
 BROGDON
 STATE OF CO AND POLITICAL SUB
 DIV
 4201 E ARKANSAS AVE
 DENVER, CO 80222
 Phone: 303-365-7348

Prepared by:
 Will Schafer
 TRANSWEST TRUCK TRAILER RV
 20770 E I76 FRONTAGE ROAD
 BRIGHTON, CO 80603
 Phone: (303)289-3161

Description	Weight Front	Weight Rear
HARDWIRE SWITCH #1, ON/OFF MOMENTARY, 20 AMPS IGNITION POWER		
HARDWIRE SWITCH #2, ON/OFF LATCHING, 10 AMPS BATTERY POWER		
PRE-TRIP INSPECTION FEATURE FOR EXTERIOR LAMPS ONLY		
(1) OVERHEAD MOUNTED LANYARD CONTROL FOR DRIVER AIR HORN		
BW TRACTOR PROTECTION VALVE		
TRAILER HAND CONTROL BRAKE VALVE		
DIGITAL TURBO AIR PRESSURE IN DRIVER DISPLAY		
DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY		
SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY AND ARCTIC TYPE BLADES		
ROTARY HEADLAMP SWITCH, MARKER LIGHTS/HEADLIGHTS SWITCH WITH PULL OUT FOR OPTIONAL FOG/ROAD LAMPS		
TWO VALVE PARKING BRAKE SYSTEM WITH DASH VALVE CONTROL AUTONEUTRAL AND WARNING INDICATOR		
SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, HEADLAMP FLASH, WASH/WIPE/INTERMITTENT		
INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH 40 AMP (20 AMP PER SIDE) TRAILER LAMP CAPACITY		

Design

PAINT: ONE SOLID COLOR

Color

CAB COLOR A: L0006EY WHITE ELITE EY
 BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT
 POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)
 POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)
 BUMPER PAINT: FP24812 ARGENT SILVER DUPONT FLEX
 SUNVISOR PAINTED SAME AS CAB COLOR A
 STANDARD E COAT/UNDERCOATING

Certification / Compliance



Prepared for:
 ROBERT
 BROGDON
 STATE OF CO AND POLITICAL SUB
 DIV
 4201 E ARKANSAS AVE
 DENVER, CO 80222
 Phone: 303-365-7348

Prepared by:
 Will Schafer
 TRANSWEST TRUCK TRAILER RV
 20770 E 176 FRONTAGE ROAD
 BRIGHTON, CO 80603
 Phone: (303)289-3161

Description	Weight Front	Weight Rear
U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS		

TOTAL VEHICLE SUMMARY

Weight Summary

	Weight Front	Weight Rear	Total Weight
Factory Weight ⁺	8485 lbs	7302 lbs	15787 lbs
Total Weight ⁺	8485 lbs	7302 lbs	15787 lbs

Extended Warranty

TOWING: 2 YEARS/UNLIMITED MILES/KM EXTENDED TOWING
 COVERAGE \$750 CAP FEX APPLIES
 EXT CHASSIS ATS: STANDARD MODERATE/VOCATIONAL 7
 YEARS/150,000 MILES/241,500 KM EXTENDED COVERAGE. FEX
 APPLIES

(+) Weights shown are estimates only.

If weight is critical, contact Customer Application Engineering.

(***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.



Prepared for:
 ROBERT
 BROGDON
 STATE OF CO AND POLITICAL SUB
 DIV
 4201 E ARKANSAS AVE
 DENVER, CO 80222
 Phone: 303-365-7348

Prepared by:
 Will Schafer
 TRANSWEST TRUCK TRAILER RV
 20770 E I76 FRONTAGE ROAD
 BRIGHTON, CO 80603
 Phone: (303)289-3161

Q U O T A T I O N

108SD PLUS CONVENTIONAL CHASSIS

SET BACK AXLE - TRUCK	20,000# FLAT LEAF FRONT SUSPENSION
CUM L9 370 HP @ 2100 RPM; 2100 GOV RPM, 1250 LB-FT @ 1200 RPM	108 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB
ALLISON 3000 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION	5075MM (200 INCH) WHEELBASE
MT-40-14XP 40,000# R-SERIES TANDEM REAR AXLE	7/16X3-9/16X11-1/8 INCH STEEL FRAME (11.11MMX282.6MM/0.437X11.13 INCH) 120KSI
TUFTRAC GEN2 46,000# REAR SPRING SUSPENSION	1575MM (62 INCH) REAR FRAME OVERHANG
DETROIT DA-F-20.0-5 20,000# FL1 71.0 KPI/3.74 DROP SINGLE FRONT AXLE	

		PER UNIT		TOTAL
VEHICLE PRICE	TOTAL # OF UNITS (1)	\$ 132,349	\$	132,349
EXTENDED WARRANTY		\$ 955	\$	955
DEALER INSTALLED OPTIONS		\$ 0	\$	0
CUSTOMER PRICE BEFORE TAX		\$ 133,304	\$	133,304

TAXES AND FEES

FEDERAL EXCISE TAX (FET)	\$	(325)	\$	(325)
TAXES AND FEES	\$	0	\$	0
OTHER CHARGES	\$	0	\$	0

TRADE-IN

TRADE-IN ALLOWANCE	\$	(0)	\$	(0)
--------------------	----	-----	----	-----

BALANCE DUE	(LOCAL CURRENCY)	\$ 132,979	\$	132,979
--------------------	-------------------------	-------------------	-----------	----------------

COMMENTS:

Projected delivery on ___ / ___ / ___ provided the order is received before ___ / ___ / ___.

APPROVAL:

Please indicate your acceptance of this quotation by signing below:

Customer: X _____ Date: ___ / ___ / ___.



Prepared for:
 ROBERT
 BROGDON
 STATE OF CO AND POLITICAL SUB
 DIV
 4201 E ARKANSAS AVE
 DENVER, CO 80222
 Phone: 303-365-7348

Prepared by:
 Will Schafer
 TRANSWEST TRUCK TRAILER RV
 20770 E I76 FRONTAGE ROAD
 BRIGHTON, CO 80603
 Phone: (303)289-3161

Q U O T A T I O N D E T A I L S

EXTENDED WARRANTY			
TOWING: 2 YEARS/UNLIMITED MILES/KM EXTENDED TOWING COVERAGE \$750 CAP FEX APPLIES	\$	460	\$ 460
EXT CHASSIS ATS: STANDARD MODERATE/VOCATIONAL 7 YEARS/150,000 MILES/241,500 KM EXTENDED COVERAGE. FEX APPLIES	\$	495	\$ 495



Financing that works for you.

See your local dealer for a competitive quote from Daimler Truck Financial, or contact us at Information@dtfoffers.com.

Daimler Truck Financial offers a variety of finance, lease and insurance solutions to fit your business needs. For more information about our products and services, visit our website at www.daimler-truckfinancial.com.

