



DATE: Dec 19, 2025
QUOTE #:366986-01

CITY OF JOSHUA
101 S MAIN ST
JOSHUA, TEXAS 76058

ryan.hinojosa@holtcat.com
817-692-8102

One (1) New Caterpillar Inc Model: 420 C4EX Backhoe Loader

LIST PRICE	\$199,115.00
SOURCEWELL CONTRACT- 020223 CAT 22%	\$43,805.30
TOTAL PRICE	\$6,734.70
SUBTOTAL PRICE	\$148,575.00
TRADE ALLOWANCE	(\$14,000.00)
TOTAL PURCHASE PRICE	\$134,575.00

WARRANTY

Standard Warranty: 12 Month/Unlimited Hours Total Machine

TRADE DETAILS

Model	Make	Serial Number	Year	Trade Allowance
B95	NEW HOLLAND (NH)	N8GH1957	2008	\$14,000.00

OPTIONS:

Warranty

36 MO/3000 HR POWERTRAIN + HYDRAULICS + TECH \$1,360.00

Warranty

60 MO/5000 HR POWERTRAIN + HYDRAULICS + TECH \$3,488.64

DATE: Aug 22, 2025QUOTE #:Quote 366986-01

MACHINE SPECIFICATIONS

DESCRIPTION	REF.#
QP4/C4EX/110HP/CPLR	542-7992
STICK, EXT, 14'	543-4284

DESCRIPTION	REF.#
PT, 2WS, PSHF	544-1066
ENG, 82KW, C3.6, T4F	542-7780
LOADER BUCKET PINS	545-8548
CUTTING EDGE, TWO PIECE,WIDE	9R-5320
COUPLER, PIN LOCK, BL F	544-1901
CAB, DLX	544-0883
DISPLAY, STD	545-5047
WORKLIGHTS (8) LED LAMPS	491-6736
SEAT, FABRIC	611-0335
BELT, SEAT, 2" SUSPENSION	206-1747
AIR CONDITIONER, T4F	542-7810
TIRES, 12.5 80/19.5L-24, GY	379-2161
STABILIZER PADS, FLIP-OVER	9R-6007
CTWT, 1015 LBS	337-9696
LINES, AUX COMBO, E-STICK	548-1231
FAN	387-6682
STD RADIO (12V)	540-2298
PRODUCT LINK, CELLULAR, PLE643	639-4880
AUTO-UP STABILIZERS	567-5090
GUARD, STABILIZER	353-1389
PLATE GROUP, BOOM WEAR	423-7607
BUCKET-HD, 24", 7.3 FT3, PL	247-1950
HYD, MP, 6FCN	542-7774
BUCKET-MP, 1.3 YD3, IT	216-8810

STANDARD EQUIPMENT

BOOMS, STICKS, AND LINKAGES

BACKHOE

- 14'4" Center pivot backhoe
- 4.3 Meters
- Boom and swing transport locks
- Pilot operated backhoe and electro hydraulic stabilizer controls
- Street type stabilizer shoes
- Anti-drift hydraulics (boom, stick, and E-stick)
- Cat Cushion Swing(tm) system

LOADER

- Single Tilt Loader
- Lift cylinder brace
- Self-leveling loader with single lever control
- Return-to-dig (automatic bucket positioner)
- Transmission neutralizer switch
- Bucket level indicator

POWERTRAIN

- Water separator
- Thermal starting aid system
- Dry type axial seal air cleaner with integral precleaner
- Torque converter
- Transmission-four speed manual shift
- Neutral safety switch
- Spin-on filters for

- Automatic dust ejection system
- Filter condition indicator
- Hydraulically boosted multi-plate wet disk brake with dual pedals & interlock
- Differential lock

HYDRAULICS

- Pilot hoe and mechanical loader controls
- Load sensing, variable flow system with 43 gpm (162 L/min) axial piston pump
- 6 micron hydraulic filter

ELECTRICAL

- 12 volt electrical start
- Horn, front and rear
- Backup alarm
- Hazard flashers/turn signals
- Halogen head lights (2)
- Halogen rear flood lights (2)
- Stop and tail lights

OPERATOR ENVIRONMENT

- Interior rearview mirror
- ROPS canopy, Rear Fenders
- 2-inch (50mm) retractable seat belt
- Tilt steering column
- Steering knob
- Hand and foot throttle

FLUIDS

- Antifreeze - Extended Life Coolant

OTHER STANDARD EQUIPMENT

- Standard Storage Box
- Transport tie-down points
- Ground line fill fuel tank with 42.3 gal (160L) capacity & 5 gal (19L) diesel exhaust fluid
- Rubber impact strips on radiator

- Fuel
- Engine oil
- Transmission oil
- Outboard Planetary Rear Axles
- Diesel particulate filter
- Hydrostatic power steering

- Caterpillar XT-3 hose
- Hydraulic oil cooler
- Pilot control shutoff switch
- Flow-sharing hydraulic valves
- Hydraulic suction strainer

- Audible system fault alarm
- Key start/stop system
- 850 CCA maintenance free battery
- Battery disconnect switch
- External Power Receptacle (12v)
- Diagnostic ports for engine and machine Electronic Control Modules

- Automatic Engine Speed Control
- One Touch Low Idle
- Floor mat and Coat Strap
- Lockable storage area
- Air suspension seat

-20F (-30C)

- guard
- CD-ROM Parts Manual
- Safety Manual
- Operations and Maintenance Manual
- Lockable hood
- Tire Valve Stem Protection