

## PARK REPORT December

<b>PARK:</b> Joshua City Park and Ballfield
<b>INSPECTED BY:</b> Steven Gill

11/20/2025	<b>TOTAL % SCORE</b>
	<b>95.8%</b>

RATING 1-5 rating

CHECKED	N/A	***** TURF AND MOWING STANDARDS *****	(1-5)	COMMENTS
	N/A	1. Irrigation operational and inspected.	5	Irrigation systems are shut off for the season
yes		2. mowed, edged, and string trimmed all areas: City hall, police, AC, park bldg, park, and ballfields	5	
yes		3. loose trash picked up daily	5	
yes		4. weeds treated: high traffic areas, park fences, rock beds (areas are weed-free)	4	
yes		5. Fire ants and pests treated.	5	
0	0		24	POSSIBLE SCORE: 25
<b>COMMENTS:</b>				% AVERAGE: 96.0%

CHECKED	N/A	***** GENERAL STANDARDS *****	(1-5)	COMMENTS
yes		1. litter removed: pavilions, restrooms, pond, open spaces daily	5	trash picked up daily
yes		2. Maintenance equipment is inspected and maintained daily	5	
yes		3. Trash receptacles less than 1/2 full.	5	Trash is emptied daily
yes		4. Facility lighting is inspected monthly	3	basketball court lighting is scheduled when we have the lift rental
yes		5. Restrooms cleaned daily	5	
yes		6. All amenity/signage checked and maintained	5	
yes		7. Playground inspected and considered safe	5	Inspected 12/02
yes		8. Concrete walkways cleaned	5	
yes		9. Sporting areas cleaned and free of litter daily	5	
	N/A	10. Splash pad inspected daily	0	splash pad is off for the season
0	0	<b>SUB-TOTALS</b>	43	POSSIBLE SCORE: 45
<b>COMMENTS:</b>				% AVERAGE: 95.6%

CHECKED	N/A	***** ADDITIONAL PROJECTS AND REPAIRS *****	(1-5)	COMMENTS
	N/A	1. Built parade float trailer for Dec 6th event	5	
	N/A	2. Set up and worked the Christmas on Main and parade	5	
	N/A	3. made repairs to the Santa sleigh	5	
	N/A	4 winterized the park facilities	5	
	N/A			
	N/A			
	N/A			
	N/A			
	N/A			
0	0	<b>SUB-TOTALS</b>	20	POSSIBLE SCORE: 20
<b>COMMENTS:</b>				% AVERAGE: 100.0%

## SUB-TOTALS FROM ALL CHECKLISTS

Maintenance Standard	Rating
Turf and Mowing Standards	96.0%
General Standards	95.6%
Additional Project and Repairs	100.0%
<b>Park Certification Total Score</b>	<b>95.8%</b>