

RESOLUTION 2022-5366

RESOLUTION ACCEPTING BLUE STEM MEADOWS SUBDIVISION AND REQUIRING
SEWER THEREIN

WHEREAS, the City Plan Commission has reviewed the final plat for Blue Stem Meadows 3 Subdivision at their December 21, 2022 meeting, and has recommended approval of the same to Common Council; and

WHEREAS, 18.50 of Kaukauna Municipal Code requires that when public sanitary sewer facilities are available to the subdivision plat or certified survey map, the subdivider shall construct sanitary sewerage facilities in such a manner as to make adequate sanitary sewerage service available to each lot within the subdivision;

NOW, THEREFORE, BE IT RESOLVED, by the Common Council of the City of Kaukauna, Wisconsin, that the final plat for Blue Stem Meadows Subdivision development is hereby accepted and approved, there having been compliance with all local applicable provisions of law related thereto.

BE IT FURTHER RESOLVED, that public sewer shall be made available to the lots in Blue Stem Meadows Subdivision before buildings are occupied and that private sewer facilities are prohibited.

I hereby certify the foregoing resolution was duly adopted by the Kaukauna City Council at a legal meeting on this 7th day of February, 2023.

APPROVED: _____
Anthony J. Penterman, Mayor

ATTEST: _____
Sally A. Kenney, Clerk