

STAFF REPORT HISTORIC PRESERVATION COMMISSION REGULAR MEETING OF JANUARY 4th, 2023

PROJECT: TNT Taproom Historic Building Alteration Request

FILE NUMBER: H22-065

APPLICATION TYPE: Request to Alter a Historic Structure

REPRESENTATIVE: Joey Stevenson, Architect

PROPERTY OWNER: PM Lemman Investments LLC (Max Lemman)

REQUEST: Proposal to modify existing 2nd floor balcony to allow for patron use

LOCATION: 271 E Sun Valley Rd (Ketchum Townsite S W 23' x 30' of Lot 4 Blk 17)

ZONING: Retail Core Subdistrict of the Community Core (CC-1)

NOTICE: The public hearing notice was published in the Idaho Mountain Express on

December 14th, 2022. A public hearing notice was mailed to adjacent properties within 300 feet of the project site on December 14th, 2022. A public hearing notice was posted on the project site on December 14th, 2022. A public hearing

notice was posted on the City website on December 14th, 2022.

REVIEWER: Adam Crutcher, Associate Planner

EXECUTIVE SUMMARY

The applicant, PM Lemman Investments LLC, has submitted a Request to Alter a Historic Structure located at 271 E Sun Valley Rd (Ketchum Townsite Lot S W 23' x 30' of 4 Blk 17) within the Retail Core Subdistrict of the Community Core (CC-1) Zone. The building is currently occupied and known as TNT Taproom, a bar establishment, but has been referred to historically as the Dynamite Shed. The request proposes to modify the existing second floor balcony by raising the height of the existing railing, adding a backsplash and two proposed light fixtures as shown in Attachment B.

The project is subject to Historic Preservation Commission (HPC) review pursuant to KMC 17.20.010.B. HPC review is required for all requests for partial or total demolitions, exterior alterations, and additions to all structures on the Historic Building List.

BACKGROUND/HISTORY

The Dynamite Shed was constructed in 1880 and was built of stone to store explosives and other mining supplies. After the Silver Crash of 1894, the building frequently changed ownership and was either vacant or housed small businesses. In the 1950's Glenn & Esther Mueller were owners and occupants of a gift shop which ran in the building. From the 1990's to 2011, Bobbie Burns owned and operated a business out of the building. Burns is well known in the community for his innovations to the skiing industry throughout the 1970's and 1980's. Throughout the years, the ground floor has been used for various businesses including gift shop, Jailhouse beauty shop, espresso bar, ski shop, real estate office, and currently as a bar.

The original structure was a one-story stone building with a tin roof but has received numerous alterations since its construction. Based on staff research of City of Ketchum records, Sanborn maps, and research at the Community Library, exterior alterations to the structure have occurred in 1950, 1993, and 2012. The first known alteration in 1950 was for a second floor addition by the previously mentioned Glenn & Esther Mueller. The Muellers constructed the second floor to allow for themselves to live above the gift shop they ran on the ground floor. Other alterations were found through building permits in city records which are listed below as well as in Attachment D:

- 1991 Building Permit: Scope of work was entirely interior and did not affect the external appearance of the building.
- 1993 Building Permit: The 1993 alteration included painting of the window shutters blue, the addition of a window to the entry side of the building, and new stucco material. Due to minimal information I the building permit, staff was not able to identify where the proposed stucco material was to be used. This alteration was done when Bobbie Burns was the owner of the building and used the ground floor for a ski shop.
- 2012 Building Permit: The alteration in 2012 included the removal of the window shutters, 2nd floor wood siding and deck painted flat black, 2nd floor windows extended to floor, and entry side windows and doors expanded and relocated as shown in Figure 1 below. This is the last alteration to staff's knowledge and is how the building looks today.



Figure 1: Present day appearance of Dynamite Shed
271 E Sun Valley Rd Alteration (H22-051)
Historic Preservation Commission Meeting of January 4th, 2022
Page **2** of **5**

ANALYSIS

The HPC may approve, approve with conditions, or deny a Request for Demolition or Alteration application based on the four criteria specified in KMC 17.20.030.C &17.20.030.D. The following analysis evaluates the proposed alteration to the TNT Taproom in relation to the review criteria for requests to alter structures on the Historic Building List. The project plans are attached as Exhibit A.

17.20.030.C.1 - Is the structure of historic or architectural value or significance and does it contribute to the historic significance of the property within the Community Core?

The Dynamite Shed is one of the 24 structures on the Historic Building List adopted by the HPC on October 19, 2021. The 2005 Walsworth Associates Windshield Survey identified the Dynamite Shed as a historic building due to its themes of commerce/trade and culture. As mentioned above, the existing structure was built in 1880 for the purpose of storing explosives sold by the Gillette & Evans hardware store on Main Street and is a rare example in Ketchum of a stone building from the 1800's.

The Dynamite Shed building has social and cultural value to the community and architectural significance within downtown Ketchum. The original structure is an example of Ketchum's mining history in the 1880's and early 1890's. The building was also occupied by Bobbie Burns who is a key figure of Ketchum's ski industry in the 1970's & 1980's. The use of stone is one of the few remaining examples of that style of architecture in the 1800's. Many of the other stone buildings constructed in the 1800's are no longer present within the community.

Due to the building being situated in its original location and the stone architecture still remaining on the ground floor, staff believes the structure is still of historic and architectural significance.

17.20.030.C.2 - Would the loss, alteration of, or addition to, the structure adversely affect the historic integrity of the structure, impact the significance of the structure within the Community Core, impact the architectural or aesthetic relationship to adjacent properties, or conflict with the Comprehensive Plan?

Historic integrity measures how effectively a building's materials, design, feeling, location, association, workmanship, and setting convey the property's historic significance. The Dynamite Shed has been heavily altered since its original construction in 1880. While the structure has remained in its same location and retained its original stone materiality, additions and alterations have changed the appearance of the building.

The proposed project includes the elevation of the existing guardrail, installation of a backsplash, as well as two exterior lighting fixtures. The alteration of the guardrail does not negatively impact the historic or architectural integrity of the structure as the deck was an addition to the original structure and has been altered multiple times over the past 60 years. The proposed deck alteration raises the height of the existing guardrail for patron safety and will keep the same architectural style which currently exists. The deck alteration follows standard #9 of the Secretary of the Interior Standards for Rehabilitations which states,

"New additions, exterior alteration, or related new construction shall not destroy historic materials that characterize the property. The new work shall be differentiated from the old and

shall be compatible with the massing, size, scale and architectural features to protect the historic integrity of the property and its environment".

The proposed alteration to the guardrail will be compatible with the existing building as it only raises the height of the railing and does not propose to redesign the guardrail system to a different architectural style. The proposal will keep the same coloration of the existing deck and the proposal is minor in nature. The alteration does not impact the historic stone elements of the building on the ground floor which is the primary historic and architecturally significant aspect of the structure.

One of the vision statements located within Chapter 4 of the 2014 Ketchum Comprehensive Plan states, "Protect and support our architectural heritage through appropriate historic preservation standards and guidelines". This vision statement is being met as the HPC has identified the building as historic and is reviewing the proposed alteration against the criteria determined by the HPC.

As the proposed alteration does not impact the stone material on the ground floor, staff believes the project does not adversely affect the historic integrity of the structure, impact the significance of the structure or is in conflict with the Comprehensive Plan.

17.20.030.C.3 - Does the structure retain the requisite integrity to convey its historic and/or architectural significance?

Staff believes the Dynamite Shed retains its historic integrity through the feeling and association conveyed through the stone materials used to house mining supplies in the 1880's. The building is in good condition and contains the same stone materials from the original construction. Many alterations have occurred after the original construction and have changed the architectural characteristics of the building, primarily on the second floor. As many of the alterations have occurred on the second floor, the buildings still retains the stone material on the ground floor which makes the building architecturally significant.

17.20.030.C.4 - Does the proposed demolition or alteration adversely affect the historic significance or architectural distinction of the structure or the Community Core?

The proposed alteration/addition does not adversely affect the historic significance or architectural distinction of the structure. The alterations/additions won't detract from the existing historical qualities which make the existing building significant (original stone structure being used for mining supplies). The architectural significance of the Dynamite Shed is it being one of the few remaining stone structures from the 1800's. This architectural significance will not be negatively impacted due to the proposed additions/alterations as they are focused around the second-floor deck.

STAFF RECOMMENDATION

After considering the project plans, staff's analysis, the applicant's presentation, and public comment, staff recommends the Historic Preservation Commission deliberate and move to approve the Request to Alter a Historic Structure located at 271 E Sun Valley Road.

RECOMMENDED MOTION

"I move to approve the Request to Alter a Historic Structure for the proposed alteration to the structure located at 271 E Sun Valley Rd."

271 E Sun Valley Rd Alteration (H22-051) Historic Preservation Commission Meeting of January 4^{th} , 2022

EXHIBITS:

- A. 271 E Sun Valley Rd Addition Application
- B. Project Plans
- C. Historic & Present Day Photos
- D. Previous Building Permits

Attachment A: 271 E Sun Valley Road Historic Alteration Application



City of Ketchum Planning & Building

OFFICIAL USE ON	ILY
File Number: H22-065	
Date Received: 10/12	/22
By: SM	
Review Fee Paid: \$1525	- 11/22/2
Approved Date:	
Denied Date:	
Ву:	
ADRE: Yes □ No □	

Application to Alter or Demolish a Historic Structure

APPLICANT INFORMATION				
Project Name: TNT Taproom - Balcony		Phone: 303,901,765	55	
Owner: PM LEMMAN INVESTMENTS L	LC	Mailing Address: PC	O BOX 1177, KETCHUM, IDAHO 83340	
Email: MAXAMUSI FMMAN@GMAIL.CO	OM			
Architect/Representative: JOEY STEVE	NSON	Phone: 208.720.30)25	
Email: JOEY@STEVENSONARCHITECT		Mailing Address: Po	O BOX 7214, KETCHUM, ID 83340	
Architect License Number: AR -986865				
Engineer of Record:		Phone:		
Email:		Mailing Address:		
Engineer License Number:				
All plans and drawings for public commercial project more than four (4) dwelling units shall be prepared			 dwelling units and development projects containing engineer. 	
PROJECT INFORMATION	,			
Legal Land Description: KFTCHUM LOT	S W 23' X 30' OF 4 B'	K 17		
Street Address: 271 E SUN VALLEY RD,				
Lot Area (Square Feet): 690	<u> </u>			
Zoning District: COMMUNITY CORE - RE	ETAIL CORE			
Overlay District:	☐ Avalanche	□Mountain		
Type of Construction: □New	□Addition	☑Remodel □Other		
Anticipated Use: BAR		Number of Residential Units:		
TOTAL FLOOR AREA				
	Proposed		Existing	
Basements		Sq. Ft.	Sq. Ft.	
1 st Floor		Sq. Ft.	675 Sq. Ft.	
2 nd Floor	80	Sq. Ft.	630 Sq. Ft.	
3 rd Floor		Sq. Ft.	Sq. Ft.	
Mezzanine		Sq. Ft.	Sq. Ft.	
Total		Sq. Ft.	Sq. Ft.	
INFORMATION ON PROPOSED REPLACEN	/IENT PROJECT			
FLOOR AREA RATIO				
ommunity Core: 2 Tourist: General Residential-High:				
BUILDING COVERAGE/OPEN SPACE				
Percent of Building Coverage: 100				
DIMENSIONAL STANDARDS/PROPOSED S				
Front: 0 Side	<u>:: 0</u>	Side: 0	Rear: 0	
Building Height: 23 FEET				
OFF STREET PARKING				
Parking Spaces Provided: NONE				
Curb Cut: NONE Sq. Ft.	%			

WATER SYSTEM	
☑ Municipal Service	☐ Ketchum Spring Water

The Applicant agrees in the event of a dispute concerning the interpretation or enforcement of the Application to alter or demolish a structure in which the city of Ketchum is the prevailing party, to pay the reasonable attorney fees, including attorney fees on appeal and expenses of the city of Ketchum. I, the undersigned, certify that all information submitted with and upon this application form is true and accurate to the best of my knowledge and belief.

9/28/2022
Signature of Owner/Representative Date

Once your application has been received, we will review it and contact you with next steps.

No further action is required at this time.

ALTERATION OR DEMOLITION REVIEW EVALUATION STANDARDS

SECTION 3 OF ORDINANCE 1216 STANDARDS FOR ALL PROJECTS

The HPC may approve, approve with conditions, or deny a Request for Demolition or Alteration application based on the following criteria:


- 1. Is the structure of historic or architectural value or significance and does it contribute to the historic significance of the property within the Community Core.
- Would the loss, alteration of, or addition to, the structure adversely affects the historic integrity of the structure, impact the significance of the structure within the Community Core, impact the architectural or aesthetic relationship to adjacent properties, or conflict with the Comprehensive Plan.
- 3. Does the structure retain the requisite integrity to convey its historic and/or architectural significance.
- 4. Does the proposed demolition or alteration adversely affect the historic significance or architectural distinction of the structure or the Community Core.

Appropriate alterations might include but are not limited to:

- 1. Changes to the building's interior that are not visible from a public street, alley, park, or other public place;
- 2. Changes to internal building systems that will not adversely affect the external appearance of the building;
- 3. The erection or removal of temporary improvements.
- 4. Adaptive reuse consistent with the Secretary of the Interior's Standards for Rehabilitation and Idaho Code Title 67-4618.

The HPC shall consider the unique circumstances of each proposed demolition or alteration. Approval of each individual Demolition or Alteration application is unique to that property and does not constitute a precedent for other properties.

Attachment B: 271 E Sun Valley Rd Alteration Plans



PROJECT DATA

PROJECT ADDRESS
271 E SUN VALLEY RD., KETCHUM, IDAHO 83340

PARCEL # RPK0000017004A

<u>LEGAL DESCRIPTION</u> KETCHUM LOT S W 23' X 30' OF 4 BLK 17

APPLICABLE CODES
AS ADOPTED AND AMENDED BY THE CITY OF KETCHUM 2018 INTERNATIONAL EXISTING BUILDING CODE IDAHO BUILDING CODE (2018 IBC)

MECHANICAL CODE OF 2018 OF IDAHO (IMC 2018) FUEL GAS CODE 2018 OF IDAHO (IFGC 2018) 2018 IFC WITH AMENDMENTS NEC 2017 OF IDAHO

ZONE DISTRICT
CC-1: COMMERCIAL CORE - RETAIL CORE

AUTHORITY HAVING JURISDICTION CITY OF KETCHUM

PROJECT DESCRIPTION
PERMITTING AND ALTERATION TO ALLOW USE OF THE EXISTING SECOND LEVEL BALCONY. STRUCTURE IS DESIGNATED AS HISTORIC PER HPC 10.19.2021. ALTERATIONS ARE LIMITED TO LOCATIONS REQUIRING MODIFICATIONS TO BE CODE COMPLIANT. ALTERATIONS AND ADDITIONS

USE & OCCUPANCY
GROUP B OCCUPANCY PER IBC 2018 303.1.1, OCCUPANT LOAD IS LESS

FIRE AND LIFE SAFETY
CONTRACTOR TO COORDINATE MODIFICATIONS TO FIRE AND LIFE SAFETY SYSTEMS WITH THE AHJ, AS REQUIRED.

1ST FLOOR 2ND FLOOR 637 GSF 589 NSF 1,312 GSF 1,116 NSF

TNT **TAPROOM**

271 SUN VALLEY ROAD, KETCHUM, ID 83340 Client:

TNT TAPROOM

Copyright 2022 Stevenson Architecture LLC all rights reserved

Project Team:


PM Lemman Investments LLC Max Lemman 208.295.6468 maxamuslemman@gmail.com

Architect Stevenson Architecture Joey Stevenson 208-720-3025 joey@stevensonarchitecture.com

GENERAL NOTES

- 1. CONTRACTOR TO VERIFY ALL EXISTING CONDITIONS
- PRIOR TO COMMENCING WORK. 2. CONTRACTOR TO ENSURE NEW GUARD RAIL COMPLIES WITH IBC 2018 - 1607.8.1 IN ACCORDANCE WITH ASCE 7, SECTION 4.5.1.1. PROVIDE VERIFICATION AS REQUIRED.
- 3. DIMENSIONS TAKE PRECEDENCE OVER DRAWN INFORMATION.
- 4. THE GENERAL CONTRACTOR SHALL IMMEDIATELY NOTIFY THE ARCHTECT IN WRITING IF DISCREPANCIES IN DRAWINGS AND/OR THE SPECIFICATIONS ARE DISCOVERED. COORDINATE WITH THE ARCHITECT BEFORE CONSTRUCTION
- PROCEEDS. 5. ALL WORK PERFORMED SHALL COMPLY WITH ALL APPLICABLE LOCAL, STATE AND NATIONAL BUILDING CODES, ORDINANCES, AND REGULATIONS, AND ALL OTHER AUTHORITIES HAVING JURISDICTION
- 6. ALL WORK TO COMPLY WITH ANSI 117.1 2003 7. ALL MANUFACTURED ITEMS, MATERIALS, AND EQUIPMENT SHALL BE APPLIED, INSTALLED,
- ERECTED, USED, CLEANED AND CONDITIONED IN STRICT ACCORDANCE WITH THE MANUFACTURER'S RECOMMENDATIONS. 8. THE CONTRACTOR SHALL BE RESPONSIBLE FOR
- THE CONTENT OF THE DRAWINGS AND SPECIFICATIONS. 9. CONTRACTOR TO PROVIDE SUBMITTALS TO THE ARCHITECT AND/OR THE OWNER FOR REVIEW AND APPROVAL PRIOR TO PROCEEDING WITH THE

	SHEET NOTES			
MARK	Note Text			
1	1-1/2" SQUARE WOOD BALUASTERS. REMOVE AND REPLACE WITH NEW BALUASTERS TO MATCH. PROVIDE TIGHTER SPACING PER PLANS TO MEET CODE.			
2	EXISTING DOOR. PROVIDE NEW CLOSER, PULL AND PUSH HANDLE, SIGNAGE CLEARLY STATING ' DOOR IS TO REMAIN UN LOCKED DURING BUSINESS HOURS'. DOOR CLEAR DIMENSIONS ARE 39 1/2" WIDE AND 68 1/2"			
3	(E) DECKING, REMOVE AND REPLACE AS NECESSARY. MATCH EXISTING. RELACE FASTENERS AS NEEDE			
4	EXISTING PATIO TIMBER STRUCTURE TO REMAIN. NO PROPOSED MODIFICATIONS. REMOVE AND REPLACE GUARDRAIL CONNECTIONS 1.EXISTING PATIO TIMBER STRUCTURE TO REMAIN. NO PROPOSED MODIFICATIONS			
5	EXISTING 2X6 ROUTED BASE PLATE FOR RAIL CONSTRUCTION. REMOVE AND REPLACE TO MATCH EXISTING.			
6	DBL. TOP PLATE. MATCH EXISTING			
7	BACKSPLASH. RECLAIMED WOOD. PT EXTERIOR TO MATCH EXISTING. INTERIOR FACE TO MATCH INTERIOR PANELING			
8	EXTERIOR COUNTERTOP			
9	(E) WINDOW TO REMAIN. NOT IN SCOPE			
10	DEMO (E) LIGHT			
11	WALL SCONCE. BASIS OF DESIGN DMF DCC WITH SNOOT. COORDINATE LUMEN, COLOR TEMPERATURE AND ACCESSORIES WITH OWNER. B.O. SCONCE TO ALIGN WITH T.O. DOOR.			



Issue: **HPC PERMIT**

SET

1. HPC PERMIT SET 9/28/2022

ISSUES:

As indicated

Date Printed:

9/28/2022

REMODEL







Attachment C: Historic & Present Day Photos

Date: 1960







Attachment D: Prior Building Permits

Date: 1991

Building Permit: 91-002

	ICATION FOR BUILDING PERMIT of Ketchum	PERMIT NO: 91-002 Date Issued: 1-28-91
1.	Project Name: SILVER FOX BOKOING	
2.	Project Address: 27/ SUN VAUEY RD	KFD Plan Ck Fee:Pd: TOTAL FEES:
3. 4.	Owner: FERN MackEngle Address (Box Number): P.O. DOX 2502	Phone #: 726-5300 S.V.
5. 6.	Contractor: NASH CONSTRUCTION Address (Box Number): P.O. BOX 797	Phone #: 726-9696 KETG10M
8.	Electrical Contractor: ELECTRE WEST Plumbing Contractor: NIA Concrete Contractor: NIA	
10. 11.	Architect: NA Engineer: NA	Phone #:Phone #:
12. 13.	Description of Work: New Enlarge Rescription of Work: Quiterior	emodel Reroof Move
14.	Estimated Cost of Construction: 2500	Lot Area (sq.ft.)
15.	Legal Land Description:(attach if necessary)	
16.	Zoning District: LR_ GR-L_ GR-H_ T_ MH_ (refer to Ketchum Zoning Ordinance Number 208	
17.	Design Review Approved: YesNM No	-
18. 19.	Avalanche Zone: (see Section XVI - Ordina Floodplain: (see Section XV - Ordina	nance Number 208) www
List List Inte	tificate of Occupancy: Yes No t Occupancy Type (UBC Table 5-A): t Occupancy Separation (Table 5-B): eriorHr.; ExteriorHr. Wall Fire Rate of Construction: I II III IV	Area Separation (505): ing; Occupant Load (Max) V (UBC Chapter 18 - 21)
	Floor Area: Building Basement 2nd Story /	3rd Story
	Height of Building:feet	stories
22.	Number of Dwelling Units: Number	of Condominium Units:
	Setbacks: Front/4 ft. Rear ft.	
OFF	Number of Parking Spaces: Provided (show_calculations) ICE USE ONLY: ber of Equivalent Connections Required for Se	/
Amo	ber of Equivalent Connections Required for Secunt Due: Date Paid: tificate of Financial Contribution: Amount Due	Copy Attached: Date Paid:
NOT A ide B May C	ICE: It is the duty of the owner or his auntify, keep and maintain lot boundary markers No digging in the City streets or Rights-1 (September 15 for paved streets). City Streets You must call the utility companies prior	thorized agent (contractor) to and maintain setbacks www. of-Way between October 31 and reet Digging Permit required. to excavation.
bes Sta fur of spe	ereby acknowledge that I have filled in this t of my knowledge and that I agree to complete Laws regulating building construction in ther understand that approval of a building any law, building ordinance or regulation. As cifically described and approved by proper authorized Agent (Contract	ly with all City Ordinances and he City of Ketchum, Idaho. I permit does not grant a waiver my waiver or variance must be thority.
	Building Official	Date

I have read and understand Sec. 301.(a) Permits Required; Sec. 301.(b) Exempted Work; Sec. 305.(b) Inspection Requests; Sec. 305.(d) Approval Required; and, Sec. 305.(e) Required Inspections.

I have also read and understand Sec. 303.(a) Approved plans and specifications shall not be changed, modified or altered without authorizations from the building official, and all work shall be done in accordance with the approved plans; and, Sec. 303.(b) Approved plans shall be kept on the building site at all times during which the work authorized thereby is in progress.

Prior to Receiving a Final Inspection and/or Certificate of Occupancy:
I agree to complete all accessory improvements including landscape, paving and amenities and other improvements as represented herein and as approved by Design Review of the project.
Upon completion of these improvements, I will notify the Ketchum Planning Department for an inspection. (From November 15 to May 15 a performance bond may be accepted as security for installation of said improvements in the amount of 150% of the total estimated cost.)

Signature	D	a	to	9
-----------	---	---	----	---

KE'L AUM PLANNING AND ZONING DE. RTMENT BUILDING PERMIT APPLICATION REVIEW ZONING ORDINANCE NUMBER 208

BUILDING PERMIT NUMBER: 11-00
NAME OF PROJECT OR OWNER: SILVER FOX BIDG
A. USE: ZONE: C.U.P. REQUIRED?
L.I. BUSINESS PERMIT REQUIRED
DESIGN REVIEW REQUIRED?
STANDARD: MOUNTAIN OVERLAY: WATERWAY:
B PADVING SPACES
B. PARKING SPACES:
C. LOADING AREA ON-SITE IS: (Commercial only)
TRASH SCREENED: (Commercial only)
D. LOT COVERAGE.
E. SETBACKS & SUPPLEMENTARY YARD RESTRICTIONS:
E. SETBACKS & SUPPLEMENTARY YARD RESTRICTIONS:
F. HENGHT: Building Height is:
Fence Height is:
G. HAZARDS:
Avalanche:
Floodplain:
U CURR CUT.
H. CURB CUT:
I. ACCESSORY BUILDINGS:
COMMENTS:
REVIEWED BY: BASkansu DATE: 1/28/9
REVIEWED BY: DATE: /20/1

Date: 1993

Building Permit: 93-071

APPLICATION FOR BUILDING } AIT		PERMIT NO: 93-07
	, D e	te Issued: 7-6-93
1. Project Name: TAICHRUS	Plan	Permit Fee: /35 Pd:]- Check Fee: 66 Pd:]-
2. Project Address: 271 S. V RD	(3RD ST.) KFD PI	COTAL FEES: 11 47 20
3. Owner: EURNS, PURDY 4. Address (Box Number): 757	Phone i	726 6911 6223200
C		
5. Contractor: SHum const 6. Address (Box Number): 140	SPACES Phone	726 7225
7. Electrical Contractor.	7 000	and the second s
9. Concrete Contractor: Seul	7	
10. Architect: Kenf		
10. Architect: Kemp. 11. Engineer: Bourss	Phone	# :
13. Scope of Work: New	Enlarge Remodel	Reroof Hove
14. Estimated Cost of Construction	n: 12,000 - Lot Are	on (mg. 1+.) 600
15. Legal Land Description: (attach if necessary)		
16. Zoning District: LR_ GR-L_ (refer to Ketchum Zoning Ord	GP-U T MU DA	
17. Design Review Approved: Yes_		
		525 Hz
18. Avalanche Zone: (see See 19. Floodplain: (see See	tion XV - Ordinance Num	mber 208) ber 208)
UBC DATA: (3 or more dwelling un	ts and commercial applic	cents only)
List Occupancy Type (URC Table F	NO	
List Occupancy Separation (Table InteriorHr.; ExteriorHr.	5-B):Area Se	paration (505).
Type of Construction: I II	TIT TV	pant Load (Nax)
20. Floor Area: Building and 100	Basement	
21. Height of Building: 24		ord Story
		stories
22. Number of Dwelling Units:	Number of Condo	ominium Units:
24. Number of Parking Spaces, Pro	uided	ft. Side ft.
OFFICE USE ONLY:		
Number of Fauturiant	Required for Savan	
Certificate of Financial Contain	Date Paid:	Copy Attached:
Amount Due: Certificate of Financial Contribu	tion: Amount Due:	Date Paid:
A. It is the duty of the		
B. No digging in the City stre	oundary markers and main	agent (contractor) to
may 1 (September 15 for payed at	or widnes-of-May	etween October 31 and
C. You must call the utility -	and perent pide	ing Permit required.
D. City Water Connection before issuance of a Building Per	Fee and Sewer Inspectionit.	on Fee must be obtained
I hereby acknowledge that I have best of my knowledge and that	filled in this annies	ion accurately to
State Laws regulating building	- adver co combit Alfu 8	ill City Ordinances and
further understand that	The City	or Ketchum, Idaho. I
or any law, building ordinare	or a pariated belwif C	loes not grant a waiver
	ed by proper authority.	(SEE REVERSE)
1/		
Signature of Owner or Authorized	Agent (Contractor)	Pate
- Lemis	While	7-6-93
Building Officia]	Date

I have read and understand Sec. 301.(a) Permits Required; Sec. 301.(b) Exempted Work; Sec. 305.(b) Inspection Requests; Sec. 305.(d) Approval Required; and, Sec. 305.(e) Required Inspections.


I have also read and understand Sec. 303.(a) Approved plans and specifications shall not be changed, modified or altered without authorizations from the building official, and all work shall be done in accordance with the approved plans; and, Sec. 303.(b) Approved plans shall be kept on the building site at all times during which the work authorized thereby is in progress.

Prior to Receiving a Final Inspection and/or Certificate of Occupancy: I agree to complete all accessory improvements including landscape, paving and amenities and other improvements as represented herein and as approved by Design Review of the project.

Upon completion of these improvements, I will notify the Ketchum Planning Department for an inspection. (From November 15 to May 15 a performance bond may be accepted as security for installation of said improvements in the amount of 150% of the total estimated cost.)


SignatureDate_	

Applicant agrees in the event of a dispute concerning the interpretation or enforcement of the Building Permit in which the City of Ketchum is the prevailing party to pay the reasonable attorney fees, including attorney fees on appeal, and expenses of the City of Ketchum.



KI .UM PLANNING AND ZONING DI THENT LUM PERHIT APPLICATION & EW ZONING ORDINANCE NUMBER 208

BUILDING PERHIT NUMBER:
NAME OF PROJECT OR OWNER: Yalkouse
A. USE: COMM ZONE: B-(C.U.P. REQUIRED? 10
L.I. BUSINESS PERMIT REQUIRED?
DESIGN REVIEW REQUIRED?approx
V
STANDARD: MOUNTAIN OVERLAY: WATERWAY:
B. PARKING SPACES: NA
C. LOADING AREA ON-SITE IS: NA (Commercial only)
TRASH SCREENED: NA (Commercial only)
D. LOT COVERAGE: NA
4)/4
E. SETBACKS & SUPPLEMENTARY YARD RESTRICTIONS: NA
F. HEIGHT: Building Height is:
Fence Height is:
G. HAZARDS:
Avalanche:
Floodplain:
H. CURB CUT:
COMMENTS: * ENSTING Z'AP FLOOR DECK SHALL NOT BE
to 10102=0
ENCLOSED REVIEWED BY: BASKA NEW DATE: 7-8-93
inch I story whoman or , after any store of a
New blue window shutters O.K:



Date: 2012

Building Permit: 12-004

CITY OF KETCHUM

ZONING CODE TITLE 17

ADMINISTRATIVE DESIGN REVIEW EXEMPTION

FINDINGS AND DECISION

PROJECT:

The "Dynamite Shed Building"

PROJECT #:

12-004

OWNERS:

Schuchart Dow Inc.

LOCATION:

Lot 4 Block 11 Ketchum Townsite (271 Sun Valley Rd)

ZONING:

Community Core (CC)

REQUEST:

Exemption of Design Review requirement - Administrative Approval of minor

project.

- 1. The City of Ketchum is a municipal corporation organized under Article XII of the Idaho Constitution and the laws of the State of Idaho, Title 50. Under Chapter 65, Title 67 of the Idaho Code, the City is required to pass certain ordinances regarding land use, including a zoning ordinance.
- 2. Pursuant to Zoning Code Title 17, Section 17.96.100, the Administrator is authorized to exempt from the Design Review process projects determined to be so minor as to neither conflict with the Design Review Standards of this Section, nor impact any adjacent properties. Examples include, but are not limited to, minor deck additions, additions of a window or door, and minor landscape changes.
- 3. The proposed project consists of a change to one existing door and window on the Sun Valley Road facade of the subject building.
- 4. The proposed project that includes window and door changes to the Dynamite Shed building is so minor as to not conflict with the Design Review Standards of Zoning Code Title 17, Chapter 17.96, nor to impact any adjacent properties.
- 5. On February 21, 2012, the owners gained approval from the City of Ketchum City Council for a Right-of-Way Encroachment Agreement for the existing (roof overhang & porch) and proposed (door canopy) structural elements of the building.

Decision: Approved with the following condition:

That the rough opening for the doorway not exceed 8 feet in height and the applicants will
make an effort to replace the original stone around the central window on the Sun Valley Road
façade, where such work will not compromise the historical quality or structural integrity of the
existing structure.

DATED this 29th day of February, 2012.

Rich Fabiano or Deborah Burns, Co-Chair Planning and Zoning Commission


Joyce Allgaier Planning Manager

File Number:_	12-604
N `	

File Number: 1 = 00 9
_ESIGN REVIEW APPLICATION
Project Name: DYNANUTE SHED RENOVATION
Owner: SCHUCHART / DOW INC. Phone No.: 206-633-3003
Mailing Address: 400/ AURORA AVE N. SEATTLE, WA 98103
Architect/Representative: OLSON KUNDIG- ANCHITECTS Phone No.: 206-624-5670
Mailing Address: 159 SOUTH JACKSON ST., SOUTE GOD
Architect License No.: AR - 2615
Engineer License No.: Engineer of Record: MOREL ENGINEERING, PC
All design review plans and drawings for public commercial projects, residential buildings containing more
than four (4) dwelling units and development projects containing more than four (4) dwelling units shall be
prepared by an Idaho licensed architect or an Idaho licensed engineer.
Preapplication Fee: Date Paid:
Design Review Fee: Date Paid:
Legal Land Description: Sw 23 × 30 COT 4. Brock 17.
KETCHUM TOWNSITE
Street Address: 271 SUN VALLEY ROAD KETCHUM, 1D 83340
Lot Area: .O/G ACRE Zoning District:
Overlay District: Flood Avalanche Pedestrian Mountain
Anticipated Use: COMMERCIAL OFFICE and APARTMENT
Type Construction: New Remodel Addition Other
Number of Residential Units: ONE Number of Hotel Units:
Total Floor Area: Proposed Existing Setbacks (CC Zone) (CC Zone Only)
Basements: Ground Floor Open Space
1st Floor: GOO GSF GOO GSF Roofline Length 37-FEET
2nd Floor: GGO GSF GGO GSF Building Width 22-FEET
3rd Floor: Horizontal Breaks Every Feet
Mezzanine: Break Depth Width
Total: 1330 68F Floor Area Ratio
Percent of Building Coverage: 100%
Curb Cut: None
Setbacks: Front Side Side Rear Rear
Height: 33- FEET Parking Spaces Provided: 0
Construction Phasing: NONE
Will fill or excavation be required? If yes, amount in cubic yards- Fill No Excavation
Will existing trees or vegetation be removed? Yes No
Water System: Municipal Service Ketchum Spring Water
The Applicant agrees in the event of a dispute concerning the interpretation or enforcement of the Design
Review Application in which the City of Ketchum is the prevailing party to pay the reasonable attorney
fees, including attorney fees on appeal, and expenses of the City of Ketchum.
I, the undersigned, certify that all information submitted with and upon this application form is true and
accurate to the best of my knowledge and belief.
Signature of Owner: Wickael Stiff Dota: 2/6/12
Signature of Owner: Mckael Stiff Date: 3/6/12

Approved/Denied: Date: Pursuant to Resolution No. 08-123, any direct costs incurred by the City of Ketchum to review this application will be the responsibility of the applicant. Costs include but are not limited to: engineer review, attorney review, legal noticing, and copying costs associated with the application. The City will require a retainer

to be paid by the applicant at the time of application submittal to cover said costs. Following a decision or other closure of an application, the applicant will either be reimbursed for unexpended funds or billed for additional costs incurred by the City.



	D.L. Evans Bank	
	12 E. Bullion Street Suite A Hailey, ID 833333	Check No.
SDI LLC	92-358	001025
dba Schuchart/Dow	1241	00.020
4001 Aurora Avenue North Seattle, WA 98103	<i>m</i>	
BAY T = 11 TOP TO TO	VE sud (2)	
PAY FIVE HUMBRED TWENTY FO	\$ 525	- 00
		·
	/ //	
TO THE	h	Г
ORDER OF CITY of COTCHING		
- / 01 [00](00-		
THE BACK OF THIS DOCUMENT CONTAINS AN ARTIF	CIAL WATERMARK—HOLD AT AN ANGLE TO VIEW	
	,	
#OO1025# #1241035B2#	9180033634	
	•	
and the same of th	• • •	
		04055
CITY OF VETCHIM		24055
CITY OF KETCHUM		24055
CITY OF KETCHUM Ketchum, Idaho	Date February 6, 2	
Kełchum, Idaho	Date February 6, 2	2012
Kełchum, Idaho	♥ .	2012
Ketchum, Idaho RECEIVED FROM Schuchaut 6	θοω	20/2 \$ 525 ⁹⁹
Ketchum, Idaho RECEIVED FROM Schuchaut 6	θοω	20/2 \$ 525 ⁹⁹
RECEIVED FROM Schuchaut &	90 w y-five \$ 00/100	\$ 525 00 DOLLAR
RECEIVED FROM Schuchaut &	90 w y-five \$ 00/100	\$ 525 00 DOLLAR
RECEIVED FROM Schuchaut & five hundred drums For Administrative Design	y-five \$ 00/100 n Review Exemption	\$ 525 00 DOLLAR
RECEIVED FROM Schuchaut & five hundred drums For Administrative Design	y-five \$ 00/100 n Review Exemption	\$ 525 00 DOLLAR
RECEIVED FROM Schuchaut & five hundred drums For Administrative Design	y-five \$ 00/100 n Review Exemption	\$ 525 00 DOLLAR
RECEIVED FROM Schuchaut &	y-five \$ 00/100— n Review Exemption \$ \$50 biner \$375	\$ 525 00 DOLLAR
RECEIVED FROM Schuchaut & five hundred drums For Administrative Design	y-five \$ 00/100— n Review Exemption \$ \$50 biner \$375	\$ 525 00 DOLLAR
RECEIVED FROM Schuchaut & five hundred drums For Administrative Design	y-five \$ 00/100 n Review Exemption	\$ 525 00 \$ 500 DOLLAR

THE FACE OF THIS DOCUMENT HAS A COLORED BACKGROUND ON WHITE PAPER

Joyce Allgaier

From:

Edward Lalonde [Edward@olsonkundigarchitects.com]

Sent:

Wednesday, February 29, 2012 3:00 PM

To:

Joyce Allgaier Mike Smith

Cc: Subject:

Dynamite Shed- Entry Door Revisions

Attachments:

2012-02-29 Dynamite Entry Door- Revised.pdf

Hi Joyce,

Based on your feedback, we have revised the proposed new entry door to the Dynamite Shed as described in the attached sketch so that it exists within an 8'-0" rough opening- approximately 1'-0" less than what we had originally proposed. As you will see on the attached, we have omitted the steel wide flange beam and instead, will rely on the entry canopy steel plate to carry the load of the rock. We hope that you find these adjustments in line with your comments and acceptable to proceed with your approval so that our clients can work towards permitting.

If you should have any questions regarding the sketch or design intent, please do not hesitate to contact me direct at the telephone number below or by email.

Thanks, Edward

Edward Lalonde Associate


OLSON KUNDIG ARCHITECTS

159 South Jackson Street, Suite 600, Seattle, WA 98104 USA Direct +1 206 340 9279 F+1 206 624 3730 olsonkundigarchitects.com





Follow [storefront] Olson Kundig Architects on Facebook.


If you have received this confidential message in error, please immediately notify the sender by reply email and delete all copies from your system. Think twice before printing




1700000000 JOSA 115















Joyce Allgaier

From:

Edward Lalonde [Edward@olsonkundigarchitects.com]

Sent:

Friday, February 03, 2012 1:32 PM

To:

Joyce Allgaier

Subject:

RE: Dynamite Shed (Bobbie Burns Building)

Called Ed. Ton 2/24 to inform

Joyce,

We have designed a couple projects in the Aspen area, but nothing built (yet). Similarly for Sun Valley... we have one house project under construction in City of Ketchum and another one in Bigwood about to start. Someday we hope the Center of Arts will pick up!

Thanks for the note!

Edward

door. A.

OLSON KUNDIG ARCHITECTS

159 South Jackson Street, Suite 600, Seattle, WA 98104 USA Direct +1 206 340 9279 F+1 206 624 3730 olsonkundigarchitects.com

If you have received this confidential message in error, please immediately notify the sender by reply email and delete all copies from your system. Think twice before printing

From: Joyce Allgaier [mailto:JAllgaier@ketchumidaho.org]

Sent: Friday, February 03, 2012 11:59 AM

To: Edward Lalonde

Subject: RE: Dynamite Shed (Bobbie Burns Building)

Edward – just wondering if O K A has done some work in Aspen? I seem to remember the firm name from there, but the firm has quite a presence here I see. Just curious.

Joyce

Joyce Allgaier, AICP
Planning Manager
City of Ketchum
Community and Economic Development Dept.
480 East Ave. North
P.O. Box 2315
Ketchum, ID 83340

T: 208.726.7801 F: 208.726.7812

From: Edward Lalonde [mailto:Edward@olsonkundigarchitects.com]

Sent: Friday, February 03, 2012 12:04 PM

To: Joyce Allgaier; Mike Smith

Subject: RE: Dynamite Shed (Bobbie Burns Building)

Hi Joyce,

As follow up to our telephone conversation earlier, I have attached a quick sketch of the proposed Entry Door and Canopy alongside the façade with dimensions, also showing critical alignments with the existing features of the building. As you will see, both the door and the proposed steel lintel are buried within the thickness of the stone. Since the door opens to the interior, it is placed inwards quite a bit. I hope my sketch helps clarify- rather than causes more confusion!

Also, for your reference I have included two images: The Hot Rod House canopy is similar to what we propose with Dynamite Shed with a 3/8" thick steel plate and hemmed edge. Similarly, the Laurelhurst Residence image shows a steel canopy with the small light detail which we plan for Sun Valley.

If you should have any questions or require further clarification, please do not hesitate to call or email.

Thanks, Edward

OLSON KUNDIG ARCHITECTS

159 South Jackson Street, Suite 600, Seattle, WA 98104 USA Direct +1 206 340 9279 F +1 206 624 3730 olsonkundigarchitects.com

If you have received this confidential message in error, please immediately notify the sender by reply email and delete all copies from your system. Think twice before printing

From: Joyce Allgaier [mailto:JAllgaier@ketchumidaho.org]

Sent: Thursday, February 02, 2012 9:48 AM

To: Mike Smith **Cc:** Edward Lalonde

Subject: RE: Dynamite Shed (Bobbie Burns Building)

Hello Mike.

Pleasure to meet you as well. Thank you for stopping in the other day.

I have been in touch with Edward Lalonde at Olson Kundig and we are handling the details of the design review. I don't see a problem with the project gaining its administrative approval. We have a some concern about the additional canopy over the main door, in that it is changing the rhythm of the openings on that fascade (in particular the height of the openings), covers more of the historic rock material (a significant and unique character of that building), and functionally, it seems redundant in that the canopy is located under a porch already. Is there any exterior lighting that is existing or proposed? If so, the lighting must be in compliance with the "Dark Sky" provisions of our land use code, Section 17.132. Someone needs to actually file a design review application and the \$100 processing fee. That application is on the city's website at www.ketchumidaho.org under Community and Economic Development, Planning Division, applications.

Regarding the reroofing of the building, you can proceed with a building permit for the roofing project without effecting the design review process. It can be separate or part of your building permit for the other work.

The owner of the building will need to get an encroachment license for the existing porch overhanging the Sun Valley Road right-of-way (in this case, the sidewalk). Should the canopy be approved as part of the design review, we would want that included in the encroachment license. The encroachment license application is attached and requires city council approval. The application describes what we need in terms of a site plan, dimensions, etc. (We handle this application at council on the consent agenda to keep the process short.) This can be applied for at any time and we would get it in front of the council at the next possible meeting. This requirement is triggered in conjunction with getting a building permit even if the encroachment exists, but it will not hold up the permit. I have attached an application for this.

Please let me know if you have any questions or if I can assist with something. Thank you.

Regards, Joyce Allgaier

Joyce Allgaier, AICP
Planning Manager
City of Ketchum
Community and Economic Development Dept.
480 East Ave. North

GENERAL A0J00

GENERAL INFORMATIO

ARCHITECTURAL A2.00 A3.00

CONSTRUCTION PLANS EXTERIOR ELEVATIONS BUILDING SECTIONS


DYNAMITE SHED RENOVATION

271 EAST SUN VALLEY ROAD KETCHUM, IDAHO 83340

PERMIT SET- DRAFT JANUARY 31, 2012

OLSON KUNDIG ARCHITECTS

159 South Jackson Street, 6th Floor, Seattle WA 98104 USA T+1 206 624 5670 F+1 206 624 3730 www.olsonkundigarchitects.com



OLSON KUNDIG ARCHITE

DYNAMITE SHED RENOVATION
271 EAST SUN VALLEY ROAD
KETCHUM, IDAHO 83340


principal architect TK
project manager EL
draws by EL
Author
checked by XX
joh no. 11059
date AMMARY 31, 2012
tevisions:

no. data by

PERMIT SET- DRAFT [ANUARY 31 2612

EXTERIOR ELEVATIONS

A3.00



OLSON KUNDIG ARCHITE

DYNAMITE SHED RENOVATION
271 EAST SUN VALLEY ROAD
KETCHUM, IDAHD 83340

SLO

principal architect TX
project manager EL
drawn by EL
chacked by Checker
Jab No. 11088
data JANLARY 37, 2017


data J

NOT FOR CONSTRUCTION


PERMIT SET- DRAFT


BUILDING SECTIONS

A3.10



POPPER SHED RENOVATION 227 EAST SUN VALLEY ROAD KETCHUM, IDAHO 83340





6 APT ENTRY ELEVATION- WEST


SCALE: 1/2" = 1"-0"

APT ENTRY ELEVATION - NORTH

SCALE: 1/2" × 1"-0"

SCALE: 3/3" + 1"-0"

2 ENLARGED KITCHEN PLAN
SCALE: 1/2" + 1'-0"



BLACKENED STEEL
HOOD ABOVE
HOOD ABOVE
HOOD ABOVE
BLACKENED STEEL
HOOD ABOVE
BLACKENED STEEL
HOOD ABOVE
BLACKENED STEEL
HOOD ABOVE
BLACKENED STEEL
HOOD ABOVE
BLACKENED STANLESST
SEAM (M.F.S.)
T-2 M*

UPPER LEVIL

11-7 1 M*

KITCHEN ELEVATION - NORTH

SCALE: 1/2" = 1"-0"

principal architect TK

project manager EL

drawn by EL,

Author

chicked by Checker

jeb no. 11059

date JANAARY 31, 2012

6

ARCHITECT ISTO E 1208 E243720 WWW.Adecolutusignethitates.

KUNDIG

OLSON I

POWER:
DYNAMITE SHED RENOVATION
271 EAST SUN VALLEY ROAD
KETCHUM, IDAHO 83340

NOT FOR CONSTRUCTION

PERMIT SET - DRAFT

JANUARY 31, 2012

INTERIOR
ELEVATIONS &
ENLARGED PLANS

A5.01

ABBREVIATIONS				
日本をの を (三(N)	AT CENTERLINE PROPERTY LINE DIAMETER POUND OR NUMBER EXSISTING NEW		HB HC HDO HDR HDWD HDW HM HORIZ	HOSE SIBB ROLLGW COPE HRACH DEHRSTY OVERLAY HEADER HARDWOOD HARRWARE HOLLOW METAL HORLOW ALETAL HORLGOWTAL
ABY AGC AGOUS ACP ACS AGT	ANCHOR BOLT ABOVE ACCESS ACOUSTICAL ASPHALT CONCRETE PAVING ACCESS PARIEL ACOUSTICAL TILE		HP HR HT HVAC HW HWT	HIGH POINT HOUR HEIGHT HEATING/JENTRATHIG/AIR CC/JETTOWNG HOT WATER HOT WATER HOT WATER TANK
ADA ADJ AFF AGGR AIG ALT	AREA DRAIN AMERICANS WITH DISABILITIES ADJUSTABLE ABOVE FINISHED FLOOR AGGREGATE AIR INFILTRATION BARRIER ALLBERNAYE ALLBERNAYE		ID BN INCL INSER, INT INV	INSIDE CHAMETER INCH INCLEIDED INSELETION INTERIOR INVERT
	APPROXIMATE ARCHITECTURAL ASPHALT AUTOMATIC		e R N	JUNCTION BOX JOINT FILLER JOINT
BD BITUM	BOARD BITLIMINOUS		KIT KO	KITCHEN KNOCKOUT
BLDØ BLKG BM BO BOT BRG BSMT BUR	BULDING BLOCKING BEAM BOTTOM OF BOTTOM BERNING BASEMENT BUILT UP ROOFING		LAM LAV LBS LF LH LOC LP LT	LAMINATE, LAMINATED LAVATORY POUNDS LINEAR FOOT (FEET) LEFT HAND LIVE LOAD LOCATION LOW POINT LIGHT
CAB CB CB CER CIP CJ CLIC CLIC CLIC CONC CONC CONST CONTIT CONTIT	CABRET CATCH BASIN CENERY CERAMIC LAST-A-PLACE CONTPOLLORIT CELLING CALLENG CLOSET CLEAR CONCRETE MASONRY UNIT COLUMN CONCRETE CONTROLORIT CONTR		MAS MATT. MAX MRS MC MECH MEMB MEZZ MFR MRS MRS MRS MRS MRS MRS MRS MRS MRS MR	MASORRY MATERIAL MARIAM MARIAM MACHINE BOLT MEDIANE CARRET MEDIANE CARRET MEDIANE CARRET MEDIANE CARRET MEDIANE MERCHAN MEDIANE MERCHAN MEDIANE MERCHAN MEDIANE MERCHAN MERCHA
CRS CSK CT CTR CUFT DBL	COLD ROLLED STEEL COUNTERSUNK CERAMIC TILE CENTER CUBIC FEET DOUBLE		N NZA NIC NO NOM NR NTS	NORTH NOT APPLICABLE NOT APPLICABLE NAME NORTH NORTH NOT TO SCALE
DIA DIM DL DN DR DR OPNG DSP	DEMOLITION DETAIL DIAMETER DIMENSION DEAD LOAD DOWN DOOR DOOR OPENING DOWNSPOUT DRY STANDEIPE		CA OC OD OFF OH OHNM OPING OPING	OVERALL ON CENTER OVERFLOW DRAIN OFFICE OVERFLOW DRAIN OFFICE ORISHARY HIGH WATER MARK OPPORTE
EL ELEC ELEC ENCL ENCL EQ ENCL EQ ENCL EXT	DRAIN TLE DISHMASFER ORAMING EAST EACH EXPANSION JOINT ELECTRICAL ELEVATION ELECTRICAL ELEVATOR ENULSSURE EQUAL EQUALENT EACH WAY EACH WAY EACH WAY EACH WAY EXPANSION BOLT EXPANSION BOLT EXPOSE EXTERIOR		OSB PED PCC PCF PERF PERP PLAM PLAS PLAS PNI	ORIGINED STRAND BOARD PARTICLE BOARD PRECAST CONCRETE FOUNDS FER CURIC FOOT FERFORATED FERFORATED FERFORATED FLASTER FLASTER FLASTER FLASTER FOUNT PAIR FOOD PAIR FRECAST FOOD FOUNDS FER CURIC FOOT FOUNDS FER SCILARE BUCH FRESERVATION PARTITION PARTITION PARTITION PARTITION PACLIFICION FRESERVATION PACLIFICION PACLIFICATION PACLIFICION PACLIFICION FRESERVATION PACLIFICION FRESERVATION FRESERVATION FRESERVATION PACLIFICATION FRESERVATION FRESE
FB FD FE FE FF FH FH FH FN	FIRE ALAPAN FLAT BAR FLOOR DRAIN FIRE EXTINSUISHER FIRE EXTINSUISHER CASINET FIRE HORSE ELEVATION FIRE HYDRANT FIRE HORSE CASINET FINISH FLOOR FIRISH TO FINISH FLOOR FINISH FLOOR FINISH FLOOR FLOORING FLOORING FLOORING FLOORING FACE OF CONDRETE FACE OF FORMSH		RA RAD RO REF REFR REG REINF REM ARES REV RH RM RO RWA	RETURN AIR RADALIS ROOF DEAM ROFERDAN REFERENCE REFERENCE REGISTER ROUGH OFFERING RAIN WATER LEADER
FOIC FOM FOS FP FPL FR FT FTG FURR FUT	PRINCE OF THIS IN THE PRINCE OF THE PROPRIED BY OWNER - RESTRICE OF MADE IN THE PROPRIED FACE OF STUDS FIREFILACE FRAME FOOR OR FEET FOOTING FLIKING FLIKING FUTURE FULL WIDTH		S SAF SAM SC SCHED SD SECT SG SHV SHR SHIT MTL SHITG	SOUTH SELFADHENED FLASHING SELFADHENED WEMSRAME SOULD COME SCHIENLIE SMOKE DETECTOR SERTION SAFETY (SAS S SHELF; SHE MING SHOWER SHEET HETAL SHEET THE SHE MING SHEET SHEET THE
BALV BC	GAUGE GALVANIZED GENERAL CONTRACTOR GLASS		SHIG SBM SOG SPEC SO FT	SMILAR SLAB ON GRADE SPECIFICATION
Slam Sr 3W8	GLASS GLUE-LAMINATED GRADE GYPSUM WALL BOARD GYPSUM		Suifi Suin SST STD STL STOR	SQUARE FOOT (FEET) SQUARE NCH(ES) STAINLESS STEEL STANDARD STEEL STORAGE

SYMBOLS LEGEND 1. GRID LINE REFERENCE (A) 1, ROOM REFERENCE GARAGE ROOM NAME
ROOM NAME
ROOM NAMEER 3. DOOR REFERENCE $\langle A \rangle$ 4. WINDOW/SKYLIGHT REFERENCE - ELEV. 9.50 5. ELEVATION / DATUM REPERSHICE --- DRAWING NUMBER 6 EXTERIOR E EVATION 7. BUILDING SECTION - SHEET NUMBER 8. WALL SECTION B. INTERIOR ELEVATION 10. DETAIL REFERENCE $\langle x \rangle$ 11. ASSEMBLY REFERENCE 12. NORTH SYMBOL 13. REVISION REFERENCE

REFERENCE CONSTRUCTION MEMO ISSURVIC REVISION ONLY MOST RECENT REVISION SHOWN CLOUDED. REFERENCE FOR PREVIOUS REVISIONS PEMAIN. DATE OF REVISIONS INDICATED AT RIGHT MARGINS.

PLYWOOD

CONCRETE

REGED INSULATION

MOOD FRAMING (CONTINUOUS)

MATERIALS LEGEND

FINISHED WOOD

BATT INSULATION

GRAVEL

STEÉL

STORE

WOOD BLOCKING SHIM

TREAD
TONGLE AND GROOVE
TEREFRONE
TEREFRONE
TERFERE GLASS
THICK
TOP OF BEAM
TOP OF BEAM
TOP OF FLOOR FOOTNS: FRAME
TOP OF FLOOR FOOTNS: FRAME
TOP OF PARAPET, FAVEMENT
TOPOGRAPH
TOP OF GLAS STEEL
TOPO GLASSIEL
TUPOGRAPH
THERMOSTAT
TYPICAL

LINLESS OTHERWISE NOTED

VINYL BASE
VENEER
VERTICAL
VESTIBULE
VERTICAL GRAIN
VERIFY IN PELD
VINYLTTILE

WITHOUT
WATER CLOSET
WOOD
WINDOW
WIDE FLANGE BEAM
WIDE FLANGE BEAM
WATER HEATER
WATER LINE
WELDED
WATERSPERIOR

WELDED
WATERPROOF MEMBRANE
WATERPROOF MEMBRANE
WATER RESISTANT
WANISOT
WIRE SAFETY GLASS
WATER
WELDED WIRE FABRIC
WELDED WIRE MESH
WEIGHT

LING

ZONING / BUILDING CODE SUMMARY

PROJECT ADDRESS: 271 EAST SUN VALLEY ROAD KETHCUM, IDAHO 83340

ASSESSOR'S PARCEL MARRIER:

LEGAL DESCRIPTION: SW 25" X 30" LOT 4, BLOCK 17, KETCHULI TOWNSITE

APPLICABLE CODER.
2019 RETERMIDIONAL BUILDING CODE (BIC) AS MODIFIED BY THE CITY OF KETCHAM
PRIC DEPARTMENT, DYCLIDING SECTIONS 1814.1, 1914.4 AND 1914.5
2009 RETERMIDINAL RECHMICAL CODE (MIC) W/(DAHO STATE AMMENDMENTS
2009 RETERMIDINAL SECTION (1)
2009 RETCHAMIDANO CITY CODE
2009 RETERMIDINAL FILE GAS CODE
2009 RITERMIDINAL FILE GAS CODE
2009 RITERMIDIONAL FILE GAS CODE

AUTHORITY HAVING JURISDICTION: CITY OF RETCHUM BUILDING DIVISION

PHYSICAL ADDRESS: 486 EAST AVERUE NORTH CITY HALL (UPSTAIRS) P.O. BOX 2315 KETCHAM, IDAHO 83346

T: 208 726-7802 F: 208 728-7812

CONTACT: CEDRIC KNEETANS, BURDING OFFICIAL INSPECTOR E: CKNEHANS@KETCHLINBAHO.ORG

PLANNINS & ZONNIG: 486 EAST AVENUE NORTH CITY HALL (UPSTAIRS) P. D. BOX 2315 KETCHUM, IDAHO 80340

CONTACT: JOYCE ALL GAIER, PLANNING MANAGER

1: 208 725-7801 F: 208 725-7612 E: JALLGAIER@KETCHJMDAHOLORG

LOT SIZE: 0.616 ACRES LANDUSÉ DESIGNATION: CC-COMMUNITY CORE DISTRICT

DENSITY:
GROSS FAR:
1.0 PERMITTED,
2.5 AS COMMUNITY HOUSING INCENTIVE

PROJECT DESCRIPTION:
INVERTOR REPONATION OF EXISTING TWO FLOOR STONE & WOOD FRAME BUILDING
FROM 1881 TO SELLIDE OFFICES AT GROUND FLOOR, STREET LEVEL AND
APARTMENT AT UPPER LEVEL. MARMAL EXTERIOR IMPROVEMENTS.

HEIGHT: ALLOWED: \$5'-0" PROPOSED: 23'-0" (EXISTING)

YARD SETBACKS: FRONT: \$-5"

VERTICAL GLAZING: U-0.35 DOOR U-FACTOR: U-0.35

CEILING: R-40
PLOOR R-30
WALL ABOVE GRADE (MODD FRAMED): R-20
WASS WALLS (STONE) CONCRETE; R-19
WALL BELOW GRADE (NIA): R-15
SLAS ON GRADE R-10, R-15 (HEATED SLASS)

VICINITY MAP

PROJECT SITE, 271 EAST SUN VALLEY ROAD KETCHAM (DAHO 8334)



LOCATION MAP



PROJECT DIRECTORY

(1)

_

王

ے <u>ب</u>

5

 \leq

2

SO

RENOVATION

'NAMITE SHED R EAST SUN VALLEY RDA

SITE ADDRESS: 271 EAST SUN VALLEY ROAD KETCHUM, IDAHO 83340

OWNER. SCHUCHART/ DOW INC. 4001 ALRORA AVENUE NORTH SEATTLE, WASHINGTON 98103

CONTACT: JM DOW T: 206 633-3923 F: 205 633-0990 E: JNDQSCHUCHARTDOW.COM

159 S. JACKSON ST. SUFTE 600 SEATTLE, WA 98164 T: 205 624-5570 F: 206 624-3730

PRINCIPAL ARCHITECT:

CUSTROT: EDWARD LALONDE T: 288 812-1894 E: EDWARD@OLSONKUNDIGARCHITECTS.COM

STRUCTURAL ENGINEER: MORELL ENGINEERING, PC P.O. BOX 2401 KETCHUM, IDAHO 83349

CONTRES;
MATT MORELL, P.E.
T: 208 728-2844
E: MORELLENGNEERING@COX.NET

CONTRACTOR: SCHUCHART/ DOW INC.

EUNTAUT: MAKE SMITH T: 206 \$45-76511 F: 208 \$25-7829 E: MIKES@SCHUCHARTDOW.COM

- CODES: ALL WORK SHALL CONFORM APPLICABLE LAND USE AND BUILDING CODES AS AMENDED BY AUTHORITIES HAVING JURISDICTION.
- CONTRACTOR SHALL VERBY ALL CONDITIONS PRIOR TO INITIATING THE WORK, NOTIFY THE ARCHITECT OF ANY OSCREPANCIES.
- VERFY ALL ROUGHIN DIMENSIONS FOR EQUIPMENT, PROVIDE ALL BUCK-OUT, BLOCKING, BACKING, MRD JACK'S REQUIRED FOR INSTALLATIONS.
- DIMENSIONS ARE TO EXTERIOR FACE OF CONCRETE / WOOD FRAMING UNLESS OTHERWISE NOTED.
- INTERIOR WALL FRAMING 2rd WOOD STUDS LINLESS OTHERWISE NOTED.

GENERAL NOTES

- DO NOT SCALE DIMENSIONS FROM DRAWINGS, USE CALCULATED DIMENSIONS ONLY. NOTIFY THE ARCHITECT IMMEDIATELY IF ANY CONFLICTS EXIST.

- EXTERIOR WALL FRAMING 2x6 WCCO STUDS UNLESS OTHERWISE NOTED.

Author

chacked by Checker jah ma, †1059 ##te JANUARY 31, 2012


h=. da1e

NOT FOR COMSTPUCTION PERMIT SET- DRAFT

JANUARY 31 2012

GENERAL INFORMATION

A0.00



OLSON KUNDIG ARCHEO RATHE

DYNAMITE SHED RENOVATION
271 EAST SIIN VALLEY ROAD
KETCHUM, IDAHD 83340

CTS

principal architect TK

project manager EL

drawn by EL

Author

charked by Chesker

job no. 11059

date ANNARY 31, 2012

Tevisions:

NOT FOR CONSTRUCTION

PERMIT SET- DRAFT

CONSTRUCTION PLANS

A2.00