



## City of Ketchum

November 1, 2021

Mayor Bradshaw and City Councilors  
City of Ketchum  
Ketchum, Idaho

Mayor Bradshaw and City Councilors:

### **Recommendation to Hold a Public Hearing and Approve the Northwood Light Industrial Park Lot Line Shift Final Plat & Findings of Fact, Conclusions of Law, and Decision.**

#### Recommendation and Summary

Staff recommends the Ketchum City Council hold a public hearing and approve the Lot Line Shift Final Plat submitted by Sean Flynn PE of Galena Engineering on behalf of property owner Elmar Grabher (Lots 4A & 5AA) to move the interior lot line shared by the subject properties.

Recommended Motion: "I move to approve the Northwood Light Industrial Park Lot Line Shift Final Plat & Findings of Fact, Conclusions of Law, and Decision."

The reasons for the recommendation are as follows:

- The request to subdivide meets all applicable standards for Final Plats contained in Ketchum Municipal Code's Subdivision (Title 16) regulations.
- Both lots will continue to meet all applicable zoning and subdivision standards including, but not limited to, minimum lot size, setbacks, and building coverage standards for the LI-2 zone.
- All city departments have reviewed the proposal and have no issue with the proposed lot line shift.

#### Analysis

Lot 4A of Northwood Light Industrial Park is located at 200 Northwood Way and Lot 5AA is located at 180 Northwood Way. Northwood Light Industrial Park was platted in 1982 and all infrastructure and public improvements in the subdivision are complete.

Both Lot 4A and Lot 5AA are developed with businesses on site. The owner wishes to readjust their shared interior lot line, moving the lot line several feet southward (closer to Lot 5AA). This action will result in Lot 4B having a total area of 21,668 square feet and Lot 5B 26,106 square feet. The resulting Lots 4B and 5B will both continue to meet the dimensional standards for setbacks, building coverage, and so forth as required by the zoning code.

The hearing for this action was properly noticed and no public comment has been received as of October 27, 2021.

#### Financial Impact

None

#### Attachments

Lot 4B and 5B, Northwood Light Industrial Park, Final Plat  
Draft Findings of Fact, Conclusions of Law, and Decision

Exhibit A:

Northwood Light Industrial Park,  
Phase 1; BLK 1; Lots 4B & 5B Plat

A PLAT SHOWING  
**NORTHWOOD LIGHT INDUSTRIAL PARK, PHASE 1; BLK 1; LOTS 4B & 5B**  
WHEREIN THE COMMON BOUNDARY LINE BETWEEN NORTHWOOD LIGHT INDUSTRIAL PARK, PHASE 1; BLK 1; LOTS 4A & 5AA IS SHIFTED AS SHOWN HEREON  
LOCATED WITHIN SECTION 12, T.4N., R.17E., B.M., CITY OF KETCHUM, BLAINE COUNTY, IDAHO  
OCTOBER 2021

SCALE: 1" = 30'



- LEGEND**
- Property Line
  - Proposed Property Line
  - Property Line to be Vacated
  - Adjoiner's Lot Line
  - Centerline of Right of Way
  - Easement, Type & Width as Shown
  - GIS Tie Line
  - Water Main Line
  - Water Service Line
  - Sewer Main Line
  - Sewer Service Line
  - Existing Building
  - Found Brass Cap, in Concrete
  - Found Concrete Monument
  - Found 1/2" Rebar
  - Found 5/8" Rebar
  - Calculated Point, Not Set
  - Set 5/8" Rebar, P.L.S. 16670


**SURVEY NARRATIVE & NOTES**

- The purpose of this survey is to show the monuments found and set during the boundary retracement of Northwood Light Industrial Park, Phase 1; Blk 1; Lots 4A & 5AA and shift the common boundary to create Northwood Light Industrial Park, Phase 1; Blk 1, Lots 4B & 5B, as shown hereon. The boundary shown is based on found lot corner monuments and plat of Northwood Light Industrial Park, Phase 1; Blk 1; Lots 4A & 5A, Instrument Number 650262, records of Blaine County, Idaho. All found monuments have been accepted. The missing property corners were reset by proportioning the record distances between found monuments. Additional documents used in the course of this survey include Northwood Light Industrial Park Phase 1, Amended Plat 1984, Instrument Number 249362, and the Plat of Northwood Light Industrial Park, Phase 1, Lots 5, 6, & 7 Amended, Instrument Number 283212, both records of Blaine County, Idaho.
- The distances shown are measured. Refer to the above referenced survey for previous record data.
- An ALTA Commitment for Title Insurance for Lots 4A and 5AA, Block 1 of Northwood Light Industrial Park, Phase 1; Block 1; Lots 4A & 5AA has been issued by Stewart Title Guaranty Company, Commitment Number 2123995, with a Commitment Date of August 13, 2021. Certain information contained in said title policy may not appear on this map or may affect items shown hereon. It is the responsibility of the owner or agent to review said title policy. All plottable encumbrances and easements listed in the title report are shown hereon. Review of specific documents is required, if further information is desired.
- An Access Easement as shown hereon is created over a portion of Lot 4B to benefit 5B. Said easement is for access from Northwood Way to Lot 5B.
- The current zoning is LI-2 (Light Industrial 2) Refer to the City of Ketchum Zoning Ordinance for specific information about this zone.
- The owner is Elmar Grabher, PO Box 507, Sun Valley, ID 83353. The surveyor/representation is Mark E. Phillips, Galena Engineering, Inc., 317 N. River St., Hailey, Idaho 83333.

Curve Table						
Curve	Length	Radius	Delta	Tangent	Chord	Chord Direction
C1	7.55'	50.00'	8° 38' 58"	3.78'	7.54'	N03° 36' 52"E
C2	44.17'	50.00'	50° 37' 04"	23.64'	42.75'	N33° 14' 53"E

HEALTH CERTIFICATE: Sanitary restrictions as required by Idaho Code Title 50, Ch. 13, have been satisfied. Sanitary restrictions may be reimposed in accordance with Idaho Code Title 50, Ch. 13, Sec. 50-1326, by issuance of a Certificate of Disapproval.

Date \_\_\_\_\_ South Central District Health Dept., EHS



MARK E. PHILLIPS, P.L.S. 16670

NORTHWOOD LIGHT INDUSTRIAL PARK,  
PHASE 1; BLK 1; LOTS 4B & 5B  
  
GALENA ENGINEERING, INC.  
HAILEY, IDAHO

SHEET 1 OF 2

Job No. 8171

CERTIFICATE OF OWNERSHIP

This is to certify that the undersigned are the owners in fee simple of the following described parcel of land:

A parcel of land located within Section 12, Township 4 North, Range 17 East, Boise Meridian, City of Ketchum, Blaine County, Idaho; more particularly described as follows:

Lots 4A & 5AA, Block 1 of Northwood Light Industrial Park, Phase 1; Block 1; Lots 4A & 5AA

The easements indicated hereon are not dedicated to the public, but the right to use said easements is hereby reserved for the public utilities and for any other uses indicated hereon and no permanent structures are to be erected within the lines of said easements. We do hereby certify that all lots in this plat will be eligible to receive water service from an existing water distribution system and that the existing water distribution system has agreed in writing to serve all of the lots shown within this plat.

It is the intent of the owners to hereby include said land in this plat.

Elmar Grabher, as to an undivided 50% interest

ACKNOWLEDGMENT

STATE OF \_\_\_\_\_ }  
COUNTY OF \_\_\_\_\_ } ss

On this \_\_\_\_\_ day of \_\_\_\_\_, 2021, before me, a notary public in and for said State, personally appeared Elmar Grabher, known or identified to me to be the person whose name is subscribed to the foregoing instrument, and acknowledged to me that he executed the same.

IN WITNESS THEREOF, I have hereunto set my hand and affixed my official seal the day and year in this certificate first written above.

Notary Public in and for said State

Residing at

My Commission Expires

Rigmor Grabher Trust, as to an undivided 50% interest  
Elmar Grabher, Trustee

ACKNOWLEDGMENT

STATE OF \_\_\_\_\_ }  
COUNTY OF \_\_\_\_\_ } ss

On this \_\_\_\_\_ day of \_\_\_\_\_ 2021, before me, a Notary Public in and for said State, personally appeared Elmar Grabher, Trustee of the Rigmor Grabher Trust, as to an undivided 50% interest, known or identified to me to be the person whose name is subscribed to the foregoing instrument, and acknowledged to me that he executed the same on behalf of said trust.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal the day and year in this certificate first above written.

Notary Public in and for said State


Residing in

My Commission Expires

SURVEYOR’S CERTIFICATE

I, Mark E. Phillips, a duly Licensed Professional Land Surveyor in the State of Idaho, do hereby certify that this plat is a true and accurate map of the land and points surveyed under my direct supervision and that it is in accordance with the Idaho State Code relating to Plats, Surveys, and the Corner Perpetuation and Filing Act, 55–1601 through 55–1612.

Mark E. Phillips, P.L.S. 16670



BLAINE COUNTY SURVEYOR’S APPROVAL

I, Sam Young County Surveyor for Blaine County, Idaho, do hereby certify that I have checked the foregoing Plat and computations for making the same and have determined that they comply with the laws of the State of Idaho relating to Plats and Surveys

Sam Young, P.L.S. 11577  
Blaine County Surveyor

Date

KETCHUM CITY ENGINEER’S APPROVAL

The foregoing plat was approved by \_\_\_\_\_, City Engineer for the City of Ketchum on this \_\_\_\_\_ day of \_\_\_\_\_, 2021.

City Engineer

KETCHUM CITY COUNCIL’S APPROVAL

I, \_\_\_\_\_, Planner in and for the City of Ketchum, do hereby certify that the foregoing plat was duly accepted and approved according to the Ketchum Subdivision–Ordinance.

By:

Date

Certified by City Clerk

By:

Date

BLAINE COUNTY TREASURER’S APPROVAL

I, the undersigned County Treasurer in and for Blaine County, State of Idaho per the requirements of Idaho Code 50–1308, do hereby certify that any and all current and/or delinquent county property taxes for the property included in this subdivision have been paid in full. This certification is valid for the next thirty (30) days only.

Blaine County Treasurer

Date

BLAINE COUNTY RECORDER’S CERTIFICATE

NORTHWOOD LIGHT  
INDUSTRIAL PARK,  
PHASE 1; BLK 1; LOTS 4B & 5B

GALENA ENGINEERING, INC.  
HAILEY, IDAHO

SHEET 2 OF 2

Job No. 8171

Exhibit B:  
Draft Findings of Fact,  
Conclusions of Law,  
And Decision



City of Ketchum  
Planning & Building

IN RE: )  
)  
Northwood Light Industrial Park Lot Line Shift ) KETCHUM CITY COUNCIL  
Lot Line Shift ) FINDINGS OF FACT, CONCLUSIONS OF LAW, AND  
Date: November 1, 2021 ) DECISION  
)  
File Number: P21-089 )

**Findings Regarding Application Filed**

**PROJECT:** Northwood Light Industrial Park Lot Line Shift

**APPLICATION TYPE:** Lot Line Shift (Readjustment of Lot Lines)

**FILE NUMBER:** P21-089

**OWNER:** Elmar Grabher

**REPRESENTATIVE:** Sean Flynn, Galena Engineering

**REQUEST:** Final Plat readjust the interior property line shared by the two subject properties

**LOCATION:** 180 and 200 Northwood Way (Lots 4A and 5AA of Buck Subdivision)

**NOTICE:** A public hearing notice was mailed to all property owners within 300 feet of the project site and political subdivisions on October 13, 2021. The public hearing notice was published in the Idaho Mountain Express on October 8, 2021.

**ZONING:** Light Industrial - 2 (LI-2) Zoning District

**Findings Regarding Application Filed**

This Lot Line Shift application, submitted by Sean Flynn of Galena Engineering on behalf of property owner Elmar Grabher, proposes to shift the interior lot line between Lots 4A and 5AA of Buck Subdivision located at 180 and 200 Northwood Way within the Light Industrial - 2 (LI - 2) Zoning District.

The lot line shift will move the interior property line resulting in a Lot 4B that is 21,668 square feet and a Lot 5B that is 26,106 square feet.

**Findings Regarding Readjustment of Lot Lines (KMC §16.04.060)**

Consistent with Ketchum Municipal Code (KMC) §16.04.020, the proposal meets the definition of Readjustment of Lot Lines because: (1) Northwood Light Industrial Park Lots 4A and 5AA complies with the dimensional standards required for properties located within Light Industrial - 2 (LI-2) Zoning District, and (2) the proposal does not create additional lots or dwelling units.

*Readjustment of Lot Lines: A change or modification of the boundary lines between existing lots or parcels of land or between dwelling units which does not reduce the area, frontage, width, depth or*

*building setback lines of each lot below the minimum zoning requirements and which does not create additional lots or dwelling units. "Readjustment of lot lines" includes other minor changes to a subdivision, condominium, or townhouse plat such as, but not limited to, notation changes, boundary shifts and removal of lot line(s), each of which do not reduce the area, frontage, width, depth or building setback lines of each lot below the minimum zoning requirements nor create additional lots or dwelling units (KMC §16.04.020).*

Consistent with KMC §16.04.060.B, the Readjustment of Lot Lines application was transmitted to City Departments including the City Engineer, Fire, Building, Utilities, and Streets departments for review. As specified in Condition of Approval #2, the amended subdivision plat shall meet all governing ordinances, requirements, and regulations of the Fire Department (2012 International Fire Code and local Fire Protection Ordinance No.1125), Building Department (2012 International Building Code, the 2012 International Residential Code, and Title 15 of Ketchum Municipal Code), Utilities Department, Street Department (Title 12 of Ketchum Municipal Code), and the City Engineer.

All land, condominium, and townhouse subdivisions within the City of Ketchum are subject to the standards contained in Ketchum Municipal Code, Title 16, Subdivision Regulations. Pursuant to KMC §16.04.010.D, the change or modification of boundary lines, whether or not any additional lot is created, shall comply with these regulations. Many subdivision standards are related to the design and construction of multiple new lots that will form new blocks and infrastructure, such as streets that will be dedicated and maintained by the City. The standards for certain improvements (KMC §16.04.040), including street, sanitary sewage disposal, and planting strip improvements, are not applicable to the subject project as the application proposes to combine two lots. As conditioned, the proposed Northwood Light Industrial Park Lots 4B & 5B Plat meets the standards for Readjustment of Lot Lines under Title 16 of Ketchum Municipal Code.

**Table 1: Findings Regarding Contents of Final Plat and Subdivision Design & Development Requirements**

Findings Regarding Contents of Final Plat and Subdivision Design & Development Requirements				
Compliant			Standards and Council Findings	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	16.04.030.K	Contents Of Final Plat: The final plat shall be drawn at such a scale and contain such lettering as to enable same to be placed upon sheets of eighteen inch by twenty four inch (18" x 24") Mylar paper with no part of the drawing nearer to the edge than one-half inch (1/2"), and shall be in conformance with the provisions of title 50, chapter 13, Idaho Code. The reverse side of such sheet shall not be used for any portion of the drawing, but may contain written matter as to dedications, certificates, signatures, and other information. The contents of the final plat shall include all items required under title 50, chapter 13, Idaho Code, and also shall include the following:
			<i>Council Findings</i>	<i>The mylar paper shall be prepared following Ketchum City Council review and approval of the Final Plat application and shall meet these standards.</i>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	16.04.030.K.1	Point of beginning of subdivision description tied to at least two (2) governmental survey corners, or in lieu of government survey corners, to monuments recognized by the city engineer.
			<i>Council Findings</i>	<i>As conditioned, this standard shall be met. The plat mylar shall show a minimum of two Blaine County Survey Control Monuments with ties to the property and an inverse between the two monuments. The Survey Control Monuments shall be clearly identified on the face of the map.</i>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	16.04.030.K.2	Location and description of monuments.
				<i>As conditioned, this standard shall be met. The final plat mylar shall show the location and description of monuments.</i>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	16.04.030.K.3	Tract boundary lines, property lines, lot lines, street right of way lines and centerlines, other rights of way and easement lines, building envelopes as required on the preliminary plat, lot area of each lot, boundaries of floodplain and floodway and avalanche district, all with

				<b>bearings, accurate dimensions in feet and decimals, in degrees and minutes and radii, arcs, central angles, tangents and chord lengths of all curves to the above accuracy.</b>
			<b>Council Findings</b>	<i>The plat indicates Northwood Way and Highway 75 as well as the utility, planting strip, drainage and access easements.</i>  <i>As conditioned, this standard shall be met. The final plat mylar shall show tract boundary lines, property lines, lot lines, street right of way lines and centerlines, other rights of way and easement lines, building envelopes as required on the preliminary plat, lot area of each lot, boundaries of floodplain and floodway and avalanche district, all with bearings, accurate dimensions in feet and decimals, in degrees and minutes and radii, arcs, central angles, tangents and chord lengths of all curves to the above accuracy.</i>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<b>16.04.030.K.4</b>	<b>Names and locations of all adjoining subdivisions.</b>
			<b>Council Findings</b>	<i>The plat indicates the adjacent Northwood PUD and Industrial East Subdivision. As this standard shall be met, the final plat mylar shall show the names and locations of all adjoining subdivision.</i>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<b>16.04.030.K.5</b>	<b>Name and right of way width of each street and other public rights of way.</b>
			<b>Council Findings</b>	<i>This standard has been met. The plat indicates the Northwood Way and Highway 75 public rights-of-way.</i>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<b>16.04.030.K.6</b>	<b>Location, dimension and purpose of all easements, public or private.</b>
			<b>Council Findings</b>	<i>This standard has been met. The plat indicates the utility, planting strip, drainage, and snow storage easements.</i>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<b>16.04.030.K.7</b>	<b>The blocks numbered consecutively throughout each block.</b>
			<b>Council Findings</b>	<i>This standard has been met.</i>
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<b>16.04.030.K.8</b>	<b>The outline of any property, other than a street, alley or easement, which is offered for dedication to public use, fully dimensioned by distances and bearings with the area marked "Dedicated to the City of Ketchum for Public Use", together with any other descriptive language with regard to the precise nature of the use of the land so dedicated.</b>
			<b>Council Findings</b>	<i>N/A as no dedications of this type have been proposed.</i>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<b>16.04.030.K.9</b>	<b>The title, which shall include the name of the subdivision, the name of the city, if appropriate, county and state, and the location and description of the subdivision referenced to section, township, range.</b>
			<b>Council Findings</b>	<i>This standard has been met.</i>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<b>16.04.030.K.10</b>	<b>Scale, north arrow and date.</b>
				<i>This standard has been met.</i>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<b>16.04.030.K.11</b>	<b>Location, width, and names of all existing or dedicated streets and other public ways within or adjacent to the proposed subdivision</b>
			<b>Council Findings</b>	<i>This standard has been met. Northwood Way and Highway 75 are indicated on the subdivision plat.</i>
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<b>16.04.030.K.12</b>	<b>A provision in the owner's certificate referencing the county recorder's instrument number where the condominium declaration(s) and/or articles of incorporation of homeowners' association governing the subdivision are recorded.</b>
			<b>Council Findings</b>	<i>This standard is not applicable.</i>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<b>16.04.030.K.13</b>	<b>Certificate by registered engineer or surveyor preparing the map certifying to the accuracy of surveying plat.</b>
			<b>Council Findings</b>	<i>As conditioned, this standard will be met prior to recordation of the Final Plat. The signature block page shall include the surveyor's certification.</i>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<b>16.04.030.K.14</b>	<b>A current title report of all property contained within the plat.</b>
			<b>Council Findings</b>	<i>This standard has been met. A title report was submitted for the properties.</i>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<b>16.04.030.K.15</b>	<b>Certification of owner(s) of record and all holders of security interest(s) of record with regard to such property.</b>
			<b>Council Findings</b>	<i>As conditioned, this standard will be met prior to recordation of the Final Plat. The signature block page shall include a certificate of ownership and associated acknowledgement from all owners</i>

Northwood Light Industrial Park, Phase 1; Blk 1; Lots 4B & 5B Lot Line Shift Application

Findings of Fact, Conclusions of Law, and Decision

Ketchum City Council Meeting of November 1<sup>st</sup>, 2021

City of Ketchum Planning & Building Department

Page 3 of 12



				and holders of security interest with regard to the subject property, which shall be signed following Ketchum City Council review and approval of the application and prior to recordation of the Final Plat.
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	16.04.030.K.16	<b>Certification and signature of engineer (surveyor) verifying that the subdivision and design standards meet all city requirements.</b>
			<b>Council Findings</b>	<i>As conditioned, this standard will be met prior to recordation of the Final Plat. The signature block page shall include the certification and signature of the surveyor verifying that the subdivision and design standards meet all City requirements.</i>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	16.04.030.K.17	<b>Certification and signature of the city engineer verifying that the subdivision and design standards meet all city requirements.</b>
			<b>Council Findings</b>	<i>As conditioned, this standard will be met prior to recordation of the Final Plat. The signature block page shall include the City Engineer's approval and verification that the subdivision and design standards meet all City requirements.</i>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	16.04.030.K.18	<b>Certification and signature of the city clerk of the city of Ketchum verifying that the subdivision has been approved by the council.</b>
			<b>Council Findings</b>	<i>As conditioned, this standard will be met prior to recordation of the Final Plat. The signature block page shall include the certification and signature of the City Clerk verifying the subdivision has been approved by City Council.</i>
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	16.04.030.K.19	<b>Notation of any additional restrictions imposed by the council on the development of such subdivision to provide for the public health, safety and welfare.</b>
			<b>Council Findings</b>	<i>This standard is not applicable as this application shifts the interior lot line separating Lot 4A and 5AA of Northwood Light Industrial Park to create amended Lot 4B and Lot 5B.</i>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	16.04.030.L	<b>Final Plat Copies: Both a hard copy and a digital copy of the final plat shall be filed with the administrator prior to being placed upon the Council's agenda. A digital copy of the final plat as approved by the council and signed by the city clerk shall be filed with the administrator and retained by the city. The Applicant shall also provide the city with a digital copy of the recorded document with its assigned legal instrument number.</b>
			<b>Council Findings</b>	<i>This standard has been met.</i>
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	16.04.040.A	<b>Required Improvements: The improvements set forth in this section shall be shown on the preliminary plat and installed prior to approval of the final plat. Construction design plans shall be submitted and approved by the city engineer. All such improvements shall be in accordance with the comprehensive plan and constructed in compliance with construction standard specifications adopted by the city.</b>
			<b>Council Findings</b>	<i>This standard is not applicable as this application shifts the interior lot line separating Lot 4A and 5AA of Northwood Light Industrial Park to create amended Lot 4B and Lot 5B.</i>
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	16.04.040.B	<b>Improvement Plans: Prior to approval of final plat by the Council, the subdivider shall file two (2) copies with the city engineer, and the city engineer shall approve construction plans for all improvements required in the proposed subdivision. Such plans shall be prepared by a civil engineer licensed in the state.</b>
			<b>Council Findings</b>	<i>This standard is not applicable as this application shifts the interior lot line separating Lot 4A and 5AA of Northwood Light Industrial Park to create amended Lot 4B and Lot 5B.</i>
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	16.04.040.C	<b>Performance Bond: Prior to final plat approval, the subdivider shall have previously constructed all required improvements and secured a certificate of completion from the city engineer. However, in cases where the required improvements cannot be constructed due to weather, factors beyond the control of the subdivider, or other conditions as determined acceptable at the sole discretion of the city, the city council may accept, in lieu of any or all of the required improvements, a performance bond filed with the city clerk to ensure actual construction of the required improvements as submitted and approved. Such performance bond shall be issued in an amount not less than one hundred fifty percent (150%) of the estimated costs of improvements as determined by the city engineer. In the event the improvements are not constructed within the time allowed by the city council (which shall be two years or less, depending upon the individual circumstances), the council may order the improvements installed at the expense of the subdivider and the surety. In the event the cost of installing the required improvements exceeds the amount of the bond, the subdivider shall be liable to the city for additional costs. The amount that the cost of installing the required improvements exceeds the amount of the performance bond shall automatically become a lien upon any and all property within the subdivision owned by the owner and/or subdivider.</b>
			<b>Council Findings</b>	<i>This standard is not applicable as this application shifts the interior lot line separating Lot 4A and 5AA of Northwood Light Industrial Park to create amended Lot 4B and Lot 5B.</i>

<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	16.04.040.D	As Built Drawing: Prior to acceptance by the city council of any improvements installed by the subdivider, two (2) sets of as built plans and specifications, certified by the subdivider's engineer, shall be filed with the city engineer. Within ten (10) days after completion of improvements and submission of as built drawings, the city engineer shall certify the completion of the improvements and the acceptance of the improvements, and shall submit a copy of such certification to the administrator and the subdivider. If a performance bond has been filed, the administrator shall forward a copy of the certification to the city clerk. Thereafter, the city clerk shall release the performance bond upon application by the subdivider.
			<b>Council Findings</b>	<i>This standard is not applicable as this application shifts the interior lot line separating Lot 4A and 5AA of Northwood Light Industrial Park to create amended Lot 4B and Lot 5B.</i>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	16.04.040.E	<p>Monumentation: Following completion of construction of the required improvements and prior to certification of completion by the city engineer, certain land survey monuments shall be reset or verified by the subdivider's engineer or surveyor to still be in place. These monuments shall have the size, shape, and type of material as shown on the subdivision plat. The monuments shall be located as follows:</p> <ol style="list-style-type: none"> <li>1. All angle points in the exterior boundary of the plat.</li> <li>2. All street intersections, points within and adjacent to the final plat.</li> <li>3. All street corner lines ending at boundary line of final plat.</li> <li>4. All angle points and points of curves on all streets.</li> <li>5. The point of beginning of the subdivision plat description.</li> </ol>
			<b>Council Findings</b>	<i>The applicant shall meet the required monumentation standards prior to recordation of the Final Plat.</i>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	16.04.040.F	<p>Lot Requirements:</p> <ol style="list-style-type: none"> <li>1. Lot size, width, depth, shape and orientation and minimum building setback lines shall be in compliance with the zoning district in which the property is located and compatible with the location of the subdivision and the type of development, and preserve solar access to adjacent properties and buildings.</li> <li>2. Whenever a proposed subdivision contains lot(s), in whole or in part, within the floodplain, or which contains land with a slope in excess of twenty five percent (25%), based upon natural contours, or creates corner lots at the intersection of two (2) or more streets, building envelopes shall be shown for the lot(s) so affected on the preliminary and final plats. The building envelopes shall be located in a manner designed to promote harmonious development of structures, minimize congestion of structures, and provide open space and solar access for each lot and structure. Also, building envelopes shall be located to promote access to the lots and maintenance of public utilities, to minimize cut and fill for roads and building foundations, and minimize adverse impact upon environment, watercourses and topographical features. Structures may only be built on buildable lots. Lots shall only be created that meet the definition of "lot, buildable" in section 16.04.020 of this chapter. Building envelopes shall be established outside of hillsides of twenty five percent (25%) and greater and outside of the floodway. A waiver to this standard may only be considered for the following: <ol style="list-style-type: none"> <li>a. For lot line shifts of parcels that are entirely within slopes of twenty five percent (25%) or greater to create a reasonable building envelope, and mountain overlay design review standards and all other city requirements are met.</li> <li>b. For small, isolated pockets of twenty five percent (25%) or greater that are found to be in compliance with the purposes and standards of the mountain overlay district and this section.</li> </ol> </li> <li>3. Corner lots outside of the original Ketchum Townsite shall have a property line curve or corner of a minimum radius of twenty five feet (25') unless a longer radius is required to serve an existing or future use.</li> <li>4. Side lot lines shall be within twenty degrees (20°) to a right angle or radial line to the street line.</li> <li>5. Double frontage lots shall not be created. A planting strip shall be provided along the boundary line of lots adjacent to arterial streets or incompatible zoning districts.</li> <li>6. Every lot in a subdivision shall have a minimum of twenty feet (20') of frontage on a dedicated public street or legal access via an easement of twenty feet (20') or greater in width. Easement shall be recorded in the office of the Blaine County recorder prior to or in conjunction with recordation of the final plat. Minimum lot sizes in all cases shall be reversed frontage lot(s).</li> </ol>

			<b>Council Findings</b>	<i>Standard #1 has been met. Lot 4B and Lot 5B complies with the dimensional standards required for lots within the LI-2 Zone. Standard #2 is not applicable as the subject property isn't located within the Floodplain or Mountain overlays. Standard #3-6 have been met.</i>
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	16.04.040.G	<p><b>G. Block Requirements:</b> The length, width and shape of blocks within a proposed subdivision shall conform to the following requirements:</p> <ol style="list-style-type: none"> <li>1. No block shall be longer than one thousand two hundred feet (1,200'), nor less than four hundred feet (400') between the street intersections, and shall have sufficient depth to provide for two (2) tiers of lots.</li> <li>2. Blocks shall be laid out in such a manner as to comply with the lot requirements.</li> <li>3. The layout of blocks shall take into consideration the natural topography of the land to promote access within the subdivision and minimize cuts and fills for roads and minimize adverse impact on environment, watercourses and topographical features.</li> <li>4. Except in the original Ketchum Townsite, corner lots shall contain a building envelope outside of a seventy five foot (75') radius from the intersection of the streets.</li> </ol>
			<b>Council Findings</b>	<i>This application does not create a new block. This requirement is not applicable.</i>
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	16.04.040.H	<p><b>Street Improvement Requirements:</b></p> <ol style="list-style-type: none"> <li>1. The arrangement, character, extent, width, grade and location of all streets put in the proposed subdivision shall conform to the comprehensive plan and shall be considered in their relation to existing and planned streets, topography, public convenience and safety, and the proposed uses of the land;</li> <li>2. All streets shall be constructed to meet or exceed the criteria and standards set forth in chapter 12.04 of this code, and all other applicable ordinances, resolutions or regulations of the city or any other governmental entity having jurisdiction, now existing or adopted, amended or codified;</li> <li>3. Where a subdivision abuts or contains an existing or proposed arterial street, railroad or limited access highway right of way, the council may require a frontage street, planting strip, or similar design features;</li> <li>4. Streets may be required to provide access to adjoining lands and provide proper traffic circulation through existing or future neighborhoods;</li> <li>5. Street grades shall not be less than three-tenths percent (0.3%) and not more than seven percent (7%) so as to provide safe movement of traffic and emergency vehicles in all weather and to provide for adequate drainage and snow plowing;</li> <li>6. In general, partial dedications shall not be permitted, however, the council may accept a partial street dedication when such a street forms a boundary of the proposed subdivision and is deemed necessary for the orderly development of the neighborhood, and provided the council finds it practical to require the dedication of the remainder of the right of way when the adjoining property is subdivided. When a partial street exists adjoining the proposed subdivision, the remainder of the right of way shall be dedicated;</li> <li>7. Dead end streets may be permitted only when such street terminates at the boundary of a subdivision and is necessary for the development of the subdivision or the future development of the adjacent property. When such a dead end street serves more than two (2) lots, a temporary turnaround easement shall be provided, which easement shall revert to the adjacent lots when the street is extended;</li> <li>8. A cul-de-sac, court or similar type street shall be permitted only when necessary to the development of the subdivision, and provided, that no such street shall have a maximum length greater than four hundred feet (400') from entrance to center of turnaround, and all cul-de-sacs shall have a minimum turnaround radius of sixty feet (60') at the property line and not less than forty five feet (45') at the curb line;</li> <li>9. Streets shall be planned to intersect as nearly as possible at right angles, but in no event at less than seventy degrees (70°);</li> <li>10. Where any street deflects an angle of ten degrees (10°) or more, a connecting curve shall be required having a minimum centerline radius of three hundred feet (300') for arterial and collector streets, and one hundred twenty five feet (125') for minor streets;</li> <li>11. Streets with centerline offsets of less than one hundred twenty five feet (125') shall be prohibited;</li> <li>12. A tangent of at least one hundred feet (100') long shall be introduced between reverse curves on arterial and collector streets;</li> </ol>

				<p>13. Proposed streets which are a continuation of an existing street shall be given the same names as the existing street. All new street names shall not duplicate or be confused with the names of existing streets within Blaine County, Idaho. The subdivider shall obtain approval of all street names within the proposed subdivision from the County Assessor's office before submitting same to council for preliminary plat approval;</p> <p>14. Street alignment design shall follow natural terrain contours to result in safe streets, usable lots, and minimum cuts and fills;</p> <p>15. Street patterns of residential areas shall be designed to create areas free of through traffic, but readily accessible to adjacent collector and arterial streets;</p> <p>16. Reserve planting strips controlling access to public streets shall be permitted under conditions specified and shown on the final plat, and all landscaping and irrigation systems shall be installed as required improvements by the subdivider;</p> <p>17. In general, the centerline of a street shall coincide with the centerline of the street right of way, and all crosswalk markings shall be installed by the subdivider as a required improvement;</p> <p>18. Street lighting shall be required consistent with adopted city standards and where designated shall be installed by the subdivider as a requirement improvement;</p> <p>19. Private streets may be allowed upon recommendation by the commission and approval by the Council. Private streets shall be constructed to meet the design standards specified in subsection H2 of this section and chapter 12.04 of this code;</p> <p>20. Street signs shall be installed by the subdivider as a required improvement of a type and design approved by the Administrator and shall be consistent with the type and design of existing street signs elsewhere in the City;</p> <p>21. Whenever a proposed subdivision requires construction of a new bridge, or will create substantial additional traffic which will require construction of a new bridge or improvement of an existing bridge, such construction or improvement shall be a required improvement by the subdivider. Such construction or improvement shall be in accordance with adopted standard specifications;</p> <p>22. Sidewalks, curbs and gutters shall be required consistent with adopted city standards and where designated shall be a required improvement installed by the subdivider;</p> <p>23. Gates are prohibited on private roads and parking access/entranceways, private driveways accessing more than one single-family dwelling unit and one accessory dwelling unit, and public rights-of-way unless approved by the City Council; and</p> <p>24. No new public or private streets or flag lots associated with a proposed subdivision (land, planned unit development, townhouse, condominium) are permitted to be developed on parcels within the Avalanche Zone.</p>
			<b>Council Findings</b>	<i>This standard is not applicable. This proposal does not create new street, private road, or bridge.</i>
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	16.04.040.I	<p>Alley Improvement Requirements: Alleys shall be provided in, commercial and light industrial zoning districts. The width of an alley shall be not less than twenty feet (20'). Alley intersections and sharp changes in alignment shall be avoided, but where necessary, corners shall be provided to permit safe vehicular movement. Dead end alleys shall be permitted only within the original Ketchum Townsite and only after due consideration of the interests of the owners of property adjacent to the dead-end alley including, but not limited to, the provision of fire protection, snow removal and trash collection services to such properties. Improvement of alleys shall be done by the subdivider as required improvement and in conformance with design standards specified in subsection H2 of this section.</p>
			<b>Council Findings</b>	<i>This standard is not applicable as this application shifts the interior lot line separating Lot 4A and 5AA of Northwood Light Industrial Park to create amended Lot 4B and Lot 5B.</i>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	16.04.040.J	<p>Required Easements: Easements, as set forth in this subsection, shall be required for location of utilities and other public services, to provide adequate pedestrian circulation and access to public waterways and lands.</p> <p>1. A public utility easement at least ten feet (10') in width shall be required within the street right-of-way boundaries of all private streets. A public utility easement at least five feet (5') in width shall be required within property boundaries adjacent to Warm Springs Road and within any other property boundary as determined by the City Engineer to be necessary for the provision of adequate public utilities.</p> <p>2. Where a subdivision contains or borders on a watercourse, drainageway, channel or stream, an easement shall be required of sufficient width to contain such watercourse and provide access for private maintenance and/or reconstruction of such watercourse.</p>

				<p>3. All subdivisions which border the Big Wood River, Trail Creek and Warm Springs Creek shall dedicate a ten foot (10') fish and nature study easement along the riverbank. Furthermore, the Council shall require, in appropriate areas, an easement providing access through the subdivision to the bank as a sportsman's access. These easement requirements are minimum standards, and in appropriate cases where a subdivision abuts a portion of the river adjacent to an existing pedestrian easement, the Council may require an extension of that easement along the portion of the riverbank which runs through the proposed subdivision.</p> <p>4. All subdivisions which border on the Big Wood River, Trail Creek and Warm Springs Creek shall dedicate a twenty five foot (25') scenic easement upon which no permanent structure shall be built in order to protect the natural vegetation and wildlife along the riverbank and to protect structures from damage or loss due to riverbank erosion.</p> <p>5. No ditch, pipe or structure for irrigation water or irrigation wastewater shall be constructed, rerouted or changed in the course of planning for or constructing required improvements within a proposed subdivision unless same has first been approved in writing by the ditch company or property owner holding the water rights. A written copy of such approval shall be filed as part of required improvement construction plans.</p> <p>6. Nonvehicular transportation system easements including pedestrian walkways, bike paths, equestrian paths, and similar easements shall be dedicated by the subdivider to provide an adequate nonvehicular transportation system throughout the City.</p>
			<b>Council Findings</b>	<i>Standard #1 has been met. The plat indicates the required utility easement. Standards #2-6 are not applicable.</i>
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	16.04.040.K	Sanitary Sewage Disposal Improvements: Central sanitary sewer systems shall be installed in all subdivisions and connected to the Ketchum sewage treatment system as a required improvement by the subdivider. Construction plans and specifications for central sanitary sewer extension shall be prepared by the subdivider and approved by the City Engineer, Council and Idaho Health Department prior to final plat approval. In the event that the sanitary sewage system of a subdivision cannot connect to the existing public sewage system, alternative provisions for sewage disposal in accordance with the requirements of the Idaho Department of Health and the Council may be constructed on a temporary basis until such time as connection to the public sewage system is possible. In considering such alternative provisions, the Council may require an increase in the minimum lot size and may impose any other reasonable requirements which it deems necessary to protect public health, safety and welfare.
			<b>Council Findings</b>	<i>This standard is not applicable as this application shifts the interior lot line separating Lot 4A and 5AA of Northwood Light Industrial Park to create amended Lot 4B and Lot 5B.</i>
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	16.04.040.L	Water System Improvements: A central domestic water distribution system shall be installed in all subdivisions by the subdivider as a required improvement. The subdivider shall also be required to locate and install an adequate number of fire hydrants within the proposed subdivision according to specifications and requirements of the City under the supervision of the Ketchum Fire Department and other regulatory agencies having jurisdiction. Furthermore, the central water system shall have sufficient flow for domestic use and adequate fire flow. All such water systems installed shall be looped extensions, and no dead end systems shall be permitted. All water systems shall be connected to the Municipal water system and shall meet the standards of the following agencies: Idaho Department of Public Health, Idaho Survey and Rating Bureau, District Sanitarian, Idaho State Public Utilities Commission, Idaho Department of Reclamation, and all requirements of the City.
			<b>Council Findings</b>	<i>This standard is not applicable as this application shifts the interior lot line separating Lot 4A and 5AA of Northwood Light Industrial Park to create amended Lot 4B and Lot 5B.</i>
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	16.04.040.M	Planting Strip Improvements: Planting strips shall be required improvements. When a predominantly residential subdivision is proposed for land adjoining incompatible uses or features such as highways, railroads, commercial or light industrial districts or off street parking areas, the subdivider shall provide planting strips to screen the view of such incompatible features. The subdivider shall submit a landscaping plan for such planting strip with the preliminary plat application, and the landscaping shall be a required improvement.
			<b>Council Findings</b>	<i>This standard is not applicable as this application shifts the interior lot line separating Lot 4A and 5AA of Northwood Light Industrial Park to create amended Lot 4B and Lot 5B.</i>
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	16.04.040.N	Cuts, Fills, And Grading Improvements: Proposed subdivisions shall be carefully planned to be compatible with natural topography, soil conditions, geology and hydrology of the site, as well

				<p>as to minimize cuts, fills, alterations of topography, streams, drainage channels, and disruption of soils and vegetation. The design criteria shall include the following:</p> <ol style="list-style-type: none"> <li>1. A preliminary soil report prepared by a qualified engineer may be required by the commission and/or Council as part of the preliminary plat application.</li> <li>2. Preliminary grading plan prepared by a civil engineer shall be submitted as part of all preliminary plat applications. Such plan shall contain the following information: <ol style="list-style-type: none"> <li>a. Proposed contours at a maximum of five foot (5') contour intervals.</li> <li>b. Cut and fill banks in pad elevations.</li> <li>c. Drainage patterns.</li> <li>d. Areas where trees and/or natural vegetation will be preserved.</li> <li>e. Location of all street and utility improvements including driveways to building envelopes.</li> <li>f. Any other information which may reasonably be required by the Administrator, commission or Council to adequately review the affect of the proposed improvements.</li> </ol> </li> <li>3. Grading shall be designed to blend with natural landforms and to minimize the necessity of padding or terracing of building sites, excavation for foundations, and minimize the necessity of cuts and fills for streets and driveways.</li> <li>4. Areas within a subdivision which are not well suited for development because of existing soil conditions, steepness of slope, geology or hydrology shall be allocated for open space for the benefit of future property owners within the subdivision.</li> <li>5. Where existing soils and vegetation are disrupted by subdivision development, provision shall be made by the subdivider for revegetation of disturbed areas with perennial vegetation sufficient to stabilize the soil upon completion of the construction. Until such times as such revegetation has been installed and established, the subdivider shall maintain and protect all disturbed surfaces from erosion.</li> <li>6. Where cuts, fills, or other excavations are necessary, the following development standards shall apply: <ol style="list-style-type: none"> <li>a. Fill areas shall be prepared by removing all organic material detrimental to proper compaction for soil stability.</li> <li>b. Fills shall be compacted to at least ninety five percent (95%) of maximum density as determined by AASHO T99 (American Association of State Highway Officials) and ASTM D698 (American Standard Testing Methods).</li> <li>c. Cut slopes shall be no steeper than two horizontal to one vertical (2:1). Subsurface drainage shall be provided as necessary for stability.</li> <li>d. Fill slopes shall be no steeper than three horizontal to one vertical (3:1). Neither cut nor fill slopes shall be located on natural slopes of three to one (3:1) or steeper, or where fill slope toes out within twelve feet (12') horizontally of the top and existing or planned cut slope.</li> <li>e. Toes of cut and fill slopes shall be set back from property boundaries a distance of three feet (3'), plus one-fifth (1/5) of the height of the cut or the fill, but may not exceed a horizontal distance of ten feet (10'); tops and toes of cut and fill slopes shall be set back from structures at a distance of at least six feet (6'), plus one-fifth (1/5) of the height of the cut or the fill. Additional setback distances shall be provided as necessary to accommodate drainage features and drainage structures.</li> </ol> </li> </ol>
			<b>Council Findings</b>	<i>This standard is not applicable as this application shifts the interior lot line separating Lot 4A and 5AA of Northwood Light Industrial Park to create amended Lot 4B and Lot 5B.</i>
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<b>16.04.040.O</b>	<p><b>Drainage Improvements:</b> The subdivider shall submit with the preliminary plat application such maps, profiles, and other data prepared by an engineer to indicate the proper drainage of the surface water to natural drainage courses or storm drains, existing or proposed. The location and width of the natural drainage courses shall be shown as an easement common to all owners within the subdivision and the City on the preliminary and final plat. All natural drainage courses shall be left undisturbed or be improved in a manner that will increase the operating efficiency of the channel without overloading its capacity. An adequate storm and surface drainage system shall be a required improvement in all subdivisions and shall be installed by the subdivider. Culverts shall be required where all water or drainage courses intersect with streets, driveways or improved public easements and shall extend across and under the entire improved width including shoulders.</p>
			<b>Council Findings</b>	<i>This standard is not applicable as this application shifts the interior lot line separating Lot 4A and 5AA of Northwood Light Industrial Park to create amended Lot 4B and Lot 5B.</i>

<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<b>16.04.040.P</b>	<b>Utilities:</b> In addition to the terms mentioned in this section, all utilities including, but not limited to, electricity, natural gas, telephone and cable services shall be installed underground as a required improvement by the subdivider. Adequate provision for expansion of such services within the subdivision or to adjacent lands including installation of conduit pipe across and underneath streets shall be installed by the subdivider prior to construction of street improvements.
			<b>Council Findings</b>	<i>This standard is not applicable as this application shifts the interior lot line separating Lot 4A and 5AA of Northwood Light Industrial Park to create amended Lot 4B and Lot 5B.</i>
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<b>16.04.040.Q</b>	<b>Off Site Improvements:</b> Where the off site impact of a proposed subdivision is found by the commission or Council to create substantial additional traffic, improvements to alleviate that impact may be required of the subdivider prior to final plat approval, including, but not limited to, bridges, intersections, roads, traffic control devices, water mains and facilities, and sewer mains and facilities.
			<b>Council Findings</b>	<i>This standard is not applicable as this application shifts the interior lot line separating Lot 4A and 5AA of Northwood Light Industrial Park to create amended Lot 4B and Lot 5B.</i>
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<b>16.04.040.R</b>	<b>Avalanche And Mountain Overlay:</b> All improvements and plats (land, planned unit development, townhouse, condominium) created pursuant to this chapter shall comply with City of Ketchum Avalanche Zone District and Mountain Overlay Zoning District requirements as set forth in Title 17 of this Code.
			<b>Council Findings</b>	<i>This standard is not applicable as the property is not located in the Avalanche or Mountain Overlay.</i>
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<b>16.04.040.S</b>	<b>Existing natural features</b> which enhance the attractiveness of the subdivision and community, such as mature trees, watercourses, rock outcroppings, established shrub masses and historic areas, shall be preserved through design of the subdivision.
			<b>Council Findings</b>	<i>This standard is not applicable as this application shifts the interior lot line separating Lot 4A and 5AA of Northwood Light Industrial Park to create amended Lot 4B and Lot 5B.</i>

### **CONCLUSIONS OF LAW**

1. The City of Ketchum is a municipal corporation established in accordance with Article XII of the Constitution of the State of Idaho and Title 50 Idaho Code and is required and has exercised its authority pursuant to the Local Land Use Planning Act codified at Chapter 65 of Title 67 Idaho Code and pursuant to Chapters 3, 9 and 13 of Title 50 Idaho Code to enact the ordinances and regulations, which ordinances are codified in the Ketchum City Code (“KMC”) and are identified in the Findings of Fact and which are herein restated as Conclusions of Law by this reference and which city ordinances govern the applicant’s application for the development and use of the project site.
2. The Council has authority to hear the applicant’s Lot Line Shift Application pursuant to Chapter 16.04 of Ketchum Code Title 16.
3. The City of Ketchum Planning Department provided adequate notice for the review of this application.
4. The Lot Line Shift (Readjustment of Lot Lines) application is governed under Sections 16.04.010, 16.04.020, 16.04.030, and 16.04.060 of Ketchum Municipal Code Chapter 16.04.
5. As conditioned, the proposed Lot Line Shift meets the standards for approval under Title 16 of Ketchum Municipal Code.

### **DECISION**

**THEREFORE**, the Ketchum City Council **approves** the Northwood Light Industrial Park, Phase 1; Blk 1; Lots 4B & 5B Lot Line Shift Application this Monday, November 1<sup>st</sup>, 2021 subject to the following conditions:

### **CONDITIONS OF APPROVAL**

1. The amended plat mylar shall meet all conditions specified in Table 1: Findings Regarding Contents of Final Plat and Subdivision Design & Development Requirements.
2. The amended subdivision plat shall meet all governing ordinances, requirements, and regulations of the Fire Department (2012 International Fire Code and local Fire Protection Ordinance No. 1125), Building Department (2012 International Building Code, the 2012 International Residential Code, and Title 15 of Ketchum Municipal Code), Utilities Department, Street Department (Title 12 of Ketchum Municipal Code), and the City Engineer.
3. The recorded plat shall show a minimum of two Blaine County Survey Control Monuments with ties to the property and an inverse between the two monuments. The Survey Control Monuments shall be clearly identified on the face of the map.
4. An electronic CAD file shall be submitted to the City of Ketchum prior to final plat signature by the City Clerk. The electronic CAD file shall be submitted to the Blaine County Recorder’s office concurrent with the recording of the Plat containing the following minimum data:
  - a. Line work delineating all parcels and roadways on a CAD layer/level designated as “parcel”;
  - b. Line work delineating all roadway centerlines on a CAD layer/level designated as “road”; and,
  - c. Line work that reflects the ties and inverses for the Survey Control Monuments shown on the face of the Plat shall be shown on a CAD layer/level designated as “control”; and,
  - d. All information within the electronic file shall be oriented and scaled to Grid per the Idaho State Plane Coordinate System, Central Zone, NAD1983 (1992), U.S. Survey Feet, using the Blaine County Survey Control Network. Electronic CAD files shall be submitted in a “.dwg”, “.dgn” or “.shp” format and shall be submitted digitally to the City on a compact disc. When the endpoints of the lines submitted are indicated as coincidental with another line, the CAD line endpoints shall be separated by no greater than 0.0001 drawing units.
5. The Final Plat mylar shall contain all items required under Title 50, Chapter 13, Idaho Code as well as all items required pursuant to KMC §16.04.030J including certificates and signatures.



6. The applicant shall provide a copy of the recorded Final Plat to the Planning and Building Department for the official file on the application.

Findings of Fact **adopted** this 1<sup>st</sup> day of November 2021

---

Neil Bradshaw, Mayor

---

Tara Fenwick, City Clerk