

City of Ketchum

February 22, 2022

Mayor Bradshaw and City Councilors City of Ketchum Ketchum, Idaho

Mayor Bradshaw and City Councilors:

Recommendation to Hold a Public Hearing and Approve the Ketchum Townsite: Block 82, Lot 13A Lot Line Shift Final Plat & Findings of Fact, Conclusions of Law, and Decision.

Recommendation and Summary

Staff recommends the Ketchum City Council hold a public hearing and approve the Lot Line Shift Final Plat submitted by Dave Patrie of Benchmark Associates on behalf of property owner Michael Garvey to eliminate the interior boundary between Lot 11 and Lot 13, creating Lot 13A.

Recommended Motion: "I move to approve the Ketchum Townsite: Block 82, Lot 13A Final Plat & Findings of Fact, Conclusions of Law, and Decision."

The reasons for the recommendation are as follows:

- The request to subdivide meets all applicable standards for Final Plats contained in Ketchum Municipal Code's Subdivision (Title 16) regulations.
- The lot will continue to meet all applicable zoning and subdivision standards including, but not limited to, minimum lot size, setbacks, and building coverage standards for the T zone.
- City departments have reviewed the proposal and have no issue with the proposed lot line shift.

<u>Analysis</u>

Ketchum Townsite Lot 13 is located at 120 W River St and Lot 11 is located at 100 W River St. Lot 11 currently has an existing single-family residence built while Lot 13 is currently vacant. The owner wishes to eliminate the interior lot line separating both lots in order to move forward with a landscaping project and supply on-site parking spaces for the residence at 100 W River St. This action will result in Lot 13A with an area of 20,012 sq ft. Lot 13A will continue to meet the dimensional standards for setbacks, building coverage, and so forth as required by the zoning code.

The hearing for this action was properly noticed and no public comment has been received as of February 16, 2022.

Financial Impact

None


Attachments

Ketchum Townsite: Block 82, Lot 13A Final Plat

Draft Findings of Fact, Conclusions of Law, and Decision

Attachment A Ketchum Townsite: Block 82 Lot 13A

KETCHUM TOWNSITE: BLOCK 82, LOT 13A BLAINE COUNTY GIS POINT "K 2ND-8TH" LOCATED WITHIN: SECTION 18, TOWNSHIP 4 NORTH, RANGE 18 EAST, B.M., CITY OF KETCHUM, BLAINE COUNTY, IDAHO WHEREIN THE BOUNDARY COMMON TO LOT 11 AMENDED & LOT 13 IS ELIMINATED, CREATING LOT 13A. JANUARY 2022 BLAINE COUNTY "LEADVILLE/RIVER" N 45°38'02" E 420.08' WEST RIVER STREET N 45°39'57" E 104.99' N 45°35'54" E 55.06' **KETCHUM BLOCK 82** LOT 9A, SUBLOT 2 INST. #394076 LOT 13A RIVER STREET 20012± S.F RACQUET CLUB CONDOS 0.46± ACRE 93' \$45°30'05"W 29.57 S 45°45'21" W 54.93' **ALLEY HEALTH CERTIFICATE** Sanitary restrictions as required by Idaho Code Title 50. Chapter 13, have been satisfied. Sanitary restrictions may be reimposed, in accordance with Idaho Code Title 50, Chapter 13, Section 50-1326, by the issuance of a certificate of disapproval. WILDWOOD MINI CONDOS BENCHMARK ASSOCIATES, P.A. P.O. BOX 733 - 100 BELL DRIVE, KETCHUM, IDAHO, 83340 PHONE (208)726-9512 FAX (208)726-9514 South Central Public Health District, REHS



LEGEND

PROPERTY LINE
ADJOINING PROPERTY LINE
LOT LINE ELIMINATED
BE BE BUILDING ENVELOPE
ROAD ROW CENTERLINE
BLAINE COUNTY GIS TIES
FLOODWAY / FLOODPLAIN BOUNDARY
& APPROX. ORDINARY HIGH WATER MARK
(SEE NOTES 2 & 3)

RS RS 25' RIPARIAN SETBACK & SCENIC ESMT.
10' FISHERMAN'S & NATURE STUDY ESMT.

O FOUND 1/2" REBAR
FOUND 5/8" REBAR
SET 5/8" REBAR, PLS #9561

SURVEYOR'S NARRATIVE:

- THE PURPOSE OF THIS PLAT IS TO ELIMINATE THE BOUNDARY LINE COMMON TO LOT 11
 AMENDED AND LOT 13 WITHIN BLOCK 82, KETCHUM TOWNSITE. FOUND MONUMENTS
 WERE ACCEPTED AS EITHER ORIGINAL OR REPLACEMENTS OF ORIGINAL CORNERS.
 SET MONUMENT LOCATIONS WERE ESTABLISHED USING PROPORTIONED DISTANCES
 AND BEARINGS.
- 2. DIMENSIONS SHOWN HEREON ARE MEASURED. FOR RECORD DIMENSIONS, SEE REFERENCED SURVEYS.
- 3. DOCUMENTS USED IN THE COURSE OF THIS SURVEY:
- A. OFFICIAL MAP OF THE VILLAGE OF KETCHUM, INST. NO. 302967
- B. REPLAT OF LOTS 11 & 12, BLOCK 82, INST. NO. 269954
- C. KETCHUM BLOCK 82, LOT 9A, SUBLOT 2, INST. NO. 394076
 D. RIVER STREET RACQUET CLUB CONDOMINIUMS. INST. NO. 250174

NOTES:

- REFER TO THE ORIGINAL OF "REPLAT OF LOTS 11 & 12, BLOCK 82" (INST. NO. 269954) FOR CONDITIONS, RESTRICTIONS AND PLAT NOTES GOVERNING THIS PROPERTY.
- 2. FLOODPLAIN: THE 1% ANNUAL FLOOD LINE DESIGNATED ON THIS MAP IS CONSIDERED REASONABLE FOR REGULATORY PURPOSES. HOWEVER, BENCHMARK ASSOCIATES DOES NOT REPRESENT, GUARANTEE, WARRANT NOR IMPLY THAT AREAS OUTSIDE OF THE DESIGNATED FLOODPLAIN AREA ARE SAFE AND FREE FROM FLOODS OR FLOOD DANGER. FLOOD INFORMATION IS BASED ON THE FLOOD INSURANCE STUDY FOR: BLAINE COUNTY, IDAHO, UNINCORPORATED AREAS) COMMUNITY NUMBER 165167 PANEL NO. 0461 E NOVEMBER 26, 2010.
- 3. FLOODPLAIN LINES AND ORDINARY HIGH WATER ARE SUBJECT TO CHANGE WITH UPDATED FLOOD STUDIES BY FEMA AND CHANGES IN THE COURSE OF THE CREEK OVER TIME. THIS PLAT REFLECTS THE CURRENT CONDITIONS BUT SHOULD NOT BE RELIED UPON AS THE DEFINITIVE SOURCE FOR THIS INFORMATION.
- 4. A 25-FOOT WIDE RIPARIAN SETBACK AND SCENIC EASEMENT EXISTS ALONG THE NORTH BANK OF TRAIL CREEK AS SHOWN HEREON. LOCATION OF SAID EASEMENT SHALL SHIFT IN ACCORDANCE WITH THE LOCATION OF THE ORDINARY HIGH WATER MARK
- 5. A 10-FOOT WIDE FISHERMAN'S & NATURE STUDY EASEMENT EXISTS ALONG THE NORTH BANK OF TRAIL CREEK AS SHOWN HEREON. LOCATION OF SAID EASEMENT SHALL SHIFT IN ACCORDANCE WITH THE LOCATION OF THE ORDINARY HIGH WATER MARK.



KETCHUM TOWNSITE: BLOCK 82, LOT 13A

LOCATED WITHIN
SECTION 18, TOWNSHIP 4 NORTH, RANGE 18 EAST, B.M.
CITY OF KETCHUM, BLAINE COUNTY, IDAHO

PREPARED FOR: ENGELMANN PARTNERS/GARVEY

PROJECT NO. 21061 DWG BY: DWS/HDB/CPL FILE: 21061PG1.DWG

FINAL PLAT DATE: 01-04-2022 SHEET: 1 OF 3

KETCHUM TOWNSITE: BLOCK 82, LOT 13A

OWNER'S CERTIFICATE

THIS IS TO CERTIFY that the GARVEY FAMILY TRUST u/a/d April 26, 2005, Michael D. Garvey and Lynn M. Garvey, Trustees, is the owner in fee simple of Real Property described as follows:

A parcel of land located within Section 18, Township 4 North, Range 18 East, Boise Meridian, Ketchum, Idaho, more particularly described as follows:

LOT 11 AMENDED within BLOCK 82, as shown on the final plat of a "Replat of Lots 11 & 12, Block 82, recorded as Instrument No. 269954, records of Blaine County, Idaho.

The easements shown hereon are not dedicated to the public, but the right to use said easements for the intended purposes is hereby reserved. No structures other than for such utility and other designated uses are to be erected within the lines of said easements.

Pursuant to Idaho Code 50-1334, the undersigned, as owner, does hereby state that the lots on this plat are eligible to receive water service from the Ketchum Water Department, and that said district has agreed in writing to serve the lots shown on this plat.

IN WITNESS WHEREOF, I have hereunto set my hand.

GARVEY FAMILY TRUST, u/a/d April 26, 2005

Dy.	
MICHAEL D. GARVEY	•
Ву:	-
LYNN M. GARVEY	
Signed this day of , 20	
ACKNOWLEDGMENT	
STATE OF)	
STATE OF) ss. COUNTY OF)	
On thisday of, in the year of 20, be undersigned, personally appeared MICHAEL D. GARVEY and LYNN M. GAR identified to me (or proved to me), to be the persons whose names are subscrinstrument as trustees of the GARVEY FAMILY TRUST u/a/d April 26, 2005 a me that they and said trust executed the same.	VEY, known or ribed to the with
IN WITNESS WHEREOF, I have hereunto set my hand and official seal the decertificate first above written.	ay and year in
Notary Public	
Residing at:	
Commission Expires:	

OWNER'S CERTIFICATE

THIS IS TO CERTIFY that CTKETCHUM LLC, a Washington limited liablility company, is the owner in fee simple of Real Property described as follows:

A parcel of land located within Section 18, Township 4 North, Range 18 East, Boise Meridian, Ketchum, Idaho, more particularly described as follows:

LOT 13 within BLOCK 82 as shown on the final plat of "VILLAGE OF KETCHUM TOWNSITE", recorded as Instrument No. 302967, records of Blaine County, Idaho.

The easements shown hereon are not dedicated to the public, but the right to use said easements for the intended purposes is hereby reserved. No structures other than for such utility and other designated uses are to be erected within the lines of said easements

Pursuant to Idaho Code 50-1334, the undersigned, as owner, does hereby state that the lots on this plat are eligible to receive water service from the Ketchum Water Department, and that said district has agreed in writing to serve the lots shown on this plat.

IN WITNESS WHEREOF, I have hereunto set my hand.

CTKETCHUM, LLC, a Washington limited liablilty company	

Ву:			-
Signed this	day of	, 2	
ACKNOWLEDGM			
STATE OF))ss.		
On this day of undersigned, personall to me (or proved to me	y appeared), to be the illity company and ackno		20, before me, the , known or identifie of CTKETCHUM LLC, a e/she/they and said limited
IN WITNESS WHEREG certificate first above w		ny hand and official se	eal the day and year in this
Notary Public			
Residing at:			
Commission Expires: _			



KETCHUM TOWNSITE: BLOCK 82, LOT 13A

LOCATED WITHIN: SECTION 18, T4N, R18E, B.M.,
CITY OF KETCHUM, BLAINE COUNTY, IDAHO
PREPARED FOR: ENGELMANN PARTNERS/GARVEY

 PROJECT NO. 21061
 DWG BY: CPL

 FINAL PLAT
 DATE: 11/16/2021

FILE: 21061CRT.DWG
SHEET: 2 OF 3

KETCHUM TOWNSITE:	
BLOCK 82, LOT 13A	
	SURVEYOR'S CERTIFICATE
	I, Randall K. French, a duly Registered Professional Land Surveyor in the State of Idaho, do hereby certify that this is a true and accurate map of the land surveyed under my direct supervision in accordance with the State of Idaho Code relating to plats and surveys.
	RANDALL K. FRENCH, P.L.S. #9561 9561 9561 RANDALL K. FRENCH, P.L.S. #9561
	COUNTY SURVEYOR'S APPROVAL
	This is to certify that I, SAM YOUNG, County Surveyor for Blaine County, Idaho, have checked the foregoing plat and computations for making the same and have determined that they comply with the laws of the State of Idaho relating thereto.
	BLAINE COUNTY SURVEYOR DATE
	CITY ENGINEER'S APPROVAL I,, City Engineer for Ketchum, Idaho do hereby approve the foregoing plat.
	By: DATE
	CITY OF KETCHUM APPROVAL
	I,, Planner in and for the City of Ketchum, do hereby certify that the foregoing plat was duly accepted and approved according to the Ketchum Subdivision Ordinance.
	By:
	Certified by: TARA FENWICK, City Clerk
	BLAINE COUNTY TREASURER'S CERTIFICATE On this day of, 20, the foregoing plat was approved and accepted by the Blaine County Treasurer, Blaine County, Idaho.
	accepted by the brains obtains former country, radio.



KETCHUM TOWNSITE: BLOCK 82, LOT 13A

LOCATED WITHIN: SECTION 18, T4N, R18E, B.M.,
CITY OF KETCHUM, BLAINE COUNTY, IDAHO
PREPARED FOR: ENGELMANN PARTNERS/GARVEY

PROJECT NO. 21061 FINAL PLAT

DWG BY: CPL FILE: 21061CRT.DWG

DATE: 11/16/2021 SHEET: 3 OF 3

Attachment B Findings of Fact, Conclusions of Law, and Decision



IN RE:

)

Ketchum Townsite Block 82 Lot Line Shift

Lot Line Shift

Date: February 22, 2022

File Number: P21-099

)

KETCHUM CITY COUNCIL

FINDINGS OF FACT, CONCLUSIONS OF LAW, AND

DECISION

)

File Number: P21-099

Findings Regarding Application Filed

PROJECT: Ketchum Townsite Block 82 Lot Line Shift

APPLICATION TYPE: Lot Line Shift (Lot Line Elimination)

FILE NUMBER: P21-099

OWNER: Michael Garvey

REPRESENTATIVE: Dave Patrie, Benchmark Associates

REQUEST: Interior boundary elimination (Lot Line Shift)

LOCATION: 100 & 120 W River St (Lot 11 and Lot 13 of Ketchum Townsite Block 82)

NOTICE: A public hearing notice was mailed to all property owners within 300 feet of the project

site and political subdivisions on February 2, 2022. The public hearing notice was

published in the Idaho Mountain Express on January 28, 2022.

ZONING: Tourist (T) Zoning District

Findings Regarding Application Filed

This Lot Line Shift application, submitted by Dave Patrie of Benchmark Associates on behalf of property owner Michael Garvey proposes to eliminate the interior boundary between Lot 11 and Lot 13, creating Lot 13A. Lot 11 and Lot 13 are located at 100 & 120 W River St Street within the Tourist (T) District.

The boundary elimination will result in a Lot 13A that is 20,012 square feet.

Findings Regarding Readjustment of Lot Lines (KMC §16.04.060)

Consistent with Ketchum Municipal Code (KMC) §16.04.020, the proposal meets the definition of Readjustment of Lot Lines because: (1) Ketchum Townsite: Block 82, Lot 13A complies with the dimensional standards required for properties located within Tourist (T) Zoning District, and (2) the proposal does not create additional lots or dwelling units.

Readjustment of Lot Lines: A change or modification of the boundary lines between existing lots or parcels of land or between dwelling units which does not reduce the area, frontage, width, depth or building setback lines of each lot below the minimum zoning requirements and which does not create

additional lots or dwelling units. "Readjustment of lot lines" includes other minor changes to a subdivision, condominium, or townhouse plat such as, but not limited to, notation changes, boundary shifts and removal of lot line(s), each of which do not reduce the area, frontage, width, depth or building setback lines of each lot below the minimum zoning requirements nor create additional lots or dwelling units (KMC §16.04.020).

Consistent with KMC §16.04.060.B, the Readjustment of Lot Lines application was transmitted to City Departments including the City Engineer and Fire departments for review. As specified in Condition of Approval #2, the amended plat shall meet all governing ordinances, requirements, and regulations of the Fire Department (2012 International Fire Code and local Fire Protection Ordinance No.1125), Building Department (2012 International Building Code, the 2012 International Residential Code, and Title 15 of Ketchum Municipal Code), Utilities Department, Street Department (Title 12 of Ketchum Municipal Code), and the City Engineer.

All land, condominium, and townhouse subdivisions within the City of Ketchum are subject to the standards contained in Ketchum Municipal Code, Title 16, Subdivision Regulations. Pursuant to KMC §16.04.010.D, the change or modification of boundary lines, whether or not any additional lot is created, shall comply with these regulations. Many subdivision standards are related to the design and construction of multiple new lots that will form new blocks and infrastructure, such as streets that will be dedicated and maintained by the City. The standards for certain improvements (KMC §16.04.040), including street, sanitary sewage disposal, and planting strip improvements, are not applicable to the subject project as the application proposes to expand the building envelope. As conditioned, the proposed Ketchum Townsite: Block 82, Lot 13A Plat meets the standards for Readjustment of Lot Lines under Title 16 of Ketchum Municipal Code.

Table 1: Findings Regarding Contents of Final Plat and Subdivision Design & Development Requirements

	Findings Regarding Contents of Final Plat and Subdivision Design & Development Requirements						
(Compli	ant		Standards and Council Findings			
			16.04.030.K	Contents Of Final Plat: The final plat shall be drawn at such a scale and contain such lettering as to enable same to be placed upon sheets of eighteen inch by twenty four inch (18" x 24") Mylar paper with no part of the drawing nearer to the edge than one-half inch (1/2"), and shall be in conformance with the provisions of title 50, chapter 13, Idaho Code. The reverse side of such sheet shall not be used for any portion of the drawing, but may contain written matter as to dedications, certificates, signatures, and other information. The contents of the final plat shall include all items required under title 50, chapter 13, Idaho Code, and also shall include the following:			
			Council Findings	The mylar paper shall be prepared following Ketchum City Council review and approval of the Final Plat application and shall meet these standards.			
			16.04.030.K.1	Point of beginning of subdivision description tied to at least two (2) governmental survey corners, or in lieu of government survey corners, to monuments recognized by the city engineer.			
			Council Findings	As conditioned, this standard shall be met. The plat mylar shall show a minimum of two Blaine County Survey Control Monuments with ties to the property and an inverse between the two monuments. The Survey Control Monuments shall be clearly identified on the face of the map.			
\boxtimes			16.04.030.K.2	Location and description of monuments. As conditioned, this standard shall be met. The final plat mylar shall show the location and description of monuments.			
X			16.04.030.K.3	Tract boundary lines, property lines, lot lines, street right of way lines and centerlines, other rights of way and easement lines, building envelopes as required on the final plat, lot area of each lot, boundaries of floodplain and floodway and avalanche district, all with bearings, accurate dimensions in feet and decimals, in degrees and minutes and radii, arcs, central angles, tangents and chord lengths of all curves to the above accuracy.			
			Council Findings	The plat indicates West River Street as well as the building envelope and Riparian and Fisherman's & Nature Study easements. The floodway & floodplain lines are shown on the plat.			

\boxtimes		16.04.030.K.4	
<u> </u>		Council	Names and locations of all adjoining subdivisions. The plat lists the adjacent River Street Racquet Club Condos & Wildwood Mini Condos.
		Findings	The plat lists the dajacent River Street Racquet Club Condos & Wildwood Willi Condos.
\boxtimes		16.04.030.K.5	Name and right of way width of each street and other public rights of way.
		Council	This standard has been met. The plat indicates the River Street public rights-of-way.
		Findings	
\boxtimes		16.04.030.K.6	Location, dimension and purpose of all easements, public or private.
		Council	This standard has been met. The plat indicates the riparian & scenic easement along with the
		Findings	fisherman's & nature study easement.
\boxtimes		16.04.030.K.7	The blocks numbered consecutively throughout each block.
		Council Findings	This standard has been met.
	\boxtimes	16.04.030.K.8	
			The outline of any property, other than a street, alley or easement, which is offered for dedication to public use, fully dimensioned by distances and bearings with the area marked "Dedicated to the City of Ketchum for Public Use", together with any other descriptive language
		Council	with regard to the precise nature of the use of the land so dedicated.
		Council Findings	N/A as no new dedication is being proposed.
\boxtimes		16.04.030.K.9	
			The title, which shall include the name of the subdivision, the name of the city, if appropriate,
			county and state, and the location and description of the subdivision referenced to section,
		Council	township, range. This standard has been met.
		Findings	This standard has been met.
\boxtimes		16.04.030.K.10	
2 3			Scale, north arrow and date.
		16 04 030 K 11	This standard has been met.
		16.04.030.K.11	Location, width, and names of all existing or dedicated streets and other public ways within or adjacent to the proposed subdivision
		Council	This standard has been met. West River Street is indicated on the subdivision plat.
		Findings	
	\boxtimes	16.04.030.K.12	A provision in the owner's certificate referencing the county recorder's instrument number
			where the condominium declaration(s) and/or articles of incorporation of homeowners'
		Council	association governing the subdivision are recorded. This standard is not applicable.
		Findings	This standard is not applicable.
\boxtimes		16.04.030.K.13	Certificate by registered engineer or surveyor preparing the map certifying to the accuracy of
			surveying plat.
		Council	As conditioned, this standard will be met prior to recordation of the Final Plat. The signature block
		Findings	page shall include the surveyor's certification.
\boxtimes		16.04.030.K.14 Council	A current title report of all property contained within the plat. This standard has been met. A title report was submitted for the properties.
		Findings	This standard has been met. A title report was submitted for the properties.
\boxtimes		16.04.030.K.15	Certification of owner(s) of record and all holders of security interest(s) of record with regard to such property.
		Council	As conditioned, this standard will be met prior to recordation of the Final Plat. The signature block
		Findings	page shall include a certificate of ownership and associated acknowledgement from all owners
			and holders of security interest with regard to the subject property, which shall be signed following Ketchum City Council review and approval of the application and prior to recordation of the Final Plat.
\boxtimes		16.04.030.K.16	Certification and signature of engineer (surveyor) verifying that the subdivision and design standards meet all city requirements.
		Council	As conditioned, this standard will be met prior to recordation of the Final Plat. The signature block
		Findings	page shall include the certification and signature of the surveyor verifying that the subdivision and design standards meet all City requirements.
\boxtimes		16.04.030.K.17	Certification and signature of the city engineer verifying that the subdivision and design
_			standards meet all city requirements.

			Carrail	As any distanced, this attended will be used union to use and the Final Blat. The signature black
			Council	As conditioned, this standard will be met prior to recordation of the Final Plat. The signature block
			Findings	page shall include the City Engineer's approval and verification that the subdivision and design standards meet all City requirements.
			16.04.030.K.18	Certification and signature of the city clerk of the city of Ketchum verifying that the subdivision
\boxtimes			10.04.030.K.18	has been approved by the council.
			Council	As conditioned, this standard will be met prior to recordation of the Final Plat. The signature block
			Findings	page shall include the certification and signature of the City Clerk verifying the subdivision has
			Tillulings	been approved by City Council.
		\boxtimes	16.04.030.K.19	Notation of any additional restrictions imposed by the council on the development of such
Ш			10.04.030.10.13	subdivision to provide for the public health, safety and welfare.
			Council	This standard is not applicable as this application eliminates the interior boundary between Lot 11
			Findings	and Lot 13 of Ketchum Townsite Block 82 to create Lot 13A.
\boxtimes			16.04.030.L	Final Plat Copies: Both a hard copy and a digital copy of the final plat shall be filed with the
				administrator prior to being placed upon the Council's agenda. A digital copy of the final plat as
				approved by the council and signed by the city clerk shall be filed with the administrator and
				retained by the city. The applicant shall also provide the city with a digital copy of the recorded
				document with its assigned legal instrument number.
			Council	This standard has been met.
			Findings	
		\boxtimes	16.04.040.A	Required Improvements: The improvements set forth in this section shall be shown on the
				preliminary plat and installed prior to approval of the final plat. Construction design plans shall
				be submitted and approved by the city engineer. All such improvements shall be in accordance
				with the comprehensive plan and constructed in compliance with construction standard
				specifications adopted by the city.
			Council	This standard is not applicable as this application eliminates the interior boundary between Lot 11
_			Findings	and Lot 13 of Ketchum Townsite Block 82 to create Lot 13A.
		\boxtimes	16.04.040.B	Improvement Plans: Prior to approval of final plat by the Council, the subdivider shall file two
				(2) copies with the city engineer, and the city engineer shall approve construction plans for all
				improvements required in the proposed subdivision. Such plans shall be prepared by a civil
			Carrail	engineer licensed in the state.
			Council	This standard is not applicable as this application eliminates the interior boundary between Lot 11
			Findings 16.04.040.C	and Lot 13 of Ketchum Townsite Block 82 to create Lot 13A. Performance Bond: Prior to final plat approval, the subdivider shall have previously constructed
		\boxtimes	10.04.040.0	all required improvements and secured a certificate of completion from the city engineer.
				However, in cases where the required improvements cannot be constructed due to weather,
				factors beyond the control of the subdivider, or other conditions as determined acceptable at
				the sole discretion of the city, the city council may accept, in lieu of any or all of the required
				improvements, a performance bond filed with the city clerk to ensure actual construction of the
				required improvements as submitted and approved. Such performance bond shall be issued in an amount not less than one hundred fifty percent (150%) of the estimated costs of
				improvements as determined by the city engineer. In the event the improvements are not
				constructed within the time allowed by the city council (which shall be two years or less,
				depending upon the individual circumstances), the council may order the improvements
				installed at the expense of the subdivider and the surety. In the event the cost of installing the
				required improvements exceeds the amount of the bond, the subdivider shall be liable to the
				city for additional costs. The amount that the cost of installing the required improvements
				exceeds the amount of the performance bond shall automatically become a lien upon any and
				all property within the subdivision owned by the owner and/or subdivider.
			Council	This standard is not applicable as this application eliminates the interior boundary between Lot 11
			Findings	and Lot of Ketchum Townsite Block 82 to create Lot 13A.
$\overline{}$		\square	16.04.040.D	As Built Drawing: Prior to acceptance by the city council of any improvements installed by the
Ш			10.04.040.0	subdivider, two (2) sets of as built plans and specifications, certified by the subdivider's
				engineer, shall be filed with the city engineer. Within ten (10) days after completion of
				improvements and submission of as built drawings, the city engineer shall certify the
				completion of the improvements and the acceptance of the improvements, and shall submit a
				copy of such certification to the administrator and the subdivider. If a performance bond has
				been filed, the administrator shall forward a copy of the certification to the city clerk.
				Thereafter, the city clerk shall release the performance bond upon application by the
	1	1		subdivider.

	Council	This standard is not applicable as this application eliminates the interior boundary between Lot 11
	Findings	and Lot of Ketchum Townsite Block 82 to create Lot 13A.
	16.04.040.E	Monumentation: Following completion of construction of the required improvements and prior to certification of completion by the city engineer, certain land survey monuments shall be reset or verified by the subdivider's engineer or surveyor to still be in place. These monuments shall have the size, shape, and type of material as shown on the subdivision plat. The monuments shall be located as follows:
		 All angle points in the exterior boundary of the plat. All street intersections, points within and adjacent to the final plat. All street corner lines ending at boundary line of final plat.
		4. All angle points and points of curves on all streets.
	Council	5. The point of beginning of the subdivision plat description. The applicant shall most the required manufacture standards prior to recordation of the Final
	Findings	The applicant shall meet the required monumentation standards prior to recordation of the Final Plat.
	16.04.040.F	Lot Requirements: 1. Lot size, width, depth, shape and orientation and minimum building setback lines shall be in compliance with the zoning district in which the property is located and compatible with the location of the subdivision and the type of development, and preserve solar access to adjacent properties and buildings. 2. Whenever a proposed subdivision contains lot(s), in whole or in part, within the floodplain, or which contains land with a slope in excess of twenty five percent (25%), based upon natural contours, or creates corner lots at the intersection of two (2) or more streets, building envelopes shall be shown for the lot(s) so affected on the preliminary and final plats. The building envelopes shall be located in a manner designed to promote harmonious development of structures, minimize congestion of structures, and provide open space and solar access for each lot and structure. Also, building envelopes shall be located to promote access to the lots and maintenance of public utilities, to minimize cut and fill for roads and building foundations, and minimize adverse impact upon environment, watercourses and topographical features. Structures may only be built on buildable lots. Lots shall only be created that meet the definition of "lot, buildable" in section 16.04.020 of this chapter. Building envelopes shall be established outside of hillsides of twenty five percent (25%) and greater and outside of the floodway. A waiver to this standard may only be considered for the following: a. For lot line shifts of parcels that are entirely within slopes of twenty five percent (25%) or greater to create a reasonable building envelope, and mountain overlay design review standards and all other city requirements are met. b. For small, isolated pockets of twenty five percent (25%) or greater that are found to be in compliance with the purposes and standards of the mountain overlay district and this section. 3. Corner lots outside of the original Ketchum Townsite shall have a property line curve or co
	Council	Standard #1 and #2 have been met. Lot 13A complies with the dimensional standards required for
 	 Findings	lots within the T Zone. Standards #3-6 are not applicable
	16.04.040.G	G. Block Requirements: The length, width and shape of blocks within a proposed subdivision shall conform to the following requirements: 1. No block shall be longer than one thousand two hundred feet (1,200'), nor less than four hundred feet (400') between the street intersections, and shall have sufficient depth to provide for two (2) tiers of lots. 2. Blocks shall be laid out in such a manner as to comply with the lot requirements. 3. The layout of blocks shall take into consideration the natural topography of the land to promote access within the subdivision and minimize cuts and fills for roads

	1	1		
				and minimize adverse impact on environment, watercourses and topographical features.
				4. Except in the original Ketchum Townsite, corner lots shall contain a building
				envelope outside of a seventy five foot (75') radius from the intersection of the
				streets.
			Council Findings	This application does not create a new block. This requirement is not applicable.
		\boxtimes	16.04.040.H	Street Improvement Requirements:
			2010 110 10111	1. The arrangement, character, extent, width, grade and location of all streets put in the
				proposed subdivision shall conform to the comprehensive plan and shall be considered in their
				relation to existing and planned streets, topography, public convenience and safety, and the
				proposed uses of the land;
				2. All streets shall be constructed to meet or exceed the criteria and standards set forth in chapter 12.04 of this code, and all other applicable ordinances, resolutions or regulations of
				the city or any other governmental entity having jurisdiction, now existing or adopted,
				amended or codified;
				3. Where a subdivision abuts or contains an existing or proposed arterial street, railroad or
				limited access highway right of way, the council may require a frontage street, planting strip, or
				similar design features; 4. Streets may be required to provide access to adjoining lands and provide proper traffic
				circulation through existing or future neighborhoods;
				5. Street grades shall not be less than three-tenths percent (0.3%) and not more than seven
				percent (7%) so as to provide safe movement of traffic and emergency vehicles in all weather
				and to provide for adequate drainage and snow plowing;
				6. In general, partial dedications shall not be permitted, however, the council may accept a partial street dedication when such a street forms a boundary of the proposed subdivision and
				is deemed necessary for the orderly development of the neighborhood, and provided the
				council finds it practical to require the dedication of the remainder of the right of way when the
				adjoining property is subdivided. When a partial street exists adjoining the proposed
				subdivision, the remainder of the right of way shall be dedicated;
				7. Dead end streets may be permitted only when such street terminates at the boundary of a subdivision and is necessary for the development of the subdivision or the future development
				of the adjacent property. When such a dead end street serves more than two (2) lots, a
				temporary turnaround easement shall be provided, which easement shall revert to the
				adjacent lots when the street is extended;
				8. A cul-de-sac, court or similar type street shall be permitted only when necessary to the development of the subdivision, and provided, that no such street shall have a maximum length
				greater than four hundred feet (400') from entrance to center of turnaround, and all cul-de-sacs
				shall have a minimum turnaround radius of sixty feet (60') at the property line and not less than
				forty five feet (45') at the curb line;
				9. Streets shall be planned to intersect as nearly as possible at right angles, but in no event at
				less than seventy degrees (70°); 10. Where any street deflects an angle of ten degrees (10°) or more, a connecting curve shall be
				required having a minimum centerline radius of three hundred feet (300') for arterial and
				collector streets, and one hundred twenty five feet (125') for minor streets;
				11. Streets with centerline offsets of less than one hundred twenty five feet (125') shall be
				prohibited;
				12. A tangent of at least one hundred feet (100') long shall be introduced between reverse curves on arterial and collector streets;
				13. Proposed streets which are a continuation of an existing street shall be given the same
				names as the existing street. All new street names shall not duplicate or be confused with the
				names of existing streets within Blaine County, Idaho. The subdivider shall obtain approval of
				all street names within the proposed subdivision from the County Assessor's office before submitting same to council for preliminary plat approval;
				14. Street alignment design shall follow natural terrain contours to result in safe streets, usable
				lots, and minimum cuts and fills;
				15. Street patterns of residential areas shall be designed to create areas free of through traffic,
				but readily accessible to adjacent collector and arterial streets;
				16. Reserve planting strips controlling access to public streets shall be permitted under
				conditions specified and shown on the final plat, and all landscaping and irrigation systems shall be installed as required improvements by the subdivider;
L	1	l	1	

			17. In general, the centerline of a street shall coincide with the centerline of the street right of way, and all crosswalk markings shall be installed by the subdivider as a required improvement; 18. Street lighting shall be required consistent with adopted city standards and where designated shall be installed by the subdivider as a requirement improvement; 19. Private streets may be allowed upon recommendation by the commission and approval by the Council. Private streets shall be constructed to meet the design standards specified in subsection H2 of this section and chapter 12.04 of this code; 20. Street signs shall be installed by the subdivider as a required improvement of a type and design approved by the Administrator and shall be consistent with the type and design of existing street signs elsewhere in the City; 21. Whenever a proposed subdivision requires construction of a new bridge, or will create substantial additional traffic which will require construction of a new bridge or improvement of an existing bridge, such construction or improvement shall be a required improvement by the subdivider. Such construction or improvement shall be in accordance with adopted standard specifications;
			22. Sidewalks, curbs and gutters shall be required consistent with adopted city standards and where designated shall be a required improvement installed by the subdivider; 23. Gates are prohibited on private roads and parking access/entranceways, private driveways accessing more than one single-family dwelling unit and one accessory dwelling unit, and public
			rights-of-way unless approved by the City Council; and 24. No new public or private streets or flag lots associated with a proposed subdivision (land, planned unit development, townhouse, condominium) are permitted to be developed on
			parcels within the Avalanche Zone.
		Council	This standard is not applicable. This proposal does not create new street, private road, or bridge.
	\boxtimes	Findings 16.04.040.I	Alley Improvement Requirements: Alleys shall be provided in, commercial and light industrial
			zoning districts. The width of an alley shall be not less than twenty feet (20'). Alley intersections and sharp changes in alignment shall be avoided, but where necessary, corners shall be provided to permit safe vehicular movement. Dead end alleys shall be permitted only within the original Ketchum Townsite and only after due consideration of the interests of the owners of property adjacent to the dead-end alley including, but not limited to, the provision of fire protection, snow removal and trash collection services to such properties. Improvement of alleys shall be done by the subdivider as required improvement and in conformance with design standards specified in subsection H2 of this section.
		Council	This standard is not applicable as this application eliminates the interior boundary between Lot 11
		Findings	and Lot 13 of Ketchum Townsite Block 82 to create Lot 13A. Paguired Essements: Essements as set forth in this subsection, shall be required for location of
		16.04.040.J	Required Easements: Easements, as set forth in this subsection, shall be required for location of utilities and other public services, to provide adequate pedestrian circulation and access to public waterways and lands.
			1. A public utility easement at least ten feet (10') in width shall be required within the street right-of-way boundaries of all private streets. A public utility easement at least five feet (5') in width shall be required within property boundaries adjacent to Warm Springs Road and within any other property boundary as determined by the City Engineer to be necessary for the provision of adequate public utilities.
			2. Where a subdivision contains or borders on a watercourse, drainageway, channel or stream, an easement shall be required of sufficient width to contain such watercourse and provide access for private maintenance and/or reconstruction of such watercourse.
			3. All subdivisions which border the Big Wood River, Trail Creek and Warm Springs Creek shall dedicate a ten foot (10') fish and nature study easement along the riverbank. Furthermore, the Council shall require, in appropriate areas, an easement providing access through the subdivision to the bank as a sportsman's access. These easement requirements are minimum standards, and in appropriate cases where a subdivision abuts a portion of the river adjacent to an existing pedestrian easement, the Council may require an extension of that easement along the portion of the riverbank which runs through the proposed subdivision.
			4. All subdivisions which border on the Big Wood River, Trail Creek and Warm Springs Creek shall dedicate a twenty five foot (25') scenic easement upon which no permanent structure

shall be built in order to protect the natural vegetation and wildlife along the riverbank and to protect structures from damage or loss due for riverbank erosion. 5. No ditch, pipe or structure for irrigation water or irrigation wastewater shall be constructed, rerouted or changed in the course of planning for or constructing required improvements within a proposed subdivision unless same has first been approved in writing by the ditch company or property owner holding the water rights. A written copy of such approval shall be filled as part of required improvement construction plans. 6. Nonvehicular transportation system easements including pedestrian walkways, bike paths, equestrian paths, and similar easements shall be dedicated by the subdivider to provide an adequate nonvehicular transportation system throughout the City. Council Also & nature study easement as well as a scenic cosement how been shown on the plat. Standows \$12.0 and \$2.0 and \$3.0 cm at opplicable. \$\begin{array}{cccccccccccccccccccccccccccccccccccc				
S. No ditch, pipe or structure for irrigation water or irrigation wastewater shall be constructed, rerouted or changed in the course of planning for or constructing required improvements within a proposed subdivision unless same has first been approved in writing by the ditch company or property owner holding the water rights. A written copy of such approval shall be filled as part of required improvement construction plans.				· · · · · · · · · · · · · · · · · · ·
rerouted or changed in the course of planning for or constructing required improvements within a proposed subdivision unless same has first been approved in writing by the ditch company or property owner holding the water rights. A written copy of such approval shall be filled as part of required improvement construction plans. 6. Nonvehicular transportation system easements including pedestrian walkways, blike paths, equestrian paths, and similar easements shall be dedicated by the subdivider to provide an adequate nonvehicular transportation system throughout the City. Council A fish & noture study easement as well as a scenic easement have been shown on the plot. Standords \$12-0 att 95-8 one not applicable. 16.04.040.K Santary Sewage Disposal Improvements: Central sanitary sewer systems as a required improvement by the subdivider. Construction plans and specifications for central sanitary sewer extension shall be prepared by the subdivider and approved by the City engler. Council and Idaho Health Department prior to final plat approval. In the event that the sanitary sewere extension shall be prepared by the subdivider and approved by the City except system of a subdivision cannot connect to the existing public exewage system and the council may require an increase in the minimum to size and may impose any orthor reasonable requirements which it deems necessary to protect public health, safety and welfare. Council Findings 16.04.040.L Water System Improvements A central domestic water distribution system shall be installed in all subdivisions by the subdivider as a required distribution system shall be installed in all subdivisions by the subdivider as a required improvement. The subdivider shall also be required to locate and instal an adequate number of fire hydrants within the proposed subdivisions according to specifications and requirements of the City under the supervision of the Central solution of the City under the supervision of the Central solutions, and the contral solutions are propo				protect structures from damage of loss due to riverbank erosion.
rerouted or changed in the course of planning for or constructing required improvements within a proposed subdivision unless same has first been approved in writing by the ditch company or property owner holding the water rights. A written copy of such approval shall be filled as part of required improvement construction plans. 6. Nonvehicular transportation system easements including pedestrian walkways, blike paths, equestrian paths, and similar easements shall be dedicated by the subdivider to provide an adequate nonvehicular transportation system throughout the City. Council A fish & noture study easement as well as a scenic easement have been shown on the plot. Standords \$12-0 att 95-8 one not applicable. 16.04.040.K Santary Sewage Disposal Improvements: Central sanitary sewer systems as a required improvement by the subdivider. Construction plans and specifications for central sanitary sewer extension shall be prepared by the subdivider and approved by the City engler. Council and Idaho Health Department prior to final plat approval. In the event that the sanitary sewere extension shall be prepared by the subdivider and approved by the City except system of a subdivision cannot connect to the existing public exewage system and the council may require an increase in the minimum to size and may impose any orthor reasonable requirements which it deems necessary to protect public health, safety and welfare. Council Findings 16.04.040.L Water System Improvements A central domestic water distribution system shall be installed in all subdivisions by the subdivider as a required distribution system shall be installed in all subdivisions by the subdivider as a required improvement. The subdivider shall also be required to locate and instal an adequate number of fire hydrants within the proposed subdivisions according to specifications and requirements of the City under the supervision of the Central solution of the City under the supervision of the Central solutions, and the contral solutions are propo				5. No ditch, nine or structure for irrigation water or irrigation wastewater shall be constructed.
within a proposed subdivision unless same has first been approved in writing by the ditch company or property owner holding the water rights. A written copy of such approval shall be filed as part of required improvement construction plans. 6. Nonvehicular transportation system easements including pedestrian walkways, bike paths, equestrian paths, and similar easements shall be dedicated by the subdivider porovide an adequate nonvehicular transportation system throughout the City. 6. Souncil A fish & nature study expensent as well as as senic reasement have been shown on the plat. 5. Standards 81.2 and 81.6 are not applicable. 5. Sanitary Sewage Disposal Improvements: Central sanitary sewer systems shall be installed in all subdivisions and connected to the ketchum sewage treatment system as a required improvement by the subdivider. Construction plans and specifications for central sanitary sewer extension shall be prepared by the subdivider and approval. In the event that the sanitary sewage system is one and in a subdivision annot connect to the existing public sewage system, alternative provisions for sewage disposal in accordance with the requirements of the latao Department of Health and the Council may be constructed on a temporary basis until such time as connection to the public sewage system is possible. In considering such alternative provisions, the Council may requirements which it deems necessary to protect public health, safety and welfare. 6. Council Tris istandards in not applicable as this application eliminates the interior boundary between Lot 13 and 14 a				
company or property owner holding the water rights. A written copy of such approval shall be filled as part of required improvement construction plans. 6. Nonvehicular transportation system easements including pedestrian walkways, bike paths, equestrian paths, and similar easements shall be dedicated by the subdivider to provide an adequate nonvehicular transportation system throughout the City. Council A fish & nature study easement as well as a scenic cosement have been shown on the plat. Standards 81-2 and 85-6 are not applicable. Sanitary Sewage Disposal improvements: Central sanitary sewer systems shall be installed in all subdivisions and connected to the Ketchum sewage treatment systems as a required improvement by the subdivider. Construction plans and specifications for central sanitary sewer extension shall be prepared by the subdivider and approved by the City Engineer, Council and Idah health Department prior to final plat approval. In the event that the sanitary sewage system of a subdivision cannot connect to the existing public sewage system, alternative provisions for sewage disposal in accordance with the requirements of the Idaho Department of Health and the Council may be constructed on a temporary basis until such time as connection to the public sewage system is possible. In considering such alteriate provisions, the Council may require an increase in the minimum lot size and may impose any other reasonable requirements which it deems possible. In considering such alteriate provisions, the Council may require an increase in the minimum lot size and may impose any other reasonable requirements which it deems possible. In considering such alteriate provisions, the Council may require an increase in the minimum lot size and may impose any other reasonable requirements which it deems possible. In content to the council may be constructed to a temporary basis polication eliminate the interior boundary between Lot 11 and to 11 and 11 and 11 and 12 of Ketchum Townste Block 82 to create tot 134.				
filed as part of required improvement construction plans. 6. Nonvehicular transportation system easements including pedestrian walkways, bike paths, equestrian paths, and similar easements shall be dedicated by the subdivider to provide an adequate nonvehicular transportation system throughout the City. Findings				
equestrian paths, and similar easements shall be dedicated by the subdivider to provide an adequate nonwelvious transportation system throughout the City. Council A fish & nature study easement as well as a scenic easement have been shown on the plat. Findings 16.04.040.K Sanitary Sewage Disposal improvements: Central sanitary sewer systems shall be installed in all subdivisions and connected to the Ketchum sewage treatment system as a required improvement by the subdivider. On stand specifications for central sanitary sewer extension shall be prepared by the subdivider and appendiation for central sanitary sever extension shall be prepared by the subdivider and appendiation for the standard shall be prepared by the subdivider and appendiation for sewage system of a subdivision cannot connect to the existing public sewage system, alternative provisions for sewage disposal in accordance with the requirements of the Idaho Department of Health and the Council may be constructed on a temporary basis until such time as connection to the public sewage system is possible. In considering such alternative provisions, the Council may require an increase in the minimum lot size and may impose any other reasonable requirements which it deems necessary to protect public health, safety and welfare. Council This standard is not applicable as this application eliminates the interior boundary between Lot 11 findings 16.04.040.L Water System Improvements: A central domestic water distribution system shall be installed in all subdivision according to specifications and requirements of the City under the supervision of the Ketchum Fire Department and other regulatory agencies having jurisdiction. Furthermore, the central water systems shall be apprehensive and the public Health, Idaho Survey and Rating Bureau, District Sanitarian, Idaho State Public Utilities Commission, Idaho Department of the standards of the following agencies: Idaho Department of Public Health, Idaho Survey and Rating Bureau, District Sanitarian, Idaho Sta				
equestrian paths, and similar easements shall be dedicated by the subdivider to provide an adequate nonwelvious transportation system throughout the City. Council A fish & nature study easement as well as a scenic easement have been shown on the plat. Findings 16.04.040.K Sanitary Sewage Disposal improvements: Central sanitary sewer systems shall be installed in all subdivisions and connected to the Ketchum sewage treatment system as a required improvement by the subdivider. On stand specifications for central sanitary sewer extension shall be prepared by the subdivider and appendiation for central sanitary sever extension shall be prepared by the subdivider and appendiation for the standard shall be prepared by the subdivider and appendiation for sewage system of a subdivision cannot connect to the existing public sewage system, alternative provisions for sewage disposal in accordance with the requirements of the Idaho Department of Health and the Council may be constructed on a temporary basis until such time as connection to the public sewage system is possible. In considering such alternative provisions, the Council may require an increase in the minimum lot size and may impose any other reasonable requirements which it deems necessary to protect public health, safety and welfare. Council This standard is not applicable as this application eliminates the interior boundary between Lot 11 findings 16.04.040.L Water System Improvements: A central domestic water distribution system shall be installed in all subdivision according to specifications and requirements of the City under the supervision of the Ketchum Fire Department and other regulatory agencies having jurisdiction. Furthermore, the central water systems shall be apprehensive and the public Health, Idaho Survey and Rating Bureau, District Sanitarian, Idaho State Public Utilities Commission, Idaho Department of the standards of the following agencies: Idaho Department of Public Health, Idaho Survey and Rating Bureau, District Sanitarian, Idaho Sta				
adequate nonvehicular transportation system throughout the city. Cauncil Findings A fish Ruture study essement as well as a senic easement have been shown on the plat. Standards #1-2 and #5-6 are not applicable. Standards #1-2 and #5-6 are not applicable. Sanitary Sewage Disposal Improvements: Central sanitary sewer systems shall be installed in all subdivisions and connected to the Ketchum sewage treatment system as a required improvement by the subdivider. Construction plans and specifications for central sanitary sewer extension shall be prepared by the subdivider and approved by the City Engineer, Council and Idaho Health Department prior to final plat approval. In the event that the sanitary sewage system of a subdivision cannot connect to the existing public sewage system, alternative provisions for sewage disposal in accordance with the requirements of the Idaho Department of Health and the Council may be constructed on a temporary basis until such time as connection to the public sewage system is possible. In considering such alternative provisions, the Council may require an increase in the minimum lot size and may impose any other reasonable requirements which it deems necessary to protect public health, safety and welfare.				
Council Afjsh & nature study easement to swell as a scenic easement have been shown on the plat. Findings Standards \$41-2 and \$45-0 are not applicable.				
				,
subdivisions and connected to the Ketchum sewage treatment system as a required improvement by the subdivider. Construction plans and specification or central sanitary sewer extension shall be prepared by the subdivider and approved by the City Engineer, Council and Idaho Health Department prior to final plat approval. In the event that the sanitary sewage system of a subdivision cannot connect to the existing public sewage system, alternative provisions for sewage disposal in accordance with the requirements of the Idaho Department of Health and the Council may be constructed on a temporary basis ush alternative provisions, the Council may ten council may be constructed on a temporary basis ush alternative provisions, the Council may require an increase in the minimum to size and may impose any other reasonable requirements which it deems necessary to protect public health, safety and welfare. Council This standard is not applicable as this application eliminates the interior boundary between Lot 11 and Lot 13 of Ketchum Townsite Block 82 to create Lot 134. Water System Improvements: A central domestic water distribution system shall be installed in all subdivisions by the subdividers as required improvement. The subdivider shall also be required to locate and install an adequate number of fire hydrants within the proposed subdivision according to specifications and requirements of the City when the subdivider shall be permitted. All water systems shall be connected to the Municipal water system and shall meet the standards of the following agencies: Idaho Department of Public Health, Idaho Survey and Rating Bureau, District Sanitarian, Idaho State Public Utilities Commission, Idaho Department of Rechamation, and all requirements of the City. Council This standard is not applicable as this application eliminates the interior boundary between Lot 11 and Lot 13 of Ketchum Townsite Block 82 to create Lot 13A. Council This standard is not applicable as this application eliminates the interior boundary between				' '
improvement by the subdivider. Construction plans and specifications for central sanitary sewer extension shall be prepared by the subdivider and approved by the City Engineer, Council and Idaho Health Department prior to final plat approval. In the event that the sanitary sewage system of a subdivision cannot connect to the existing public sewage system, alternative provisions for sewage disposal in accordance with the requirements of the Idaho Department of Health and the Council may be constructed on a temporary basis until such time as connection to the public sewage system is possible. In considering such alternative provisions, the Council may require an increase in the minimum lot size and may impose any other reasonable requirements which it deems necessary to protect public health, safety and welfare. Council This standard is not applicable as this application eliminates the interior boundary between Lot 11 and Lot 13 of Ketchum Townsite Block 82 to create Lot 13A.	Ш		10.04.040.K	
sewer extension shall be prepared by the subdivider and approved by the City Engineer, Council and Idaho Health Department prior to final plat approval. In the event that the sanitary sewage system of a subdivision cannot connect to the existing public sewage system, alternative provisions for sewage disposal in accordance with the requirements of the Idaho Department of Health and the Council may be constructed on a temporary basis until such time as connection to the public sewage system is possible. In considering such alternative provisions, the Council may require an increase in the minimum lot size and ay impose any other reasonable requirements which it deems necessary to protect public health, safety and welfare. Council				
and Idaho Health Department prior to final plat approval. In the event that the sanitary sewage system of a subdivision cannot connect to the existing public sewage system, alternative provisions for sewage disposal in accordance with the requirements of the Idaho Department of Health and the Council may be constructed on a temporary basis until such time as connection to the public sewage system is possible. In considera such alternative provisions, the Council may require an increase in the minimum lot size and may impose any other reasonable requirements which it deems necessary to protect public health, safety and welfare. Council This standard is not applicable as this application eliminates the interior boundary between Lot 11 and Lot 13 of Ketchum Townsite Block 82 to create Lot 13A.				· · · · · · · · · · · · · · · · · · ·
system of a subdivision cannot connect to the existing public sewage system, alternative provisions for sewage disposal in accordance with the requirements of the Idaho Department of Health and the Council may be constructed on a temporary basis until such time as connection to the public sewage system is possible. In considering such alternative provisions, the Council may require an increase in the minimum lot size and may impose any other reasonable requirements which it deems necessary to protect public health, safety and welfare. Council This standard is not applicable as this application eliminates the interior boundary between Lot 11 and 13 of Ketchum Townsite Block 82 to create Lot 13A.				1
provisions for sewage disposal in accordance with the requirements of the Idaho Department of Health and the Council may be constructed on a temporary basis until such time as connection to the public sewage system is possible. In considering such alternative provisions, the Council may require an increase in the minimum lot size and may impose any other reasonable requirements which it deems necessary to protect public health, safety and welfare. Council This stondard is not applicable as this application eliminates the interior boundary between Lot 11 and Lot 13 of Ketchum Townsite Block 82 to create Lot 13A.				
of Health and the Council may be constructed on a temporary basis until such time as connection to the public sewage system is possible. In considering such alternative provisions, the Council may require an increase in the minimum lot size and may impose any other reasonable requirements which it deems necessary to protect public health, safety and welfare. Council Findings				,
connection to the public sewage system is possible. In considering such alternative provisions, the Council may require an increase in the minimum lot size and may impose any other reasonable requirements which it deems necessary to protect public health, safety and welfare. This standard is not applicable as this application eliminates the interior boundary between Lot 11 and Lot 13 of ketchum Townsite Block 82 to create Lot 13A. Water System Improvements: A central domestic water distribution system shall be installed in all subdivisions by the subdivider as a required improvement. The subdivider shall also be required to locate and install an adequate number of fire hydrants within the proposed subdivision according to specifications and requirements of the City under the supervision of the Ketchum Fire Department and other regulatory agencies having jurisdiction. Furthermore, the central water systems installed shall be looped extensions, and no dead end systems shall be connected to the Municipal water system and shall meet the standards of the following agencies: Idaho Department of Public Health, Idaho Survey and Rating Bureau, District Sanitarian, Idaho State Public Utilities Commission, Idaho Department of Reclamation, and all requirements of the City. Council This standard is not applicable as this application eliminates the interior boundary between Lot 11 and Lot 13 of Rechum Townsite Block 82 to create Lot 13A. Planting Strip Improvements: Planting strips shall be required improvements. When a predominantly residential subdivision is proposed for land adjoining incompatible uses or features such as highways, railroads, commercial or light usustrial districts or off street parking areas, the subdivider shall provide planting strips to screen the view of such incompatible features. The subdivider shall provide planting strips to screen the view of such incompatible features. The subdivider shall provide planting strips to screen the view of such incompatible features. The subdivider shall provide				
the Council may require an increase in the minimum lot size and may impose any other reasonable requirements which it deems necessary to protect public health, safety and welfare. Council Findings				
reasonable requirements which it deems necessary to protect public health, safety and welfare. Council Findings 16.04.040.L Water System Improvements: A central domestic water distribution system shall be installed in all subdivisions by the subdivider as a required improvement. The subdivider shall also be required to locate and install an adequate number of fire hydrants within the proposed subdivision according to specifications and requirements of the City under the supervision of the Ketchum Fire Department and other regulatory agencies having jurisdiction. Furthermore, the central water systems shall have sufficient flow for domestic use and adequate fire flow. All such water systems installed shall be looped extensions, and no dead end systems shall be permitted. All water systems shall be connected to the Municipal water system and shall meet the standards of the following agencies: Idaho Department of Public Health, Idaho Survey and Rating Bureau, District Sanitarian, Idaho State Public Utilities Commission, Idaho Department of Reclamation, and all requirements of the City. Council This standard is not applicable as this application eliminates the interior boundary between Lot 11 and Lot 13 of Ketchum Townsite Block 82 to create Lot 13A. Planting Strip Improvements: Planting strips shall be required improvements. When a predominantly residential subdivision is proposed for land adjoining incompatible uses or features such as highways, railroads, commercial or light industrial districts or off street parking areas, the subdivider shall provide planting strips to Screul incompatible uses or features such as highways, railroads, commercial or light industrial districts or off street parking areas, the subdivider shall provide planting strips to screul red involvement. Council Findings 16.04.040.N Council This standard is not applicable as this application eliminates the interior boundary between Lot 11 and Lot 13 of Ketchum Townsite Block 82 to create Lot 13A. Council Findings 16.04.040.N Counc				
Council Findings				
			Council	
				,,
all subdivisions by the subdivider as a required improvement. The subdivider shall also be required to locate and install an adequate number of fire hydrants within the proposed subdivision according to specifications and requirements of the City under the supervision of the Ketchum Fire Department and other regulatory agencies having jurisdiction. Furthermore, the central water systems shall have sufficient flow for domestic use and adequate fire flow. All such water systems installed shall be looped extensions, and no dead end systems shall be permitted. All water systems shall be connected to the Municipal water system and shall meet the standards of the following agencies: Idaho Department of Public Health, Idaho Survey and Rating Bureau, District Sanitarian, Idaho State Public Utilities Commission, Idaho Department of Reclamation, and all requirements of the City. Council Findings 16.04.040.M Planting Strip Improvements: Planting strips shall be required improvements. When a predominantly residential subdivision is proposed for land adjoining incompatible uses or features such as highways, raliroads, commercial or glist industrial districts or off street parking areas, the subdivider shall provide planting strips to screen the view of such incompatible features. The subdivider shall submit a landscaping plan for such planting strip with the preliminary plat application, and the landscaping plan for such planting strip with the preliminary plat application, and the landscaping shall be a required improvement. Council This standard is not applicable as this application eliminates the interior boundary between Lot 11 and Lot 13 of Ketchum Townsite Block 82 to create Lot 13A. 16.04.040.N Cuts, Fills, And Grading Improvements: Proposed divibisions shall be carefully planned to be compatible with natural topography, soil conditions, geology and hydrology of the site, as well as to minimize cuts, fills, alterations of topography, streams, drainage channels, and disruption of soils and vegetation. The design		\square	-	
required to locate and install an adequate number of fire hydrants within the proposed subdivision according to specifications and requirements of the City under the supervision of the Ketchum Fire Department and other regulatory agencies having jurisdiction. Furthermore, the central water systems shall have sufficient flow for domestic use and adequate fire flow. All such water systems shall be looped extensions, and no dead end systems shall be permitted. All water systems shall be connected to the Municipal water system and shall meet the standards of the following agencies: Idaho Department of Public Health, Idaho Survey and Rating Bureau, District Sanitarian, Idaho State Public Utilities Commission, Idaho Department of Reclamation, and all requirements of the City. Council Findings			10.04.040.2	
subdivision according to specifications and requirements of the City under the supervision of the Ketchum Fire Department and other regulatory agencies having jurisdiction. Furthermore, the central water system shall have sufficient flow for domestic use and adequate fire flow. All such water systems installed shall be looped extensions, and no dead end systems shall be permitted. All water systems shall be connected to the Municipal water system and shall meet the standards of the following agencies: Idaho Department of Public Health, Idaho Survey and Rating Bureau, District Sanitarian, Idaho State Public Utilities Commission, Idaho Department of Reclamation, and all requirements of the City. Council This standard is not applicable as this application eliminates the interior boundary between Lot 11 and Lot 13 of Ketchum Townsite Block 82 to create Lot 13A.				
the Ketchum Fire Department and other regulatory agencies having jurisdiction. Furthermore, the central water system shall have sufficient flow for domestic use and adequate fire flow. All such water systems installed shall be looped extensions, and no dead end systems shall be permitted. All water systems shall be connected to the Municipal water system and shall meet the standards of the following agencies: Idaho Department of Public Health, Idaho Survey and Rating Bureau, District Sanitarian, Idaho State Public Utilities Commission, Idaho Department of Reclamation, and all requirements of the City. Council This standard is not applicable as this application eliminates the interior boundary between Lot 11 and Lot 13 of Ketchum Townsite Block 82 to create Lot 13A. Planting Strip Improvements: Planting strips shall be required improvements. When a predominantly residential subdivision is proposed for land adjoining incompatible uses or features such as highways, railroads, commercial or light industrial districts or off street parking areas, the subdivider shall provide planting strips to screen the view of such incompatible features. The subdivider shall submit a landscaping plan for such planting strip with the preliminary plat application, and the landscaping shall be a required improvement. Council This standard is not applicable as this application eliminates the interior boundary between Lot 11 and Lot 13 of Ketchum Townsite Block 82 to create Lot 13A. Cuts, Fills, And Grading Improvements: Proposed subdivisions shall be carefully planned to be compatible with natural topography, soil conditions, geology and hydrology of the site, as well as to minimize cuts, fills, alterations of topography, streams, drainage channels, and disruption of soils and vegetation. The design criteria shall include the following: 1. A preliminary soil report prepared by a qualified engineer may be required by the commission and/or Council as part of the preliminiminary plat application. 2. Preliminary grading plan prepare				
the central water system shall have sufficient flow for domestic use and adequate fire flow. All such water systems installed shall be looped extensions, and no dead end systems shall be permitted. All water systems shall be connected to the Municipal water system and shall meet the standards of the following agencies: Idaho Department of Public Health, Idaho Survey and Rating Bureau, District Sanitarian, Idaho State Public Utilities Commission, Idaho Department of Reclamation, and all requirements of the City. Council This standard is not applicable as this application eliminates the interior boundary between Lot 11 and Lot 13 of Ketchum Townsite Block 82 to create Lot 13A. Planting Strip Improvements: Planting strips shall be required improvements. When a predominantly residential subdivision is proposed for land adjoining incompatible uses or features such as highways, railroads, commercial or light industrial districts or off street parking areas, the subdivider shall submit a landscaping plan for such planting strip with the preliminary plat application, and the landscaping shall be a required improvement. Council This standard is not applicable as this application eliminates the interior boundary between Lot 11 and Lot 13 of Ketchum Townsite Block 82 to create Lot 13A. Council Findings 16.04.040.N Cuts, Fills, And Grading Improvements: Proposed subdivisions shall be carefully planned to be compatible with natural topography, soil conditions, geology and hydrology of the site, as well as to minimize cuts, fills, alterations of topography, streams, drainage channels, and disruption of soils and vegetation. The design criteria shall include the following: 1. A preliminary grading plan prepared by a qualified engineer may be required by the commission and/or Council as part of the preliminary plat application. 2. Preliminary grading plan prepared by a civil engineer shall be submitted as part of all preliminary plat applications. Such plan shall contain the following information: a. Proposed contours				
such water systems installed shall be looped extensions, and no dead end systems shall be permitted. All water systems shall be connected to the Municipal water system and shall meet the standards of the following agencies: Idaho Department of Public Health, Idaho Survey and Rating Bureau, District Sanitarian, Idaho State Public Utilities Commission, Idaho Department of Reclamation, and all requirements of the City. Council This standard is not applicable as this application eliminates the interior boundary between Lot 11 and Lot 13 of Ketchum Townsite Block 82 to create Lot 13A.				
permitted. All water systems shall be connected to the Municipal water system and shall meet the standards of the following agencies: Idaho Department of Public Health, Idaho Survey and Rating Bureau, District Sanitarian, Idaho State Public Utilities Commission, Idaho Department of Reclamation, and all requirements of the City. Council Findings				
Rating Bureau, District Sanitarian, Idaho State Public Utilities Commission, Idaho Department of Reclamation, and all requirements of the City. This standard is not applicable as this application eliminates the interior boundary between Lot 11 and Lot 13 of Ketchum Townsite Block 82 to create Lot 13A.				
Rating Bureau, District Sanitarian, Idaho State Public Utilities Commission, Idaho Department of Reclamation, and all requirements of the City. This standard is not applicable as this application eliminates the interior boundary between Lot 11 and Lot 13 of Ketchum Townsite Block 82 to create Lot 13A.				1,
Reclamation, and all requirements of the City. Council This standard is not applicable as this application eliminates the interior boundary between Lot 11 and Lot 13 of Ketchum Townsite Block 82 to create Lot 13A. Planting Strip Improvements: Planting strips shall be required improvements. When a predominantly residential subdivision is proposed for land adjoining incompatible uses or features such as highways, railroads, commercial or light industrial districts or off street parking areas, the subdivider shall provide planting strips to screen the view of such incompatible features. The subdivider shall submit a landscaping plan for such planting strip with the preliminary plat application, and the landscaping shall be a required improvement. Council This standard is not applicable as this application eliminates the interior boundary between Lot 11 and Lot 13 of Ketchum Townsite Block 82 to create Lot 13A. Cuts, Fills, And Grading Improvements: Proposed subdivisions shall be carefully planned to be compatible with natural topography, soil conditions, geology and hydrology of the site, as well as to minimize cuts, fills, alterations of topography, streams, drainage channels, and disruption of soils and vegetation. The design criteria shall include the following: 1. A preliminary soil report prepared by a qualified engineer may be required by the commission and/or Council as part of the preliminary plat application. 2. Preliminary grading plan prepared by a qualified engineer may be required by the commission and/or Council as part of the preliminary plat application. a. Proposed contours at a maximum of five foot (5') contour intervals. b. Cut and fill banks in pad elevations. c. Drainage patterns.				
Council Findings				
Findings and Lot 13 of Ketchum Townsite Block 82 to create Lot 13A.			Council	
□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □			Findings	
predominantly residential subdivision is proposed for land adjoining incompatible uses or features such as highways, railroads, commercial or light industrial districts or off street parking areas, the subdivider shall provide planting strips to screen the view of such incompatible features. The subdivider shall submit a landscaping plan for such planting strip with the preliminary plat application, and the landscaping shall be a required improvement. Council This standard is not applicable as this application eliminates the interior boundary between Lot 11 and Lot 13 of Ketchum Townsite Block 82 to create Lot 13A. O		\boxtimes		
areas, the subdivider shall provide planting strips to screen the view of such incompatible features. The subdivider shall submit a landscaping plan for such planting strip with the preliminary plat application, and the landscaping shall be a required improvement. This standard is not applicable as this application eliminates the interior boundary between Lot 11 and Lot 13 of Ketchum Townsite Block 82 to create Lot 13A. O				
features. The subdivider shall submit a landscaping plan for such planting strip with the preliminary plat application, and the landscaping shall be a required improvement. This standard is not applicable as this application eliminates the interior boundary between Lot 11 and Lot 13 of Ketchum Townsite Block 82 to create Lot 13A. Cuts, Fills, And Grading Improvements: Proposed subdivisions shall be carefully planned to be compatible with natural topography, soil conditions, geology and hydrology of the site, as well as to minimize cuts, fills, alterations of topography, streams, drainage channels, and disruption of soils and vegetation. The design criteria shall include the following: 1. A preliminary soil report prepared by a qualified engineer may be required by the commission and/or Council as part of the preliminary plat application. Preliminary grading plan prepared by a civil engineer shall be submitted as part of all preliminary plat applications. Such plan shall contain the following information: a. Proposed contours at a maximum of five foot (5') contour intervals. b. Cut and fill banks in pad elevations. c. Drainage patterns.				features such as highways, railroads, commercial or light industrial districts or off street parking
preliminary plat application, and the landscaping shall be a required improvement. Council Findings and Lot 13 of Ketchum Townsite Block 82 to create Lot 13A. Cuts, Fills, And Grading Improvements: Proposed subdivisions shall be carefully planned to be compatible with natural topography, soil conditions, geology and hydrology of the site, as well as to minimize cuts, fills, alterations of topography, streams, drainage channels, and disruption of soils and vegetation. The design criteria shall include the following: 1. A preliminary soil report prepared by a qualified engineer may be required by the commission and/or Council as part of the preliminary plat application. Preliminary grading plan prepared by a civil engineer shall be submitted as part of all preliminary plat applications. Such plan shall contain the following information: a. Proposed contours at a maximum of five foot (5') contour intervals. b. Cut and fill banks in pad elevations. c. Drainage patterns.				areas, the subdivider shall provide planting strips to screen the view of such incompatible
Council Findings This standard is not applicable as this application eliminates the interior boundary between Lot 11 and Lot 13 of Ketchum Townsite Block 82 to create Lot 13A.				features. The subdivider shall submit a landscaping plan for such planting strip with the
Findings and Lot 13 of Ketchum Townsite Block 82 to create Lot 13A. Cuts, Fills, And Grading Improvements: Proposed subdivisions shall be carefully planned to be compatible with natural topography, soil conditions, geology and hydrology of the site, as well as to minimize cuts, fills, alterations of topography, streams, drainage channels, and disruption of soils and vegetation. The design criteria shall include the following: 1. A preliminary soil report prepared by a qualified engineer may be required by the commission and/or Council as part of the preliminary plat application. 2. Preliminary grading plan prepared by a civil engineer shall be submitted as part of all preliminary plat applications. Such plan shall contain the following information: a. Proposed contours at a maximum of five foot (5') contour intervals. b. Cut and fill banks in pad elevations. c. Drainage patterns.				preliminary plat application, and the landscaping shall be a required improvement.
□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □			Council	This standard is not applicable as this application eliminates the interior boundary between Lot 11
compatible with natural topography, soil conditions, geology and hydrology of the site, as well as to minimize cuts, fills, alterations of topography, streams, drainage channels, and disruption of soils and vegetation. The design criteria shall include the following: 1. A preliminary soil report prepared by a qualified engineer may be required by the commission and/or Council as part of the preliminary plat application. 2. Preliminary grading plan prepared by a civil engineer shall be submitted as part of all preliminary plat applications. Such plan shall contain the following information: a. Proposed contours at a maximum of five foot (5') contour intervals. b. Cut and fill banks in pad elevations. c. Drainage patterns.			Findings	and Lot 13 of Ketchum Townsite Block 82 to create Lot 13A.
as to minimize cuts, fills, alterations of topography, streams, drainage channels, and disruption of soils and vegetation. The design criteria shall include the following: 1. A preliminary soil report prepared by a qualified engineer may be required by the commission and/or Council as part of the preliminary plat application. 2. Preliminary grading plan prepared by a civil engineer shall be submitted as part of all preliminary plat applications. Such plan shall contain the following information: a. Proposed contours at a maximum of five foot (5') contour intervals. b. Cut and fill banks in pad elevations. c. Drainage patterns.		\boxtimes	16.04.040.N	Cuts, Fills, And Grading Improvements: Proposed subdivisions shall be carefully planned to be
of soils and vegetation. The design criteria shall include the following: 1. A preliminary soil report prepared by a qualified engineer may be required by the commission and/or Council as part of the preliminary plat application. 2. Preliminary grading plan prepared by a civil engineer shall be submitted as part of all preliminary plat applications. Such plan shall contain the following information: a. Proposed contours at a maximum of five foot (5') contour intervals. b. Cut and fill banks in pad elevations. c. Drainage patterns.				, , , , , , , , , , , , , , , , , , , ,
 A preliminary soil report prepared by a qualified engineer may be required by the commission and/or Council as part of the preliminary plat application. Preliminary grading plan prepared by a civil engineer shall be submitted as part of all preliminary plat applications. Such plan shall contain the following information: a. Proposed contours at a maximum of five foot (5') contour intervals. b. Cut and fill banks in pad elevations. c. Drainage patterns. 				
commission and/or Council as part of the preliminary plat application. 2. Preliminary grading plan prepared by a civil engineer shall be submitted as part of all preliminary plat applications. Such plan shall contain the following information: a. Proposed contours at a maximum of five foot (5') contour intervals. b. Cut and fill banks in pad elevations. c. Drainage patterns.				of soils and vegetation. The design criteria shall include the following:
2. Preliminary grading plan prepared by a civil engineer shall be submitted as part of all preliminary plat applications. Such plan shall contain the following information: a. Proposed contours at a maximum of five foot (5') contour intervals. b. Cut and fill banks in pad elevations. c. Drainage patterns.				
preliminary plat applications. Such plan shall contain the following information: a. Proposed contours at a maximum of five foot (5') contour intervals. b. Cut and fill banks in pad elevations. c. Drainage patterns.				
a. Proposed contours at a maximum of five foot (5') contour intervals. b. Cut and fill banks in pad elevations. c. Drainage patterns.				
b. Cut and fill banks in pad elevations. c. Drainage patterns.				
c. Drainage patterns.				a. Proposed contours at a maximum of five foot (5') contour intervals.
				· ·
d. Areas where trees and/or natural vegetation will be preserved.				d. Areas where trees and/or natural vegetation will be preserved.

		1	
			 e. Location of all street and utility improvements including driveways to building envelopes.
			f. Any other information which may reasonably be required by the Administrator, commission or Council to adequately review the affect of the proposed improvements.
			3. Grading shall be designed to blend with natural landforms and to minimize the necessity of
			padding or terracing of building sites, excavation for foundations, and minimize the necessity of
			cuts and fills for streets and driveways. 4. Areas within a subdivision which are not well suited for development because of existing soil
			conditions, steepness of slope, geology or hydrology shall be allocated for open space for the benefit of future property owners within the subdivision.
			5. Where existing soils and vegetation are disrupted by subdivision development, provision shall be made by the subdivider for revegetation of disturbed areas with perennial vegetation
			sufficient to stabilize the soil upon completion of the construction. Until such times as such revegetation has been installed and established, the subdivider shall maintain and protect all
			disturbed surfaces from erosion.
			6. Where cuts, fills, or other excavations are necessary, the following development standards shall apply:
			 a. Fill areas shall be prepared by removing all organic material detrimental to proper compaction for soil stability.
			b. Fills shall be compacted to at least ninety five percent (95%) of maximum density as determined by AASHO T99 (American Association of State Highway Officials) and ASTM D698 (American Standard Testing Methods).
			c. Cut slopes shall be no steeper than two horizontal to one vertical (2:1). Subsurface drainage shall be provided as necessary for stability.
			d. Fill slopes shall be no steeper than three horizontal to one vertical (3:1). Neither cut
			nor fill slopes shall be located on natural slopes of three to one (3:1) or steeper, or
			where fill slope toes out within twelve feet (12') horizontally of the top and existing or
			planned cut slope. e. Toes of cut and fill slopes shall be set back from property boundaries a distance of
			three feet (3'), plus one-fifth (1/5) of the height of the cut or the fill, but may not
			exceed a horizontal distance of ten feet (10'); tops and toes of cut and fill slopes shall
			be set back from structures at a distance of at least six feet (6'), plus one-fifth (1/5) of the height of the cut or the fill. Additional setback distances shall be provided as
			necessary to accommodate drainage features and drainage structures.
		Council	This standard is not applicable as this application eliminates the interior boundary between Lot 11
		Findings	and Lot 13 of Ketchum Townsite Block 82 to create Lot 13A.
		16.04.040.O	Drainage Improvements: The subdivider shall submit with the preliminary plat application such maps, profiles, and other data prepared by an engineer to indicate the proper drainage of the
			surface water to natural drainage courses or storm drains, existing or proposed. The location
			and width of the natural drainage courses shall be shown as an easement common to all
			owners within the subdivision and the City on the preliminary and final plat. All natural
			drainage courses shall be left undisturbed or be improved in a manner that will increase the
			operating efficiency of the channel without overloading its capacity. An adequate storm and surface drainage system shall be a required improvement in all subdivisions and shall be
			installed by the subdivider. Culverts shall be required where all water or drainage courses
			intersect with streets, driveways or improved public easements and shall extend across and
			under the entire improved width including shoulders.
		Council Findings	This standard is not applicable as this application eliminates the interior boundary between Lot 11 and Lot 13 of Ketchum Townsite Block 82 to create Lot 13A.
	\boxtimes	16.04.040.P	Utilities: In addition to the terms mentioned in this section, all utilities including, but not
			limited to, electricity, natural gas, telephone and cable services shall be installed underground
			as a required improvement by the subdivider. Adequate provision for expansion of such
			services within the subdivision or to adjacent lands including installation of conduit pipe across
			and underneath streets shall be installed by the subdivider prior to construction of street improvements.
		Council	This standard is not applicable as this application eliminates the interior boundary between Lot 11
		Findings	and Lot 13 of Ketchum Townsite Block 82 to create Lot 13A.
	\boxtimes	16.04.040.Q	Off Site Improvements: Where the off site impact of a proposed subdivision is found by the
			commission or Council to create substantial additional traffic, improvements to alleviate that
1		<u> </u>	impact may be required of the subdivider prior to final plat approval, including, but not limited

to, bridges, intersections, roads, traff mains and facilities.			to, bridges, intersections, roads, traffic control devices, water mains and facilities, and sewer mains and facilities.	
		Council	This standard is not applicable as this application eliminates the interior boundary between Lot 11	
		Findings	and Lot of Ketchum Townsite Block 82 to create Lot 13A.	
	\boxtimes	16.04.040.R	Avalanche And Mountain Overlay: All improvements and plats (land, planned unit	
			development, townhouse, condominium) created pursuant to this chapter shall comply with	
			City of Ketchum Avalanche Zone District and Mountain Overlay Zoning District requirements as	
			set forth in Title 17 of this Code.	
		Council	The Ketchum Townsite: Block 82, Lot 13A plat does not contain any portion of the Mountain	
		Findings	Overlay or Avalanche Districts.	
☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐		Existing natural features which enhance the attractiveness of the subdivision and community,		
			such as mature trees, watercourses, rock outcroppings, established shrub masses and historic	
			areas, shall be preserved through design of the subdivision.	
		Council	This standard is not applicable as this application eliminates the interior boundary between Lot 11	
		Findings	and Lot 13 of Ketchum Townsite Block 82 to create Lot 13A.	

CONCLUSIONS OF LAW

- 1. The City of Ketchum is a municipal corporation established in accordance with Article XII of the Constitution of the State of Idaho and Title 50 Idaho Code and is required and has exercised its authority pursuant to the Local Land Use Planning Act codified at Chapter 65 of Title 67 Idaho Code and pursuant to Chapters 3, 9 and 13 of Title 50 Idaho Code to enact the ordinances and regulations, which ordinances are codified in the Ketchum City Code ("KMC") and are identified in the Findings of Fact and which are herein restated as Conclusions of Law by this reference and which city ordinances govern the applicant's application for the development and use of the project site.
- 2. The Council has authority to hear the applicant's Lot Line Shift Application pursuant to Chapter 16.04 of Ketchum Code Title 16.
- 3. The City of Ketchum Planning Department provided adequate notice for the review of this application.
- 4. The Lot Line Shift (Readjustment of Lot Lines) application is governed under Sections 16.04.010, 16.04.020, 16.04.030, and 16.04.060 of Ketchum Municipal Code Chapter 16.04.
- 5. As conditioned, the proposed Lot Line Shift meets the standards for approval under Title 16 of Ketchum Municipal Code.

DECISION

THEREFORE, the Ketchum City Council **approves** the Ketchum Townsite: Block 82, Lot 13 Lot Line Shift Application this Tuesday, February 22nd, 2022 subject to the following conditions:

CONDITIONS OF APPROVAL

- 1. The amended plat mylar shall meet all conditions specified in Table 1: Findings Regarding Contents of Final Plat and Subdivision Design & Development Requirements.
- The amended plat shall meet all governing ordinances, requirements, and regulations of the Fire Department (2012 International Fire Code and local Fire Protection Ordinance No. 1125), Building Department (2012 International Building Code, the 2012 International Residential Code, and Title 15 of Ketchum Municipal Code), Utilities Department, Street Department (Title 12 of Ketchum Municipal Code), and the City Engineer.

- 3. The recorded plat shall show a minimum of two Blaine County Survey Control Monuments with ties to the property and an inverse between the two monuments. The Survey Control Monuments shall be clearly identified on the face of the map.
- 4. An electronic CAD file shall be submitted to the City of Ketchum prior to final plat signature by the City Clerk. The electronic CAD file shall be submitted to the Blaine County Recorder's office concurrent with the recording of the Plat containing the following minimum data:
 - a. Line work delineating all parcels and roadways on a CAD layer/level designated as "parcel";
 - b. Line work delineating all roadway centerlines on a CAD layer/level designated as "road"; and,
 - c. Line work that reflects the ties and inverses for the Survey Control Monuments shown on the face of the Plat shall be shown on a CAD layer/level designated as "control"; and,
 - d. All information within the electronic file shall be oriented and scaled to Grid per the Idaho State Plane Coordinate System, Central Zone, NAD1983 (1992), U.S. Survey Feet, using the Blaine County Survey Control Network. Electronic CAD files shall be submitted in a ".dwg", ".dgn" or ".shp" format and shall be submitted digitally to the City on a compact disc. When the endpoints of the lines submitted are indicated as coincidental with another line, the CAD line endpoints shall be separated by no greater than 0.0001 drawing units.
- 5. The Final Plat mylar shall contain all items required under Title 50, Chapter 13, Idaho Code as well as all items required pursuant to KMC §16.04.030J including certificates and signatures.
- 6. The applicant shall provide a copy of the recorded Final Plat to the Planning and Building Department for the official file on the application.

Findings of Fact adopted this 22 nd day of February 2022	
	Neil Bradshaw, Mayor
Tara Fenwick, City Clerk	