



City of Ketchum

CITY COUNCIL MEETING AGENDA MEMO

Meeting Date:	May 14, 2026	Staff Member/Dept:	Jeff Vert/Water Reclamation Facility Manager

Agenda Item: Recommendation to approve the purchase of a trailer for hauling biosolids

Recommended Motion:

I move to approve the purchase of a Trinity Trailer for hauling biosolids in the amount of \$105,589.82

Reasons for Recommendation:

- The Water Reclamation Facilities dewatering building project is scheduled for completion in summer of 2027, At that time operators will transition from hauling liquid biosolids in a tank to transporting solid biosolids in an open trailer. The biosolids will continue to be transported to Ohio Gulch Transfer Station, where they are placed in drying beds. After the material has dried sufficiently to meet the EPA 503 biosolids regulations, it is transported to Milner Butte Landfill near burley for final disposal.
- In 2024 the City hired a local contractor to haul two years' worth of biosolids to Milner Butte Landfill at a cost of \$29,120.
- In fall of 2026, the City will again need to haul dried biosolids. Instead of contracting this work out staff proposes to purchase the trailer one year early and apply approximately \$29,000 toward that purchase. This approach will allow city staff to perform the hauling using our equipment, resulting in significant cost savings.

Policy Analysis and Background (non-consent items only):

Sustainability Impact:

None

Financial Impact:

Adequate funds exist in the account:	This expense will be shared equally with the Sun Valley Water and Sewer District.
--------------------------------------	---

Attachments:

- Trinity Trailer quote & related Quote Tally
- PO 26134



**TRINITY
TRAILER™**

Sales Quote: Q-25166

Salesman: ALEX SALDIVAR

Customer: City Of Ketchum

Date of Quote: 03/09/2026

Bill To:	Ship To:
City Of Ketchum Frank Suwanrit 191 5th Street West Ketchum, Idaho 83340 US 208-726-3841 fsuwanrit@ketchumidaho.org	City Of Ketchum Frank Suwanrit 191 5th Street West Ketchum, Idaho 83340 US 208-726-3841 fsuwanrit@ketchumidaho.org

Part #	Product and Description	Price	Qty	Extended Price
C-32069	EABR, (2025) 48"Belt x 102"W x 32'L x 25-1/4"SW	\$ 105,589.82	1	\$ 105,589.82
Includes DOC Fee and FET, DOES NOT Include any Applicable Sales Tax				Total: \$ 105,589.82

We reserve the right to update pricing up to 120 days before delivery.

A deposit of \$5,000 per trailer is due to secure the next available build spot.

FOB: Origin - Boise, ID

Is a trade-in involved? No

Customer Acceptance_____

Date_____



**TRINITY
TRAILER™**

Sales Quote: Q-25166
Salesman: ALEX SALDIVAR
Customer: City Of Ketchum
Date of Quote: 03/09/2026

Body -- L2 Stainless

Length: 32'
Belt Width: (2025) 48"
Sheet Metal: 16 Ga. Stainless
Trailer Width: 102"
King Pin Setting: 24"
Sidewall Height: 25-1/4"
Top Rail Type: Double Flush
Top Rail Material: 12 Ga. Stainless
SideFrame Material: 12 Ga. Stainless
Tarp Bow Mount Quantity: 9

Extensions

Aluminum Side Extensions: No

Body Options

Glad Hand Mounting: Standard Offset
Landing Legs: Atlas 55
Tire Chain Hooks: Two Sets
Rear Funnel Mounts: Yes
Front Seal Options: Reinforced Front Seal
Tail Fin Options: Standard Tail Fins
Front Ladder: Yes
Side Ladder Type: Weld-on Rungs
Side Ladder Mounting: Road Side Only
Rear Ladder Type: Removable Maintenance Ladder

Lighting

Light Rows: Single Row Marker Lights
Marker Light Type: Standard LED
Tail Lights: 3 Tail Lights per Side
Tail Light Mounting: Standard Rubber Grommet
Turn Signal Color: Red
Auxiliary Wiring: Lift Controls to Socket
Auxiliary Socket: 4 Pin

Rear Door

Door Type: Top Hinge
Lower Door Function: Slide Up
Opening Function: Hydraulic
Slide Up Door Composite: Aluminum
Upper Door Seal: Standard Foam

Suspension

Number of Axles: 2
Overall Spread: 49"
Suspension Type: 23K Air Ride Suspension
Brake Type: MAXX22T Disc Brakes
Front Axle: AAT23K Non Lift Axle (HXL5)
Rear Axle: AAL23K Lift Axle (HXL5)
Suspension Frame Height: Tall Mount
Rear Bumper Options: Rear Bumper
Dust Shield: Diamond Plate Center Only

Suspension Options

Rear Axle Lift Control: AKAD2010 - Equalizing Pressure
Lift Control Wiring: Connect Wiring From Lift Control(s) to Front
Load Scale: Std. Hendrickson Enclosed Gauge (PSI)
Dump Valve: Integrated
Scale/Dump Mounted: Above Rear Fender - Roadside
ABS Type: Meritor Wabco 4S2M

Fender and Mud Flap

Fender Type: Smooth Mill Finish Aluminum
Spray Guard: Yes
Mud Flap Type: Standard Mud Flaps
Front Mud Flap: On Front Fenders (2 Flaps)



Sales Quote: Q-25166
Salesman: ALEX SALDIVAR
Customer: City Of Ketchum
Date of Quote: 03/09/2026

Unload System

PTO Unload: Yes
Male Coupler: Pioneer Style (1")
Female Coupler: Pioneer Style (1")
Return Side Coupler: Female Coupler
Couplers Mounted: On Hoses to Tractor
Hyd. Valves: FBH Valves
Hyd. Motor Size: 195
Hydraulic Oil: Standard
Number Of Chains: 2
Chain Type: AL88C - Heavy Duty
Chain Bar Type: Formed Eagle Bar

Tarp System

Tarp Style: Shur-Loc Style
Tarp Operation: Electric with Remote
Tarp Material: 22 ounce
Tarp Primary Color: Black
Primary Bow Style: Radius Tarp Bows
Primary Bow Quantity: 3
Front Cap: Aluminum
Rear Cap: Fabric
Tarp Stops: 6" Offset
Tarp Latch Plate: Top Mount (Standard)

Tires and Wheels

Tires and Wheel Style: Duals
Tire Size: 11R22.5 (Tall 22)
Tire Tier/Use/Load: Tier 2, On/Off Highway (G)
Tire Qty: 8
Wheel Size: 8.25 x 22.5
Outside Wheel Type: Aluminum - Mill Finish
Outside Wheel Qty: 4
Inside Wheel Type: Aluminum - Mill Finish
Inside Wheel Qty: 4

Liner Options

Floor Liner: 1/4" Thick UHMW
Side Liner: 3/16" Thick HMW
Side Liner Height: Bottom of Top Rail

Paint Options

Paint Color: BK-1 Black
Bolt-On Acc. Color: Body Match
Polyurethane Bin Sealant: Yes

Trailer Specifications

Front Top Rail Height (ft): 9.38w/47" 5th Wheel
Rear Top Rail Height (ft): 9.2
Interior Bin Height (in): 56
Capacity(Cu. Yards): 39.81
Estimated Weight: 12,007
BTE (Internal Use): 22.5
FAB TE (Internal Use): 92.5



TRINITY
TRAILER™

Sales Quote: Q-25166
Salesman: ALEX SALDIVAR
Customer: City Of Ketchum
Date of Quote: 03/09/2026

Special Request Options

Body

Extensions

Body Options

Lighting

Unload System

Tarp System

Rear Door

Suspension

Suspension Options

Fender and Mud Flap

Tires and Wheels

Liner Options

Paint Options

Ship Loose Parts



Sales Quote: Q-25166
Salesman: ALEX SALDIVAR
Customer: City Of Ketchum
Date of Quote: 03/09/2026

Top 25 Key Trailer Attributes (KTA's)

- 1.) Length: 32'
- 2.) Belt Width: (2025) 48"
- 3.) Dimensions: Rear Top Rail Height = 9.2 Ft; Capacity = 39.81 Cu. Yards
- 4.) Side Ladder Type: Weld-on Rungs, Road Side Only
- 5.) Door Type: Top Hinge
- 6.) Lower Door Function: Slide Up
- 7.) Opening Function: Hydraulic
- 8.) Slide Up Door Composite: Aluminum
- 9.) Number of Axles: 2
- 10.) Suspension Type: 23K Air Ride Suspension
- 11.) Overall Spread: 49"
- 12.) Front Axle: AAT23K Non Lift Axle (HXL5)
- 13.) Rear Axle: AAL23K Lift Axle (HXL5)
- 14.) Brake Type: MAXX22T Disc Brakes
- 15.) Unload System: PTO = Yes; 20HP Gas = No; ELEC = No
- 16.) Hyd. Valves: FBH Valves
- 17.) PTO Couplers: Male Coupler = Pioneer Style (1"); Female Coupler = Pioneer Style (1")
- 18.) Tires: 11R22.5 (Tall 22), Tier 2, On/Off Highway (G)
- 19.) Wheels: Outside = Aluminum - Mill Finish, Inside = Aluminum - Mill Finish
- 20.) Tarp Style: Shur-Loc Style
- 21.) Tarp Operation: Electric with Remote
- 22.) Tarp Material: 22 ounce
- 23.) Tarp Color: Black, N/A
- 24.) Paint Color: BK-1 Black
- 25.) Special Requests: None

Customer Acceptance _____

Date _____



**TRINITY
TRAILER™**

Sales Quote: Q-25166
Salesman: ALEX SALDIVAR
Customer: City Of Ketchum
Date of Quote: 03/09/2026

Bill To:	Ship To:
City Of Ketchum Frank Suwanrit 191 5th Street West Ketchum, Idaho 83340 US 208-726-3841 fsuwanrit@ketchumidaho.org	City Of Ketchum Frank Suwanrit 191 5th Street West Ketchum, Idaho 83340 US 208-726-3841 fsuwanrit@ketchumidaho.org

Thirty3 Capital Payment Quote

Extended Price	# of Payments	30% Residual	Est. Monthly Payment
\$ 105,589.82	90	\$31,676.95	\$1,307.85

The payment above is based upon 90 months and a 30% residual payment at lease maturity. The payment is based upon approved credit and is for discussion purposes only and does not constitute a commitment to lend.

Thirty3 Capital offers annual payments, skip payments and other unique financing options.

To proceed with financing please sign the included Thirty3 Capital application and email to gnewberry@thirty3capital.com. You can also use our online application at www.thirty3capital.com. Call Greg Newbery with any questions or to custom design your financing options at 208-830-8821.

Customer Acceptance: _____

Date: _____

Department:	WRF
Name/Project Manager:	Jeff Vert
Project Name/Product/Service:	Biosolids Haul Trailer
Scope of Work:	Dewatering building haul trailer
Background:	We need to haul solid biosolids in an open trailer instead of liquid in a tank.
Estimated Cost:	\$105,589.82
G/L Code:	

Vendor Name:	Trail King
Quote:	\$144,363.70
Date:	3-18-26
Time:	31' 2" St Steel 29 YD
NOTES:	QT# TK-94854.00

Vendor Name:	Trout River Industries
Quote:	\$121,185.88
Date:	4-2-26
Time:	34'10" Painted TrinitySteel 47 YD
NOTES:	QT# HYC-34'-10-2

Vendor Name:	Trinity Trailer
Quote:	\$105,589.82
Date:	3-9-26
Time:	32' ST Steel 39.8 YD
NOTES:	Q-25166

Vendor Name:	
Quote:	
Date:	
Time:	
NOTES:	

	Selected vendor:	Trinity Trailer
	PO#	(required if ≥\$5,000)
<input type="checkbox"/>	Considered environmental/green options?	
<input type="checkbox"/>	Considered local options?	
<input type="checkbox"/>	Grant/Federal funding available?	
<input type="checkbox"/>	Insurance and/or Bond(s) required?	
<input type="checkbox"/>	W9 (if new vendor)	



CITY OF KETCHUM

PO BOX 2315 * 191 5TH ST. * KETCHUM, ID 83340
 Administration 208-726-3841 (fax) 208-726-8234

PURCHASE ORDER

BUDGETED ITEM? Yes No

PURCHASE ORDER - NUMBER: 26134

To: 6489 TRINITY TRAILER 7533 S FEDERAL WAY BOISE ID 83716	Ship to: CITY OF KETCHUM PO BOX 2315 KETCHUM ID 83340
---	---

P. O. Date	Created By	Requested By	Department	Req Number	Terms
05/01/2026	BDAVIS	BDAVIS			

Quantity	Description	Unit Price	Total
1.00	Haul Trailer 67-4350-7900	105,589.82	105,589.82
	SHIPPING & HANDLING		0.00
	TOTAL PO AMOUNT		105,589.82

 Authorized Signature