Specifications For: Kingsport TN

- 1 OZ2 P&T ZOOM M/C LED CAMERA
 - 1 Solid State Color Sewer TV Camera
 - 1 Pan & Rotate Camera Head, 320:1 Optical/Digital Zoom
 - 1 NTSC Color Standard with Automatic Iris / Focus
 - 1 4 x 5W Cluster LED's for 6" through 72" lines
 - Camera Transportation and Storage Case
- 1 BUILT-IN SONDE FOR MAINLINE CAMERA TO INCLUDE:
 - 1 Built In Transmitter, 512 Hz
- 1 21" TRAC TRANSPORTER M/C TO INCLUDE:
 - 1 6" Trac Transporter with Freewheel and Powered Reverse
 - 1 Y Eliminator
- 1 8"-15" EXTENDERS FOR 21" TRAC TRANSPORTER
- 1 SPARE PARTS KIT FOR TRAC TRANSPORTER TO INCLUDE:
 - 1 Additional Chain Links And Rubber Cleats
- 1 12/5/4 ADAPTER CABLE
- 1 18" 24" TRAC TRANSPORTER EXTENSION KIT
- 1 TRAC TRANSPORTER EXTENSION 30"
- 1 TRAC TRANSPORTER EXTENSION 36"
- 1 PCU ASSEMBLY, NTSC

Combination Color Camera Control System / Monitor (110 VAC or 220 VAC, 50 Hz or 60 Hz, NTSC or PAL)

- 1 Mounted in Transportation Cabinet
- 1 10" Flat Screen Monitor & Set of Connecting Jacks for Video In and Video Out
- 1 Integral Data Display System to Include:
 - 1 Alpha Numeric Information Display & Multi Paging and Defect Coding
 - Remote "QWERTY" Keyboard
- 1 TEST CABLE

1

- 1 WIRED USB CONTROLLER
 - 1 Joystick Control for Pan and Tilt Zoom Camera to Include:
 - 1 360 Degree Rotate
 - 1 330 Degree Optical Pan
 - 1 Joystick Control for All Steering Functions & Forward / Reverse Directions for Transporter
 - 1 Camera Lift Control for Optional Electronic Camera Lift
 - All Other Controls for Camera to Include:
 - 1 Camera Iris and Focus Override & Zoom
 - 1 Camera Lights & Shutter Control for Light Enhancement
 - 1 Camera Diagnostics & Auto Home
 - Cruise Control to Set Speed of the Transporter for Hands Off Operation
 - 1 All Reel Controls to Include: Retrieve, Release, and Variable Speed [Excluding Dolly Systems]

WIRELESS CONTROLLER

- Joystick Control for Pan and Tilt Zoom Camera to Include:
 - 360 Degree Rotate
 - 330 Degree Optical Pan
- Joystick Control for All Steering Functions & Forward / Reverse Directions for Transporter
 - 1 Camera Lift Control for Optional Electronic Camera Lift
 - All Other Controls for Camera to Include: 1
 - Camera Iris and Focus Override & Zoom
 - Camera Lights & Shutter Control for Light Enhancement
 - 1 Camera Diagnostics & Auto Home
 - Cruise Control to Set Speed of the Transporter for Hands Off Operation 1
- All Reel Controls to Include: Retrieve, Release, and Variable Speed [Excluding Dolly Systems]

1000' CABLE ASSEMBLY, M/C 12PIN METAL

- 1000' Gold Multi Conductor Kevlar Fiber Armored Combination TV Transmission / Tow Cable
 - .450 Diameter
 - Metal Splice Chamber with Pigtail 1
 - 1 Cable Strain Relief

WHEELED DOLLY, 110V TO INCLUDE:

- **Electric Motor Rewind**
- 1 Hand Crank
- 1 **Automatic Levelwind**
- 1 **Electronic Footage Meter**

CABLE 4'-CONTROL UNIT TO DOLLY

PCU ENCLOSURE FOR DOLLY TO INCLUDE

- Gooseneck Microphone 1
- 1 Mini Keyboard
- Power Cable

NO COMPUTER/NO SOFTWARE - (NOTE: CUSTOMER WILL BE USING IT-PIPES)

Cues Accupoint Kit

MS611 (Locates all sondes and has line trace modes). Sonde frequencies 512Hz / 8kHz / 33kHz Line trace frequencies 512Hz / 8kHz / 33kHz / 65 kHz

Includes MS611, 04/ACCUPOINTBAG, CS775 D-CELL BATTERY, 90/ACCU-UG/01 USER GUIDE

REDI EVALUATION KIT TO INCLUDE:

- Rugged Weather Proof Storage Case 1
- 1 Digital Hi-Resolution Wide Angle Web Camera 1
 - Diagnostic Test Box To Include:
 - Voltage Test Points
 - Built-In Mini Camera
- Footage Test Box 1
- Digital Multi-Meter 1
- 1 **USB** Diagnostic Tool
- Video Cables And Adaptors 1

- 1 TIGER TAIL
- 1 MANHOLE TOP ROLLER ASSEMBLY, TV ONLY
- 3 POLE ASSY, RETRIEVAL/DOWNHOLE TL, 58"
- 1 RETRIEVAL HOOK
- 1 FIELD TRAINING FOR ID SYSTEM, 2 DAYS
- 1 SHIPPING AND HANDLING