

**CONCURRENCY
WORKSHEET**

Hickory Hills
7/21/2022

Trip Generation Analysis per Lot

ITE Code	ITE Use	ADT Multiplier	PM Peak Multiplier	Dwelling Unit*	Total ADT	Total PM Peak
210	Single Family Home	9.57	1.01	4.00	38.28	4.04

*Per dwelling units (4 lots = 4 d.u.)

Potable Water Analysis

Ch. 64E-6.008, F.A.C. Use	Ch. 64E-6.008, F.A.C. Gallons Per Day (GPD)	Ch. 64E-6.008, F.A.C. Multiplier*	Total (Gallons Per Day)	Dwelling Unit*	Total Development (GPD)
Residence	100.00	2.67	267.00	5.00	1335.00

* Multiplier is based upon Ch. 64E.6008, Florida Administrative Code and can vary from square footage, number of employees, number of seats, or etc. See Ch. 64E-6.008, F.A.C. to determine multiplier.

Sanitary Sewer Analysis

Ch. 64E-6.008, F.A.C. Use	Ch. 64E-6.008, F.A.C. Gallons Per Day (GPD)	Ch. 64E-6.008, F.A.C. Multiplier*	Total (Gallons Per Day)	Dwelling Unit*	Total Development (GPD)
Residence	300.00	1.00	300.00	5.00	1500.00

* Multiplier is based upon Ch. 64E.6008, F.A.C. and can vary from square footage, number of employees, number of seats, or etc. See Ch. 64E-6.008, F.A.C. to determine multiplier.

Solid Waste Analysis

Use	Pounds Per Thousand Sq Ft	Total Floor Area*	Total (Lbs Per Day)	Dwelling Unit*	Total Development (Lbs Per Day)
Residence	5.50	2.50	13.75	5.00	68.75

*Per thousand square feet (i.e. 2,500 sq ft / 1,000 = 2.5)