



Town of Lake Park Town Commission

Agenda Request Form

Meeting Date: September 6, 2023
Originating Department: Public Works

Agenda Title: Request for Authorization for the Town Manager to Execute a Work Authorization for Shenandoah General Construction, LLC, to Provide Stormwater Infrastructure Repair Services at Multiple Locations Throughout the Town, per the Pricing, Terms, and Conditions of the Broward College/Shenandoah Contract No. RFP-2018-1687-EH (Cooperative Purchase).

Approved by Town Manager: John D'Agostino
Digitally signed by John D'Agostino
DN: cn=John D'Agostino, o=Town of Lake Park, ou=Town Manager, email=jdagostino@lakeparkflorida.gov, c=US
Date: 2023.08.25 17:14:27 -04'00'
Date:

Cost of Item: \$165,325.00
Account Number: 402-53-538-402-46000
Funding Source: Repairs & Maintenance
Finance Signature: Jeffrey P. Duvall
Digitally signed by Jeffrey P. Duvall
DN: cn=Jeffrey P. Duvall, o, ou, email=jduvall@lakeparkflorida.gov, c=US
Date: 2023.08.24 17:04:44 -04'00'

Advertised:
Date: N/A
Newspaper:

Attachments:
1. Agenda Request Form
2. Shenandoah Proposal No. P31099
3. Map of Work Locations
4. Town/Shenandoah Agreement (Resolution 79-11-22)

Please initial one:
Yes, I have notified everyone
Not applicable in this case

Summary Explanation/Background:

The Public Works Department continues to methodically work to repair aging, damaged and/or compromised stormwater infrastructure at various locations across the Town.

This agenda item is seeking approval to spend up to **\$165,325.00** of budgeted repair and maintenance funding to complete urgent repairs at three locations, as follows:

Location 1: 704 W Jasmine Dr.

Scope of Work: Point repair a 24" Reinforced Concrete Pipe (RCP) between storm drain structures No. 15-007-02D and No. 15-007M.

Cost: \$7,500.000.

Location 2: 1110 to 1130 Seminole Blvd.

Scope of Work: perform open-cut excavation to remove 267' of 18" High-Density Polyethylene (HDPE) exfiltration system and install a new 18" RCP exfiltration system.

Cost: \$78,765.00.

Location 3: 440 Crescent Dr to 1105 Seminole Blvd.

Scope of Work: perform open-cut excavation to remove 268' of 18" High-Density Polyethylene (HDPE) exfiltration system and install a new 18" RCP exfiltration system.

Cost: \$79,060.00.

Furthermore, Town staff solicited price proposals from Shenandoah General Construction, LLC. (Contractor), per the terms and conditions of the Town's cooperative purchase agreement with the Contractor, which the Town Commission executed through Resolution 79-11-22 in November 2022.

The Town Manager recommends approval.

Recommended Motion:

I move to direct and authorize the Town Manager to approve a work authorization for Shenandoah General Construction, LLC, to perform stormwater infrastructure repairs at the three locations.