

CITY OF LAKE WORTH BEACH Community
Sustainability

New Business Item A

PZB 20-00500003: Request by Anne-Christine Carrie of KEITH on behalf of 1900 10th Ave, LLC for consideration of a:

- Major Site Plan,
- Conditional Use,
- and Variance

to construct Vehicle Fueling/Charging Station, Single-Destination Retail, and Restaurant uses at 1900 10th Avenue North within the Mixed-Use West (MU-W) zoning district.

Background/Proposal

Background

Project Manager: Anne-Christine Carrie, KEITH

⁻ Owner: 1900 10th Ave, LLC

- Address: 1900 10th Avenue North


The owner is requesting to build a 7-Eleven retail store with quick-service restaurant and 14 fuel pumps.

Request to the Board

- Major Site Plan for 4,730 s.f. retail and restaurant building and 3,520 s.f. canopy structure
- Conditional Use for Vehicle Fueling/Charging Station, Single-Destination Retail, and Restaurant uses
- Variance of 8 feet from Maximum Front Setback regulations for a 40 foot setback from 10th Avenue North

Site Location






Zoning: Mixed-Use West

- Section 23.3-18: MU-W Mixed-Use West
 - Intent. The "MU-W mixed use district" is intended to provide for the establishment and expansion of a broad range of office and commercial uses, including moderate intensity and higher intensity commercial, hotel/motel and medium-density multiple-family residential development along the city's western thoroughfares. The establishment of certain uses is subject to conditional use review to ensure they will not create excessive problems for through traffic, or have a negative impact on nearby residential areas or the commercial viability of their neighbors. The district implements in part the mixed use land use category of the Lake Worth Comprehensive Plan.

Provision is made for the establishment of the following nonresidential uses for all areas of the district:


- (1) Low to high intensity commercial uses.
- (2) Low to high intensity office uses.
- (3) Low to high intensity retail uses.
- (4) Low to high intensity personal service uses.
- (5) Low to high intensity cultural and artisanal arts.
- (6) Low to high intensity institutional uses.
- (7) Residential apartments as related uses in structures with office, retail, or commercial uses as primary uses.

Existing Conditions






Existing Conditions






Site Plan



Landscape Plan



PLANT LIST

	CANOPY TREES					
QTY	** N	KEY	PLANT NAME	SIZE / REMARKS		
4	** N	BS	Bursera simaruba GUMBO LIMBO	14' HT; 7' SPRD; 4" C.; FULL CANOPY		
6	*	ED	Eleaocarpus decipiens JAPANESE BLUEBERRY	12' HT; 6' SPRD; FULL CANOPY		
5	*	LS	Lagerstroemia speciosa QUEEN CREPE MYRTLE	12' HT; 6' SPRD; FULL CANOPY		
4	** N	QV	Quercus virginiana LIVE OAK	14' HT; 7' SPRD; 3" C.; FULL CANOPY		
	SMALL/MEDIUM TREES					
QTY	** N	KEY	PLANT NAME	SIZE / REMARKS		
7	™ N	CE	Conocarpus erectus GREEN BUTTONWOOD	12' HT;6' SPRD;2" C.; FULL CANOPY		
5	** N	CES	Conocarpus e. 'sericeus' SILVER BUTTONWOOD	8' HT; 4' SPRD;2" C.; MULTI-STEM; FULL CANOPY		
12	** N	MF	Myrcianthes fragrans SIMPSON STOPPER	8' HT; 4' SPR;2" C.; STANDARD; FULL CANOPY		
	PALMS					
QTY	** N	KEY	PLANT NAME	SIZE / REMARKS		
6	**	PE	Ptychosperma elegans SOLITAIRE PALM	10' CT; 16' OA HTS; HEAVY		

	SHRUBS					
QTY	** N KEY		PLANT NAME	SIZE / REMARKS		
157	** N	CHR	Chrysobalanus icaco COCOPLUM	24" HT; 24" SPRD; 24" O.C.		
6	**	CRI	Crinum asiaticum CRINUM LILY 36" HT; 36" SPRD; TRI			
250	** N	FOR	Foresteria segregata FLORIDA PRIVET 24" HT; 24" SPRD; 24"			
165	** N	MUH	Muhlenbergia capillaris GULF MUHLY GRASS	24" HT; 24" SPRD; 24" O.C.		
20	* N	PSY	Psychotria nervosa WILD COFFEE	24" HT; 24" SPRD; 24" O.C.		
6	**	RMB	Raphiolepis i. 'Majestic Beauty' INDIAN HAWTHORN 'STD'	48" HT; 24" SPRD; FULL STANDARD		
	GROU	NDCOVE	RS			
QTY	** N	KEY	PLANT NAME	SIZE / REMARKS		
320	**N	ERN	Erodia littoralis GOLDEN CREEPER	12" HT; 14" SPRD; 18" O.C.		
335	**	FGI	Ficus m. 'Green Island' GREEN ISLAND FICUS	12" HT; 14" SPRD; 18" O.C.		
132	**	GAI	Gaillardia puchella INDIAN BLANKET 10" HT; 16" SPRD; 1			
210	** N	ZAM	Zamia pumila (Zamia floridana) COONTIE	18" HT; 18" SPRD; 24" O.C.		
	**	SOD	ST. AUGSTINE 'FLORATAM'	SOLID SOD		

Elevation (South Façade)



Direction	Future Land Use	Zoning District	Current Use/ Name of Development
North (adjacent)	I (Industrial)	I-POC	Parking Lot
South (across 10 th Ave N)	MU-W	MU-W	Mobility Device and Turf Sales
East (across Barnett Dr)	l	I-POC	Office and Warehouse
West (adjacent)	MU-W	MU-W	Warehouse/Contractor Office

- Consistent with the Comprehensive Plan
 - Policy 1.1.1.6 Mixed-Use West
- Consistent with the Strategic Plan
 - Pillar IV.A Achieve economic and financial sustainability through a versatile and stable tax base
 - Pillar IV.D Influence the supply and expansion of jobs
 - Pillar IV.E Ensure development that anticipates and embraces the future

Major Site Plan

- Consistent with the qualitative development standards (LDR Section 23.2-31(c))
 - Organized in an efficient manner
 - Provides additional landscaping and pervious area than what currently exists
 - Provides for safe circulation of pedestrians and vehicles
- Consistent with the community appearance criteria (LDR Section 23.2-31(I))
 - Conforms to scale and style of surrounding area
 - Landscape and layout consistent with the Major Thoroughfare Design Guidelines

Variance

- Consistent with the required findings for variance approval (LDR Section 23.2-26(b)
 - Provisions force the fuel canopy to be set back beyond the maximum building setback line.

- Conditional Use
 - Consistent with the design and performance standards for vehicle filling stations (LDR Section 23.4-13(c)(1)(A)(2)(c))
 - lot size
 - pump island setbacks
 - overhead canopies
 - curb cuts
 - Consistent with the general findings to harmony with the LDRs and protection of public interest (LDR Section 23.2-29(d))
 - The proposed uses are the types and intensities of uses currently anticipated within the Mixed-Use West zoning district and future land use designations, and provides activity on a currently unused parcel of land.

- Conditional Use (cont'd)
 - Consistent with the specific standards for all conditional uses (LDR Section 23.2-29(e))
 - Subsection 1: Staff has requested the applicant obtain a TPS Letter from the Palm Beach County Traffic Division. The applicant has obtained an TPS initial comment letter which outlines several requirements, including:
 - Extend the southbound left turn lane storage length on Barnett Drive at 10th Avenue North
 - Barnett ingress/egress configured as right-in/right-out only movement to eliminate a left turn from Barnett.

Should the county require any additional improvements, the applicant will be required to bring the project back through a site plan amendment process.

Subsection 2: 10th Avenue North is classified by PBC as an Urban Minor Arterial roadway. The applicant has provided a traffic study which states that the proposed development will generate 1,367 net daily trips, with 94 AM Peak Hour trips and 94 PM Peak Hour trips. Staff believes the majority of these trips will be from existing traffic travelling along 10th Avenue North, however the project will be limited to right-in, right-out movements off of Barnett Drive to limit the impact on local roads.

Modification: Utilities: Water & Sewer Condition 2.b

Original Condition:

b. Provide the egress from Barnett Drive as egress only.

Revised Condition:

b. The vehicular access from Barnett Drive shall permit only right-in/right-out access to and from the site for customer and employee traffic, excluding fuel delivery which can use the driveway for ingress. The improvements limiting such movement shall be approved by the Lake Worth Beach City Engineer, including striping and signage.

Addition: Planning Condition

Proposed Condition:

There shall be no outdoor display of any kind of merchandise

Staff Recommendation

- Staff has reviewed the documentation and materials provided, applying the applicable guidelines and standards found in the City of Lake Worth Beach Zoning Code.
 - The proposed use, site plan, and variance requests all meet the criteria of the Comprehensive Plan and LDRs.
 - The analysis has shown that the required findings can be made with respect to the Major Site Plan, Conditional Use, and Variance request.
 - The use as proposed is in harmony with the underlying zoning district and surrounding areas, subject to compliance with staff's proposed conditions of approval.
- Therefore, staff recommends approval with the conditions listed in the staff report and with the modification provided during this presentation.



CITY OF LAKE WORTH BEACH Community
Sustainability

Conditions of Approval

Electric Utilities:

- 1. Prior to the issuance of a Certificate of Occupancy, the following shall be completed:
 - a. Provide the load calculations and voltage requirements
- 2.Electric Utilities shall approve all easements and/or alternate transformer configurations prior to the issuance of a building permit.
- 3.Should no alternate transformer and/ or easements be approved by the Electric Utilities, then the following shall be provided and approved prior to the issuance of a building permit:
 - a. Show the service entrance location on the site plan
 - b. Provide a ten ft. clearance in front of the transformer and four ft. on the remaining sides
 - c. Relocate the proposed tree from the transformer location
 - d. Provide a ten foot easement from the transformer location to the power pole across the street on Barnett Drive. Please keep the utility easement free of landscaping or any other structures.

Planning:

- 1. The landscape screen adjacent to the air/vac mechanical equipment along 10th Avenue North shall be maintained at a height of at least ¾ of the height of said equipment so that it is screened from the right-of-way.
- 2. All proposed signage will be reviewed against the location and size on sheets A200 and A202, as well as in conformance with the Code. Should the type of signage submitted as part of the building permit be significantly different in size, scale, scope, or style from what was indicated in the Site Plan package, the signage will be required to be approved administratively through a Minor Site Plan amendment process prior to the approval of the building permit.
- 3. There shall be no outdoor display of any kind of merchandise.
- 4. Prior to the issuance of a building permit, the following shall be completed:
 - a. Continue the fenestration toward the ground across the entire building on both sides of the entrance doors.
 - b. Paint the retail/restaurant building a color other than beige as described in the Major Thoroughfare Design Guidelines; alternative colors and/or materials shall be presented to the PZB for consideration and approval; and architectural plans shall be updated and approved by staff prior to the issuance of a building permit to reflect an alternate color or materials.
 - c. The applicant shall submit a TPS letter from the Palm Beach County Traffic Division.

Conditions of Approval

Public Works:

- 1. The issuance of any permits shall comply with all provisions of the Lake Worth Municipal Code and all other applicable standards including but not limited to the Florida Department of Transportation (FDOT), Manual on Uniform Traffic Control Devices (MUTCD), and City of Lake Worth Public Services Construction Standards and Policy and Procedure Manual.
- 2. Prior to performing work in the right of way, the applicant shall apply for and receive issuance of a "Right of Way/Utility Permit" application.
- 3. Prior to the issuance of a certificate of occupancy, the following shall be completed:
 - a. the Applicant shall ensure the entire surrounding off-site infrastructure inclusive of the roadway, sidewalk, curbing, stormwater system piping and structures, valve boxes, manholes, landscaping, striping, signage, and other improvements are in the same condition as prior to construction.
 - all conditions of approval shall be satisfied under jurisdiction of the Department of Public Services.
 - c. the applicant shall fine grade and sod all disturbed areas with Bahia sod.
 - d. the applicant shall broom sweep all areas of the affected right of way and remove of all silt and debris collected as a result of construction activity.
 - e. the applicant shall restore the right of way to a like or better condition. Any damages to pavement, curbing, striping, sidewalks or other areas shall be restored in kind
- 4. Prior to the issuance of a building permit, the following shall be completed:
 - a. The applicant shall contact the Lake Worth Drainage (LWDD) District's Engineering Department and obtain any required permit(s), if necessary, and furnish to the City.
 - b. The applicant shall contact the South Florida Water Management District's (SFWMD) Engineering Department and obtain any required permit(s), if necessary.
 - c. The Applicant shall contact and meet with a representative from the Public Services Refuse and Recycling Division to confirm dumpster enclosure location, accessibility and demand on property and that it is compatible with the requirements of the Department of Public Services. Refuse Division contact number is 561-533-7344.
 - d. The applicant shall submit an Erosion Control plan and indicate the BMP's and NPDES compliance practices.

Utilities Water & Sewer:

- 1. System data shows the site uses an existing 1-inch meter, however the drawing reference utilizing the existing 2-inch service. No taps or fitting are allowed upstream of the City water meter on the City's water service. The potable water service also requires an RPZ.
- 2. Prior to the issuance of a building permit, the following shall be completed:
 - a. Ensure the plan conforms/integrates with the Palm Beach County (PBC) Roadway widening/improvement project, and provide an acknowledgement from PBC.
 - b. Provide the egress from Barnett Drive as egress only The vehicular access from Barnett Drive shall permit only right-in/right-out access to and from the site for customer and employee traffic, excluding fuel delivery which can use the driveway for ingress. The improvements limiting such movement shall be approved by the Lake Worth Beach City Engineer, including striping and signage.
 - c. Provide a collection structure in the dumpster pad that is connected to an oil/grease inceptor. This will manage the runoff in this area and will be connected to the stormwater collection system. This shall not be connected to the sanitary sewer system. Minimum size of the oil/grease inceptor is 750 gallons.