

# **CP CLEVELAND / PRICE INC.**

14000 RT. 993 • Trafford, PA 15085-9550 • (724) 864-4177  
 www.clevelandprice.com FAX (724) 864-9040

**CITY OF LAKE WORTH**

1900 2nd Ave. North  
 Lake Worth Florida 33461

Attention: Robert Farkas  
 Email: RFarkas@Teamworknet.com

c: Engineer Sales

Revised: 10/7/2021  
 Quotation No. 21J2414 Rev. #1  
 Date: September 24, 2021  
 Delivery\*: 14 - 16 weeks ARO  
 Prices Firm: Through delivery  
 Quote Valid To: November 07, 2021  
 F.O.B. Point: Destination  
 Freight Terms: Freight prepay and add to invoice  
 Payment Terms: Net 30 Days  
 Quoted By: Anson Sage

Item No.	Quan.	Description	Style Number	Unit Price (USD)	Extended Price (USD)
1	4	Outdoor airbreak switch, type V2-C, vertical break, three pole, group operated, rated 34.5 kV, 2000 Amp. , 100 kA momentary, 200 kV BIL.  All copper switch featuring: <ul style="list-style-type: none"> <li>• Horizontal upright mounted pole units</li> <li>• TR-210 gray station post insulators(fully assembled)</li> <li>• TP-C2 motor operator (See Item 1001 For description)</li> <li>• Arcing horns</li> <li>• Silver-plated hinge and jaw contacts</li> <li>• Tin-plated terminal pads</li> <li>• Vertical pipe extension for additional 21 foot mounting height</li> <li>• Galvanized steel mounting hardware</li> </ul>	C06A034G16	12,345	49,380




\_\_\_\_\_  
 Anson Sage

Item No.	Quan.	Description	Style Number	Unit Price (USD)	Extended Price (USD)
1001	Ref.	for Item(s) 1 TP-C2 Motor operator, 125 DC control voltage, 20,000 inch pounds output torque, for 1.5" IPS pipe, with torque relief decoupler. Operating time for vertical pipe to rotate 180 °= 5.4  Featuring: <ul style="list-style-type: none"> <li>• Stainless steel type 304 enclosure with smooth brushed finish</li> <li>• 12 Spare auxiliary switch contacts rated 15A @ 125VAC or .5A @ 125VDC, with terminal block</li> <li>• Provisions to accept customer supplied SEL I/O</li> </ul> 2505-2505364XX <ul style="list-style-type: none"> <li>• 120 VAC, 250 Watt heater with thermostat</li> <li>• Interior light activated by door switch</li> <li>• Standard Printed Circuit Board featuring:                             <ul style="list-style-type: none"> <li>- Open/Close switch with toggle guard</li> <li>- Remote/Local Switch with 1 contacts for remote status indication</li> <li>- Stop button</li> </ul> </li> </ul>	C15A001G002	Included in items above	
				<b>Total:</b>	49,380.00

Revisions to Quote		
Rev	Date	
1	10/7/2021	Rev to change switch to 34.5/2000 amp 200 kV BIL and make cabinet Stainless steel with provision to accept customer supplied SEL 2505

Technical Notes
sales tax by others

Commercial Notes
*Delivery is dependent on factory capacity at time of order placement.



\_\_\_\_\_  
 Anson Sage



---

Anson Sage