	TLG	TNJ	ET Y	Source	
	/=/_/_	EET SA		Awarded C	Contract
	Call Us first, f	or all of your Fleet Automotive	& Light Truck ne	eds.	Quote
PHONE (800) ALANJ	AY (252-6529)	DIRECT 863-402-4234	L .	WWW.ALANJAY.CO	M 57988-3
Corporate 2003 U.S.	27 South	MOBILE 863-273-1105	i	Mailing P.O. BOX	9200
Office Sebring, I	FL 33870	FAX 863-402-4221		Address Sebring, I	FL 33871-9200
	RUOTE DATE	QUICK QUOT	E SHEE	REVISED QU 10/7/2	
REQUESTING AGENCY	LAKE WORTH BE	ACH, CITY OF			
CONTACT PERSON	MINA TAWADROS		MAIL <u>Mtawadros</u>	@LakeWorthBeachFL.go	v
PHONE	561-586-7422	MOBILE 561-670-0549	FAX		
SOURCEWELL CO	ONTRACT # 2025	091521-NAF & 032824-N	AF	www.NationalAuto	oFleetGroup.com
MODEL	W8J 302A			MSRP	\$31,410.00
-		 PER CREW PICKUP AWD XLT 4.5	BED		<i>voi</i> , <i>ioiooo</i>
-		TER OREW FIOROF AND AET 4.0		NJPA PRICE	\$30,640.00
CUSTOMER ID	4.5' Bed				\$ 50,040.00
BED LENGTH		rior unless clearly stated otherwise c	n nurchase order		
FACTORY OPTIONS		DESCRIPT	•		
YZ	Oxford White	DESCRIPT			\$0.00
7B		Unique Cloth Front Bucket Seats			\$0.00
99A	Engine: 2.0L EcoBoost				\$0.00
448	Transmission: 8-Speed	Automatic			\$0.00
302A	OPTIONS Equipment Gr				\$1,015.00
64T		Gray Painted Aluminum			\$0.00
	3.63 Axle Ratio				\$0.00
					<u> </u>
		DECODID		FACTORY OPTIONS	\$1,015.00
CONTRACT OPTIONS	EXTENDED WARRANTY	DESCRIPT			\$0.00
NEW-TAG		tag & two way overnight shipping for si	anaturo (sposify stato s	county city shoriff atc.)	\$0.00
HD SOB SH		ed liner (short bed) under rail.	Sharmer (Sherman State, C	ניטוונץ, נונץ, אופוווו, פננ.ן	
חנ סטנ שוו					\$760.00

TRADE IN		TOTAL COST\$32,660.00		\$32,660.00	
	YES WE TAKE TRADE INS	~~~ ASK ABOUT MUNICIPAL FINANCING ~~~			
		TOTAL COST LESS TRADE IN(S)	QTY	1	\$32,660.00
Estin		0 months paid in advance: \$7,509.21 for any essential use vehicle, requires lender approval	, WAC.		
Comments	QUOTE SUBJECT TO FACTO	RY ORDER ACCEPTANCE or 30 DAYS			
VEHICLE QUOTED BY	ASHLEE WILSON	GOVERNMENT ACCOUNT MANAGER Ashlee	.Wilson@A	lanJay.com	1
I appreciate the opport	unity to submit this quotation. Ple	"I Want to be <u>Your</u> Fleet Provider" ease review it carefully. If there are any errors or changes I am always happy to be of assistance.	s, please fee	el free to coi	ntact me at any time.

\$1,005.00

CONTRACT OPTIONS





Note:Photo may not represent exact vehicle or selected equipment.

Window Sticker

SUMMARY

[Fleet] 2025 Ford Maverick (W8J) XLT AWD SuperCrew

Interior:Navy Pier/Aspen Gray, Unique Cloth Front Bucket Seats

Exterior 1:Oxford White

Exterior 2:No color has been selected.

Engine: 2.0L EcoBoost

Transmission: 8-Speed Automatic

OPTIONS

CODE	MODEL		MSRP
W8J	[Fleet] 2025 Ford Maverick (W8J) XLT AWD SuperCrew	:	\$28,795.00
	OPTIONS		
302A	Equipment Group 302A		\$1,020.00
448	Transmission: 8-Speed Automatic	Inc.	
64T	Wheels: 17" Carbonized Gray Painted Aluminum		\$0.00
7B	Navy Pier/Aspen Gray, Unique Cloth Front Bucket Seats		\$0.00
99A	Engine: 2.0L EcoBoost	Inc.	
YZ	Oxford White		\$0.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23572. Data Updated: Sep 30, 2024 7:05:00 PM PDT.

MSRP:\$28,795.00



 3.63 Axle Ratio	Inc.	
 SUBTOTAL		\$29,815.00
Adjustments Total		\$0.00
Destination Charge		\$1,595.00
TOTAL PRICE		\$31,410.00

FUEL ECONOMY

Est City:N/A

Est Highway:N/A

Est Highway Cruising Range:N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Standard Equipment

Mechanical	
	Engine: 2.5L Hybrid (STD)
	Transmission: Automatic Continuous Variable (CVT) (STD)
	2.91 Axle Ratio (STD)
	50-State Emissions System
	Engine Auto Stop-Start Feature
	Transmission w/Driver Selectable Mode
	Automatic Full-Time All-Wheel
	45-Amp/Hr 390CCA Maintenance-Free Battery w/Run Down Protection
	Regenerative 150 Amp Alternator
	Class I Towing Equipment -inc: Hitch and Trailer Sway Control
	Trailer Wiring Harness
	GVWR: 5,320 lbs
	Gas-Pressurized Shock Absorbers
	Front And Rear Anti-Roll Bars
	Electric Power-Assist Speed-Sensing Steering
	13.8 Gal. Fuel Tank
	Single Stainless Steel Exhaust
	Permanent Locking Hubs
	Strut Front Suspension w/Coil Springs
	Short And Long Arm Rear Suspension w/Coil Springs
	Regenerative 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist, Hill Hold Control and Electric Parking Brake
	Lithium Ion (li-Ion) Traction Battery 1.1 kWh Capacity
Exterior	
	Wheels: 17" Carbonized Gray Painted Aluminum (STD)
	Regular Box Style
	Tires: 225/65R17 A/S BSW
	Steel Spare Wheel
	Compact Spare Tire Stored Underbody w/Crankdown
	Clearcoat Paint

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Exterior	
Exterior	De de Calena d'Enant Duran en culDia de Dude Otein (Enancia Annana)
	Body-Colored Front Bumper w/Black Rub Strip/Fascia Accent
	Black Rear Step Bumper
	Black Side Windows Trim and Black Rear Window Trim
	Black Door Handles
	Black Power Side Mirrors w/Manual Folding
	Fixed Rear Window
	Deep Tinted Glass
	Fixed Interval Wipers
	Galvanized Steel/Aluminum Panels
	Black Grille
	Tailgate Rear Cargo Access
	Tailgate/Rear Door Lock Included w/Power Door Locks
	Integrated Storage
	Autolamp Auto On/Off Reflector Led Low/High Beam Daytime Running Lights Preference Setting Headlamps w/Delay-Off
	Cargo Lamp w/High Mount Stop Light
	Auto High Beams
Entertainment	
	Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Steering Wheel Controls, Radio Data Syste and External Memory Control
	Radio: AM/FM Stereo w/6 Speakers -inc: 2 front USB ports - 1 type A and 1 type C
	Streaming Audio
	Integrated Roof Antenna
	SiriusXM w/360L
	SYNC 4 w/Enhanced Voice Recognition -inc: 13.2" LCD touch screen w/swipe capability, wireless phone connection, cloud connected, AppLink w/App catalog, 911 Assist, Apple CarPlay and Android Auto compatibilit digital owner's manual and conversational voice command recognition
	2 LCD Monitors In The Front
nterior	
	Driver Seat
	Passenger Seat
	Full Folding Bench Front Facing Fold Forward Seatback Premium Cloth Rear Seat

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



• . •	
Interior	
	Manual Tilt/Telescoping Steering Column
	Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Power/Regen, Trip Odometer and Trip Computer
	Power Rear Windows
	FordPass Connect 5G Mobile Hotspot Internet Access
	Front Cupholder
	Rear Cupholder
	Compass
	Remote Releases -Inc: Power Fuel
	Proximity Key For Doors And Push Button Start
	Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry, Illuminated Ignition Switch and Panic Button
	Cruise Control w/Steering Wheel Controls
	Voice Activated Automatic Air Conditioning
	HVAC -inc: Underseat Ducts
	Glove Box
	Driver Foot Rest
	Interior Trim -inc: Colored Instrument Panel Insert, Colored Door Panel Insert and Other Interior Accents
	Full Cloth Headliner
	Urethane Gear Shifter Material
	Unique Cloth Front Bucket Seats -inc: 6-way manual adjustable driver and 4-way manual adjustable passenger, front floor console w/eShifter, armrest and storage bin
	Day-Night Rearview Mirror
	Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Auxiliary Mirror
	Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 2 12V DC Power Outlets
	Front Map Lights
	Fade-To-Off Interior Lighting
	Full Carpet Floor Covering -inc: Carpet Front Floor Mats
	Pickup Cargo Box Lights
	FOB Controls -inc: Cargo Access
	Rear View Camera
	Pre-Collision Assist w/Automatic Emergency Braking -inc: pedestrian detection, forward collision warning and dynamic brake support

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Interior	
	Instrument Panel Bin, Dashboard Storage, Driver / Passenger And Rear Door Bins and 2nd Row Underseat Storage
	Power 1st Row Windows w/Driver 1-Touch Down
	Delayed Accessory Power
	Power Door Locks w/Autolock Feature
	Driver Information Center
	Redundant Digital Speedometer
	Trip Computer
	Outside Temp Gauge
	Digital/Analog Appearance
	Seats w/Cloth Back Material
	Manual Adjustable Front Head Restraints and Fixed Rear Head Restraints
	1 Seatback Storage Pocket
	Front Center Armrest and Rear Center Armrest
	Securilock Anti-Theft Ignition (pats) Immobilizer
	Perimeter Alarm
	2 12V DC Power Outlets
	Air Filtration
Safety-Mechanical	
	AdvanceTrac w/Roll Stability Control Electronic Stability Control (ESC) And Roll Stability Control (RSC)
	ABS And Driveline Traction Control
Safety-Exterior	
	Side Impact Beams
Safety-Interior	
	Dual Stage Driver And Passenger Seat-Mounted Side Airbags
	Lane-Keeping Aid Lane Keeping Assist
	Lane-Keeping Aid Lane Departure Warning
	Tire Specific Low Tire Pressure Warning
	Dual Stage Driver And Passenger Front Airbags
	Safety Canopy System Curtain 1st And 2nd Row Airbags
	Airbag Occupancy Sensor

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Ashlee Wilson | 863-402-4234 | ashlee.wilson@alanjay.com

Vehicle: [Fleet] 2025 Ford Maverick (W8J) XLT AWD SuperCrew (Complete)

Safety-Interior	
	Driver Knee Airbag
	Mykey System -inc: Top Speed Limiter, Audio Volume Limiter, Early Low Fuel Warning, Programmable Sound Chimes and Beltminder w/Audio Mute
	Rear Child Safety Locks
	Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
WARRANTY	
	Basic Years: 3 Basic Miles/km: 36,000 Drivetrain Years: 5 Drivetrain Miles/km: 60,000 Corrosion Years: 5 Corrosion Miles/km: Unlimited Hybrid/Electric Components Years: 8 Hybrid/Electric Components Miles/km: 100,000 Roadside Assistance Years: 5 Roadside Assistance Miles/km: 60,000

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Technical Specifications

Chassis

Weight Information

Standard Weight - Front	0.00 lbs	Standard Weight - Rear	0.00 lbs
Base Curb Weight	3856 lbs	Gross Axle Wt Rating - Front	N/A
Gross Axle Wt Rating - Rear	N/A	Curb Weight - Front	N/A
Curb Weight - Rear	N/A	Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs	Reserve Axle Capacity - Front	N/A
Reserve Axle Capacity - Rear	N/A	As Spec'd Curb Weight	N/A
As Spec'd Payload	N/A	Maximum Payload Capacity	N/A
Gross Combined Wt Rating	6145 lbs	Gross Axle Weight Rating	N/A
Curb Weight	N/A	Reserve Axle Capacity	N/A
Total Option Weight	0.00 lbs	Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs	Gross Vehicle Weight Rating	5240.00 lbs
Dead Weight Hitch - Max Trailer Wt.	2000 lbs	Dead Weight Hitch - Max Tongue Wt.	200 lbs
Dead Weight Hitch - Max Trailer Wt.	2000 lbs	Dead Weight Hitch - Max Tongue Wt.	200 lbs
Wt Distributing Hitch - Max Trailer Wt.	2000 lbs	Wt Distributing Hitch - Max Tongue Wt.	200 lbs
Wt Distributing Hitch - Max Trailer Wt. Fifth Wheel Hitch - Max Trailer Wt.	2000 lbs N/A	Fifth Wheel Hitch - Max Tongue Wt.	200 lbs N/A
•			
Fifth Wheel Hitch - Max Trailer Wt. Maximum Trailering Capacity	N/A		
Fifth Wheel Hitch - Max Trailer Wt.	N/A		
Fifth Wheel Hitch - Max Trailer Wt. Maximum Trailering Capacity	N/A 2000 lbs	Fifth Wheel Hitch - Max Tongue Wt.	N/A
Fifth Wheel Hitch - Max Trailer Wt. Maximum Trailering Capacity ame Frame Type	N/A 2000 lbs N/A	Fifth Wheel Hitch - Max Tongue Wt.	N/A N/A
Fifth Wheel Hitch - Max Trailer Wt. Maximum Trailering Capacity rame Frame Type Frame RBM	N/A 2000 lbs N/A N/A	Fifth Wheel Hitch - Max Tongue Wt.	N/A N/A

Suspension Type - Front	Strut	Suspension Type - Rear	Short And Long Arm
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A
Axle Type - Front	Independent	Axle Type - Rear	Independent
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A
Axle Ratio (:1) - Front	3.63	Axle Ratio (:1) - Rear	3.63

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

hassis			
Suspension			
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	N/A	Stabilizer Bar Diameter - Rear	N/A
īres			
Front Tire Order Code	N/A	Rear Tire Order Code	N/A
Spare Tire Order Code	N/A	Front Tire Size	P225/65HF
Rear Tire Size	P225/65HR17	Spare Tire Size	Compact
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
Vheels			
Front Wheel Size	17 X 7 in	Rear Wheel Size	17 X 7 in
Spare Wheel Size	Compact in	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel
Steering			
Steering Type	Rack-Pinion	Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A	Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	40 ft	Turning Diameter - Wall to Wall	N/A
Brakes			
Brake Type	4-Wheel Disc	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	4-Wheel	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	N/A
Rear Brake Rotor Diam x Thickness	N/A	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		
Fuel Tank			
Fuel Tank Capacity, Approx	16.5 gal	Aux Fuel Tank Capacity, Approx	N/A

Fuel Tank Capacity, Approx	16.5 gal	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Dimensions

Interior Dimensions

Passenger Capacity	5	Front Head F
Front Leg Room	42.8 in	Front Should
Front Hip Room	55.4 in	Second Head
Second Leg Room	36.9 in	Second Shou
Second Hip Room	54.1 in	

Front Head Room	40.3 in
Front Shoulder Room	57.3 in
Second Head Room	39.6 in
Second Shoulder Room	55.6 in

Exterior Dimensions

Wheelbase	121.1 in	Length, Overall w/o rear bumper	N/A
Length, Overall w/rear bumper	N/A	Length, Overall	199.7 in
Width, Max w/o mirrors	72.6 in	Height, Overall	68.7 in
Overhang, Front	N/A	Overhang, Rear w/o bumper	N/A
Front Bumper to Back of Cab	N/A	Cab to Axle	N/A
Cab to End of Frame	N/A	Ground to Top of Load Floor	30.1 in
Ground to Top of Frame	N/A	Frame Width, Rear	N/A
Ground Clearance, Front	8.6 in	Ground Clearance, Rear	8.6 in
Body Length	0.00 ft	Cab to Body	N/A
Cargo Area Dimensions			
Cargo Box Length @ Floor	54.4 in	Cargo Box Width @ Top, Rear	53.3 in
Cargo Box Width @ Floor	53.3 in	Cargo Box Width @ Wheelhousings	42.6 in
Cargo Box (Area) Height	20.3 in	Tailgate Width	49.8 in
Cargo Volume	33.3 ft ³	Ext'd Cab Cargo Volume	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.