

Orlando Freightliner
2455 S. Orange Blossom Trail
Apopka Fl. 32703
407-295-3846 ext 4222
bscharpnick@orlandofreightliner.com

To: Jason Yeager/City of Lake Worth

Regarding FSA20-VEH18.0

**Orlando freightliner is pleased to quote the following 2023
M2 106 via the Florida Sheriff's Association
Bid FSA20-VEH18.0**

Spec #58	\$44,892.00
37000GVW	\$31,151.00
ROUTE ASST w/mechanical joysticks	\$113,250.00
Raw Material Surcharge Freightliner	\$ 2,900.00
Raw Material Surcharge Petersen	\$ 4,514.00

Total **\$196,707.00**

Bob Scharpnick
Municipal/Fleet Sales
Orlando Freightliner
Isuzu Truck of Ocala

Quote

Petersen Industries, Inc.
 4000 SR 60 W.
 Lake Wales, FL. 33859
 P: (863) 676-1493
 F: (863) 676-6844



Quote No	Quote Date	Page
20220277	2/3/2022	1

Bill To

ORLANDO FREIGHTLINER
 2455 S. ORANGE BLOSSOM
 APOPKA, FL 32703
 US

Ship to

LAKE WORTH BEACH,
 1880 2ND AVENUE NORTH
 LAKE WORTH BEACH, FL
 US

END USER: Lake Worth Beach, City of (FL)

Customer No	Slpsn	Payment terms			
1970	Nick Filer	Net 30			
Loc	PPD/COL	Ship via	Ship Date	Delivery Date:	
LW		DRIVE AWAY	A.S.A.P.	60-90 Days After CHAS F	
Qty Ordered	UOM	Item No	Unit price	Disc	Extended price

1.00 EA LOADER
 AS CONFIGURED BELOW
 PAINT LOADE STD ATLAS GREEN

Feature/Kit Components- LOADER

1.00	EA	0.TR3	1.00		
		LOADER-ROUTE ASSISTANT			
1.00	EA	03.11SAI	1.00		
		HEAVY DUTY SWING MOTOR			
1.00	EA	03.12 EXTD PED- EXTENDED PEDESTAL - TR3 (NO CHARGE)	1.00		
1.00	EA	01.11MQCA QUADSTICK MECH CONTROLS (UPGRADE for TL)	1.00		
1.00	EA	01.24 GRATING HEAT SHIELD (FOR DUAL CONTROLS ONLY)	1.00		
1.00	EA	10.16 HDHI HDHI OUTRIGGER STROBE	1.00		
1.00	EA	07.10SB60 STANDARD BUCKET 60"	1.00		
1.00	EA	10.04 BUWL BOOM-UP WARNING LIGHT/AUDIBLE ALARM	1.00		
1.00	EA	12.05 HG HOSE GUARDS- HEAD & VALVE BANK	1.00		
1.00	EA	12.36 HD HD CONTROL BOX THROTTLE ENGINE KILL & HORN	1.00		
1.00	EA	12.02 TP TANDEM PUMP IN LIEU OF SINGLE 18 GMP	1.00		
1.00	EA	11.02 LOADER SINGLE COLOR (ENAMEL) AS DEFINED BELOW	1.00		

1.00 EA 8.0 DUMP BODY
 AS CONFIGURED BELOW
 PAINT BODY VIPER BLUE, CROSS TO HEMPLE

Feature/Kit Components- 8.0 DUMP BODY

1.00	EA	8.29 2030-HDX MODEL HDX-2030 HARDOX BODY 1/8" SIDES, 3/16" FLOOR	1.00		
1.00	EA	8.36 PISWLCD PI SELF-WINDING LOAD COVERING DEVICE (ADD-ON)	1.00		

Quote

Petersen Industries, Inc.
 4000 SR 60 W.
 Lake Wales, FL. 33859
 P: (863) 676-1493
 F: (863) 676-6844



Quote No	Quote Date	Page
20220277	2/3/2022	2

Bill To

ORLANDO FREIGHTLINER
 2455 S. ORANGE BLOSSOM
 APOPKA, FL 32703
 US

Ship to

LAKE WORTH BEACH,
 1880 2ND AVENUE NORTH
 LAKE WORTH BEACH, FL
 US

END USER: Lake Worth Beach, City of (FL)

Customer No	Slpsn	Payment terms
1970	Nick Filer	Net 30

Loc	PPD/COL	Ship via	Ship Date	Delivery Date:
LW		DRIVE AWAY	A.S.A.P.	60-90 Days After CHAS F

Qty Ordered	UOM	Item No	Unit price	Disc	Extended price
-------------	-----	---------	------------	------	----------------

1.00	EA	8.72 OPRD SINGLE PIECE REAR DOOR (REPLACES STND BARN DOORS)	1.00		
1.00	EA	8.47 WL-BW WIRE LOOM FOR BODY WIRING	1.00		
1.00	EA	10.09 LED LED TYPE BODY LIGHTS, 15 EA.	1.00		
1.00	EA	10.06 SS SINGLE STROBE MOUNTED ON REAR OF BODY	1.00		
1.00	EA	10.10 LED FLASH AMBER LED FLASHERS IN REAR CORNER POST	1.00		
1.00	EA	10.07 BG BRUSH GUARD FOR SINGLE REAR STROBE	1.00		
1.00	EA	8.77 ANSI ANSI Z245 PACKAGE	1.00		
1.00	EA	8.78 RTASST ROUTE ASSISTANT HALF TROUGH + CART TIPPER	1.00		
1.00	EA	11.04 BODY/LOADER DIFFERENT COLORS AS DEFINED BELOW	1.00		

Bob Scharpnick / 407-509-6651

Signature

Date

THE QUOTE TOTAL MAY NOT REFLECT MISCELLANEOUS CHARGES, FREIGHT OR SALES TAX

Prepared for:
 Jason Yeager
 LAKE WORTH BEACH CITY OF
 1880 2nd Avenue North
 Lake Worth Beach, FL 33460
 Phone: 561-533-7396



Prepared by:
 Bob Scharpnick
 ORLANDO FREIGHTLINER
 2455 S. ORANGE BLOSSOM
 TRAIL
 APOPKA, FL 32703
 Phone: 4072953846

S P E C I F I C A T I O N P R O P O S A L

Data Code	Description
Price Level	
PRL-23M	M2 PRL-23M (EFF:01/21/20)
Data Version	
DRL-033	SPECPRO21 DATA RELEASE VER 033
Vehicle Configuration	
001-172	M2 106 CONVENTIONAL CHASSIS
004-223	2023 MODEL YEAR SPECIFIED
002-004	SET BACK AXLE - TRUCK
019-002	STRAIGHT TRUCK PROVISION
003-001	LH PRIMARY STEERING LOCATION
General Service	
AA1-002	TRUCK CONFIGURATION
AA6-001	DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES)
A85-002	PICKUP AND DELIVERY/SHORT HAUL SERVICE
A84-1GF	GENERAL FREIGHT BUSINESS SEGMENT
AA4-001	GENERAL FREIGHT COMMODITY
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS
AB1-008	MAXIMUM 8% EXPECTED GRADE
AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE
995-091	MEDIUM TRUCK WARRANTY
A66-99D	EXPECTED FRONT AXLE(S) LOAD : 14600.0 lbs
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD : 23000.0 lbs
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 37600.0 lbs




Prepared for:
 Jason Yeager
 LAKE WORTH BEACH CITY OF
 1880 2nd Avenue North
 Lake Worth Beach, FL 33460
 Phone: 561-533-7396



Prepared by:
 Bob Scharpnick
 ORLANDO FREIGHTLINER
 2455 S. ORANGE BLOSSOM
 TRAIL
 APOPKA, FL 32703
 Phone: 4072953846

Data Code	Description
Truck Service	
AA3-005	FLATBED/PLATFORM/STAKE BODY
AF3-169	PETERSEN INDUSTRIES
AF7-99D	EXPECTED BODY/PAYLOAD CG HEIGHT ABOVE FRAME "XX" INCHES : 32.0 in
Engine	
101-21X	CUM B6.7 300 HP @ 2600 RPM, 2600 GOV, 660 LB-FT @ 1600 RPM
Electronic Parameters	
79A-075	75 MPH ROAD SPEED LIMIT
79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT
79K-007	PTO MODE ENGINE RPM LIMIT - 1100 RPM
79P-002	PTO RPM WITH CRUISE SET SWITCH - 700 RPM
79Q-003	PTO RPM WITH CRUISE RESUME SWITCH - 800 RPM
79S-001	PTO MODE CANCEL VEHICLE SPEED - 5 MPH
79U-007	PTO GOVERNOR RAMP RATE - 250 RPM PER SECOND
80G-002	PTO MINIMUM RPM - 700
80J-002	REGEN INHIBIT SPEED THRESHOLD - 5 MPH
Engine Equipment	
99C-021	2010 EPA/CARB/GHG21 CONFIGURATION
99D-009	2008 CARB EMISSION CERTIFICATION - CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LEFT SIDE OF HOOD)
RNZ-001	OPTIONAL SELECTION OF CARB BASE WARRANTY/CERTIFICATION. DEALER CONFIRMS REGISTRATION IN OTHER THAN CALIFORNIA OR CARB OPT-IN STATES
13E-001	STANDARD OIL PAN
105-001	ENGINE MOUNTED OIL CHECK AND FILL
014-099	SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER
124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE
292-205	(2) DTNA GENUINE, FLOODED STARTING, MIN 1900CCA, 350RC, THREADED STUD BATTERIES
290-017	BATTERY BOX FRAME MOUNTED
281-001	STANDARD BATTERY JUMPERS



Prepared for:
 Jason Yeager
 LAKE WORTH BEACH CITY OF
 1880 2nd Avenue North
 Lake Worth Beach, FL 33460
 Phone: 561-533-7396



Prepared by:
 Bob Scharpnick
 ORLANDO FREIGHTLINER
 2455 S. ORANGE BLOSSOM
 TRAIL
 APOPKA, FL 32703
 Phone: 4072953846

Data Code	Description
282-001	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN
289-001	NON-POLISHED BATTERY BOX COVER
293-058	POSITIVE LOAD DISCONNECT WITH CAB MOUNTED CONTROL SWITCH MOUNTED OUTBOARD DRIVER SEAT
107-032	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE
108-002	STANDARD MECHANICAL AIR COMPRESSOR GOVERNOR
131-013	AIR COMPRESSOR DISCHARGE LINE
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM
128-076	CUMMINS ENGINE INTEGRAL BRAKE WITH VARIABLE GEOMETRY TURBO ON/OFF
016-101	RH INBOARD FRAME MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH HORIZONTAL TAILPIPE
28F-002	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH
239-001	STANDARD EXHAUST SYSTEM LENGTH
237-052	RH STANDARD HORIZONTAL TAILPIPE
23U-001	6 GALLON DIESEL EXHAUST FLUID TANK
30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL
43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION
23Y-001	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP
273-058	AIR POWERED ON/OFF ENGINE FAN CLUTCH
276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED
110-003	CUMMINS SPIN ON FUEL FILTER
118-001	FULL FLOW OIL FILTER
266-100	700 SQUARE INCH ALUMINUM RADIATOR
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT



Prepared for:
 Jason Yeager
 LAKE WORTH BEACH CITY OF
 1880 2nd Avenue North
 Lake Worth Beach, FL 33460
 Phone: 561-533-7396



Prepared by:
 Bob Scharpnick
 ORLANDO FREIGHTLINER
 2455 S. ORANGE BLOSSOM
 TRAIL
 APOPKA, FL 32703
 Phone: 4072953846


Data Code	Description
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES
270-016	RADIATOR DRAIN VALVE
168-002	LOWER RADIATOR GUARD
134-001	ALUMINUM FLYWHEEL HOUSING
132-004	ELECTRIC GRID AIR INTAKE WARMER
155-057	DELCO 12V 29MT STARTER WITH INTEGRATED MAGNETIC SWITCH

Transmission

342-584	ALLISON 3500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION
---------	--

Transmission Equipment

343-320	ALLISON VOCATIONAL PACKAGE 168 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODEL RDS
84B-012	ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES
84C-023	PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY
84D-023	SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY
84E-000	PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE
84F-000	SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE
84G-000	PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE
84H-000	SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE
84J-000	ENGINE BRAKE RANGE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE
84K-000	ENGINE BRAKE RANGE ALTERNATE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE
84N-200	FUEL SENSE 2.0 DISABLED - PERFORMANCE - TABLE BASED



Prepared for:
 Jason Yeager
 LAKE WORTH BEACH CITY OF
 1880 2nd Avenue North
 Lake Worth Beach, FL 33460
 Phone: 561-533-7396



Prepared by:
 Bob Scharpnick
 ORLANDO FREIGHTLINER
 2455 S. ORANGE BLOSSOM
 TRAIL
 APOPKA, FL 32703
 Phone: 4072953846

Data Code	Description
84U-000	DRIVER SWITCH INPUT - DEFAULT - NO SWITCHES
353-022	VEHICLE INTERFACE WIRING CONNECTOR WITHOUT BLUNT CUTS, AT BACK OF CAB
34C-001	ELECTRONIC TRANSMISSION CUSTOMER ACCESS CONNECTOR FIREWALL MOUNTED
362-823	CUSTOMER INSTALLED CHELSEA 280 SERIES PTO
363-002	PTO MOUNTING, RH SIDE OF MAIN TRANSMISSION ALLISON & EATON FULLER
341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN
345-003	PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED
97G-004	TRANSMISSION PROGNOSTICS - ENABLED 2013
370-015	WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK
346-003	TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK
35T-001	SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)

Front Axle and Equipment

400-1A8	DETROIT DA-F-14.7-3 14,700# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE
402-049	MERITOR 16.5X5 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES
403-002	NON-ASBESTOS FRONT BRAKE LINING
419-023	CONMET CAST IRON FRONT BRAKE DRUMS
409-006	FRONT OIL SEALS
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES
405-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS
536-012	TRW TAS-85 POWER STEERING
539-003	POWER STEERING PUMP
534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR
533-001	OIL/AIR POWER STEERING COOLER
40T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 FRONT AXLE LUBE



Prepared for:
Jason Yeager
LAKE WORTH BEACH CITY OF
1880 2nd Avenue North
Lake Worth Beach, FL 33460
Phone: 561-533-7396



Prepared by:
Bob Scharpnick
ORLANDO FREIGHTLINER
2455 S. ORANGE BLOSSOM
TRAIL
APOPKA, FL 32703
Phone: 4072953846

Data Code	Description
Front Suspension	
620-003	14,600# FLAT LEAF FRONT SUSPENSION
619-004	GRAPHITE BRONZE BUSHINGS WITH SEALS - FRONT SUSPENSION
410-001	FRONT SHOCK ABSORBERS
Rear Axle and Equipment	
420-051	RS-23-160 23,000# R-SERIES SINGLE REAR AXLE
421-614	6.14 REAR AXLE RATIO
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING
386-011	SPL170 XL DANA SPICER MAIN DRIVELINE WITH HALF ROUND YOKES
423-020	MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES
433-002	NON-ASBESTOS REAR BRAKE LINING
434-012	BRAKE CAMS AND CHAMBERS ON REAR SIDE OF DRIVE AXLE(S)
451-001	CAST IRON OUTBOARD REAR BRAKE DRUMS
440-006	REAR OIL SEALS
426-100	WABCO TRISTOP D LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS
428-002	MERITOR AUTOMATIC REAR SLACK ADJUSTERS
41T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 REAR AXLE LUBE
Rear Suspension	
622-1MJ	23,000# 52 INCH VARIABLE RATE MULTI-LEAF SPRING REAR SUSPENSION WITH LEAF SPRING HELPER
621-001	SPRING SUSPENSION - NO AXLE SPACERS
431-001	STANDARD AXLE SEATS IN AXLE CLAMP GROUP
Brake System	
018-002	AIR BRAKE PACKAGE
490-100	WABCO 4S/4M ABS
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES
904-001	FIBER BRAID PARKING BRAKE HOSE
412-001	STANDARD BRAKE SYSTEM VALVES



Prepared for:
 Jason Yeager
 LAKE WORTH BEACH CITY OF
 1880 2nd Avenue North
 Lake Worth Beach, FL 33460
 Phone: 561-533-7396



Prepared by:
 Bob Scharpnick
 ORLANDO FREIGHTLINER
 2455 S. ORANGE BLOSSOM
 TRAIL
 APOPKA, FL 32703
 Phone: 4072953846


Data Code	Description
46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM
413-002	STD U.S. FRONT BRAKE VALVE
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE
480-088	WABCO SYSTEM SAVER HP WITH INTEGRAL AIR GOVERNOR AND HEATER
479-012	AIR DRYER MOUNTED UNDER HOOD
460-058	STEEL AIR TANKS MOUNTED AFT INSIDE AND/OR BELOW FRAME JUST FORWARD OF REAR SUSPENSION
607-001	CLEAR FRAME RAILS FROM BACK OF CAB TO FRONT REAR SUSPENSION BRACKET, BOTH RAILS OUTBOARD
477-006	BW DV-2 AUTO DRAIN VALVE WITHOUT HEATER ON ALL TANK(S)

Trailer Connections

335-004	UPGRADED CHASSIS MULTIPLEXING UNIT
32A-002	UPGRADED BULKHEAD MULTIPLEXING UNIT

Wheelbase & Frame

545-698	6975MM (275 INCH) WHEELBASE
546-101	11/32X3-1/2X10-15/16 INCH STEEL FRAME (8.73MMX277.8MM/0.344X10.94 INCH) 120KSI
547-001	1/4 INCH (6.35MM) C-CHANNEL INNER FRAME REINFORCEMENT
552-041	1925MM (76 INCH) REAR FRAME OVERHANG
55W-007	FRAME OVERHANG RANGE: 71 INCH TO 80 INCH
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 209.06 in
AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 206.06 in
AE4-99D	CALC'D FRAME LENGTH - OVERALL : 389.38 in
FSS-0LH	CALCULATED FRAME SPACE LH SIDE : 173.5 in
FSS-0RH	CALCULATED FRAME SPACE RH SIDE : 237.87 in
553-001	SQUARE END OF FRAME
550-001	FRONT CLOSING CROSSMEMBER
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER
561-001	STANDARD CROSSMEMBER BACK OF TRANSMISSION
562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)
572-001	STANDARD REAR MOST CROSSMEMBER



Prepared for:
 Jason Yeager
 LAKE WORTH BEACH CITY OF
 1880 2nd Avenue North
 Lake Worth Beach, FL 33460
 Phone: 561-533-7396



Prepared by:
 Bob Scharpnick
 ORLANDO FREIGHTLINER
 2455 S. ORANGE BLOSSOM
 TRAIL
 APOPKA, FL 32703
 Phone: 4072953846

Data Code	Description
565-001	STANDARD SUSPENSION CROSSMEMBER
Chassis Equipment	
556-1AP	THREE-PIECE 14 INCH PAINTED STEEL BUMPER WITH COLLAPSIBLE ENDS
558-001	FRONT TOW HOOKS - FRAME MOUNTED
574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE
586-024	FENDER AND FRONT OF HOOD MOUNTED FRONT MUDFLAPS
551-007	GRADE 8 THREADED HEX HEADED FRAME FASTENERS
Fuel Tanks	
204-215	50 GALLON/189 LITER SHORT RECTANGULAR ALUMINUM FUEL TANK - LH
218-005	RECTANGULAR FUEL TANK(S)
215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS
212-007	FUEL TANK(S) FORWARD
664-001	PLAIN STEP FINISH
205-001	FUEL TANK CAP(S)
122-1J2	DETROIT FUEL/WATER SEPARATOR WITH WATER IN FUEL SENSOR AND HAND PRIMER
216-020	EQUIFLO INBOARD FUEL SYSTEM
202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE
Tires	
093-1VM	MICHELIN X LINE ENERGY Z 315/80R22.5 20 PLY RADIAL FRONT TIRES
094-1G4	MICHELIN XZE2 11R22.5 14 PLY RADIAL REAR TIRES
Hubs	
418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS
450-060	CONMET PRESET PLUS PREMIUM IRON REAR HUBS
Wheels	
502-579	MAXION WHEELS 10041 22.5X9.00 10-HUB PILOT 5.25 INSET 5-HAND STEEL DISC FRONT WHEELS
505-523	MAXION WHEELS 90262 22.5X8.25 10-HUB PILOT 5-HAND STEEL DISC REAR WHEELS



Prepared for:
 Jason Yeager
 LAKE WORTH BEACH CITY OF
 1880 2nd Avenue North
 Lake Worth Beach, FL 33460
 Phone: 561-533-7396



Prepared by:
 Bob Scharpnick
 ORLANDO FREIGHTLINER
 2455 S. ORANGE BLOSSOM
 TRAIL
 APOPKA, FL 32703
 Phone: 4072953846

Data Code	Description
496-011	FRONT WHEEL MOUNTING NUTS
497-011	REAR WHEEL MOUNTING NUTS
495-998	NO PUSHER/TAG WHEEL MOUNTING NUTS
Cab Exterior	
829-071	106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB
650-008	AIR CAB MOUNTING
648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE
678-001	LH AND RH GRAB HANDLES
646-009	PAINTED PLASTIC GRILLE
65X-001	ARGENT SILVER HOOD MOUNTED AIR INTAKE GRILLE
644-004	FIBERGLASS HOOD
727-1AH	SINGLE 14 INCH ROUND POLISHED AIR HORN ROOF MOUNTED
726-002	DUAL ELECTRIC HORNS
728-001	SINGLE HORN SHIELD
657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME
78G-004	KEY QUANTITY OF 4
575-001	REAR LICENSE PLATE MOUNT END OF FRAME
312-043	INTEGRAL HEADLIGHT/MARKER ASSEMBLY
302-047	LED AERODYNAMIC MARKER LIGHTS
311-019	HEADLIGHTS ON WITH WIPERS, WITH DAYTIME RUNNING LIGHTS
294-001	INTEGRAL STOP/TAIL/BACKUP LIGHTS
300-015	STANDARD FRONT TURN SIGNAL LAMPS
744-1BC	DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS WITH LH AND RH REMOTE
797-001	DOOR MOUNTED MIRRORS
796-001	102 INCH EQUIPMENT WIDTH
743-204	LH AND RH 8 INCH BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS
74B-079	RH 8 INCH STAINLESS STEEL FENDER MOUNTED CONVEX MIRROR WITH TRIPOD BRACKETS
729-001	STANDARD SIDE/REAR REFLECTORS
677-016	DUAL LEVEL CAB ENTRY STEPS ON BOTH SIDES
275-061	PARK BRAKE REMINDER WARNING SYSTEM



Prepared for:
 Jason Yeager
 LAKE WORTH BEACH CITY OF
 1880 2nd Avenue North
 Lake Worth Beach, FL 33460
 Phone: 561-533-7396



Prepared by:
 Bob Scharpnick
 ORLANDO FREIGHTLINER
 2455 S. ORANGE BLOSSOM
 TRAIL
 APOPKA, FL 32703
 Phone: 4072953846

Data Code	Description
768-043	63X14 INCH TINTED REAR WINDOW
661-003	TINTED DOOR GLASS LH AND RH WITH TINTED NON-OPERATING WING WINDOWS
654-011	RH AND LH ELECTRIC POWERED WINDOWS
663-013	1-PIECE SOLAR GREEN GLASS WINDSHIELD
659-019	2 GALLON WINDSHIELD WASHER RESERVOIR WITHOUT FLUID LEVEL INDICATOR, FRAME MOUNTED

Cab Interior

707-1AK	OPAL GRAY VINYL INTERIOR
706-013	MOLDED PLASTIC DOOR PANEL
708-013	MOLDED PLASTIC DOOR PANEL
772-006	BLACK MATS WITH SINGLE INSULATION
785-001	DASH MOUNTED ASH TRAYS AND LIGHTER
691-008	FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS WITHOUT NETTING
694-010	IN DASH STORAGE BIN
742-007	(2) CUP HOLDERS LH AND RH DASH
680-006	GRAY/CHARCOAL FLAT DASH
720-002	2-1/2 LB. FIRE EXTINGUISHER
700-002	HEATER, DEFROSTER AND AIR CONDITIONER
701-001	STANDARD HVAC DUCTING
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH
170-015	STANDARD HEATER PLUMBING
130-041	VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR
702-002	BINARY CONTROL, R-134A
739-033	STANDARD INSULATION
285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM
324-014	DOME LIGHT WITH 3-WAY SWITCH ACTIVATED BY LH AND RH DOORS
655-005	LH AND RH ELECTRIC DOOR LOCKS
284-023	(1) 12 VOLT POWER SUPPLY IN DASH
722-002	TRIANGULAR REFLECTORS WITHOUT FLARES
756-338	BASIC ISRINGHAUSEN HIGH BACK AIR SUSPENSION DRIVERS SEAT WITH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION



Prepared for:
 Jason Yeager
 LAKE WORTH BEACH CITY OF
 1880 2nd Avenue North
 Lake Worth Beach, FL 33460
 Phone: 561-533-7396



Prepared by:
 Bob Scharpnick
 ORLANDO FREIGHTLINER
 2455 S. ORANGE BLOSSOM
 TRAIL
 APOPKA, FL 32703
 Phone: 4072953846

Data Code	Description
760-235	2 MAN TOOL BOX MID BACK NON SUSPENSION PASSENGER SEAT
711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS
758-036	VINYL WITH VINYL INSERT DRIVER SEAT
761-036	VINYL WITH VINYL INSERT PASSENGER SEAT
763-101	BLACK SEAT BELTS
532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN
540-015	4-SPOKE 18 INCH (450MM) STEERING WHEEL
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS

Instruments & Controls

4CH-998	NO TEM INTFC, SW PKG, MUX, LWR DASH
732-004	GRAY DRIVER INSTRUMENT PANEL
734-004	GRAY CENTER INSTRUMENT PANEL
87L-003	ENGINE REMOTE INTERFACE WITH PARK BRAKE AND NEUTRAL INTERLOCKS
870-001	BLACK GAUGE BEZELS
486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM
840-002	2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES
198-025	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS
149-013	ELECTRONIC CRUISE CONTROL WITH SWITCHES IN LH SWITCH PANEL
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY
811-042	ICU3S, 132X48 DISPLAY WITH DIAGNOSTICS, 28 LED WARNING LAMPS AND DATA LINKED
160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH
844-001	2 INCH ELECTRIC FUEL GAUGE
148-073	ENGINE REMOTE INTERFACE FOR REMOTE THROTTLE
163-004	ENGINE REMOTE INTERFACE CONNECTOR IN ENGINE COMPARTMENT
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE
864-005	TRANSMISSION OIL TEMPERATURE INDICATOR LIGHT



Prepared for:
 Jason Yeager
 LAKE WORTH BEACH CITY OF
 1880 2nd Avenue North
 Lake Worth Beach, FL 33460
 Phone: 561-533-7396



Prepared by:
 Bob Scharpnick
 ORLANDO FREIGHTLINER
 2455 S. ORANGE BLOSSOM
 TRAIL
 APOPKA, FL 32703
 Phone: 4072953846

Data Code	Description
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY
33A-804	PROVISIONS FOR BODY BUILDER WIRED BOOM OUT OF STOW WARNING SYSTEM PILOT LIGHT AND INSTRUMENT CLUSTER BUZZER
372-035	(1) DASH MOUNTED PTO SWITCH WITH INDICATOR LAMP
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE
679-998	NO OVERHEAD INSTRUMENT PANEL
746-136	AM/FM/WB WORLD TUNER RADIO WITH AUXILIARY INPUT, J1939
747-001	DASH MOUNTED RADIO
750-002	(2) RADIO SPEAKERS IN CAB
753-001	AM/FM ANTENNA MOUNTED ON FORWARD LH ROOF
810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER
817-001	STANDARD VEHICLE SPEED SENSOR
812-001	ELECTRONIC 3000 RPM TACHOMETER
162-011	IDLE LIMITER, ELECTRONIC ENGINE
329-012	FOUR ON/OFF ROCKER SWITCHES IN THE DASH WITH INDICATOR LIGHTS AND WIRE ROUTED TO CHASSIS AT BACK OF CAB, LABEL OPT
836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY
660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY
304-001	MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH
882-018	ONE VALVE PARKING BRAKE SYSTEM WITH DASH VALVE CONTROL AUTONEUTRAL AND WARNING INDICATOR
299-013	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE
298-039	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS

Design

065-000 PAINT: ONE SOLID COLOR

Color

980-5F6 CAB COLOR A: L0006EY WHITE ELITE EY



Prepared for:
 Jason Yeager
 LAKE WORTH BEACH CITY OF
 1880 2nd Avenue North
 Lake Worth Beach, FL 33460
 Phone: 561-533-7396



Prepared by:
 Bob Scharpnick
 ORLANDO FREIGHTLINER
 2455 S. ORANGE BLOSSOM
 TRAIL
 APOPKA, FL 32703
 Phone: 4072953846

Data Code	Description
986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT
962-972	POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)
966-972	POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)
964-6Z7	BUMPER PAINT: FP24812 ARGENT SILVER DUPONT FLEX
963-003	STANDARD E COAT/UNDERCOATING

Certification / Compliance

996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS
---------	---

Secondary Factory Options

998-001	CORPORATE PDI CENTER IN-SERVICE ONLY
---------	--------------------------------------

Raw Performance Data

AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 206.06 in
---------	--

Dealer Installed Options

		Weight Front	Weight Rear
RTAS	PETERSEN IND ROUTE ASST	0	0
Total Dealer Installed Options		0 lbs	0 lbs

(***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.

