		<u> = = 7 </u>		Awarded C	ontract
	Call Us first, f	or all of your Fleet Auton	notive, & Light Truck	needs.	Quote
PHONE (800) ALAN	JAY (252-6529)	DIRECT 863-38	5-9610	WWW.ALANJAY.CO	M 51338-1
Corporate 2003 U.	S. 27 South	MOBILE 904-83	8-4999	Mailing P.O. BOX	9200
0411	, FL 33870	FAX 863-40	2-4221	Address Sebring, F	L 33871-9200
	QUOTE DATE	QUICK QU	OTE SHEF	REVISED QU	OTE DATE
				1/15/2	024
	LAKE WORTH, CI	TY OF			201/
CONTACT PERSON	MICHAEL PIERCE 561-586-1720			E@LAKEWORTHBEACHFL.	<u>60v</u>
PHONE		MOBILE	FAX		
SOURCEWELL	FORMERLY NJPA) CONTRACT # 2024	4 091521-NAF & 0	6 www.NationalAuto	FleetGroup.con
IODEL	TK20743 1SA			MSRP	\$50,900.00
20	24 GMC SIERRA 2500HD	CREW CAB 4WD 6.5' BED	WORK TRUCK		
	UBJECT TO GM ALL IRST SERVE	OCATION AVAILABLE	E FIRST COME	NJPA PRICE	\$48,520.00
BED LENGTH	6.5' BED	rior unloss alagets stated - the	nuine on numbers suite		
	iered white w/ darkest inter	rior unless clearly stated othe	,		
FACTORY OPTIONS		DES	SCRIPTION		
GAZ	Summit White				\$0.0
H2G	Jet Black, Vinyl seat trim	ו 			\$0.0
L8T	Engine, 6.6L V8				\$0.0
MKM	Transmission, Allison 10)-Speed automatic			\$0.0
1SA	OPTIONS Pro Preferred	Equipment Group			\$0.0
AKO	Glass, deep-tinted				\$0.0
AZ3	Seats, front 40/20/40 sp				\$0.0
C49	Defogger, rear-window				\$0.0
DBG		adjustable vertical trailering			\$0.0
FE9	Emissions, Federal requ	irements			\$0.0
GT4	Rear axle, 3.73 ratio				\$0.0
IOR		otainment System with 7" diagon	al color touch-screen		\$0.0
JGD	GVWR, 10,450 lbs. (474				\$0.0
JL1	Trailer brake controller,				\$275.0
K34 KC9	Cruise control, steering				\$0.0 \$0.0
KI4	Power outlet, bed mour				\$225.0
PCI	Power outlet, instrumer Convenience Package				\$225.0
PYN	Wheels, 17" (43.2 cm) p	ainted steel. Silver			\$1,133.0
QHQ	Tires, LT245/75R17E all				\$0.0
QT5	Tailgate, gate function r				\$0.0
UF2	LED Cargo Area Lighting				\$0.0
VK3	License plate kit, front, l				\$0.0
N /O	LPO, Black tubular assist				\$790.0
RVQ	Tire, spare LT245/75R1				\$0.0
ZHQ				FACTORY OPTIONS	\$2,425.00
ZHQ					
ZHQ CONTRACT OPTION			SCRIPTION		
ZHQ	New CITY tag Includes t	DES emp tag & two way overnight sh ed liner (long bed) under rail.			\$245.0 \$830.0





Awarded Contract

SOURCEWELL (FORMERLY NJPA) CONTRACT # 2024 091521-NAF & 06 www.NationalAutoFleetGroup.com

TRADE IN	ST	\$5 2,020.00 \$0.00			
		TOTAL COST LESS TRADE IN(S)	QTY	1	\$52,020.00
Estima		D months paid in advance: \$11,650.34 for any essential use vehicle, requires lender approva	l, WAC.		
Comments	ORDERED UNIT VIN: [RF2	92368]			
VEHICLE QUOTED BY	CHRISTY SELF	GOVERNMENT ACCOUNT MANAGER christy	.self@alanj	ay.com	
l appreciate the opport	unity to submit this quotation. Ple	"I Want to be <u>Your</u> Fleet Provider" ease review it carefully. If there are any errors or change I am always happy to be of assistance.	s, please fee	el free to co	ntact me at any time.





Note:Photo may not represent exact vehicle or selected equipment.

Window Sticker

SUMMARY

[Fleet] 2024 GMC Sierra 2500HD (TK20743) 4WD Crew Cab 159" Pro

MSRP:\$50,900.00

Interior:Jet Black, Vinyl seat trim

Exterior 1:Summit White

Exterior 2:No color has been selected.

Engine, 6.6L V8

Transmission, Allison 10-Speed automatic

OPTIONS

CODE	MODEL		MSRP
TK20743	[Fleet] 2024 GMC Sierra 2500HD (TK20743) 4WD Crew Cab 159" Pro		\$50,900.00
	OPTIONS		
1SA	Pro Preferred Equipment Group		\$0.00
AKO	Glass, deep-tinted	Inc.	
AZ3	Seats, front 40/20/40 split-bench		\$0.00
C49	Defogger, rear-window electric	Inc.	
DBG	Mirrors, outside power-adjustable vertical trailering	Inc.	

P At the user's request, prices for this vehicle have been formulated on the basis of Initial Pricing for the vehicle, however GM cannot guarantee that Initial Pricing is available. This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

FE9	Emissions, Federal requirements		\$0.00
GAZ	Summit White		\$0.00
GT4	Rear axle, 3.73 ratio		\$0.00
H2G	Jet Black, Vinyl seat trim		\$0.00
IOR	Audio system, GMC Infotainment System with 7" diagonal c touch-screen	olor	\$0.00
JGD	GVWR, 10,450 lbs. (4740 kg)	Inc.	
JL1	Trailer brake controller, integrated		\$275.00
K34	Cruise control, steering wheel-mounted	Inc.	
KC9	Power outlet, bed mounted, 120-volt	Inc.	
KI4	Power outlet, instrument panel, 120-volt		\$225.00
L8T	Engine, 6.6L V8		\$0.00
МКМ	Transmission, Allison 10-Speed automatic		\$0.00
PCI	Convenience Package		\$1,135.00
PYN	Wheels, 17" (43.2 cm) painted steel, Silver		\$0.00
QHQ	Tires, LT245/75R17E all-season, blackwall		\$0.00
QT5	Tailgate, gate function manual with EZ Lift	Inc.	
RVQ	LPO, Black tubular assist steps, 6" rectangular		\$795.00
UF2	LED Cargo Area Lighting	Inc.	
ZHQ	Tire, spare LT245/75R17E all-season, blackwall	Inc.	
	SUBTOTAL		\$53,330.00
	Adjustments Total		\$0.00
	Destination Charge		\$1,895.00
	TOTAL PRICE		\$55,225.00

FUEL ECONOMY

Est City:N/A

Est Highway:N/A

Est Highway Cruising Range:N/A

At the user's request, prices for this vehicle have been formulated on the basis of Initial Pricing for the vehicle, however GM cannot guarantee that Initial Pricing is available. This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Standard Equipment

Package	
	Sierra HD Pro Safety includes (UEU) Forward Collision Alert, (UE4) Following Distance Indicator, (UKJ) Front Pedestrian Braking, (TQ5) IntelliBeam, (UFL) Lane Departure Warning, (T8Z) Buckle to Drive and (UHY) Automatic Emergency Braking
	Trailering Package includes trailer hitch, 7-pin and 4-pin connectors and (CTT) Hitch Guidance
Mechanical	
	Pickup bed includes bed assist step
	Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline, (401 hp [299 kW] @ 5200 rpm, 464 lb -ft of torque [629 N-m] @ 4000 rpm) (STD)
	Transmission, Allison 10-Speed automatic (STD)
	Rear axle, 3.73 ratio (Requires (L8T) 6.6L V8 gas engine.)
	GVWR, 10,450 lbs. (4740 kg) (STD) (Included and only available with TK20743 model and (L8T) 6.6L V8 gas engine with 17" wheels or TC20753 model and (L8T) 6.6L V8 gas engine with 18" or 20" wheels.)
	Push Button Start
	Transfer case, two-speed, electronic shift with push button controls (Requires 4WD models.)
	Auto-locking rear differential
	Four wheel drive
	Cooling, external engine oil cooler
	Cooling, auxiliary external transmission oil cooler
	Air filter, heavy-duty
	Air filtration monitoring
	Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr maintenance-free with rundown protection and retained accessory power (Included and only available with (L8T) 6.6L V8 gas engine.)
	Alternator, 170 amps (Requires (L8T) 6.6L V8 gas engine.)
	Recovery hooks, front, frame-mounted, Black
	Frame, fully-boxed, hydroformed front section and a fully-boxed stamped rear section
	Suspension Package (Not available with (X31) Off-Road Package.)
	Steering, Recirculating Ball with smart flow power steering system
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Brake lining wear indicator
Exterior	

Wheels, 17" (43.2 cm) painted steel, Silver (STD)

P At the user's request, prices for this vehicle have been formulated on the basis of Initial Pricing for the vehicle, however GM cannot guarantee that Initial Pricing is available. This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Exterior	
	Tires, LT245/75R17E all-season, blackwall (STD)
	Tire, spare LT245/75R17E all-season, blackwall (STD) (Included and only available with (QHQ) LT245/75R17E all-season, blackwall tires with (E63) pickup bed models. Available to order when (ZW9) pickup bed delete and (QHQ) LT245/75R17E all-season, blackwall tires are ordered.)
	Capless Fuel Fill (Requires (L8T) 6.6L gas V8 engine. Not included with (ZW9) pickup bed delete.)
	Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door
	Bumper, front chrome lower
	Bumper, rear chrome with bumper CornerSteps
	Bed Step, Black integrated on forward portion of bed on driver and passenger side
	CornerStep, rear bumper
	Cargo tie downs (12), fixed, rated at 500 lbs per corner
	Moldings, beltline, Black
	Grille (Chrome with flat black grille insert bars.)
	Headlamps, Animated LED projectors LED turn signals and Daytime Running Lamps
	IntelliBeam, automatic high beam on/off (Included and only available with (PDI) Sierra HD Pro Safety.)
	Lamps, cargo area cab mounted integrated with center high mount stop lamp, with switch in bank on left side of steering wheel
	Taillamps, LED Signature Tail, Incandescent Brake, Turn & Reverse Lamps
	Mirrors, outside high-visibility vertical trailering lower convex mirrors, manual-folding/extending (extends 3.31" [84.25mm]), molded in Black (Not available on Regular Cab models.)
	Glass, solar absorbing, tinted
	Door handles, Black grained
	Tailgate, standard
	Tailgate, locking, utilizes same key as ignition and door (Included and only available with (QK1) standard tailgate. Deleted with (ZW9) pickup bed delete.)
	Tailgate, gate function manual, no lift assist
	Tailgate and bed rail protection caps, top
	Mirror, inside rearview, manual tilt
Entertainment	
	Audio system, GMC Infotainment System with 7" diagonal color touch-screen AM/FM stereo with seek-and-scan and digital clock, includes Bluetooth streaming audio for music and select phones; featuring wired Android Auto and Apple CarPlay capability for compatible phones (STD)
	Audio system feature, 6-speaker system (Requires Crew Cab or Double Cab model.)

P At the user's request, prices for this vehicle have been formulated on the basis of Initial Pricing for the vehicle, however GM cannot guarantee that Initial Pricing is available. This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Entertainment	
	Bluetooth for phone connectivity to vehicle infotainment system
	Wireless phone projection for Apple CarPlay and Android Auto
	Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.com or dealer for details.)
Interior	
	Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)
	Seat trim, Vinyl
	Seat adjuster, driver 4-way manual
	Seat adjuster, passenger 4-way manual
	Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor) (Not available with Regular Cab model.)
	Floor covering, rubberized-vinyl (Not available with LPO floor liners.)
	Steering wheel, urethane
	Instrument cluster 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
	Driver Information Center, 3.5" diagonal monochromatic display
	Rear Seat Reminder (Requires Crew Cab or Double Cab model.)
	Exterior Temperature Display, located in radio display
	Compass, located in instrument cluster
	Windows, power front, drivers express up/down
	Window, power front, passenger express down
	Windows, power rear, express down
	Door locks, power
	Remote Keyless Entry
	USB Ports, 2, Charge/Data ports located on instrument panel
	Power outlet, front auxiliary, 12-volt
	Air conditioning, single-zone
	Air vents, rear (Not available with Regular Cab model.)
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
	GMC Connected Access capable (Subject to terms. See onstar.com or dealer for details.)
Safety-Mechanical	

Front Pedestrian Braking (Included and only available with (PDI) Sierra HD Pro Safety.)

P At the user's request, prices for this vehicle have been formulated on the basis of Initial Pricing for the vehicle, however GM cannot guarantee that Initial Pricing is available. This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Safety-Mechanical	
	Automatic Emergency Braking (Included and only available with (PDI) Sierra HD Pro Safety.)
	StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist
Safety-Exterior	
	Daytime Running Lamps, LED signature lighting
	LED Signature DRL's
Safety-Interior	
	Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
	OnStar and GMC Connected Services capable (Terms and limitations apply. See onstar.com or dealer for details.)
	HD Rear Vision Camera (Not available with (ZW9) pickup bed delete. Removed with (UV2) HD Surround Vision or (ZW9) pickup bed delete. Not available with (Z6A) Gooseneck / 5th Wheel Prep Package.)
	Hitch Guidance dynamic single line to aid in truck trailer alignment for hitching
	Forward Collision Alert (Included and only available with (PDI) Sierra HD Pro Safety.)
	Following Distance Indicator (Included and only available with (PDI) Sierra HD Pro Safety.)
	Lane Departure Warning (Included and only available with (PDI) Sierra HD Pro Safety.)
	Rear Seat Belt Indicator (Requires Crew Cab or Double Cab model.)
	Seat Belt Adjustable Guide Loops, front row only (Included and only available on Crew Cab and Double Cab models. Not available with (ZW9) pickup bed delete.)
	Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use (Included and only available with (PDI) Sierra HD Pro Safety.)
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob to help encourage safe driving behavior. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Tire Pressure Monitoring System, auto learn includes Tire Fill Alert (does not apply to spare tire)
	Trailering Information Label provides max trailer ratings for tongue weight, conventional, gooseneck and 5th wheel trailering

P At the user's request, prices for this vehicle have been formulated on the basis of Initial Pricing for the vehicle, however GM cannot guarantee that Initial Pricing is available. This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Safety-Interior	
	3 Years of OnStar Remote Access. The OnStar Remote Access Plan gives you simplified remote control of your properly equipped vehicle and unlocks a variety of great features in your myGMC mobile app. See dealer for details. (OnStar Remote Access Plan does not include emergency or security services. Fleet customers will get Fleet Remote Access through OnStar Vehicle Insights. See onstar.com for details and limitations. Available on select Apple and Android devices. Service availability, features and functionality vary by vehicle, device, and the plan you are enrolled in. Terms apply. Device data connection required.)
WARRANTY	
	Warranty Note: <<< Preliminary 2024 Warranty >>> Basic Years: 3 Basic Miles/km: 36,000 Drivetrain Years: 5 Drivetrain Miles/km: 60,000 Drivetrain Note: HD Duramax Diesel: 5 Years/100,000 Miles; Qualified Fleet Purchases: 5 Years/100,000 Miles Corrosion Years (Rust-Through): 6 Corrosion Years: 3 Corrosion Miles/km (Rust-Through): 100,000 Corrosion Miles/km: 36,000 Roadside Assistance Years: 5 Roadside Assistance Miles/km: 60,000 Roadside Assistance Note: HD Duramax Diesel: 5 Years/100,000 Miles; Qualified Fleet Purchases: 5 Years/100,000 Miles Maintenance Note: 1 Year/1 Visit

Image: At the user's request, prices for this vehicle have been formulated on the basis of Initial Pricing for the vehicle, however GM cannot guarantee that Initial Pricing is available. This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Technical Specifications

Powertrain

Transmission

Drivetrain	Four Wheel Drive	Trans Order Code	МКМ
Trans Type	10	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	N/A
Second Gear Ratio (:1)	N/A	Third Gear Ratio (:1)	N/A
Fourth Gear Ratio (:1)	N/A	Fifth Gear Ratio (:1)	N/A
Sixth Gear Ratio (:1)	N/A	Reverse Ratio (:1)	N/A
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	N/A
Eighth Gear Ratio (:1)	N/A	Ninth Gear Ratio (:1)	N/A
Tenth Gear Ratio (:1)	N/A		
lileage			
EPA Fuel Economy Est - Hwy	N/A	Cruising Range - City	N/A
EPA Fuel Economy Est - City	N/A	Fuel Economy Est-Combined	N/A
Cruising Range - Hwy	N/A	Estimated Battery Range	N/A
ingine			
Engine Order Code	L8T	Engine Type	Gas V8
Displacement	6.6L/-TBD-	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	401 @ 5200	SAE Net Torque @ RPM	464 @ 4000
Engine Oil Cooler	N/A		
lectrical			
Cold Cranking Amps @ 0° F (Primary)	720	Cold Cranking Amps @ 0° F (2nd)	N/A

At the user's request, prices for this vehicle have been formulated on the basis of Initial Pricing for the vehicle, however GM cannot guarantee that Initial Pricing is available. This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

owertrain			
Cooling System			
Total Cooling System Capacity	N/A		
ehicle			
Emissions			
Tons/yr of CO2 Emissions @ 15K mi/year	N/A	EPA Greenhouse Gas Score	N/A
hassis			
Weight Information			
Standard Weight - Front	0.00 lbs	Standard Weight - Rear	0.00 lbs
Base Curb Weight	N/A	Gross Axle Wt Rating - Front	N/A
Gross Axle Wt Rating - Rear	N/A	Curb Weight - Front	N/A
Curb Weight - Rear	N/A	Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs	Reserve Axle Capacity - Front	N/A
Reserve Axle Capacity - Rear	N/A	As Spec'd Curb Weight	N/A
As Spec'd Payload	N/A	Maximum Payload Capacity	N/A
Gross Combined Wt Rating	24500 lbs	Gross Axle Weight Rating	N/A
Curb Weight	N/A	Reserve Axle Capacity	N/A
Total Option Weight	0.00 lbs	Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs	Gross Vehicle Weight Rating	10450.00 lbs
Frailering			
Dead Weight Hitch - Max Trailer Wt.	5000 lbs	Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	16000 lbs	Wt Distributing Hitch - Max Tongue Wt.	1600 lbs
Fifth Wheel Hitch - Max Trailer Wt.	18400 lbs	Fifth Wheel Hitch - Max Tongue Wt.	4600 lbs
Maximum Trailering Capacity	20000 lbs		
Frame			
Frame Type	N/A	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		

P At the user's request, prices for this vehicle have been formulated on the basis of Initial Pricing for the vehicle, however GM cannot guarantee that Initial Pricing is available. This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Chassis

Suspension			
Suspension Type - Front	Short/Long Arm	Suspension Type - Rear	Multi-Leaf Springs
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A
Axle Type - Front	N/A	Axle Type - Rear	N/A
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A
Axle Ratio (:1) - Front	3.73	Axle Ratio (:1) - Rear	3.73
Shock Absorber Diameter - Front	2.01 mm	Shock Absorber Diameter - Rear	2.01 mm
Stabilizer Bar Diameter - Front	1.38 in	Stabilizer Bar Diameter - Rear	N/A
Tires			
Front Tire Order Code	QHQ	Rear Tire Order Code	QHQ
Spare Tire Order Code	ZHQ	Front Tire Size	LT245/75R17E
Rear Tire Size	LT245/75R17E	Spare Tire Size	LT245/75R17E
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
Wheels			
Front Wheel Size	17 x -TBD- in	Rear Wheel Size	17 x -TBD- in
Spare Wheel Size	N/A	Front Wheel Material	Steel
Rear Wheel Material	Steel	Spare Wheel Material	Steel
Steering			
Steering Type	Pwr Recirculating Ball	Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A	Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	52.7 ft	Turning Diameter - Wall to Wall	N/A
Brakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	14 x 1.6 in

P At the user's request, prices for this vehicle have been formulated on the basis of Initial Pricing for the vehicle, however GM cannot guarantee that Initial Pricing is available. This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

alka a			
rakes			
Rear Brake Rotor Diam x Thickness	14.1 x 1.3 in	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		
uel Tank			
Fuel Tank Capacity, Approx	36 gal	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
mensions			
terior Dimensions			
Passenger Capacity	6	Front Head Room	43.03 in
Front Leg Room	44.53 in	Front Shoulder Room	66.02 in
Front Hip Room	61.18 in	Second Head Room	40.12 in
Second Leg Room	43.4 in	Second Shoulder Room	65.3 in
Second Hip Room	60.24 in		
xterior Dimensions			
Wheelbase	159 in	Length, Overall w/o rear bumper	N/A
Length, Overall w/rear bumper	N/A	Length, Overall	250.75 in
Width, Max w/o mirrors	81.85 in	Height, Overall	79.82 in
Overhang, Front	N/A	Overhang, Rear w/o bumper	N/A
e remaing, ritem			
Front Bumper to Back of Cab	N/A	Cab to Axle	42.17 in
-	N/A N/A	Cab to Axle Ground to Top of Load Floor	42.17 in N/A
Front Bumper to Back of Cab			
Front Bumper to Back of Cab Cab to End of Frame	N/A	Ground to Top of Load Floor	N/A
Front Bumper to Back of Cab Cab to End of Frame Ground to Top of Frame	N/A N/A	Ground to Top of Load Floor Frame Width, Rear	N/A N/A
Front Bumper to Back of Cab Cab to End of Frame Ground to Top of Frame Ground Clearance, Front	N/A N/A 10.12 in	Ground to Top of Load Floor Frame Width, Rear Ground Clearance, Rear	N/A N/A 10.12 in
Front Bumper to Back of Cab Cab to End of Frame Ground to Top of Frame Ground Clearance, Front Body Length	N/A N/A 10.12 in	Ground to Top of Load Floor Frame Width, Rear Ground Clearance, Rear	N/A N/A 10.12 in
Front Bumper to Back of Cab Cab to End of Frame Ground to Top of Frame Ground Clearance, Front Body Length argo Area Dimensions	N/A N/A 10.12 in 0.00 ft	Ground to Top of Load Floor Frame Width, Rear Ground Clearance, Rear Cab to Body	N/A N/A 10.12 in N/A

P At the user's request, prices for this vehicle have been formulated on the basis of Initial Pricing for the vehicle, however GM cannot guarantee that Initial Pricing is available. This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Dimensions

Cargo Area Dimensions

Cargo Volume

69.5 ft³

Ext'd Cab Cargo Volume

N/A

Image: At the user's request, prices for this vehicle have been formulated on the basis of Initial Pricing for the vehicle, however GM cannot guarantee that Initial Pricing is available. This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.