



Contract Number: 2026 091521-NAF & 032824-NAF

Quote ID: 67694

Agency: LAKE WORTH BEACH, CITY OF

Date: 11/3/2025

Thank you from the Alan Jay Fleet Team for the opportunity to provide this quotation for (1) 2026 GMC SIERRA 2500HD REGULAR CAB PICKUP 2WD PRO 8' BED, please review carefully and contact us with any errors or changes.

MSRP: \$49,090.00

Base Price: \$44,655.00

Factory Options: \$940.00

Aftermarket Options: \$12,745.00

Purchase Total: \$58,340.00

Per attached vehicle specifications.

This quotation is valid as long as the manufacturer is accepting orders for the model year specified. Purchase orders received after factory order cutoff may not be honorable. The vehicle(s) offered on this quotation will be ordered in the color(s) listed. Please contact your Alan Jay sales representative with any questions you have on this quote.

Quoted By: ASHLEE WILSON / 863-273-1105 / Ashlee.Wilson@AlanJay.com



Call Us first, for all of your Fleet Automotive, & Light Truck needs.

Quote

PHONE (800) ALANJAY (252-6529)		DIRECT 863-402-4234	WWW.ALANJAY.COM	67694-3
Corporate Office	2003 U.S. 27 South Sebring, FL 33870	MOBILE 863-273-1105	Mailing Address	P.O. BOX 9200 Sebring, FL 33871-9200
		FAX 863-402-4221		

ORIGINAL QUOTE DATE
10/28/2025

QUICK QUOTE SHEET

REVISED QUOTE DATE
11/3/2025

REQUESTING AGENCY	LAKE WORTH BEACH, CITY OF			
CONTACT PERSON	MINA TAWADROS	EMAIL	Mtawadros@LakeWorthBeachFL.gov	
PHONE	561-586-7422	MOBILE	561-670-0549	FAX

SOURCEWELL CONTRACT # 2026 091521-NAF & 032824-NAF

www.NationalAutoFleetGroup.com

MODEL	TC20903 1SA	MSRP	\$49,090.00
2026 GMC SIERRA 2500HD REGULAR CAB PICKUP 2WD PRO 8' BED			
CUSTOMER ID	UNIT 137 (6-8 MO)	CONTRACT PRICE	\$44,655.00
BED LENGTH	8' Bed		

** All vehicles will be ordered white w/ darkest interior unless clearly stated otherwise on purchase order.

FACTORY OPTIONS	DESCRIPTION	
GAZ	Summit White	\$0.00
H2G	Jet Black, Vinyl seat trim	\$0.00
L8T	Engine, 6.6L V8	\$0.00
MKM	Transmission, 10-Speed automatic	\$0.00
1SA	OPTIONS Pro Preferred Equipment Group	\$0.00
9J4	Bumper, rear, delete	\$0.00
9L3	Spare tire delete	\$0.00
AZ3	Seats, front 40/20/40 split-bench	\$0.00
C7A	Lowered GVWR, 10,000 lbs. (4536 kg), lowers GVWR and significantly decreases towing and/or payload ratings	\$0.00
FE9	Emissions, Federal requirements	\$0.00
GT4	Rear axle, 3.73 ratio	\$0.00
IOR	Audio system, GMC Infotainment System with 7" diagonal color touch-screen	\$0.00
PYN	Wheels, 17" (43.2 cm) painted steel, Silver	\$0.00
QXT	Tires, LT265/70R17E all-terrain, blackwall	\$195.00
RVQ	LPO, Black tubular assist steps, 6" rectangular	\$745.00
SFW	Back-up alarm calibration	\$0.00
ZW9	Pickup bed, delete	\$0.00
---	Capped Fuel Fill	\$0.00

		FACTORY OPTIONS	\$940.00
CONTRACT OPTIONS	DESCRIPTION		
NEW-TAG	New tag Includes temp tag & two way overnight shipping for signature.(specify state, county, city, sheriff, etc.)		\$245.00
EWD	EXTENDED WARRANTY DECLINED		\$0.00
PTC WS298-SRW	Warner 8' SRW Powder Coated Utility Body for 56" CA Furnished and installed by Premier Truck Center (Includes 2nd stage MSO, weight slip, & final-stage manufacturers completed vehicle certification.)		\$9,605.00
PTC 7/4WIRE	7 way flat camper trailer wiring		\$180.00
PTC CLV-SB	Class V trailer hitch for service bodies 20K rating with 2 1/2" receiver.		\$1,310.00
CAMERA-GM	Dealer installed factory ordered camera (REQUIRES 5N5).		\$225.00
HD USOB-TB	HD Scorpion spray on bed liner applied inside cargo area, tops of boxes, and rear bumper of 8' & 9' utility body.		\$1,180.00
		CONTRACT OPTIONS	\$12,745.00

TRADE IN

TOTAL COST

\$58,340.00

YES WE TAKE TRADE INS ~~~ ASK ABOUT MUNICIPAL FINANCING ~~~

TOTAL COST LESS TRADE IN(S)

QTY

1

\$58,340.00

Estimated Annual payments for 60 months paid in advance: \$13,413.57

Municipal finance for any essential use vehicle, requires lender approval, WAC.

Comments

QUOTE SUBJECT TO FACTORY ORDER ACCEPTANCE or 30 DAYS

VEHICLE QUOTED BY

ASHLEE WILSON

GOVERNMENT ACCOUNT MANAGER

Ashlee.Wilson@AlanJay.com

"I Want to be Your Fleet Provider"

I appreciate the opportunity to submit this quotation. Please review it carefully. If there are any errors or changes, please feel free to contact me at any time.
I am always happy to be of assistance.



Alan Jay Fleet

Ashlee Wilson-Dickman | 863-402-4234 | ashlee.wilson@alanjay.com

Vehicle: [Fleet] 2026 GMC Sierra 2500HD (TC20903) 2WD Reg Cab 142" Pro (✔ Complete)



Note:Photo may not represent exact vehicle or selected equipment.

Window Sticker

SUMMARY

[Fleet] 2026 GMC Sierra 2500HD (TC20903) 2WD Reg Cab 142" ProMSRP:\$46,700.00

Interior:Jet Black, Vinyl seat trim

Exterior 1:Summit White

Exterior 2:No color has been selected.

Engine, 6.6L V8

Transmission, 10-Speed automatic

OPTIONS


CODE	MODEL	MSRP
TC20903	[Fleet] 2026 GMC Sierra 2500HD (TC20903) 2WD Reg Cab 142" Pro	\$46,700.00
OPTIONS		
1SA	Pro Preferred Equipment Group	\$0.00
9J4	Bumper, rear, delete	Inc.
9L3	Spare tire delete	Inc.
AZ3	Seats, front 40/20/40 split-bench	\$0.00
C7A	Lowered GVWR, 10,000 lbs. (4536 kg), lowers GVWR and significantly decreases towing and/or payload ratings	\$0.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 26886. Data Updated: Nov 2, 2025 6:47:00 PM PST.



Alan Jay Fleet

Ashlee Wilson-Dickman | 863-402-4234 | ashlee.wilson@alanjay.com

Vehicle: [Fleet] 2026 GMC Sierra 2500HD (TC20903) 2WD Reg Cab 142" Pro ( Complete)

FE9	Emissions, Federal requirements		\$0.00
GAZ	Summit White		\$0.00
GT4	Rear axle, 3.73 ratio		\$0.00
H2G	Jet Black, Vinyl seat trim		\$0.00
IOR	Audio system, GMC Infotainment System with 7" diagonal color touch-screen		\$0.00
L8T	Engine, 6.6L V8		\$0.00
MKM	Transmission, 10-Speed automatic		\$0.00
PYN	Wheels, 17" (43.2 cm) painted steel, Silver		\$0.00
QXT	Tires, LT265/70R17E all-terrain, blackwall		\$200.00
RVQ	LPO, Black tubular assist steps, 6" rectangular		\$750.00
SFW	Back-up alarm calibration	Inc.	
ZW9	Pickup bed, delete		(\$1,155.00)
—	Capped Fuel Fill	Inc.	
SUBTOTAL			\$46,495.00
Adjustments Total			\$0.00
Destination Charge			\$2,595.00
TOTAL PRICE			\$49,090.00

FUEL ECONOMY

Est City:N/A
Est Highway:N/A
Est Highway Cruising Range:N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 26886. Data Updated: Nov 2, 2025 6:47:00 PM PST.



Alan Jay Fleet

Ashlee Wilson-Dickman | 863-402-4234 | ashlee.wilson@alanjay.com

Vehicle: [Fleet] 2026 GMC Sierra 2500HD (TC20903) 2WD Reg Cab 142" Pro (✔ Complete)

Standard Equipment

Package

Sierra HD Pro Safety includes (UEU) Forward Collision Alert, (UE4) Following Distance Indicator, (UKJ) Front Pedestrian Braking, (TQ5) IntelliBeam, (UFL) Lane Departure Warning, (T8Z) Buckle to Drive and (UHY) Automatic Emergency Braking

Trailer Package includes trailer hitch, 7-pin and 4-pin connectors and (CTT) Hitch Guidance (Deleted when (ZW9) pickup bed delete is ordered.)

Mechanical

Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline, (401 hp [299 kW] @ 5200 rpm, 464 lb -ft of torque [629 N-m] @ 4000 rpm) (STD)

Transmission, 10-Speed automatic (STD)

Rear axle, 3.73 ratio (Requires (L8T) 6.6L V8 gas engine.)

Pickup bed includes bed assist step (Deleted when (ZW9) pickup bed delete is ordered.) (STD)

Lowered GVWR, 10,000 lbs. (4536 kg), lowers GVWR and significantly decreases towing and/or payload ratings (STD) (Available to all models with L8T Gas Engine. (L5P) Diesel requires TC20943 or TK20*43 or TK20*53 models. With (ZW9) pickup bed delete requires (QXT) LT265/70R17E all-terrain, blackwall tires. Not available with (QF6) LT275/70R18E all-terrain, blackwall tires on T*209*3 models. With L5P Diesel on T*20943 models not available with (QHJ) LT245/75R17E all-season, blackwall tires. With L5P Diesel on TK20943 not available with (QXT) LT265/70R17E all-terrain, blackwall tires.)

Push Button Start

Auto-locking rear differential

Rear wheel drive

Cooling, external engine oil cooler

Cooling, auxiliary external transmission oil cooler

Air filter, heavy-duty

Air filtration monitoring

Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr maintenance-free with rundown protection and retained accessory power (Included and only available with (L8T) 6.6L V8 gas engine.)

Alternator, 170 amps (Requires (L8T) 6.6L V8 gas engine.)

Trailer brake controller, integrated

Recovery hooks, front, frame-mounted, Black

Frame, fully-boxed, hydroformed front section and a fully-boxed stamped rear section

Suspension Package

Steering, Recirculating Ball with smart flow power steering system

Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 26886. Data Updated: Nov 2, 2025 6:47:00 PM PST.



Alan Jay Fleet

Ashlee Wilson-Dickman | 863-402-4234 | ashlee.wilson@alanjay.com

Vehicle: [Fleet] 2026 GMC Sierra 2500HD (TC20903) 2WD Reg Cab 142" Pro (✔ Complete)

Mechanical	
	Brake lining wear indicator
	Capless Fuel Fill (Requires (L8T) 6.6L gas V8 engine. Not included with (ZW9) pickup bed delete.)
Exterior	
	Wheels, 17" (43.2 cm) painted steel, Silver (STD) (Not currently available to order.)
	Tires, LT245/75R17E all-season, blackwall (STD)
	Tire, spare LT245/75R17E all-season, blackwall (STD) (Included and only available with (QHQ) LT245/75R17E all-season, blackwall tires with (E63) pickup bed models. Available to order when (ZW9) pickup bed delete and (QHQ) LT245/75R17E all-season, blackwall tires are ordered.)
	Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Deleted with (ZW9) pickup bed delete.)
	Bumper, front chrome lower
	Bumper, rear chrome with bumper CornerSteps
	Bed Step, Black integrated on forward portion of bed on driver and passenger side (Not available on (ZW9) pickup bed delete.)
	CornerStep, rear bumper
	Cargo tie downs (12), fixed, rated at 500 lbs per corner
	Moldings, beltline, Black
	Grille (Chrome with flat black grille insert bars.)
	Headlamps, Animated LED projectors LED turn signals and Daytime Running Lamps
	IntelliBeam, automatic high beam on/off (Included and only available with (PDI) Sierra HD Pro Safety.)
	Lamps, cargo area cab mounted integrated with center high mount stop lamp, with switch in bank on left side of steering wheel
	Taillamps, LED Signature Tail, Incandescent Brake, Turn & Reverse Lamps
	Mirrors, outside power-adjustable vertical trailering with heated upper glass, lower convex mirrors, integrated turn signals, manual folding/extending (extends 3.31" [84.25mm]), Black (Standard on Regular Cab models. Included with (PCI) Convenience Package on Double Cab and Crew Cab models. Requires (ZLQ) Fleet Convenience Package and (ZW9) pickup bed delete or (PCI) Convenience Package on Double Cab and Crew Cab models.)
	Glass, solar absorbing, tinted
	Door handles, Black grained
	Tailgate, standard (Deleted with (ZW9) pickup bed delete.)
	Tailgate, locking, utilizes same key as ignition and door (Included and only available with (QK1) standard tailgate. Deleted with (ZW9) pickup bed delete.)
	Tailgate, gate function manual, no lift assist (Deleted with (ZW9) pickup bed delete.)
	Tailgate and bed rail protection caps, top (Deleted with (ZW9) pickup bed delete.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 26886. Data Updated: Nov 2, 2025 6:47:00 PM PST.



Alan Jay Fleet

Ashlee Wilson-Dickman | 863-402-4234 | ashlee.wilson@alanjay.com

Vehicle: [Fleet] 2026 GMC Sierra 2500HD (TC20903) 2WD Reg Cab 142" Pro (✔ Complete)

Entertainment

- Audio system, GMC Infotainment System with 7" diagonal color touch-screen AM/FM stereo with seek-and-scan and digital clock, includes Bluetooth streaming audio for music and select phones; featuring wireless Apple CarPlay and Android Auto capable (STD)
- Audio system feature, 2-speakers (Requires Regular Cab model.)
- Bluetooth for phone connectivity to vehicle infotainment system
- Wireless phone projection for Apple CarPlay and Android Auto
- Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.com or dealer for details.)

Interior

- Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)
- Seat trim, Vinyl
- Seat adjuster, driver 4-way manual
- Seat adjuster, passenger 4-way manual
- Floor covering, rubberized-vinyl (Not available with LPO floor liners.)
- Steering wheel, urethane
- Steering column, Tilt-Wheel, manual with wheel locking security feature
- Instrument cluster 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
- Driver Information Center, 3.5" diagonal monochromatic display
- Exterior Temperature Display, located in radio display
- Compass, located in instrument cluster
- Windows, power front, drivers express up/down
- Window, power front, passenger express down
- Door locks, power
- Remote Keyless Entry
- Cruise control, steering wheel-mounted
- USB Ports, 2, Charge/Data ports located on instrument panel
- Power outlet, front auxiliary, 12-volt
- Air conditioning, single-zone
- Mirror, inside rearview, manual tilt
- Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted

Safety-Mechanical

- Front Pedestrian Braking (Included and only available with (PDI) Sierra HD Pro Safety.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 26886. Data Updated: Nov 2, 2025 6:47:00 PM PST.



Alan Jay Fleet

Ashlee Wilson-Dickman | 863-402-4234 | ashlee.wilson@alanjay.com

Vehicle: [Fleet] 2026 GMC Sierra 2500HD (TC20903) 2WD Reg Cab 142" Pro (✔ Complete)

Safety-Mechanical

Automatic Emergency Braking (Included and only available with (PDI) Sierra HD Pro Safety.)

StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist

Safety-Exterior

Daytime Running Lamps, LED signature lighting

LED Signature DRL's

Safety-Interior

Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)

OnStar Services capable (See onstar.com for details and limitations. Services vary by model. Service plan required.)

HD Rear Vision Camera (Not available with (ZW9) pickup bed delete. Removed with (UV2) HD Surround Vision.)

Hitch Guidance dynamic single line to aid in truck trailer alignment for hitching (Deleted with (ZW9) pickup bed delete.)

Forward Collision Alert (Included and only available with (PDI) Sierra HD Pro Safety.)

Following Distance Indicator (Included and only available with (PDI) Sierra HD Pro Safety.)

Lane Departure Warning (Included and only available with (PDI) Sierra HD Pro Safety.)

Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use (Included and only available with (PDI) Sierra HD Pro Safety.)

Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behavior. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver

Tire Pressure Monitoring System, auto learn includes Tire Fill Alert (does not apply to spare tire)

Trailer Information Label provides max trailer ratings for tongue weight, conventional, gooseneck and 5th wheel trailering (Not available on (ZW9) pickup bed delete.)

OnStar Basics (OnStar Fleet Basics for Fleet) Drive confidently with core OnStar services including select remote commands, built-in voice assistance, real-time traffic and navigation, and Automatic Crash Response to help if you're in need. (Requires (UE1) OnStar. OnStar Basics includes select remote commands, Navigation, Voice Assistance, and Automatic Crash Response, for eligible vehicles with compatible software. OnStar Basics is standard for 8 years; OnStar plan, working electrical system, cell reception and GPS signal required. OnStar links to emergency services. Service coverage varies with conditions and location. Service availability, features and functionality vary by device and software version. See onstar.com for details and limitations.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 26886. Data Updated: Nov 2, 2025 6:47:00 PM PST.



Alan Jay Fleet

Ashlee Wilson-Dickman | 863-402-4234 | ashlee.wilson@alanjay.com

Vehicle: [Fleet] 2026 GMC Sierra 2500HD (TC20903) 2WD Reg Cab 142" Pro ( Complete)

WARRANTY

Warranty Note: <<< Preliminary 2026 Warranty >>>
Basic Years: 3
Basic Miles/km: 36,000
Drivetrain Years: 5
Drivetrain Miles/km: 60,000
Drivetrain Note: 3.0L & 6.0L Duramax® Turbo-Diesel engines, and certain commercial, government, and qualified fleet vehicles: 5 years/100,000 miles
Corrosion Years (Rust-Through): 6
Corrosion Years: 3
Corrosion Miles/km (Rust-Through): 100,000
Corrosion Miles/km: 36,000
Roadside Assistance Years: 5
Roadside Assistance Miles/km: 60,000
Roadside Assistance Note: 3.0L & 6.0L Duramax® Turbo-Diesel engines, and certain commercial, government, and qualified fleet vehicles: 5 years/100,000 miles
Maintenance Note: First Visit: 12 Months/12,000 Miles

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 26886. Data Updated: Nov 2, 2025 6:47:00 PM PST.



Alan Jay Fleet

Ashlee Wilson-Dickman | 863-402-4234 | ashlee.wilson@alanjay.com

Vehicle: [Fleet] 2026 GMC Sierra 2500HD (TC20903) 2WD Reg Cab 142" Pro (Complete)

Technical Specifications

Powertrain

Transmission

Drivetrain	Rear Wheel Drive	Trans Order Code	MKM
Trans Type	10	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	N/A
Second Gear Ratio (:1)	N/A	Third Gear Ratio (:1)	N/A
Fourth Gear Ratio (:1)	N/A	Fifth Gear Ratio (:1)	N/A
Sixth Gear Ratio (:1)	N/A	Reverse Ratio (:1)	N/A
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	N/A
Eighth Gear Ratio (:1)	N/A	Ninth Gear Ratio (:1)	N/A
Tenth Gear Ratio (:1)	N/A		

Mileage

EPA Fuel Economy Est - Hwy	N/A	Cruising Range - City	N/A
EPA Fuel Economy Est - City	N/A	Fuel Economy Est-Combined	N/A
Cruising Range - Hwy	N/A	Estimated Battery Range	N/A

Engine

Engine Order Code	L8T	Engine Type	Gas V8
Displacement	6.6L/-TBD-	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	401 @ 5200	SAE Net Torque @ RPM	464 @ 4000
Engine Oil Cooler	N/A		

Electrical

Cold Cranking Amps @ 0° F (Primary)	720	Cold Cranking Amps @ 0° F (2nd)	N/A
Cold Cranking Amps @ 0° F (3rd)	N/A	Maximum Alternator Capacity (amps)	170

Cooling System

Total Cooling System Capacity	N/A
-------------------------------	-----

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 26886. Data Updated: Nov 2, 2025 6:47:00 PM PST.



Alan Jay Fleet

Ashlee Wilson-Dickman | 863-402-4234 | ashlee.wilson@alanjay.com

Vehicle: [Fleet] 2026 GMC Sierra 2500HD (TC20903) 2WD Reg Cab 142" Pro (✔ Complete)

Vehicle

Emissions

Tons/yr of CO2 Emissions @ 15K mi/year	N/A	EPA Greenhouse Gas Score	N/A
--	-----	--------------------------	-----

Chassis

Weight Information

Standard Weight - Front	0.00 lbs	Standard Weight - Rear	0.00 lbs
Base Curb Weight	N/A	Gross Axle Wt Rating - Front	N/A
Gross Axle Wt Rating - Rear	N/A	Curb Weight - Front	3481 lbs
Curb Weight - Rear	2612 lbs	Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs	Reserve Axle Capacity - Front	N/A
Reserve Axle Capacity - Rear	N/A	As Spec'd Curb Weight	6093.00 lbs
As Spec'd Payload	3907.00 lbs	Maximum Payload Capacity	3907.00 lbs
Gross Combined Wt Rating	24500 lbs	Gross Axle Weight Rating	N/A
Curb Weight	6093.00 lbs	Reserve Axle Capacity	N/A
Total Option Weight	0.00 lbs	Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs	Gross Vehicle Weight Rating	10000.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	N/A	Dead Weight Hitch - Max Tongue Wt.	N/A
Wt Distributing Hitch - Max Trailer Wt.	N/A	Wt Distributing Hitch - Max Tongue Wt.	N/A
Fifth Wheel Hitch - Max Trailer Wt.	N/A	Fifth Wheel Hitch - Max Tongue Wt.	N/A
Maximum Trailering Capacity	N/A		

Frame

Frame Type	N/A	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		

Suspension

Suspension Type - Front	Short/Long Arm	Suspension Type - Rear	Multi-Leaf Springs
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A
Axle Type - Front	N/A	Axle Type - Rear	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 26886. Data Updated: Nov 2, 2025 6:47:00 PM PST.



Alan Jay Fleet

Ashlee Wilson-Dickman | 863-402-4234 | ashlee.wilson@alanjay.com

Vehicle: [Fleet] 2026 GMC Sierra 2500HD (TC20903) 2WD Reg Cab 142" Pro (Complete)

Chassis

Suspension

Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A
Axle Ratio (:1) - Front	N/A	Axle Ratio (:1) - Rear	3.73
Shock Absorber Diameter - Front	2.01 mm	Shock Absorber Diameter - Rear	2.01 mm
Stabilizer Bar Diameter - Front	1.38 in	Stabilizer Bar Diameter - Rear	N/A

Tires

Front Tire Order Code	QXT	Rear Tire Order Code	QXT
Spare Tire Order Code	N/A	Front Tire Size	LT265/70R17E
Rear Tire Size	LT265/70R17E	Spare Tire Size	N/A
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A

Wheels

Front Wheel Size	17 x -TBD- in	Rear Wheel Size	17 x -TBD- in
Spare Wheel Size	N/A	Front Wheel Material	Steel
Rear Wheel Material	Steel	Spare Wheel Material	N/A

Steering

Steering Type	Pwr Recirculating Ball	Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A	Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	46.9 ft	Turning Diameter - Wall to Wall	N/A

Brakes

Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	14 x 1.6 in
Rear Brake Rotor Diam x Thickness	14.1 x 1.3 in	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 26886. Data Updated: Nov 2, 2025 6:47:00 PM PST.



Alan Jay Fleet

Ashlee Wilson-Dickman | 863-402-4234 | ashlee.wilson@alanjay.com

Vehicle: [Fleet] 2026 GMC Sierra 2500HD (TC20903) 2WD Reg Cab 142" Pro (Complete)

Chassis

Fuel Tank

Fuel Tank Capacity, Approx	36 gal	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A

Dimensions

Interior Dimensions

Passenger Capacity	3	Front Head Room	43.11 in
Front Leg Room	44.53 in	Front Shoulder Room	66.06 in
Front Hip Room	60.9 in	Second Head Room	N/A
Second Leg Room	N/A	Second Shoulder Room	N/A
Second Hip Room	N/A		

Exterior Dimensions

Wheelbase	142 in	Length, Overall w/o rear bumper	N/A
Length, Overall w/rear bumper	N/A	Length, Overall	236.3 in
Width, Max w/o mirrors	81.75 in	Height, Overall	79.94 in
Overhang, Front	N/A	Overhang, Rear w/o bumper	N/A
Front Bumper to Back of Cab	N/A	Cab to Axle	55.24 in
Cab to End of Frame	N/A	Ground to Top of Load Floor	N/A
Ground to Top of Frame	N/A	Frame Width, Rear	N/A
Ground Clearance, Front	10.2 in	Ground Clearance, Rear	10.2 in
Body Length	0.00 ft	Cab to Body	N/A

Cargo Area Dimensions

Cargo Box Length @ Floor	N/A	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	N/A	Cargo Box Width @ Wheelhousings	N/A
Cargo Box (Area) Height	N/A	Tailgate Width	N/A
Cargo Volume	N/A	Ext'd Cab Cargo Volume	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 26886. Data Updated: Nov 2, 2025 6:47:00 PM PST.