

ORDINANCE NO. 2022-15 AN ORDINANCE OF THE CITY COMMISSION OF THE CITY OF LAKE WORTH BEACH, FLORIDA, AMENDING THE OFFICIAL ZONING MAP BY APPROVING THE CREATION OF A MIXED USE URBAN PLANNED DEVELOPMENT DISTRICT, LOCATED AT 930 NORTH G STREET TO CONSTRUCT AN APPROXIMATELY 5-STORY, 81-UNIT MIXED USE DEVELOPMENT AS MORE PARTICULARLY DESCRIBED IN EXHIBIT A, LOCATED WITHIN THE TRANSIT ORIENTED DEVELOPMENT - EAST (TOD-E) ZONING DISTRICT WITH A FUTURE LAND USE DESIGNATION OF TRANSIT ORIENTED DEVELOPMENT (TOD) SUBJECT TO SPECIFIC DEVELOPMENT STANDARDS SET FORTH IN EXHIBIT B AND CONDITIONS OF APPROVAL SET FORTH IN EXHIBIT C; APPROVING A CONDITIONAL USE PERMIT; APPROVING HEIGHT AND DENSITY BONUS INCENTIVES THROUGH THE CITY'S SUSTAINABLE BONUS INCENTIVE PROGRAM; APPROVING A MAJOR SITE PLAN FOR THE DEVELOPMENT OF A MIXED USE URBAN PLANNED DEVELOPMENT; PROVIDED FOR SEVERABILITY, CONFLICTS AND AN EFFECTIVE DATE

WHEREAS, the City Commission of the City of Lake Worth Beach, Florida, pursuant to the authority granted in Chapters 163 and 166, Florida Statutes, and the Land Development Regulations, as adopted by the City of Lake Worth Beach, is authorized and empowered to consider petitions relating to zoning and land development orders; and

WHEREAS, Chapter 23, Article 3, Division 6. – Planned Development of City of Lake Worth Beach's Land Development Regulations allows for the creation of planned development districts to incentivize innovative development through the utilization of incentive programs and flexible dimensional and use requirements that are defined within and occur in conformity with an approved master development plan; and

WHEREAS, Bridge Holding, LLC (the applicant) has petitioned the City of Lake Worth Beach (the City) for creation of a Mixed Use Urban Planned Development District to allow for the construction of an approximately 5-story, 81-unit mixed use development (on a site located at 930 North G Street (PCNs 38-43-44-21-15-274-0080; 38-43-44-21-15-274-0070; 38-43-44-21-15-274-0040; 38-43-44-21-15-274-0030; and 38-43-44-21-15-274-0020) as further described in Exhibit A (the Property) within the TOD-E Zoning District and the TOD Future Land Use designation, which, if approved, shall constitute an amendment to the City's official zoning map; and

WHEREAS, the applicant requests use of the City's Sustainable Bonus Incentive Program to allow for additional height to be considered in conjunction with the applicant's request for approval for a major site plan for the construction of a mixed-use development currently known as "Lake Worth Station" and containing approximately 81 residential units to be constructed on this site;

DRAFT

WHEREAS, on xxx, 2022, the Lake Worth Beach Planning and Zoning Board (PZB) considered the subject application for a Mixed Use Urban Planned Development District, Major Site Plan, Conditional Use Permit, and Sustainable Bonus Incentive Program and recommended that the City Commission approve the creation of this residential planned development subject to specific district development standards and certain enumerated conditions; and

WHEREAS, on xxx, 2022, the City Commission voted to approve on first reading the subject application for a Residential Planned Development District, Major Site Plan, Conditional Use Permit, and Sustainable Bonus Incentive Program subject to specific district development standards and enumerated conditions herein; and

WHEREAS, the City Commission has considered all of the testimony and evidence and has determined that the Mixed Use Urban Planned Development District, Major Site Plan, Conditional Use Permit, and Sustainable Bonus Incentive Program including the development regulations and conditions, meets the requirements of the Land Development Regulations, Section 23.3-25.

NOW, THEREFORE, BE IT ORDAINED BY THE CITY COMMISSION OF THE CITY OF LAKE WORTH BEACH, FLORIDA, that:

Section 1. Recitals. The foregoing recitals are true and correct and are hereby affirmed and ratified.

Section 2. The Mixed Use Urban Planned Development District located within the TOD-E Zoning District with a future land use designation of TOD, as described more particularly in **Exhibit A**, is hereby approved. This approval includes the approval of the following elements to be known as the Master Development Plan: (a) Residential Planned Development; (b) Major Site Plan; (c) Sustainable Bonus Incentive Program; (d) Conditional Use Permit; (e) district development standards (**Exhibit B**); (f) conditions of approval (**Exhibit C**); (g) required plans including the site plan, landscape plan, and civil & drainage plans; (h) supplemental supporting documents, as well as all agreements, provisions and/or covenants which shall govern the use, maintenance, and continued protection of the residential planned development and any of its common areas or facilities. The applicant is bound to all elements and requirements of the Master Development Plan.

Section 3. The City's zoning maps shall be updated to reflect the changes to the property described in **Exhibit A**.

Section 4. Repeal of Laws in Conflict. All ordinances or parts of ordinances in conflict herewith are hereby repealed to the extent of such conflict.

Section 5. Severability. If any provision of this ordinance or the application thereof is held invalid by a court of competent jurisdiction, the invalidity shall not affect other provisions of the ordinance which can be given effect without the invalid provision or application, and to this end the provisions of this ordinance are declared severable.

DRAFT

Section 6. Effective Date. This ordinance shall become effective ten (10) days after its final passage.

The passage of this ordinance on first reading was moved by _____, seconded by _____ and upon being put to a vote, the vote was as follows:

- Mayor Betty Resch
- Vice Mayor Christopher McVoy
- Commissioner Sarah Malega
- Commissioner Kimberly Stokes
- Commissioner Reinaldo Diaz

The Mayor thereupon declared this ordinance duly passed on first reading on the ____ day of _____, 2022.

The passage of this ordinance on second reading was moved by _____, seconded by _____, and upon being put to a vote, the vote was as follows:

- Mayor Betty Resch
- Vice Mayor Christopher McVoy
- Commissioner Sarah Malega
- Commissioner Kimberly Stokes
- Commissioner Reinaldo Diaz

The Mayor thereupon declared this ordinance duly passed on the _____ day of _____, 2022.

LAKE WORTH BEACH CITY COMMISSION

By: _____
Betty Resch, Mayor

ATTEST:

Melissa Ann Coyne, City Clerk

DRAFT

Exhibit A

**DEPARTMENT FOR COMMUNITY SUSTAINABILITY
PLANNING, ZONING AND HISTORIC PRESERVATION DIVISION
PROPERTY DESCRIPTION & LOCATION MAP**

Address: 930 N G Street

PCNs: 38-43-44-21-15-274-0080; 38-43-44-21-15-274-0070; 38-43-44-21-15-274-0040; 38-43-44-21-15-274-0030;
38-43-44-21-15-274-0020

Size: approx. 1.084 acres

General Location: Northwest corner of 10th Avenue and North G Street

Legal Description: See boundary survey in the Master Development Plan supporting documentation



DRAFT**Exhibit B**

**DEPARTMENT FOR COMMUNITY SUSTAINABILITY
PLANNING, ZONING AND HISTORIC PRESERVATION DIVISION
DEVELOPMENT STANDARDS**

Development Standard		Base Zoning District Transit Oriented Development - East (TOD-E)	Mixed-Use Urban Planned Development in TOD-E w/ Sustainable Bonus Incentive Program(SBIP)	Provided
Lot Size (min) In square feet (sf)		13,000 sf	0.5 acres min	1.084 acres
Lot Width (min)		100'	100'	135'
Setbacks	Front (min)	10'	18'-22' ¹	18'
	Rear (min) ²	34'	42'-46' ¹	83'
	Street Side (min) – west (North G Street)	10'	10'	9'³
	Alley Side (min) – east	0'	0'	69'
Impermeable Surface Coverage (maximum)		65%	65%	62%
Structure Coverage (max)		50%	60%	29%
Density (max)		40 du/acre (43 units)	75 du/acre ⁴ (81.3 units)	74.72 du/acre (81 Units)

DRAFT

Building Height (max)		30' (max. 2 stories)	68.75' ⁴ (30' Plus 25' = 55' x 1.25)	54'10" 5-stories total
Maximum Wall Height at Side Setback		30'	45'	45'
Floor Area Ratio (FAR) (max)		1.1	3.313 ⁴	1.43
Living Area (minimum)	Studio	400 sf	400 sf	NA
	One-bedroom units	600 sf	600 sf	584⁵ sf 2.6% reduction (16 sf)
	Two-bedroom units	750 sf	750 sf	891 sf
	Three-bedroom units	900 sf	900 sf	NA
Parking		129 spaces	NA	98 ⁶
Is property in flood plain or Wellfield Zone? Yes/No		Flood Zone X not in floodplain / Wellfield Zone 4	NA	NA

1. Additional height and stories setback for sustainable incentive: buildings in excess of thirty (30) feet in height in addition to sustainable incentive shall provide an additional front and rear setback of between eight (8) and twelve (12) feet to the minimum required front and rear setbacks.
2. 15 ft. or 10% of lot depth when next to residential zoning district.
3. Applicant has requested to reduce the side setback on the west side setback from 10 feet to 9 feet
4. Per Policy 1.2.3.4 of the Comprehensive Plan's Sustainable Bonus, allowing for a 25% bonus in density, intensity and height over Table 1 for urban planned developments less than 2 acres.
5. Applicant has requested to reduce the living area for one-bedroom units from 600 square feet to 584 square feet, or 16 sf. A 15% reduction living area is permitted for workforce housing per Policy 3.1.2.2 of the Housing & Neighborhood Element in the Comprehensive Plan.
6. A 25% parking reduction for mixed use projects was requested per LDR Section 23.4-10(h)1. Total parking includes off-street parking (including electric vehicle (EV) charging spaces and a bike rack) and on-street parking (including two delivery and rideshare spaces) for multi-family residential and two office spaces.

DRAFT

Exhibit C

**DEPARTMENT FOR COMMUNITY SUSTAINABILITY
PLANNING, ZONING AND HISTORIC PRESERVATION DIVISION**

CONDITIONS OF APPROVAL

Planning & Zoning

1. Fifty percent (50%) of the sustainable bonus fee (\$195,675) and any portion of the remaining sustainable bonus fee (up to an additional 50%) after qualifying improvements are deducted shall be paid to the City within one year of approval, or prior to the issuance of the building permit, whichever comes first.
2. Fifty percent of the sustainable bonus fee (\$195,675) shall be paid to the City within one year of approval, or prior to the issuance of the building permit, whichever comes first.
3. Public art (sculpture) proposed shall be reviewed by the CRA's LULA program prior to installation.
4. Prior to building permit application,
 - a. A Unity of Title will be required for all applicable parcels.
 - b. An address application shall be required to be submitted prior to application for building permit.
5. Prior to the issuance of a building permit, the applicant shall pay \$14,000 into the City's Tree Canopy Restoration fund.
6. Prior to issuance of a building permit, the applicant shall submit the final School District Availability Determination from the PBC School District and shall pay all applicable fees to PBC prior to the issuance of a building permit.
7. The proposed mixed-use project shall comply with Palm Beach County's Unified Land Development Best Management Practices for Wellfield Protection.
8. All lighting shall comply with lighting code regulations in LDR Section 23.4-3. Further, lighting fixtures shall comply with dark skies fixture recommendations, including a 3000K light tone or less for LED lighting, and shall be consistent with the architectural style of the project as determined by the Development Review Official.
9. The 14 proposed compact/tandem spaces located at the south end of the building shall be assigned to the multifamily two-bedroom units.
10. A public access/sidewalk easement shall be required on the west property line.
11. A video security system shall be required for the property.
12. Prior to the issuance of building permit for commercial signage, a Minor Site Plan amendment to establish a Uniform Master Sign Program for individual tenants/businesses in accordance with the City's Land Development Regulations is required. Directional signage shall be exempt from the minor site plan requirement provided that is appropriately scaled and architecturally consistent.
13. A minor site plan amendment shall be required if site modifications are required to implement the conditions of approval.
14. A more vibrant exterior color scheme more in keeping with the colorful diversity and charm of the City is suggested.

Public Works

Standard Conditions of Approval:

1. The issuance of any permits shall comply with all provisions of the Lake Worth Municipal Code and all other applicable standards including but not limited to the Florida Department of Transportation

DRAFT

(FDOT), Manual on Uniform Traffic Control Devices (MUTCD), and City of Lake Worth Public Works Construction Standards and Policy and Procedure Manual.

2. No Certificate of Occupancy shall be granted until all conditions of approval have been satisfied under jurisdiction of the Department of Public Works.
3. In the event of a legal challenge to this approval, the applicant/owner shall be responsible for all costs to defend the action of the city in approving any and all permits related to this application. Should the applicant fail to enter into an agreement to fund the costs of litigation, the city, at its discretion, may rescind this approval and revoke all permits issued.

Additional Conditions of Approval

1. Prior to issuance of a building permit:
 - a. The applicant shall contact the Lake Worth Drainage (LWDD) District's Engineering Department and obtain any required permit(s), if necessary, and furnish to the City.
 - b. The applicant shall contact the South Florida Water Management District's (SFWMD) Engineering Department and obtain any required permit(s), if necessary.
 - c. The applicant shall meet with a representative from Public Works Solid Waste and Recycling Division to confirm dumpster enclosure location, accessibility and demand on property and that it is compatible with the requirements of the Department of Public Works. Solid Waste and Recycling Division contact number is 561-533-7344.
 - d. The applicant shall submit an Erosion Control plan and indicate the BMP's and NPDES compliance practices.
2. Prior to the issuance of a certificate of occupancy:
 - a. To accommodate the proposed on-street parking for this project, as it is depicted in the site plan, it will be necessary to shift the center line of North G Street to maintain travel lanes of adequate and equal width. To accomplish this the road will need to be milled and resurfaced to move the crown of the road and change the centerline.
 - b. New striping will be required from the intersection of North G Street and 9th Avenue North to the intersection of North G Street and 10th Avenue North, including stop bars and reflective pavement markers at the intersections.
 - c. The west ROW of North G Street shall be improved with the addition of 5-foot-wide sidewalk, if determined to be required by the Public Works Director at building permit, and conforming to City specification from the intersection of North G Street to the intersection of 9th Avenue North. The sidewalk will meet ADA requirements and terminate at both intersections with ADA compliant ramps and tactile surfaces.
 - d. A stop sign shall be installed at the intersection of North G Street and 9th Avenue North facing southbound traffic.
 - e. "No Parking Any Time" signs shall be installed along the west ROW of North G Street but will not be installed any further south than the point along North G Street where the property line of the project ends.
 - f. A cross-section showing the existing 40' ROW of North G Street in its current condition and a cross section showing the ROW after the change of the centerline of North G Street will need to be provided prior to City Commission.
 - g. Alleyway improvements consisting of 4-inch asphalt millings, graded and compacted, shall be constructed from 10th Avenue North to 9th Avenue North.
 - h. The applicant shall ensure the entire surrounding off-site infrastructure inclusive of the roadway, sidewalk, curbing, stormwater system piping and structures, valve boxes, manholes, landscaping, striping, signage, and other improvements are in the same

DRAFT

condition as prior to construction. A pre-construction video of the entire perimeter shall be performed and submitted to the City.

- i. The applicant shall fine grade and sod all disturbed areas with bahia sod.
 - j. The applicant shall broom sweep all areas of the affected right of way and remove of all silt and debris collected as a result of construction activity.
 - k. The applicant shall restore the right of way to a like or better condition. Any damages to pavement, curbing, striping, sidewalks or other areas shall be restored in kind.
3. Prior to performing work in the right of way, the applicant shall apply for and receive issuance of a "Right of Way/Utility Permit" application.
 4. The sidewalk on the east side of North G Street that is bisected by the project property line shall be maintained solely by the property in perpetuity and the City will not be held legally responsible for injuries associated with it.

Utilities – Water & Sewer

1. Prior to building permit issuance, capacity fees are due.
2. Provide a public access easement along the sidewalk that is outside the N G Street right of way.

Electric Utilities

1. Prior to application and the issuance of a building permit, Electric Utilities is requesting the following:
2. Items in regards to the facility's Electrical Site Plan drawings (Electrical Details - E21_222028 BH) are needed to more accurately determine the location of the Electrical Equipment, the Electrical Connections, and Wiring, including Underground (UG)
3. An appropriate Power Distribution Planning to ensure that there is adequate capacity (transformer capacity and feeder capacity) to meet the load demands of the facility shall be specified
4. The facility's potential annual electric energy (power consumption) shall be determined
5. If Electric Vehicle (EV) Chargers are considered: Please provide the number of EV chargers to be installed as well as type of chargers. For example, does the applicant intend to install Level II charger or Level III DC Fast chargers? Quantities of each type? And will these be connected from the facility's main meter or connected directly to the City's electric utility distribution system?
6. The Electric Utility Dept. is requesting a review meeting with the developer & electrical engineers to review and clarify any additional electrical related items.

Prior to the issuance of a building permit:

7. Show the location of the Padmount Transformers, Automatic Transfer Switch (ATS), and the meter banks. The Padmount Transformer locations will need to be in an accessible location to our trucks and will need 8-ft (8 feet) of minimum clearance in the front and 3-ft (3 feet) of minimum clearance on the sides and rear. This clearance includes landscaping. None trees, plants, shrubs or vegetations are allowed within the clearance
8. Provide the electric riser diagrams for all buildings, the proposed electrical loads and the voltages required, including proposed Electrical Cable Schedules
9. Provide the Amp Sizes and Voltages for any other services needed than the commercial units, such as lighting, irrigation, etc. If any meter is over 320 amps for Single Phase, and over 200 amps for 3-Phase, a CT Cabinet and CT Meter Can will need to be installed. All meters and CT Cabinets will need a minimum of 36" (36 in) of clearance in front of them

DRAFT

10. Provide a 10-ft (10 feet) wide utility easement for the underground electric lines, Padmount Transformers & Switchgear that will serve this project. The Main Electric Line Routing from the Poles to the Padmount Transformers will be determined by the Lake Worth Beach design engineer
11. Transformer & Electrical Equipment Box Pad Elevations shall be FEMA 100 yr. Flood-Plain Elevation + 1-ft (1 feet)
12. Provide details for Temporary Power during construction, Voltage & Amps and approximate Location of service point
13. Complete payment to Lake Worth Beach for electrical infrastructure costs for labor & materials to serve this project
14. The customer will be responsible for installing any Secondary Conduit at a minimum of 24" (24 in) deep from the Secondary Winding of the Transformer of the property to the building
15. The customer will be responsible for Any and All labor and material costs for providing electric service to this project.
16. The CLWB will procure one (1) Padmount Transformer and Box Pad to serve the facility, the owner/developer is responsible for the reimbursement costs to the City. The City will procure one (1) Spare Padmount Transformer at the City's expense.

Prior to the issuance of a Certificate of Occupancy:

17. Provide copy of recorded Utility Easement.
Note that No permanent power can NOT be provided until a Final Electrical Inspection is done.