

10139 Royalton Rd Suite K N. Royalton, OH 44133 800-888-2889 www.cvsnider.com

Date	Estimate #
2/1/2024	Q 020124-1

LATHRUP VLG MUNICP. PARK


Name / Address	PROJECT - SHIP TO
Lathrup Village	PROJECT:
Susie Stec	Municipal Park - Lathrup Village
27400 Southfield Rd.	
Lathrup Village, MI 48076	SHIP TO: TBD

Terms	Rep	Customer Phone	Customer Email	County
Due On Receipt	VC	(248) 557-2600 ext. 223	sstec@lathrupvillage.org	OAKLAND

Item	Description	Qty	Rate	Total
127-179508	NEW PLAYGROUND FOR 5-12, 2-5, WITH ACCESSIBILITY			
127 173300	NEW LEAGNOONS TOKS 12, 2 3, WITT ACCESSIBILITY			
PHASE 1	5-12 PLAY STRUCTURE		\$177,574	\$177,574
DISCOUNT	PROGRAM DISCOUNT		-\$42,000	-\$42,000
FREIGHT	SHIPPING CHARGES		\$5,000	\$5,000
MBE/INSTALL	INSTALLATION OF EQUIPMENT PHASE 1		\$53,000	\$53,000
SURFACING	TBD	TOTAL EQUIPM	IENT PHASE 1	\$193,574
PHASE 2	2-5 PLAY STRUCTURE		\$145,384	\$145,384
DISCOUNT	PROGRAM DISCOUNT		-\$35,000	-\$35,000
FREIGHT	SHIPPING CHARGES		\$4,500	\$4,500
MBE/INSTALL	INSTALLATION OF EQUIPMENT PHASE 2	TOTAL EQUIPM	IENT PHASE 2	\$114,884
SURFACING	TBD			
PHASE 3	FREESTANDING PIECES & ADDITIONAL ACTIVITIES FOR		\$91,405	\$91,405
	5-12 AND 2 - 5 STRUCTURES		ψ51,.00	ψ52) 103
	(CRUISER, NOVO TABLES & BENCH CLIMBERS 5-12			
	CENTER EKO CLIMBER CLUSTER 2-5)			
DISCOUNT	PROGRAM DISCOUNT		-\$12,000	-\$12,000
FREIGHT	SHIPPING CHARGES		\$4,500	\$4,500
MBE/INSTALL	INSTALLATION OF EQUIPMENT PHASE 3		\$28,000	\$28,000
SURFACING	TBD	TOTAL EQUIPM	IENT PHASE 3	\$111,905

1/2 down with	order, balance upon completion with approve	d credit.			•	
•	ertificate is not provided, appropriate sales ged. Quote valid for 30 days.		Subtotal			
•	his quote assumes acceptance of Snider insur to fuel charge. Payment via credit card will	ance.	Sales Tax (6.0	%)	N/A	
incur an additio	nal 3% administrative fee.		Total			
Signed		Date				
Name/Title			Quoted By: V. Crawford	Snider Recrea	tion, Inc.	







27400 Southfield Rd | Lathrup Village, MI 48076-3412



Snider Recreation, Inc.

10139 Royalton Road Suite K | North Royalton, OH 44133 | 440-877-9151





27400 Southfield Rd | Lathrup Village, MI 48076-3412

January 19, 2024

Susie Stec Lathrup Village 27400 Southfield Rd. Lathrup Village, MI 48076 Phone: 2484312796

Dear Susie Stec:

Snider Recreation, Inc. is delighted to provide Lathrup Village with this playground equipment proposal.

This design was developed with your specific needs in mind, and we look forward to discussing this project further with you to ensure your complete satisfaction. Snider Recreation, Inc. is confident that this proposal will satisfy Lathrup Village's functional, environmental, and safety requirements -- and most importantly -- bring joy and excitement to the children and families directly benefiting from your new playground.

You have our personal commitment to support this project and your organization in every manner possible, and we look forward to developing a long-standing relationship with Lathrup Village. We appreciate your consideration and value this opportunity to earn your business.

Sincerely,

Vicki Crawford

Sales Representative

Snider Recreation, Inc. 10139 Royalton Road Suite K North Royalton, OH 44133 www.www.cvsnider.com www.bciburke.com

Phone: 440-877-9151 Fax: 440-877-9159

vcrawford@cvsnider.com; alison@cvsnider.com





COOPERATIVE PURCHASING OPTIONS

PLAYGROUNDS WITHOUT ALL THE PAPERWORK

Purchasing with contracts may sound intimidating, but getting your community playspace doesn't need to be a painful process of writing specifications, issuing RFP's and jumping through hoops – it can be simplified – we promise! As you continue planning for your new playground, review the Purchasing Contracts offered through our partners.

EQUALIS GROUP

Equalis is an innovative cooperative purchasing organization that believes in the power of partnership and that when you work together you achieve more. The basic premise of the Equalis cooperative purchasing organization is to leverage the combined buying power of all members for better pricing and favorable contract terms. Equalis Group uses the lead agency model for competitively bid contracts, provides our participants the savings they expect and offers efficiencies and peace of mind within the procurement process. It is our mission to continuously improve the measurable and meaningful impact of cooperative services for everyone throughout the supply chain.

GOVMVMT

GOVMVMT is a non-profit group purchasing organization that meets the highest industry standards while putting the public's interest at the forefront of everything they do. Each one of GOVMVMT's first-class suppliers has consciously joined their mission to create the most credible, ethical, and public agency-focused non-profit cooperative purchasing program in the country.

GSA

Federal parks, child development programs, military bases and other agencies are a major priority for BCI Burke, and agencies can purchase Burke playgrounds through Burke's GSA contract for installation virtually anywhere in the world.

OMNIA PARTNERS

OMNIA Partners, Public Sector (Subsidiary National IPA) is the largest and most experienced organization in purchasing and supply chain management. Comprised of participants and suppliers in the public sector, we bring together industry-leading buying power and world-class suppliers to offer an extensive portfolio of competitively solicited and publicly awarded contracts and partnerships. OMNIA Partners is proud to offer more value and resources to state and local government, higher education, K-12 education and non-profits.

SOURCEWELL

As a leader in cooperative purchasing, Sourcewell is passionate about helping members fulfill their public service missions. Sourcewell builds strong relationships with members and vendors to develop practical solutions together.

The easiest way to Join Our Movement is to call your local Representative at 800.266.1250 or visit bciburke.com/rep. Our passion is bringing play to communities like yours and we can't wait to help you get started!



















DESIGN SUMMARY

Snider Recreation, Inc. is very pleased to present this Proposal for consideration for the Municipal Park located in Lathrup Village. BCI Burke Company, LLC has been providing recreational playground equipment for over 100 years and has developed the right mix of world-class capabilities to meet the initial and continuing needs of Lathrup Village. We believe our proposal will meet or exceed your project's requirements and will deliver the greatest value to you.

The following is a summary of some of the key elements of our Proposal:

Project Name: Municipal ParkProject Number: 127-179508-1

• User Capacity: 537

• Age Groups: 5 to 12, 2 to 5, 2 to 12

Dimensions: 109' 7"x87' 5"
Designer Name: Hunter Mielke

Snider Recreation, Inc. has developed a custom playground configuration based on the requirements as they have been presented for the Municipal Park playground project. Our custom design will provide a safe and affordable playground environment that is aesthetically pleasing, full of fun for all users and uniquely satisfies your specific requirements. In addition, proposal # 127-179508-1 has been designed with a focus on safety, and is fully compliant with ASTM F1487 and CPSC playground safety standards.

We invite you to review this proposal for the Municipal Park playground project and to contact us with any questions that you may have.

Thank you in advance for giving us the opportunity to make this project a success.



3 AQUA BOUNDARY IS PHASE 2

RED CIRCLED ITEMS ARE PHASE **BLUE BOUNDARY IS PHASE** 8 8

The use and layout of play components identified in this plan conform to the CPSC guildelines. U.S. CPSC recommends the separation of age groups in playground layouts. JF /ENTS

	GROUND TYPES C EVENTS GROUND EV	11 / 0
d/Required)	GROUND	43/0
PLAYGROUND ACCESSIBILITY (Provided/Required)	RAMP ACCESSIBLE	36 / 13
ROUND ACCESS	TRANSFER ACCESSIBLE	2/12
PLAYG	TOTAL ELEVATED EVENTS EVENTS	49 / 25
	TOTAL E	92

Warning: Accessible safety surfacing material is required beneath and around this equipment that is compliant with ASTM, CPSC, and ADAAG requirements.

Area: 9586.3 sq.ft.
Perimeter: 394.1 ft.
STRUCTURE SIZE:6"x109' 8"
Post SIZE(SN)

be different.

POST SIZE(S):

SITE PLAN VIEW

01/19/2024

Snider Recreation, Inc. 127-179508-1

Designer: Hunter Mielke

SERIES Burke Basics | Nucleus | Intensity

GROUP:

5-12 Structure|2-5 Structure|Freestanding


DESIGNED FOR AGES:

5 to 12, 2 to 5, 2 to 12

Municipal Park

Lathrup Village, MI 48076-3412

BUTKE PLAY THAT MOVES YOU



The use and layout of play components identified in this plan conform to the CPSC guildelines. U.S. CPSC recommends the separation of age groups in

TYPES OF GROUND EVENTS 11/0 GROUND PLAYGROUND ACCESSIBILITY (Provided/Required) 43/0 ACCESSIBLE 36 / 13 TRANSFER ACCESSIBLE 2/12 TOTAL ELEVATED EVENTS 49 / 25 92

Warning: Accessible safety surfacing material is required beneath and around this equipment that is compliant with ASTM, CPSC, and ADAAG requirements.

Area: 9586.3 sq.ft.
Perimeter: 394.1 ft.
STRUCTURE SIZE:6"x109' 8"
Post SIZE(SN)

be different.

POST SIZE(S):

SITE PLAN VIEW

Snider Recreation, Inc. 127-179508-1

Designer: Hunter Mielke

01/19/2024

SERIES Nucleus | Burke Basics | Intensity

GROUP:

5-12 Structure


DESIGNED FOR AGES:

5 to 12

Municipal Park

Lathrup Village, MI 48076-3412

BUTKE PLAY THAT MOVES YOU



The use and layout of play components identified in this plan conform to the CPSC guildelines. U.S. CPSC recommends the separation of age groups in

TOTAL ELEVATED .	TRANSFER	VATED TRANSFER RAMP GROUND	GROUND	TYPESO
EVENTS EVENTS A	ACCESSIBLE	ACCESSIBLE	EVENTS	EVENTS GROUND EV
49 / 25	2/12	36 / 13	43/0	11/0

Warning: Accessible safety surfacing material is required beneath and around this equipment that is compliant with ASTM, CPSC, and ADAAG requirements.

Area: 9586.3 sq.ft.
Perimeter: 394.1 ft.
STRUCTURE SIZE: 6"x109' 8"
Perimeter: 394.1 ft.
Per and and standards. Requirements for other standards may be different.

POST SIZE(S):

SITE PLAN VIEW 01/19/2024

Snider Recreation, Inc. 127-179508-1

Designer: Hunter Mielke

SERIES Nucleus | Intensity | Burke Basics

GROUP:

2-5 Structure


DESIGNED FOR AGES:

2 to 5

Municipal Park

Lathrup Village, MI 48076-3412

BUTKE PLAY THAT MOVES YOU



The use and layout of play components identified in this plan conform to the CPSC guildelines. U.S. CPSC recommends the separation of age groups in

OF EVENTS

	PLAYG	PLAYGROUND ACCESSIBILITY (Provided/Required	SIBILLIY (Provide	d/Reduired	_
TOTAL	TOTAL ELEVATED EVENTS EVENTS	TRANSFER ACCESSIBLE	RAMP ACCESSIBLE	GROUND	GROUND TYPES EVENTS GROUND E
92	49 / 25	2/12	36 / 13	43/0	11/(

Warning: Accessible safety surfacing material is required beneath and around this equipment that is compliant with ASTM, CPSC, and ADAAG requirements.

Area: 9586.3 sq.ft.
Perimeter: 394.1 ft.
STRUCTURE SIZE: 6"x109' 8"
Perimeter: 394.1 ft.
STRUCTURE SIZE: 6"x109' 8"
PORT SIZE: 6"x109' 8"
PROST SIZE: 6"x109' 8"

POST SIZE(S):

01/19/2024

SITE PLAN VIEW

Snider Recreation, Inc. 127-179508-1

Designer: Hunter Mielke

SERIES Burke Basics

GROUP:

Freestanding

DESIGNED FOR AGES:


2 to 12

Municipal Park

Lathrup Village, MI 48076-3412

BURKE.
PLAY THAT MOVES YOU

LEM	COMP	DESCRIPTION
1	270-0131	HEXAGONAL PLATFORM S5P
2	580-1319	NOVO TEARDROP COUNTER CLIMBER
3	580-1312	NOVO ARC BENCH
4	570-0798	WAVER PANEL, ABOVE PLATFORM
5	270-0223	8" RISE ENTRANCE RAMP W/ GUARDRAILS
9	570-0716	CLICKER ACTIVITY PANEL
7	570-0718	HYPNO ACTIVITY PANEL
8	270-0122	EVOLUTION OFFSET ENCLOSURE
6	270-0221	8" RISE RAMP W/ GUARDRAILS
10	370-1675	STRAIGHT OVERHEAD, NUCLEUS
11	470-0128	FLYLOW POD
12	370-0223	PURSUIT CLIMBER 16"-40"
13	570-2669	MAZE ACCESSIBLE REACH PANEL
14	570-0622	PLATFORM ROLL GUARD
15	570-1863	RAIN WHEEL PANEL
16	570-0814	PROPELLER RING PANEL
17	370-0808	TWISTING TRAVERSE
18	270-0291	HALF PLATFORM W/SUPPORT
19	570-0072	EVOLUTION HALF BARRIER
20	470-0802	MONACO SLIDE, 32"-40"
21	470-0967	SLIDE HOOD, LOW SIDE WALL
22	270-0300	ABSTRACT PLATFORM LADDER 16"
23	370-0016	GRAB BAR ASSEMBLY
24	570-1816	JET PANEL
25	370-0087	LEAF CLIMBER 16" - 24"
26	270-0120	EVOLUTION UNITARY ENCLOSURE
27	570-0797	CHARADE PANEL, ABOVE PLATFORM
28	370-0042	ASCEND ROCK CLIMBER, 32"-40"
29	270-0290	HALF PLATFORM
30	470-0756	ROLLER SLIDE 48"-56"
31	570-2737	PINBALL PANEL
32	370-1622	TAKTIKS TRAIL TOWER
33	270-0292	EVOLUTION CENTER MOUNT ENCLOSURE
34	570-1865	HDPE UNITARY ENCLOSURE, NUCLEUS
35	570-0848	SIGNING 2-SIDED PLAY PANEL
36	560-0563	CRUISER WITH ADAPTER
37	570-1858	3-IN-A-ROW PANEL, ABOVE PLATFORM
38	470-0678	ARA HEX SHADE CANOPY
39	560-2736	EKO CIRCA
40	560-2738	EKO TABLE
41	370-1706	NUCLEUS CORE CLIMBER, 10'
42	370-1703	NUCLEUS CORE CROSS SUPPORT
43	370-1718	TAKTIKS BOW CLIMBER
44	370-0854	VERTO CLIMBER 1
45	470-0014	EVOLUTION HEX ROOF
46	470-0006	EVOLUTION BOTTOM ROOF SUPPORT, SINGLE
47	470-0008	EVOLUTION SIDE ROOF SUPPORT, LEFT
48	470-0009	EVOLUTION SIDE ROOF SUPPORT, RIGHT
49	270-0132	HALF HEXAGON PLATFORM
20	470-0112	COBRA SLIDE CURVED 120"
51	370-1702	NUCLEUS CORE ARCH CLIMBER
52	560-2734	HOOP CLIMBER



SERIES Nucleus | Burke Basics | Intensity

Municipal Park

Lathrup Village, MI 48076-3412

01/19/2024

Snider Recreation, Inc. 127-179508-1

COMPONENT VIEW

Designer: Hunter Mielke

DESIGNED FOR AGES:


5 to 12

GROUP:

5-12 Structure



-		NOTEGE
I EM	COMP.	DESCRIPTION
1	270-0131	HEXAGONAL PLATFORM S5P
2	570-2729	CLASSIC GAME RING PANEL
3	370-1720	LIL NOVO BALANCE BEAM LINK
4	570-0811	BRAILLE PANEL
5	270-0016	12' ADAAG ENTRANCE RAMP W/GUARDRAIL
9	270-0120	EVOLUTION UNITARY ENCLOSURE
7	570-0102	INNOVA BRIDGE
8	570-2732	PLAYENSEMBLE BABEL DRUM
6	370-0031	POWER PIPES CLIMBER 2-5
10	370-0842	APEX HOLE CLIMBER 2-5
11	570-0846	SPANISH 2-SIDED PLAY PANEL
12	570-1851	CHIMES PANEL
13	570-2667	BEE ACCESSIBLE REACH PANEL
14	570-0622	PLATFORM ROLL GUARD
15	270-0012	12' ADAAG RAMP W/GUARDRAIL
16	570-2701	COLLISION PANEL, ABOVE PLATFORM
17	470-0836	ROCK'N ROLL SLIDE, 24-32 W/O HOOD
18	470-0967	SLIDE HOOD, LOW SIDE WALL
19	370-0087	LEAF CLIMBER 16" - 24"
20	270-0130	SQUARE PLATFORM
21	570-0718	HYPNO ACTIVITY PANEL
22	570-1683	PARATROOP PANEL, ABOVE PLATFORM
23	570-0578	NAME THE STATES PANEL
24	270-0129	TRIANGLE PLATFORM
25	570-1858	3-IN-A-ROW PANEL, ABOVE PLATFORM
26	470-0802	MONACO SLIDE, 32"-40"
27	370-1680	BETA CLIMBER 32"-40"
28	270-0014	12' ADAAG RAMP W/BARRIER
29	370-1645	MANITOU CLIMBER 48"
30	470-0569	VIPER II SS 48-56
31	570-2666	CAR PANEL
32	470-0756	ROLLER SLIDE 48"-56"
33	470-0813	EVOLUTION HEX ROOF
34	470-0808	EVOLUTION ROOF BOTTOM EDGE
35	370-1670	PETAL STEP CLIMBER 16"-24"
36	270-0121	EVOLUTION STANCHION
37	570-2678	CLOCK PANEL
38	270-0122	EVOLUTION OFFSET ENCLOSURE
39	470-0678	ARA HEX SHADE CANOPY
40	570-1679	SPROCKET PANEL, ABOVE PLATFORM
41	560-2715	EKO ULTIMATE
42	560-2707	EKO DUAL
43	560-2709	EKO BUNDLE
1	5070-2705	O IOS ONE



SERIES Nucleus | Intensity | Burke Basics

Municipal Park

Lathrup Village, MI 48076-3412

01/19/2024

Snider Recreation, Inc. 127-179508-1

COMPONENT VIEW

Designer: Hunter Mielke

DESIGNED FOR AGES:


2 to 5


GROUP:

2-5 Structure



ITEM	COMP.	DESCRIPTION
1	550-9118	550-9118 BRAVA UNIVERSAL SWING
2	560-2586 COMET I	COMET I
3	560-2625	560-2625 MOVMNT INCLUSIVE, FREESTANDING
4	560-2735	560-2735 ARO SPINNING CHAIR
5	580-1410	580-1410 STEM PLAYFUL BENCH
9	550-022	550-0225 CIRRUS SWING
1	550-0186 VOLITO	VOLITO
	-END	
8	570-2745	570-2745 ORB ROCKER
6	570-2727	570-2727 ORB ROCKER FOOTER







SERIES Burke Basics COMPONENT VIEW

GROUP:

Freestanding

DESIGNED FOR AGES:


2 to 12

Municipal Park Lathrup Village, MI 48076-3412

Burke

01/19/2024

Snider Recreation, Inc. 127-179508-1



SERIES Burke Basics | Nucleus | Intensity

GROUP:

5-12 Structure | 2-5 Structure | Freestanding

DESIGNED FOR AGES:

5 to 12, 2 to 5, 2 to 12

Municipal Park


Lathrup Village, MI 48076-3412



ELEVATION VIEW

01/19/2024

Snider Recreation, Inc. 127-179508-1



SERIES Nucleus | Burke Basics | Intensity

GROUP: 5-12 Structure

DESIGNED FOR AGES:

5 to 12

Municipal Park


Lathrup Village, MI 48076-3412



ELEVATION VIEW

01/19/2024

Snider Recreation, Inc. 127-179508-1






DESIGNED FOR AGES:

2 to 5

Lathrup Village, MI 48076-3412



Snider Recreation, Inc. 127-179508-1



SERIES Burke Basics ELEVATION VIEW

GROUP:

Freestanding

DESIGNED FOR AGES:

2 to 12

Municipal Park

Lathrup Village, MI 48076-3412



01/19/2024

Snider Recreation, Inc. 127-179508-1



SERIES Burke Basics | Nucleus | Intensity

GROUP:

5-12 Structure|2-5 Structure|Freestanding

DESIGNED FOR AGES:

5 to 12, 2 to 5, 2 to 12

Municipal Park

Lathrup Village, MI 48076-3412



ISOMETRIC VIEW

01/19/2024

Snider Recreation, Inc. 127-179508-1



SERIES Nucleus | Burke Basics | Intensity

GROUP:

5-12 Structure

DESIGNED FOR AGES:

5 to 12

Municipal Park

Lathrup Village, MI 48076-3412



ISOMETRIC VIEW

01/19/2024

Snider Recreation, Inc. 127-179508-1



SERIES Nucleus | Intensity | Burke Basics

GROUP: 2-5 Structure

DESIGNED FOR AGES:

2 to 5

Municipal Park

Lathrup Village, MI 48076-3412




ISOMETRIC VIEW

01/19/2024

Snider Recreation, Inc. 127-179508-1







SERIES Burke Basics ISOMETRIC VIEW

GROUP:

Freestanding

DESIGNED FOR AGES:

2 to 12

Municipal Park

Lathrup Village, MI 48076-3412



01/19/2024

Snider Recreation, Inc. 127-179508-1



Proposal 127-179508-1 | 1/19/2024 | 2024 Pricing

The play components identified in this proposal are IPEMA certified. The use and layout of these components conform to the requirements of ASTMF1487. To verify product certification, visit www.ipema.org.







The space requirements shown in this proposal are to ASTM standards. Requirements for other standards may be different.

5-12 Structure

Nucleus						
072-0500-100C	5" OD X 100" CAPPED POST	1	0	0	53	53
072-0500-104C	5" OD X 104" CAPPED POST	2	0	0	55	110
072-0500-112C	5" OD X 112" CAPPED POST	3	0	0	59	177
072-0500-116C	5" OD X 116" CAPPED POST	2	0	0	61	122
	5" OD X 120" CAPPED POST	1	0	0	63	63
072-0500-124C	5" OD X 124" CAPPED POST	4	0	0	65	260
072-0500-128C	5" OD X 128" CAPPED POST	1	0	0	67	67
072-0500-132C	5" OD X 132" CAPPED POST	3	0	0	69	207
072-0500-136C	5" OD X 136" CAPPED POST	1	0	0	71	71
072-0500-144C	5" OD X 144" CAPPED POST	1	0	0	76	76
072-0500-196C	5" OD X 196" CAPPED POST	1	0	0	103	103
072-0500-80C	5" OD X 80" CAPPED POST	2	0	0	42	84
072-0500-92C	5" OD X 92" CAPPED POST	6	0	0	48	288
072-0500-96C	5" OD X 96" CAPPED POST	4	0	0	51	204
072-0502-168\$	5" OD X 168" SWAGED POST	6	0	0	88	528
072-0502-216S	5" OD X 216" SWAGED POST	6	0	0	113	678
072-5503-24T	5" OD X 24" TOP ALUMINUM CAPP	4	0	0	6	24
072-5503-36T	5" OD X 36" TOP ALUMINUM CAPP	2	0	0	8	16
270-0120	EVOLUTION UNITARY ENCLOSURE	6	0	0	34	204
270-0122	EVOLUTION OFFSET ENCLOSURE	4	0	0	34	136
270-0131	HEXAGONAL PLATFORM S5P	5	12	60	287	1435
270-0132	HALF HEXAGON PLATFORM	1	6	6	144	144
270-0221	8" RISE RAMP W/ GUARDRAILS	4	10	40	356	1424
270-0223	8" RISE ENTRANCE RAMP W/ GUAR	1	10	10	377	377
270-0290	HALF PLATFORM	1	3	3	57	57
270-0291	HALF PLATFORM W/SUPPORT	1	3	3	69	69
270-0292	EVOLUTION CENTER MOUNT ENCLOSURE	1	0	0	40	40
270-0300	ABSTRACT PLATFORM LADDER 16"	2	1	2	17	34
370-0016	GRAB BAR ASSEMBLY	2	0	0	6	12
370-0042	ASCEND ROCK CLIMBER, 32"-40"	1	2	2	100	100
370-0087	LEAF CLIMBER 16" - 24"	1	2	2	25	25
370-0223	PURSUIT CLIMBER 16"-40"	1	4	4	127	127
370-1622	TAKTIKS TRAIL TOWER	1	5	5	52	52
370-1702	NUCLEUS CORE ARCH CLIMBER	1	7	7	265	265
370-1703	NUCLEUS CORE CROSS SUPPORT	3	0	0	32	96
370-1706	NUCLEUS CORE CLIMBER, 10'	1	14	14	194	194
470-0006	EVOLUTION BOTTOM ROOF SUPPORT	2	0	0	13	26
470-0008	EVOLUTION SIDE ROOF SUPPORT,	2	0	0	18	36
470-0009	EVOLUTION SIDE ROOF SUPPORT,	2	0	0	18	36
470-0014	EVOLUTION HEX ROOF	1	0	0	106	106

470-0112 470-0128 470-0678 470-0756 470-0802 470-0967 570-0072 570-0622 570-0716 570-0798 570-0798 570-0848 570-1816 570-1858 570-1863 570-1865 570-2669 570-2737 600-0104 660-0103 660-0104 670-0422 670-0427	COBRA SLIDE CURVED 120" FLYLOW POD ARA HEX SHADE CANOPY ROLLER SLIDE 48"-56" MONACO SLIDE, 32"-40" SLIDE HOOD, LOW SIDE WALL EVOLUTION HALF BARRIER PLATFORM ROLL GUARD CLICKER ACTIVITY PANEL HYPNO ACTIVITY PANEL CHARADE PANEL, ABOVE PLATFORM WAVER PANEL, ABOVE PLATFORM SIGNING 2-SIDED PLAY PANEL JET PANEL 3-IN-A-ROW PANEL, ABOVE PLATFORM RAIN WHEEL PANEL HDPE UNITARY ENCLOSURE, NUCLEUS MAZE ACCESSIBLE REACH PANEL PINBALL PANEL NPPS SUPERVISION SAFETY KIT MAINTENANCE KIT, STRUCTURE INSTALLATION KIT, STRUCTURE HALF DECK UPPER POST 5" OD 5" OD X 11 GA POST EXTENSION	2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3 2 0 3 2 0 0 0 0 2 2 2 2 2 2 2 2 2 2 1 0 0 0 0	6 2 0 3 2 0 0 0 2 2 2 2 2 2 2 2 2 2 2 2 2	407 27 575.864 721 70.6 37 26.6 8 10 9 61 61 44 48 45 59 26 16 53 3 7 5 26 10	814 27 575.864 721 70.6 37 106.4 8 10 9 61 61 44 48 45 59 52 16 53 3 7 5 52 60		
5-12 Structure								
Burke Basics								
560-0563	CRUISER WITH ADAPTER	1	12	12	1361	1361		
560-2734 560-2736	HOOP CLIMBER EKO CIRCA	1 3	2 1	2 3	55 60	55 180		
560-2738	EKO TABLE	1	4	4	183	183		
580-1312	NOVO ARC BENCH	3	2	6	43	129		
580-1319	NOVO TEARDROP COUNTER CLIMBER	1	5	5	124	124		
5-12 Structure								
Intensity								
370-0808	TWISTING TRAVERSE	1	5	5	103	103		
370-0854	VERTO CLIMBER 1	1	1	1	35	35		
370-1675	STRAIGHT OVERHEAD, NUCLEUS	2	6	12	53	106		
370-1718	TAKTIKS BOW CLIMBER	1	7	7	103	103		
570-0814	PROPELLER RING PANEL	1	2	2	66	66		
			Total	Jser Capa Weight: al Price:	city: 251 13518 lbs. \$203,988			

Freestanding

CIRRUS SWING	1	0	0	437	437
BRAVA UNIVERSAL SWING	1	6	6	530	530
COMETI	1	6	6	154	154
MOVMNT INCLUSIVE, FREESTANDING	1	2	2	328	328
ARO SPINNING CHAIR	1	1	1	42	42
ORB ROCKER FOOTER	1	0	0	93	93
	BRAVA UNIVERSAL SWING COMET I MOVMNT INCLUSIVE, FREESTANDING ARO SPINNING CHAIR	BRAVA UNIVERSAL SWING 1 COMET I 1 MOVMNT INCLUSIVE, FREESTANDING 1 ARO SPINNING CHAIR 1	BRAVA UNIVERSAL SWING 1 6 COMET I 1 6 MOVMNT INCLUSIVE, FREESTANDING 1 2 ARO SPINNING CHAIR 1 1	BRAVA UNIVERSAL SWING 1 6 6 COMET I 1 6 6 MOVMNT INCLUSIVE, FREESTANDING 1 2 2 ARO SPINNING CHAIR 1 1 1	BRAVA UNIVERSAL SWING 1 6 6 530 COMET I 1 6 6 154 MOVMNT INCLUSIVE, FREESTANDING 1 2 2 328 ARO SPINNING CHAIR 1 1 1 1 42

570-2745	ORB ROCKER	1	8	8	540.9	540.9
580-1410	STEM PLAYFUL BENCH	1	2	2	122	122
660-0101	INSTALL KIT, BURKE BASICS - P	1	0	0	2	2

Total User Capacity: 25
Total Weight: 2249 lbs.
Total Price: \$50,001

2-5 Structure

Nucleus						
072-0500-100C 5" OD X 100" CAPPED	POST	7	0	0	53	371
072-0500-112C 5" OD X 112" CAPPED	POST	6	0	0	59	354
072-0500-120C 5" OD X 120" CAPPED	POST	2	0	0	63	126
072-0500-160C 5" OD X 160" CAPPED	POST	4	0	0	84	336
072-0500-172C 5" OD X 172" CAPPED	POST	2	0	0	90	180
072-0500-76C 5" OD X 76" CAPPED	POST	2	0	0	40	80
072-0500-84C 5" OD X 84" CAPPED	POST	1	0	0	44	44
072-0500-88C 5" OD X 88" CAPPED	POST	6	0	0	46	276
072-0502-168S 5" OD X 168" SWAGEI	D POST	6	0	0	88	528
072-0502-52S 5" OD X 52" SWAGED	POST	1	0	0	28	28
072-0504-10B 5" OD X 10" STUBBY P	TRC	1	0	0	6	6
270-0012 12' ADAAG RAMP W	GUARDRAIL	2	18	36	516	1032
270-0014 12' ADAAG RAMP W	/BARRIER	1	18	18	761	761
270-0016 12' ADAAG ENTRANC	CE RAMP W/GUA	1	18	18	548	548
270-0120 EVOLUTION UNITARY	ENCLOSURE	6	0	0	34	204
270-0121 EVOLUTION STANCHI	ON	1	0	0	43	43
270-0122 EVOLUTION OFFSET E		2	0	0	34	68
270-0129 TRIANGLE PLATFORM		1	2	2	48	48
270-0130 SQUARE PLATFORM		2	6	12	106	212
270-0131 HEXAGONAL PLATFO	RM S5P	5	12	60	287	1435
370-0087 LEAF CLIMBER 16" - 24		1	2	2	25	25
370-1645 MANITOU CLIMBER 48		1	4	4	87	87
370-1670 PETAL STEP CLIMBER		1	1	1	30	30
370-1680 BETA CLIMBER 32"-40'		1	1	1	71	71
370-1720 LIL NOVO BALANCE E	BEAM LINK	1	3	3	58	58
470-0569 VIPER II SS 48-56		1	4	4	307	307
470-0678 ARA HEX SHADE CAN	IOPY	1	0	0	575.864	575.864
470-0756 ROLLER SLIDE 48"-56"		1	3	3	721	721
470-0802 MONACO SLIDE, 32"-		1	2	2	70.6	70.6
470-0808 EVOLUTION ROOF BC		2	0	0	13	26
470-0813 EVOLUTION HEX ROC		1	0	0	211	211
470-0836 ROCK'N ROLL SLIDE, 2		1	1	1	50	50
470-0967 SLIDE HOOD, LOW SI	DE WALL	2	0	0	37	74
570-0102 INNOVA BRIDGE		1	18	18	847	847
570-0578 NAME THE STATES PA		1	4	4	46	46
570-0622 PLATFORM ROLL GUA		1	0	0	8	8
570-0718 HYPNO ACTIVITY PAN	JEL	1	2	2	9	9
570-0811 BRAILLE PANEL		1	4	4	55	55
570-0846 SPANISH 2-SIDED PLA		1	2	2	44	44
570-1679 SPROCKET PANEL, AE		1	2	2	64	64
570-1683 PARATROOP PANEL,	ABOVE PLATFORM	1	3	3	54	54
570-1851 CHIMES PANEL		1	4	4	56	56
570-1858 3-IN-A-ROW PANEL, A	ABOVE PLATFORM	1	2	2	45	45
570-2666 CAR PANEL		1	2	2	53	53
570-2667 BEE ACCESSIBLE REAG	OH PANEL	1	2	2	16	16
570-2678 CLOCK PANEL		1	1	1	50	50
570-2701 COLLISION PANEL, AI		1	1	1	55	55
570-2729 CLASSIC GAME RING	PANEL	1	2	2	80	80

570-2732 670-0425	PLAYENSEMBLE BABEL DRUM 5" OD STUBBY POST CAP	1 1	1 0	1 0	14 1	14 1	
2-5 Structure							
Intensity							
370-0031	POWER PIPES CLIMBER 2-5	1	6	6	33	33	
370-0842	APEX HOLE CLIMBER 2-5	1	2	2	55	55	
2-5 Structure							
Burke Basics							
560-2705	EKO SOLO	2	1	2	24	48	
560-2707	EKO DUAL	2	2	4	47	94	
560-2709	EKO BUNDLE	2	6	12	148	296	
560-2715	EKO ULTIMATE	1	18	18	505	505	

Total User Capacity: 261
Total Weight: 11515 lbs.
Total Price: \$160,274

Special Notes:

Prices do not include freight, unloading, material storage, site excavation/preparation, removal of existing equipment, removal of excess soil from footing holes, site security, safety surfacing, installation, or sales tax (if applicable). Prices are based on standard colors per CURRENT YEAR BCI Burke Catalog. Custom colors, where available, would be an extra charge. **Pricing is valid for 30 days from the date of this proposal.**





Proposal 127-179508-1 | 1/19/2024 | 2024 Pricing

COLOR SELECTION LIST | PlaygroundColorOption:1

GROUP 1 (Freestanding)

Acc: Aqua

Panel: Orange-Black-Orange | Yellow-Black-Yellow | Purple-Gray-Purple | Lime-Black-

Lime | Blue-Yellow-Blue

Post: Navy | Silver | Aqua

Flat: Yellow | Lime Plastic: Purple | Orange

GROUP 2 (2-5 Structure)

Deck: Gray

Acc: Silver | Aqua | Lime | Orange

Flat: Lime | Yellow | Orange

Panel: Orange-Black-Orange | Yellow-Black-Yellow | Lime-Black-Lime

Post: Navy | Aqua | Orange Plastic: Yellow | Lime | Orange Canopy: Yellow | Orange | Lime

GROUP 3 (5-12 Structure)

Deck: Gray

Flat: Lime | Orange | Purple

Post: Aqua

Acc: Silver | Navy | Aqua Plastic: Purple | Lime | Orange

Panel: Orange-Black-Orange | Lime-Black-Lime | Purple-Gray-Purple


Canopy: Lime

COLORS THAT MOVE YOU

POWDER COAT PAINT







ROCKIT CLIMBERS



Sandstone



















PLATFORMS








Brown




Gray Recycled **Plastic**


HDPE PLASTIC PANELS



SHADE CANOPIES



ROTOMOLD PLASTIC



VISIT BCIBURKE.COM/COLOR TO CUSTOMIZE YOUR PLAYGROUND COLORS!

Volito Swing

Safety Standards & Guidelines - Reference Information

The Volito Swing was designed to allow multiple children to swing and engage together. For many years the only swings available for kids to use together were tire swings, which are fun and challenging but presented opportunities for improvement. Tire swings are able to rotate and pivot in all directions, often in an unpredictable manner and, because they aren't easy to propel while sitting on them, other children often have to push the swing to gain and maintain motion. The Volito Swing, along with many similar swings in this growing market trend, provides a multi-user swing that moves in a single axis to-fro motion.

The Volito Swing is IPEMA Certified and meets or exceeds the requirements of ASTM F1487-17, which is recognized as the standard of care in the playground industry. This ASTM public playground safety standard is revised every two to three years to remain current with innovation and market trends.

The CPSC Public Playground Safety Handbook hasn't been revised since 2008 and doesn't include new product categories that have been innovated in recent years. There are a couple of points to note when deciding to purchase a multi-user swing:

- Multi-user swings are innovative and CPSC Public Playground Safety Handbook doesn't have a standard that specifically covers them.
- CPSC 5.3.8.3.1 CPSC recommends that belt swing seats should be designed to accommodate
 no more than one user at any time. While the Volito Swing is a single axis swing, it is clearly not a
 belt seat.
- CPSC 2.3.1 CPSC says that swings intended for more than one user are not recommended because of their greater mass, as compared to single occupancy swings, presents a risk of impact injury.
- The ASTM safety standard, F1487, was revised in 2011 to add maximum impact requirements for swings and the Volito Swing has been tested and is compliant with ASTM impact requirements.
- CPSC has written a letter stating that "the swing impact test in F1487-11 is a reasonable approach to address the concerns posed by unoccupied, heavy, multiple occupancy swings."
- CPSC has always included an exemption to both recommendations listed above for tire swings, which are multiple occupancy swings that are suspended from a single pivot and permit swinging in any direction.
- CPSC also emphasizes that their Handbook provides recommendations, not requirements. If a jurisdiction adopts the Handbook's recommendations as mandatory requirements, that jurisdiction would need to determine how the requirements should be applied in any particular instance.

BURKE GENERATIONS WARRANTY®

The Longest and Strongest warranty in the industry

BCI Burke Company, LLC ("Burke") warrants that all standard products are warranted to be free from defects in materials and workmanship, under normal use and service, for a period of one (1) year from the date of shipment.

We stand behind our products. In addition, the following products are warranted, under normal use and service from the date of shipment as follows:

- One Hundred (100) Year Limited Warranty on aluminum and steel upright posts (including Intensity®, Synergy™, Nucleus®, Voltage®, Little Buddies®, ELEVATE®, ACTIVATE®, INVIGORATE™) against structural failure due to corrosion, deterioration or workmanship.
- One Hundred (100) Year Limited Warranty on KoreKonnect® clamps against structural failure due to corrosion, deterioration or workmanship.
- One Hundred (100) Year Limited Warranty on Hardware (nuts, bolts, washers)
- One Hundred (100) Year Limited Warranty on bolt-through fastening and clamp systems (Synergy^m, Intensity[®], Nucleus[®], Voltage[®], Little Buddies[®], ELEVATE[®]).
- Twenty-Five (25) Year Limited Warranty on spring assemblies and aluminum cast animals.
- Fifteen (15) Year Limited Warranty on structure platforms and decks, metal roofs, table tops, bench tops, railings and barriers against structural failure due to materials or workmanship.
- Fifteen (15) Year Limited Warranty on all plastic components including StoneBorders against structural failure due to materials or workmanship.
- Ten (10) Year Limited Warranty on ShadePlay Canopies fabric, threads, and cables against degradation, cracking or material breakdown resulting from ultra-violet exposure, natural
 deterioration or manufacturing defects. This warranty is limited to the design loads as stated in the specifications.
- Ten (10) Year Limited Warranty on NaturePlay® Boulders and GFRC products against structural failure due to natural deterioration or workmanship. Natural wear, which may occur with
 any concrete product with age, is excluded from this warranty
- Ten (10) Year Limited Warranty on Full Color Custom Signage against manufacturing defects that cause delamination or degradation of the sign. Full Color Custom Signs also carry a
 two (2) year warranty against premature fading of the print and graphics on the signs.
- Five (5) Year Limited Warranty on Intensity® and RopeVenture® cables and LEVEL X® flex bridge against premature wear due to natural deterioration or manufacturing defects. Determination of premature wear will be at the manufacturer's discretion.
- Five (5) Year Limited Warranty on moving parts, including swing components, against structural failure due to materials or workmanship.
- Five (5) Year Limited Warranty on PlayEnsemble® cables and mallets against defects in materials and workmanship.
- Three (3) Year Limited Warranty on electronic panel speakers, sound chips and circuit boards against electronic failure caused by manufacturing defects.

The warranty stated above is valid only if the equipment is erected in conformity with the layout plan and/or installation instructions furnished by BCI Burke Company, LLC using approved parts; have been maintained and inspected in accordance with BCI Burke Company, LLC instructions. Burke's liability and your exclusive remedy hereunder will be limited to repair or replacement of those parts found in Burke's reasonable judgment to be defective. Any claim made within the above stated warranty periods must be made promptly after discovery of the defect. A part is covered only for the original warranty period of the applicable part. Replacement parts carry the applicable warranty from the date of shipment of the replacement from Burke. After the expiration of the warranty period, you must pay for all parts, transportation and service charges.

Burke reserves the right to accept or reject any claim in whole or in part. Burke will not accept the return of any product without its prior written approval. Burke will assume transportation charges for shipment of the returned product if it is returned in strict compliance with Burke's written instructions.

THE FOREGOING WARRANTIES ARE EXCLUSIVE AND IN LIEU OF ANY OTHER WARRANTY, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTY OR MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. IF THE FOREGOING DISCLAIMER OF ADDITIONAL WARRANTIES IS NOT GIVEN FULL FORCE AND EFFECT, ANY RESULTING ADDITIONAL WARRANTY SHALL BE LIMITED IN DURATION TO THE EXPRESS WARRANTIES AND BE OTHERWISE SUBJECT TO AND LIMITED BY THE TERMS OF BURKE'S PRODUCT WARRANTY. SOME STATES DO NOT ALLOW THE EXCLUSION OF CERTAIN IMPLIED WARRANTIES, SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU.

Warranty Exclusions: The above stated warranties do not cover: "cosmetic" defects, such as scratches, dents, marring, or fading; damage due to incorrect installation, vandalism, misuse, accident, wear and tear from normal use, exposure to extreme weather; immersion in salt or chlorine water, unauthorized repair or modification, abnormal use, lack of maintenance, or other cause not within Burke's control; and

Limitation of Remedies: Burke is not liable for consequential or incidental damages, including but not limited to labor costs or lost profits resulting from the use of or inability to use the products or from the products being incorporated in or becoming a component of any other product. If, after a reasonable number of repeated efforts, Burke is unable to repair or replace a defective or nonconforming product, Burke shall have the option to accept return of the product, or part thereof, if such does not substantially impair its value, and return the purchase price as the buyer's entire and exclusive remedy. Without limiting the generality of the foregoing, Burke will not be responsible for labor costs involved in the removal of products or the installation of replacement products. Some states do not allow the exclusion of incidental damages, so the above exclusion may not apply to you.

The environment near a saltwater coast can be extremely corrosive. Some corrosion and/or deterioration is considered "normal wear" in this environment. Product installed within 500 yards of a saltwater shoreline will only be covered for half the period of the standard product warranty, up to a maximum of five years, for defects caused by corrosion. Products installed in direct contact with saltwater or that are subjected to salt spray are not covered by the standard warranty for any defects caused by corrosion.

Contact your local Burke Representative for warranty information regarding Burke Turf® and Burke Tile products.

Terms of Sale

Pricing: Prices published in this catalog are in USD, are approximate and do not include shipping & handling, surfacing, installation nor applicable taxes. All prices are subject to change without notice. Contact your Burke representative for current pricing. Payments are to be made in USD.

Weights: Weights are approximate and may vary with actual orders.

Installation: All equipment is shipped unassembled. For a list of factory-certified installers in your area, please contact your Burke representative.

Specifications: Product specifications in this catalog were correct at the time of publication. However, product improvements are ongoing at Burke, and we reserve the right to change or discontinue specifications without notice.

Loss or Damage in Transit: A signed bill of lading is our receipt from a carrier that our shipment to you was complete and in good condition upon arrival. Before you sign, please check the Bill of Lading carefully when the shipment arrives to make sure nothing is missing and there are no damages. Once the shipment leaves our plant, we are no longer responsible for any damage, loss or shortage.

For more information regarding the warranty, call Customer Service at 920-921-9220 or 1-800-356-2070.

01/2021

