

ELECTRIC SERVICE IS TO BE PROVIDED BY: GUADALUPE VALLEY

ELECTRIC COOPERATIVE. INC. WHERE UNDERGROUND SERVICES ARE UTILIZED GVEC WILL POSSESS A 5-FOOT WIDE EASEMENT TO THE SERVICE METER LOCATION. EASEMENT TO FOLLOW SERVICE LINE AND WILL VARY DEPENDING ON LOCATION OF BUILDING OR STRUCTURE

GVEC SHALL HAVE ACCESS TO METER LOCATIONS FROM THE FRONT YARD WITH THE LOCATION NOT BEING WITHIN A FENCED ANY EASEMENT DESIGNED AS A GVEC 20'X20' UTILITY EASEMENT

SHALL REMAIN OPEN FOR ACCESS AT ALL TIMES AND SHALL NOT BE WITHIN A FENCED AREA. ALL UTILITY EASEMENTS ARE FOR THE CONSTRUCTION,

MAINTENANCE (INCLUDING BUT NOT LIMITED TO REMOVAL OF TREES AND OTHER OBSTRUCTIONS), READING OF METERS, AND REPAIR OF ALL OVERHEAD AND UNDERGROUND UTILITIES. WATER SERVICES IS TO BE PROVIDED BY: CITY OF LA VERNIA.
SEWER SERVICES IS TO BE PROVIDED BY: CITY OF LA VERNIA.NO

STRUCTURE MAY BE OCCUPIED, UNLESS CONNECTED TO A PUBLIC NO BUILDINGS, OR OTHER OBSTRUCTIONS OR WELL OF ANY KIND SHALL BE PLACED ON ANY ELECTRIC EASEMENTS, NOR SHALL

ANY TREES BE PLANTED THEREON. THERE ARE A TOTAL OF ONE HUNDRED TWENTY-SIX (126) RESIDENTIAL, ONE (1) COMMERCIAL, NINE (9) OPEN SPACE

AND/OR DRAINAGE LOTS. 10. THIS SUBDIVISION IS ENTIRELY WITHIN THE LA VERNIA INDEPENDENT SCHOOL DISTRICT BOUNDARY.

11. A PORTION OF THIS SUBDIVISION HAS BEEN DESIGNATED AS BEING IN A SPECIAL FLOOD HAZARD ZONE "A" OR "AE" AS DELINEATED ON COMMUNITY—PANEL NO. 48493C0150D, DATED JULY 19, 2023, AS PUBLISHED BY FEMA.

12. TOPOGRAPHIC INFORMATION SHOWN HEREON WAS OBTAINED FROM A COMBINATION OF SAN ANTONIO RIVER AUTHORITY (SARA) LIDAR AND AN ON THE GROUND SURVEY PERFORMED BY INTREPID SURVEYING & ENGINEERING JUNE 2023. CONTOUR

INTERVALS ARE 2 FEET FOR THIS PLAT. 13. DRAINAGE STUDY: A DRAINAGE STUDY HAS BEEN COMPLETED FOR THIS PLAT AND IS AVAILABLE FOR REVIEW AT THE CITY OF LA VERNIA CITY HALL. AREAS IDENTIFIED BY THE STUDY AS BEING INUNDATED DURING CERTAIN STORM EVENTS HAVE BEEN PLACED WITHIN DRAINAGE EASEMENTS.

14. DRAINAGE EASEMENT: CITY OF LA VERNIA IS A BENEFICIARY OF EACH DRAINAGE EASEMENT, AND HAS THE RIGHT, BUT NOT THE DUTY, TO ENFORCE DRAINAGE EASEMENTS. NO DRAINAGE EASEMENT MAY BE UTILIZED FOR ANY PURPOSE DETRIMENTAL TO ITS INTENDED USE (I.E. NO FENCES, SHRUBBERY, STRUCTURES, OR ON-SITE SEWAGE FACILITIES). CITY OF LA VERNIA RESERVES THE RIGHT OF ACCESS TO SUCH EASEMENTS.

15. THE LOTS IN THIS SUBDIVISION ARE SUBJECT TO AN ASSESSMENT (FEE PAYABLE BY THE LOT OWNER) BY AN HOA (HOME OWNERS ASSOCIATION). THE HOME OWNERS ASSOCIATION MAY USE ASSESSMENTS TO ENFORCE THE RESTRICTIVE COVENANTS COVERING THIS SUBDIVISION. NO STATE OR LOCAL GOVERNMENT ENFORCES THE RESTRICTIVE COVENANTS COVERING THIS SUBDIVISION. THE DUTY TO ENFORCE THE RESTRICTIVE COVENANTS IS THE RESPONSIBILITY OF THE HOA.

16. THE DETENTION POND LOCATED IN LOT 900 IS TO BE DEDICATED TO THE HOA AND COVERS A TOTAL AREA OF 69931.89 SF (1.605) ACRES). THE HOA IS RESPONSIBLE FOR THE MAINTENANCE OF ANY DETENTION PONDS OR COMMON AREAS.

7. ALL OF THIS SUBDIVISION LIES WITHIN WILSON COUNTY EMERGENCY SERVICES DISTRICT NO. 1 AND IS SUBJECT TO TAXATION AND REGULATION BY THE EMERGENCY SERVICES DISTRICT.

18. LOTS 900, 901, 902, 903, 950, 951, 952, 953, AND 954 ARE INTENDED AS OPEN SPACE AND/OR DRAINAGE LOTS THAT WILL BE OWNED AND MAINTAINED BY THE HOA OR ITS SUCCESSORS AND/OR ASSIGNS. AND ARE NOT INTENDED FOR DEVELOPMEN 19. LOTS 950, 951, 952, 953, AND 954 CONTAIN EASEMENTS FOR

20. ACCESS TO LOT 950 IS PROVIDED FROM MELODY STREET, LOT 901 AND LOT 952.


21. THE COMMERCIAL LOTS IN THIS SUBDIVISION CONSIST OF LOTS: 127 CONSISTING OF A TOTAL OF 3.425 ACRES.

22. THE 60' GVEC EASEMENT RECORDED IN VOLUME 2014 PAGE 290 OF THE WILSON COUNTY OFFICIAL PUBLIC RECORDS WILL BE RELEASED BY SEPARATE INSTRUMENT AFTER THE RELOCATION OF GVEC'S TRANSMISSION LINE FACILITIES ARE COMPLETE.

SURVEY NOTES:

BEARINGS, DISTANCES & ACREAGE ARE GRID, NAD 83 US TX SOUTH CENTRAL ZONE AND ARE DERIVED FROM NORMAL GPS TECHNIQUES.

2. IRON ROD SET ARE 1/2 INCH IRON REBAR WITH PLASTIC CAPS MARKED "INTREPID"



WWW.INTREPIDTX.COM

TBPLS #10193936 • TBPE #16550

THE UNDERSIGNED, DO HEREBY CERTIFY THAT THE PLAT ACCURATELY REFLECTS THE GENERAL LOCATION (OR ABSENCE) OF ALL STREAMS, RIVERS, PONDS, LAKES, OTHER SURFACE WATER FEATURES OR ANY SENSITIVE FEATURES IN ACCORDANCE WITH THE TERMS OF THE WILSON COUNTY SUBDIVISION & DEVELOPMENT RULES REGULATIONS AND THE SURVEY INFORMATION FOUND ON THIS PLAT WAS DERIVED FROM ACTUAL FIELD NOTES OF ON-THE-GROUND SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF AT THE TIME OF THIS SURVEY.

> THIS PLAN IS RELEASED FOR INTERIM REVIEW ONLY AND IS NOT TO BE USED AS THE FINAL DOCUMENT UNTIL ALL REVIEWS HAVE BEEN COMPLETED.

SHERMAN L. POSEY, RPLS REGISTERED PROFESSIONAL LAND SURVEYOR

HEREBY CERTIFY THAT PROPER ENGINEERING CONSIDERATION HAS BEEN GIVEN TO THIS PLAT TO THE MATTERS OF STREETS, LOTS AND DRAINAGE LAYOUT. TO THE BEST OF MY KNOWLEDGE THIS PLAT CONFORMS TO REQUIREMENTS OF THE CITY OF LA VERNIA SUBDIVISION & DEVELOPMENT RULES & REGULATIONS.

THIS PLAN IS RELEASED FOR INTERIM REVIEW ONLY AND IS NOT TO BE USED AS THE FINAL DOCUMENT UNTIL ALL REVIEWS HAVE BEEN COMPLETED.

LICENSED PROFESSIONAL ENGINEER

RUSSELL J. JASKINIA, PE, CFM

— 2' CONTOUR EXISTING — 10' CONTOUR EXISTING (BRG.-DIST.) RECORD CALL 1/2" IRON ROD FOUND

1/2" IRON ROD SET

W.C.D.R. WILSON COUNTY DEED RECORDS

BOUNDARY LINE

— — EASEMENT LINE-EXISTING

---- EASEMENT LINE-PROPOSED

---- SURVEY LINE

(4) 80' GVEC EASEMENT 1) TXDOT ACCESS POINT WILSON COUNTY PLAT RECORDS W.C.O.P.R. WILSON COUNTY OFFICIAL PUBLIC RECORDS

LEGEND:

300' 600' SCALE: 1" = 300'PLAT DATE: 8/10/2023

CURRENT DEED: DOCUMENT #134040 ALL NOTES, SIGNATURE BLOCK AND DETAILS ON THIS PAGE APPLY TO EVERY PAGE OF THIS PLAT

REVISED PLAT DATE: 4/16/2025

THIS PLAT CONTAINS A TOTAL OF: RESIDENTIAL: 126 LOTS CONSISTING OF A TOTAL OF 20.86 ACRES COMMERCIAL: 1 LOT CONSISTING OF A TOTAL OF 3.425 ACRES OPEN SPACE: 1 LOTS CONSISTING OF A TOTAL OF 7.377 ACRES DRAINAGE AND EASEMENT: 8 LOTS CONSISTING OF A TOTAL OF 8.328 ACRES

STREETS: 5.73 ACRES AND 5057.60 LINEAR FOOTAGE

EXISTING

GVEC 30' EASEMENT) ¹ (2014/290) W.C.O.P.R.

GVEC 30' EASEMENT)

(2014/290) W.C.O.P.R.

GVEC 60' EASEMENT)

4 (2014/290) W.C.O.P.R.

PROPOSED

(3) 15' UTILITY EASEMENT

EASEMENT

TXDOT ROW DEED(0.9147 ACRES PARCEL 54/P00064387.001

VARIABLE WIDTH DRAINAGE

(2) 1' NON-VEHICULAR ACCESS

SUBDIVISION PLAT ESTABLISHING THE HEIGHTS AT LA VERNIA WILSON COUNTY, TEXAS

PLAT OF 45.75 ACRES OF LAND OUT OF THE FRANCISCO HERRERA SURVEY NO.6, ABSTRACT NO 15, IN WILSON COUNTY, TEXAS, AND ALSO BEING A PORTION OF THE RESIDUAL OF THAT CERTAIN 52.404 ACRE TRACT DESCRIBED IN VOLUME 985, PAGE 738 OF THE OFFICIAL PUBLIC RECORDS OF WILSON COUNTY; THE SAME TRACT CONVEYED TO N.P.HOMES. BY DEED RECORDED IN DOCUMENT #134040 OF THE OFFICIAL PUBLIC RECORDS "OF WILSON COUNTY, TEXAS

THE OWNER(S) OF THE LAND SHOWN ON THIS PLAT AND WHOSE NAME IS SUBSCRIBED HERETO AND IN PERSON ACKNOWLEDGED THAT THIS PLAT WAS MADE FROM AN ON THE GROUND SURVEY AND DEDICATES TO THE PUBLIC ALL STREETS, ALLEYS, DRAINS, EASEMENTS, AND PUBLIC PLACES THEREON SHOWN FOR THE PURPOSES AND CONSIDERATION HEREIN EXPRESSED.

N.P. HOMES, LLC 21911 RANIÉR I ANF SAN ANTONIO, TEXAS 78260

SWORN TO AND SUBSCRIBED BEFORE ME THIS __ DAY OF ____

NOTARY PUBLIC

THIS PLAT OF THE HEIGHTS AT LA VERNIA, HAS BEEN SUBMITTED TO AND APPROVED BY GUADALUPE VALLEY ELECTRIC COOPERATIVE, INC. FOR EASEMENTS.

AGENT FOR GUADALUPE VALLEY ELECTRIC COOP., INC

CERTICATION BY CITY OF LA VERNIA

THIS PLAT OF THE HEIGHTS AT LA VERNIA HAS BEEN SUBMITTED TO AND CONSIDERED BY THE PLANNING AND ZONING COMMISSION OF THE CITY OF LA VERNIA AND IS HEREBY APPROVED THIS THE____ DAY OF _____, 2024.

COMMISSIONER

SECRETARY

THIS PLAT OF THE HEIGHTS AT LA VERNIA HAS BEEN SUBMITTED TO AND CONSIDERED BY THE CITY COUNCIL OF THE CITY OF LA VERNIA AND IS HEREBY APPROVED THIS THE____, DAY OF _____, 2024.

MAYOR

SECRETARY

3

TYPICAL LOT

STREET RIGHT-OF-WAY

LOT

SETBACK LINES: STREET 25', REAR 5', SIDES 5'

RESIDENTIAL DEVELOPMENT DIRECTLY ADJACENT TO STATE RIGHT-OF-WAY, THE DEVELOPER SHALL BE RESPONSIBLE FOR ADEQUATE SETBACK

THE OWNER/DEVELOPER IS RESPONSIBLE FOR PREVENTING ANY ADVERSE IMPACT TO THE EXISTING DRAINAGE SYSTEM WITHIN THE HIGHWAY

MAXIMUM ACCESS POINTS TO STATE HIGHWAY FROM THIS PROPERTY WILL BE REGULATED AS DIRECTED BY TXDOT'S, "ACCESS MANAGEMENT

RIGHT-OF-WAY. OUTFALLS FOR WATER QUALITY AND/OR DETENTION PONDS TREATING IMPERVIOUS COVER RELATED TO THE DEVELOPMENT AND

STRUCTURES FOR REDUCTION OF DISCHARGE VELOCITY WILL NOT ENCROACH BY STRUCTURE OR GRADING INTO STATE ROW OR INTO AREAS OF ROW

RESERVATION OR DEDICATION. FOR PROJECTS IN THE EDWARDS AQUIFER RECHARGE, TRANSITION OR CONTRIBUTING ZONES, PLACEMENT OF PERMANENT STRUCTURAL BEST MANAGEMENT PRACTICE DEVICES OR VEGETATIVE FILTER STRIPS WITHIN STATE ROW OR INTO AREAS OF ROW RESERVATION OR DEDICATION WILL NOT BE ALLOWED. NO NEW EASEMENTS OF ANY TYPE SHOULD BE LOCATED IN AREAS OF ROW RESERVATION OR

MANUAL". THE PROPERTY IS ELIGIBLE FOR MAXIMUM COMBINED TOTAL OF FOUR (4) ACCESS POINTS: THREE (3) ACCESS POINTS TO US87 AND ONE (1) ACCESS POINT TO FM1346. BASED ON AN OVERALL PLATTED HIGHWAY FRONTAGE OF APPROXIMATELY 3240.92 FEET. WHERE TOPOGRAPHY OR OTHER EXISTING CONDITIONS MAKE IT INAPPROPRIATE OR NOT FEASIBLE TO CONFORM TO THE CONNECTION SPACING INTERVALS, THE LOCATION OF REASONABLE ACCESS WILL BE DETERMINED WITH CONSIDERATION GIVEN TO TOPOGRAPHY, ESTABLISHED PROPERTY OWNERSHIPS, UNIQUE PHYSICAL

LIMITATIONS, AND/OR PHYSICAL DESIGN CONSTRAINTS. THE SELECTED LOCATION SHOULD SERVE AS MANY PROPERTIES AND INTERESTS AS POSSIBLE TO REDUCE THE NEED FOR ADDITIONAL DIRECT ACCESS TO THE HIGHWAY. IN SELECTING LOCATIONS FOR FULL MOVEMENT INTERSECTIONS, PREFERENCE

4. IF SIDEWALKS ARE REQUIRED BY APPROPRIATE CITY ORDINANCE, A SIDEWALK PERMIT MUST BE APPROVED BY TXDOT, PRIOR TO CONSTRUCTION WITHIN STATE RIGHT-OF-WAY. LOCATIONS OF SIDEWALKS WITHIN STATE RIGHT OF WAY SHALL BE AS DIRECTED BY TXDOT.

OR SHRUBS, NOR PLACE ANY TEMPORARY OR PERMANENT IMPROVEMENT, EQUIPMENT OR APPURTENANCES INCLUDING ANY MAST-TYPE EQUIPMENT

WITHIN THE EASEMENT NOR MAY GRANTOR DO ANYTHING WITHIN THE EASEMENT THAT CONFLICTS WITH THE NATIONAL ELECTRICAL SAFETY CODE OR ANY APPLICABLE LAW, AS EITHER OF THE SAME NOW EXISTS OR MAY BE AMENDED IN THE FUTURE, AND THIS SHALL BE A COVENANT RUNNING WITH

THE LAND. SUCH PROHIBITED CONSTRUCTION AND ACTIVITIES WITHIN THE EASEMENT SHALL INCLUDE, BUT NOT BE LIMITED TO, NEW CONSTRUCTION OR MAJOR MODIFICATION TO A PREEXISTING HABITABLE STRUCTURE, AS WELL AS, STOCK TANKS, SWIMMING POOLS, SPAS, WATER WELLS OR OIL WELLS

INCLUDING CONSTRUCTION BOTH ABOVE AND BELOW EXISTING GRADE OR CONSTRUCTION OF ANY SORT THAT CAUSES A CHANGE IN GRADE WITHIN THE

DRIVEWAYS, AND PARKING AREAS PROVIDED SUCH USES SHALL NOT VIOLATE ANY PROVISION OF THIS EASEMENT AND RIGHT-OF-WAY AGREEMENT

INCLUDING THE GROWING OF TREES THEREON, OR MAKE ANY OTHER USE WHICH MIGHT INTERFERE WITH THE EXERCISE OF THE RIGHTS HEREIN

GRANTED. GRANTOR EXPRESSLY RESERVES ALL OIL, GAS, AND OTHER MINERALS OWNED BY GRANTOR IN, ON, AND UNDER THE EASEMENT, PROVIDED THAT GRANTOR SHALL NOT BE PERMITTED TO DRILL OR EXCAVATE FOR MINERALS ON THE SURFACE OF THE EASEMENT, BUT GRANTOR MAY EXTRACT

OIL, GAS, OR OTHER MINERALS FROM AND UNDER THE EASEMENT BY DIRECTIONAL DRILLING OR OTHER MEANS WHICH DO NOT INTERFERE WITH OR

THE RIGHT IS RESERVED BY GRANTOR TO USE THE LAND WITHIN THE EASEMENT FOR GENERAL AGRICULTURAL AND GRAZING PURPOSES, STREETS,

ANY TRAFFIC CONTROL MEASURES (LEFT-TURN LANE, RIGHT-TURN LANE SIGNAL, ETC.) FOR ANY ACCESS FRONTING A STATE MAINTAINED ROADWAY

GRANTOR SHALL NOT PLACE OR CONSTRUCT ANY STRUCTURE OR IMPROVEMENT, NOR RETAIN OR IMPOUND ANY WATER, NOR PLANT ANY TREES

LOT

TYPICAL LOT WITH UTILITY

LOT 🗍

20'x40' GUY WIRE

EASEMENT WHERE

REQUIRED BY UTILITY

LOT

TXDOT NOTES:

1. FOR RESIDE

DEDICATION.

LOT

AND/OR SOUND ABATEMENT MEASURES FOR FUTURE NOISE MITIGATION.

WILL BE GIVEN TO PUBLIC ROADWAYS THAT ARE ON LOCAL THOROUGHFARE PLANS

SHALL BE THE RESPONSIBILITY OF THE DEVELOPER/OWNER

DISTURB THE COOPERATIVE'S USE OF THE EASEMENT.

LOT


EASEMENTS STREET RIGHT-OF-WAY WITH SETBACK LINES


I,, COUNTY CLERK OF WILSON						
COUNTY, TEXAS, DO HEREBY CERTIFY THAT THIS PLAT						
WAS FILED FOR RECORD IN MY OFFICE ON THE, DAY						
OF A.D. AT O'CLOCK,M						
AND DULY RECORDED IN DOCUMENT #, PLAT						
RECORDS OF WILSON COUNTY, TEXAS.						
IN TESTIMONY WHEREOF WITNESS MY HAND AND OFFICIAL						

SEAL OF OFFICE THIS _____, DAY

COUNTY CLERK, WILSON COUNTY, TEXAS

SHELI





TYPICAL LOT TYPICAL LOT WITH UTILITY WITH SETBACK LINES EASEMENTS STREET RIGHT-OF-WAY STREET RIGHT-OF-WAY 25' LOT LOT LOT LOT 20'x40' GUY WIRE EASEMENT WHERE REQUIRED BY UTILITY

SETBACK LINES: STREET 25', REAR 5', SIDES 5'

CURVE TABLE CURVE # RADIUS DELTA CHORD BEARING CHORD LENGTH C1 5764.70' 003*09'45" S61°04'09"E 318.14' 318.18' 203.62' 203.63' C2 5764.70 002*01'26" S60°30'00"E 5764.70 C3 000°30'30" S61°45'57"E 51.13' 51.13' C4 5764.70 000'37'49" S62°20'07"E 63.41 63.41 20.00' C5 083°30'01" N49°36'03"E 26.64' 29.15 C6 20.00' 096°29'59" N40°23'57"W 29.84' 33.68' C7 20.00' S17°08'49"E 16.90' 17.45 049°59'41" C8 50.00' 007°37'52" S3819'43"E 6.65 6.66' C9 50.00' 066°07'10" S01°27'12"E 54.55 57.70 N44*49'43"E C10 50.00' 173°56'45" 99.86' 151.80' C11 50.00' 045°31'57" N70°57'53"W 38.70' 39.73' C12 20.00' 049*59'41" S73"1'45"E 16.90' 17.45 C13 20.00' 037'08'36" N66°46'13"W 12.74 12.97 C14 20.00' 012°51'05" S8813'56"W 4.48' 4.49' C15 20.00' 25.82' 073°57'22" S44*49'43"W 24.06 C16 20.00' 090'00'00" S53"11'36"E 28.28' 31.42' C17 28.28' 31.42' 20.00' 090'00'00" N36°48'24"E C18 20.00' 089"11'24" S46°45'21"W 28.08' 31.13' C19 20.00' N42°50'21"W 28.28 31.42 C20 20.00' S43"4'39"E 28.48' 31.70' 090°48'36" C21 20.00' 089*45'10" N47°02'14"E 28.22' 31.33' C22 20.00' N42°57'46"W 28.35' 31.50' 09014'50" C23 20.00' 28.22' 31.33' 089'45'10" S47°02'14"W C24 28.22' 31.33' 20.00' 089°45'10" N47°02'14"E C25 20.00' 09014'50" S42°57'46"E 28.35' 31.50' C26 20.00' 090'00'00" N53°11'36"W 28.28' 31.42' C27 20.00' S36°48'24"W 28.28' 31.42' 090'00'00" C28 20.00' S61°03'45"W 14.17' 14.48' 041°29'17" C29 70.00' 041°29'17" S61°03'45"W 49.59 50.69' C30 70.00' 020'44'39" 25.21' 25.34' N71°26'05"E C31 70.00' 020°44'39" N50°41'26"E 25.21' 25.34' C32 150.00' 012°33'26" N85°38'06"E 32.81' 32.87 C33 150.00' 01516'44" N71°43'01"E 39.88' 40.00' C34 150.00' N41°46'51"E 37.35 37.45 01448'16" C35 150.00' 003*06'21" N33°04'33"E 8.13' 8.13 C36 150.00' 060°23'27" S61°43'06"W 150.89' 158.10' C37 100.34 100.00' 105.12 06013'38" N61°48'00"E C38 20.00' 049*59'41" S55*47'35"W 16.90' 17.45 C39 50.00' 022°39'47" 19.65 19.78 N69°27'32"E C40 50.00' 075°24'29" N20°25'24"E 61.16' 65.81 C41 50.00' 027*38'30" N31°06'05"W 23.89' 24.12 C42 244.34 50.00' 279*59'23" S59"12'15"E 64.29 C43 50.00' 023*05'14" N56°27'57"W 20.01' 20.15' C44 50.00' S78°01'04"W 55.88' 59.29 067°56'42" C45 50.00' 06314'39" S12°25'23"W 52.43' 55.19' 20.00' 020'43'15" S08°50'19"E 7.19' 7.23'

S16*09'32"W

N05°47'54"E


10.11

10.22

16.90' 17.45'

SUBDIVISION PLAT ESTABLISHING THE HEIGHTS AT LA VERNIA WILSON COUNTY, TEXAS

LINE TABLE			LINE TABLE		
LINE #	BEARING	LENGTH	LINE #	BEARING	LENGTH
L1	S0811'36"E	3.14'	L39	S02°09'39"W	12.47'
L2	S10°29'45"W	9.18'	L40	N02*09'39"E	80.73
L3	S10°29'45"W	10.07	L41	S02*09'39"W	102.53'
L4	S14°56'29"W	81.30'	L42	S08°11'36"E	55.05'
L5	S14*27'35"E	45.37'	L43	N0811'36"W	55.00'
L6	S34°57'24"W	193.73'	L44	S08*11'36"E	55.00'
L7	S39*37'44"W	97.62'	L45	S0811'36"E	55.00'
L8	S08°02'49"E	35.53'	L46	N08¶1'36"W	55.00'
L9	S13*33'25"W	72.98'	L47	N0811'36"W	60.00'
L10	S05*48'06"W	114.78'	L48	S0811'36"E	60.00'
L11	S02°26'10"W	35.24'	L49	N87°50'21"W	19.82'
L12	N02°09'39"E	23.52'	L50	S82°14'40"W	33.32'
L13	N08¶1'36"W	31.86'	L51	N87°50'21"W	32.18'
L14	N02°09'39"E	7.86'	L52	S03°03'51"E	112.11'
L16	S31°35'32"W	100.23'	L53	S03°03'51"E	111.68'
L17	N31°35'32"E	100.55	L54	S03°09'33"E	120.46'
L18	S57°22'18"E	32.84'	L55	S03°09'33"E	120.46'
L19	S57°22'18"E	34.88'	L56	S03°03'51"E	90.60'
L20	N81°48'24"E	15.97'	L57	N03°03'51"W	91.80'
L21	S10°29'45"W	48.88'	L58	S03°03'51"E	101.81
L22	S10°29'45"W	47.99'	L59	N03°03'51"W	105.63'
L23	S0811'36"E	34.78'	L60	N88°05'13"W	20.00'
L24	S0811'36"E	20.22'	L61	N81*48'24"E	20.00'
L25	N87*50'21"W	16.97	L62	N81°48'24"E	120.00'
L26	S87°50'21"E	87.00'	L63	S81°48'24"W	120.00'
L27	N87*50'21"W	50.00'	L64	S0811'36"E	25.00'
L28	N82°14'40"E	145.17	L65	S0811'36"E	120.00'
L29	S87°50'21"E	32.18'	L66	S0811'36"E	120.00'
L30	N87°50'21"W	50.00'	L67	S81°48'24"W	20.00'
L31	N87*50'21"W	50.25	L68	N81*48'24"E	20.00'
L32	N02°09'39"E	38.89'	L69	N85°31'22"E	2.84'
L33	S02°09'39"W	43.15'	L70	N85°31'22"E	8.03'
L34	N08¶1'36"W	17.27	L71	N85°31'22"E	13.23'
L35	N58*24'28"W	28.33'	L72	N85°31'22"E	13.40'
L36	S81°48'24"W	30.05'	L73	N85°31'22"E	13.57'
L37	S81°48'24"W	66.08'	L74	N85°31'22"E	13.74
L38	N02°09'39"E	94.70'	L75	N85°31'22"E	13.91'



____ 100 YEAR FEMA - BOUNDARY LINE FLOODPLAIN ___ ... ___ ADJOINER LINE --- - EASEMENT LINE-EXISTING ---- EASEMENT LINE-PROPOSED ----- SURVEY LINE — 2' CONTOUR EXISTING ———— 10' CONTOUR EXISTING ● 1/2" IRON ROD FOUND

WILSON COUNTY PLAT RECORDS

W.C.O.P.R. WILSON COUNTY OFFICIAL PUBLIC RECORDS WILSON COUNTY DEED RECORDS

W.C.P.R.

LEGEND:

C47

C48

20.00'

02916'27"

20.00' 049°59'41"

EXISTING GVEC 30' EASEMENT)

1 (2014/290) W.C.O.P.R.

KEY NOTES:

GVEC 30' EASEMENT) (2014/290) W.C.O.P.R. TXDOT ROW DEED(0.9147 ACRES 3 PARCEL 54/P00064387.001

GVEC 60' EASEMENT) (2014/290) W.C.O.P.R.

PROPOSED

VARIABLE WIDTH DRAINAGE EASEMENT 2 1' NON-VEHICULAR ACCESS

3 15' UTILITY EASEMENT

4 80' GVEC EASEMENT

