



**MAC WASTE TRAILER, INC**

2360 W. MAIN ST.  
 ALLIANCE, OH 44601  
 Phone: (234) 214-6420  
 Website: WWW.MACTRAILER.COM

**Due to Tariffs, Trailer pricing is subject to change at Manufacturer discretion and delivered unit pricing will be finalized 90 days prior to start of production**

**MOVINGFLOOR SP** Quote ID # 137746 JOB # 92027 Rev 3

<b>Customer</b>	NATIONWIDE HAUL, LLC			<b>Cubic Yards</b>	116
<b>Dealer Name</b>	MAC TRAILER MFG, INC			<b>Weight</b>	17538 lbs. ***
<b>Quote Date</b>	10/30/25	<b>Quote Expires</b>	11/29/25	<b>Qty</b>	1

**Mfg Salesman** DAVID EDWARDS **Model Code** MM **Plant of Mfg** W  
**Cust P.O. #** **Cust Unit #** STOCK  
**Dir Sls Rep** **Sls Rep Email**

**Model #** TNSP48FR1000-2027 **VIN #** 5MAMN4829VW092027  
**JOB GROUP:** 92026,92027,92028,92029,92030,92031,92032,92033,92034,92035

**BODY**

NO. OF UPRIGHTS TO ADD OR SUBTRACT	1
GATE BRACING	NO BRACING (SMOOTH SIDE PANELS)
PRIMARY AXLE TIRE INFLATION SYSTEM	MOVED TO CHASSIS
LIFT AXLE TIRE INFLATION SYSTEM	MOVED TO CHASSIS
LOAD PROFILE	MATERIAL, 80K GVWR
LENGTH	48
WIDTH	102
DRIVE UNIT	KEITH, 25 SLAT 3 IN. CYLINDERS
FLOOR	KEITH 2299 (2218), 1/2 IN. TRIPLE RIDGE (102 W)
HYDRAULIC PIPE	STAINLESS STEEL HYDRAULIC PIPE
CROSSMEMBER SPACING	5-1/4 IN. I-BEAMS, 12 O.C.
CROSSMEMBER TYPE	STANDARD
RUBBER SEAL	YES
WALL HEIGHT	100
WALL THICKNESS	0.19
1/4 IN. WALL LAST 24 FT.	NONE
WALL LINER	NONE
TAPERED SIDE	NONE
FULL LID	NONE
TOP RAIL OPTION	6 IN. W X 9 IN. T X 5/8 IN.
	6 IN. W X 9 IN. T X 5/8 IN.
NO. OF UPRIGHTS	20
HORIZONTAL BRACING	NONE
TARP BAR	YES, SINGLE
BULKHEAD	3/16 IN.
BULKHEAD STEPS	CATWALK & LADDER W/ STEPS INSIDE
FRONT FENDERS WITH FLAPS	NONE
BOTTOM RAIL	SQUARE, NO CLEAN OUT
UPPER CROSS TUBES / CAPS	(1) SPRING-MID & (1) TUBE-REAR
TIRE CARRIER	NONE
GATE SHEET THICKNESS	SMOOTH SIDE PANELS
GATE OPERATION	MECHANICAL SIDE LATCH
HINGE TYPE	C.S. SIDE SWING
SAFETY CHAIN	YES
WINDERS / SAFETY LATCH	WINDERS (1) SIDE ONLY
GATE STEPS	UP CENTER OF GATE OUTSIDE ONLY

TARP HOOKS	BULKHEAD AND GATE
MODEL	CLOSED TANDEM
NO. OF PRIMARY AXLES	2
SUSPENSION	MAC FABBED GALVANIZED SINGLE LEAF TAN. (49)
AXLE SPACING	49
SUB-FRAME	TANDEM, HI-TENSILE FAB. (SPRING RIDE ONLY)
AXLES	77.5 IN., HEND. 5/8 IN. WALL TP W/ 25K
BRAKES	7 IN. XL, W/ 30-30 CHAMBERS
CAM GUARDS	NONE
HUB AND DRUM	CAST W/ STEEL HUB HP 10 STUD TP, LS, 7 IN.
TIRES	GENERAL RA 11 R 22.5 16 PLY
WHEELS	STEEL HP 22.5X8.25 - WHITE POWDER COATED
NO. OF LIFT AXLES	0
LIFT AXLE SUSPENSION	NONE
LIFT KIT	NONE
LIFT AXLE DISTANCE	N/A
LIFT AXLE	NONE
LIFT AXLE BRAKES	NONE
LIFT AXLE CAM GUARDS	NONE
LIFT AXLE HUB AND DRUM	NONE
LIFT AXLE TIRES	NONE
LIFT AXLE WHEELS	NONE
LIFT AXLE CONTROLS	NONE
FREE WHEEL VALVE	NONE

### LIGHTS

LIGHT TYPE	GROTE L.E.D. W/ GROMMET
LIGHT PANEL	3 LARGE-3 SMALL-3 LARGE (IN TAILGATE) OOO ooo OOO
APRON	NONE
STD. MARKER LIGHTS	(5) EACH SIDE
MID-TURNS	(1) PAIR L.E.D. (NON-COMBO)
BACK-UP LIGHTS	NONE
AUXILIARY CABLE	NONE
REAR POCKET LIGHTS	1 PAIR

### STEERABLE LIFT AXLES

NO. OF STEERABLE AXLES	0
STEERABLE AXLE SUSPENSION	NONE
STEERABLE AXLE DISTANCE	N/A
STEERABLE AXLES	NONE
STEERABLE AXLE BRAKES	NONE
STEERABLE AXLE HUB AND DRUMS	NONE
STEERABLE AXLE TIRES	NONE
STEERABLE AXLE WHEELS	NONE
STEERABLE AXLE CONTROLS	NONE
STEERABLE AXLE LIFT KIT	NONE

### CHASSIS

PIN SETTING	36
5TH WHEEL PLATE	3/8 LOW PROFILE
5TH WHEEL PLATE HEIGHT	49 IN. HIGH
GALVANIZED SUSPENSION HANGERS	INCLUDED W/ SUSPENSION
SUSPENSION CONTROL	NONE
ABS FOR TRAILER	(1) 2S1M MERITOR / WABCO
SLACKS	AUTOMATIC
TIRE INFLATION SYSTEM	NONE
AXLE LUBRICATION	HXL, SYNTHETIC SEMI-FLUID GREASE
HUBODOMETER	NONE
DUST COVERS	NONE
DOLLIES - LANDING GEAR - LANDING LEGS	JOST H451 - (62,500 LB.) - 10 YEAR NO LUBE - GALVANIZED STEEL - D.S.
REGISTRATION HOLDER	NONE

AIR GAUGE / SYSTEM	NONE
ENCLOSURE FOR SWITCHES	NONE
AIR TANKS	ALUMINUM TANK
HYDRAULIC HOSE FITTING	1 IN. X 108 IN. HOSE W/ WING FITTING
FLAPS FRONT OF TIRES	NONE
FLAPS REAR OF TIRES	FLAP BEHIND REAR AXLE
BUMPER	MOVER BUMPER

### TARP

TARP MANUFACTURER	NONE
TARP CONTROL	NONE
TARP COLOR	NONE
BOW HOLDERS	NONE
TARP BRACKET	NONE

### PAINT

SUSPENSION COLOR	BLACK SOFT COAT
PIN STRIPING	BLACK (931716)
MAC MACHINE FINISH LOGOS	BLACK (931716)
OPTIONAL SIGNS	NONE

**Thank you for your business**

#### ORDER CANCELLATION POLICY

Orders configured with common published and non-published options will not be subject to a cancellation penalty when the Manufacturer receives the request for cancellation 12 or more weeks prior to the scheduled production date. All cancellation requests received within 12 weeks but no less than 8 weeks of the scheduled production start date must be approved by the Product Manager for the specified product line and will be subject to a \$2500.00 cancellation fee. Cancellation requests within 8 weeks of the scheduled production start date will not be accepted.

**\*\*\* denotes a weight for reference only. Trailer weight will be provided with the engineering design approval packet.**

17,440 Actual Scale Weight