

Don Clifton

From: Lamey, Cassandra <Cassandra.Lamey@dot.state.fl.us>
Sent: Friday, May 15, 2026 9:28 AM
To: Don Clifton; Thomas Strom
Cc: Hiehle, Chris
Subject: RE: 438170-1-54-01 - CR 330 from CR 347 to CR 336 - Notification of SA for Execution
Attachments: 438170-1_SFGA - SA #8_unsigned.pdf

Please see attachment.

Thank you,

Cassandra Lamey

Cassandra Lamey, FCCM, CPM
LAP Coordinator/Grant Manager
FDOT-D2 / (386) 961-7391

From: Lamey, Cassandra
Sent: Friday, May 15, 2026 9:14 AM
To: 'Don Clifton' <clifton-don@levycounty.org>; Thomas Strom <strom-thomas@levycounty.org>
Cc: Hiehle, Chris <Chiehle@wsbeng.com>
Subject: RE: 438170-1-54-01 - CR 330 from CR 347 to CR 336 - Notification of SA for Execution

Good morning,

Will do.

Cassandra Lamey

Cassandra Lamey, FCCM, CPM
LAP Coordinator/Grant Manager
FDOT-D2 / (386) 961-7391

From: Don Clifton <clifton-don@levycounty.org>
Sent: Friday, May 15, 2026 7:52 AM
To: Lamey, Cassandra <Cassandra.Lamey@dot.state.fl.us>; Thomas Strom <strom-thomas@levycounty.org>
Cc: Hiehle, Chris <Chiehle@wsbeng.com>
Subject: RE: 438170-1-54-01 - CR 330 from CR 347 to CR 336 - Notification of SA for Execution

Good morning Cassandra,

The only revision needed is to update the BoCC Chair to reflect Tim Hodge as the current Chair. Once that change is completed, I can forward the package to Legal along with all supporting documents for 6/2 BoCC meeting.

Thank you for all of your assistance with this matter.

Sincerely,

Don Clifton
Road Department Director

620 N. Hathaway Ave
Bronson, FL. 32621
Office: (352) 486-5124 Cell: (352) 221-5182
Email: clifton-don@levycounty.org



Under Florida law, emails and email addresses are public records and subject to disclosure upon request. If you do not want your email or email address released in response to a public records request, do not send email to this office. Instead, contact this office by phone.

NOTICE: This message is intended only for the use of the individual(s) or entity to which it is addressed. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this communication is strictly prohibited. If you have received this email in error, please immediately reply to the sender and then delete the email. Thank you.

From: Lamey, Cassandra <Cassandra.Lamey@dot.state.fl.us>
Sent: Thursday, May 14, 2026 3:41 PM
To: Thomas Strom <strom-thomas@levycounty.org>
Cc: Don Clifton <clifton-don@levycounty.org>; Hiehle, Chris <Chiehle@wsbeng.com>
Subject: 438170-1-54-01 - CR 330 from CR 347 to CR 336 - Notification of SA for Execution

Good Afternoon,

This email is to notify you that I have prepared the attached Supplemental Agreement for **additional funding** on the subject project. Please respond to this email if/when you are ready for me to put it into DocuSign so that it can be placed on the agenda for the next Board/Commissioner's meeting for approval and Resolution.

Also, for state funded projects, the FDOT Local Program Administrator is not required to sign change orders.

Please reply to this email with any questions you may have, or I can be reached at the number below.

Thank you,

Cassandra Lamey

Cassandra Lamey, FCCM, CPM
LAP Coordinator/Grant Manager
FDOT-D2 / (386) 961-7391

From: Thomas Strom <strom-thomas@levycounty.org>
Sent: Monday, May 11, 2026 1:56 PM
To: Lamey, Cassandra <Cassandra.Lamey@dot.state.fl.us>
Cc: Don Clifton <clifton-don@levycounty.org>; Hiehle, Chris <Chiehle@wsbeng.com>
Subject: RE: Levy County CR 330 from CR 347 to CR 336 - 438170-1-54-01

Hello Cassandra,

Attached is the Change Order with the estimated total change field correct.

I was able to get the contractor to sign but in order for the County to sign, it will need to be approved by our board. The next agenda we can get this on is the 6/2 agenda.

Will that be acceptable?

Thomas C Strom, PE, County Engineer

Office Phone: 352.558.7904

Cell Phone: 352.353.9575

Email: strom-thomas@LevyCounty.org

Address: 310 School Street, Suite 109, Bronson, FL 32621

Under Florida law, emails and email addresses are public records and subject to disclosure upon request. If you do not want your email or email address released in response to a public records request, do not send email to this office. Instead, contact this office by phone.

NOTICE: This message is intended only for the use of the individual(s) or entity to which it is addressed. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this communication is strictly prohibited. If you have received this email in error, please immediately reply to the sender and then delete the email. Thank you.

From: Lamey, Cassandra <Cassandra.Lamey@dot.state.fl.us>
Sent: Monday, May 11, 2026 12:20 PM
To: Thomas Strom <strom-thomas@levycounty.org>
Cc: Don Clifton <clifton-don@levycounty.org>; Hiehle, Chris <Chiehle@wsbeng.com>
Subject: RE: Levy County CR 330 from CR 347 to CR 336 - 438170-1-54-01

Hi Tom,

Please fill in the Estimated Total Change Cost. Also, please sign the change order and resubmit. If possible and to expedite the execution of the change order, have the contractor sign as well.

Thank you,

Cassandra Lamey

Cassandra Lamey, FCCM, CPM
LAP Coordinator/Grant Manager
FDOT-D2 / (386) 961-7391

From: Thomas Strom <strom-thomas@levycounty.org>
Sent: Monday, May 11, 2026 11:30 AM
To: Lamey, Cassandra <Cassandra.Lamey@dot.state.fl.us>

Cc: Don Clifton <clifton-don@levycounty.org>; Hiehle, Chris <Chiehle@wsbeng.com>

Subject: RE: Levy County CR 330 from CR 347 to CR 336 - 438170-1-54-01

Hello Cassandra,

Attached is the Change Order for the additional embankment needed for the project. This item will need to be presented to our BoCC for approval prior to execution. The next available agenda is 6/2.

Please let us know if this will be sufficient to secure the required funding and meet your budgeting deadlines.

The updated estimate requires 8,755 CY of imported embankment at \$20.00/CY, which has been rounded up to 10,000 CY to account for potential overruns, for a total Change Order value of \$200,000.

Thomas C Strom, PE, County Engineer

Office Phone: 352.558.7904

Cell Phone: 352.353.9575

Email: strom-thomas@LevyCounty.org

Address: 310 School Street, Suite 109, Bronson, FL 32621

Under Florida law, emails and email addresses are public records and subject to disclosure upon request. If you do not want your email or email address released in response to a public records request, do not send email to this office. Instead, contact this office by phone.

NOTICE: This message is intended only for the use of the individual(s) or entity to which it is addressed. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this communication is strictly prohibited. If you have received this email in error, please immediately reply to the sender and then delete the email. Thank you.

From: Lamey, Cassandra <Cassandra.Lamey@dot.state.fl.us>

Sent: Wednesday, May 6, 2026 2:46 PM

To: Thomas Strom <strom-thomas@levycounty.org>

Cc: Don Clifton <clifton-don@levycounty.org>; Alice Lalonde <lalonde-alice@levycounty.org>; Hiehle, Chris <Chiehle@wsbeng.com>

Subject: RE: Levy County CR 330 from CR 347 to CR 336 - 438170-1-54-01

Hi Tom,

Please finalize quantities and values. Then present it in a Change Order/Supplemental format that includes, pay items, quantities, and cost associated with the request for additional funding based on finite values.

Thank you,

Cassandra Lamey

Cassandra Lamey, FCCM, CPM

LAP Coordinator/Grant Manager

FDOT-D2 / (386) 961-7391

From: Thomas Strom <strom-thomas@levycounty.org>

Sent: Wednesday, May 6, 2026 1:58 PM

To: Lamey, Cassandra <Cassandra.Lamey@dot.state.fl.us>

Cc: Don Clifton <clifton-don@levycounty.org>; Alice Lalonde <lalonde-alice@levycounty.org>; Hiehle, Chris <Chiehle@wsbeng.com>

Subject: FW: Levy County CR 330 from CR 347 to CR 336 - 438170-1-54-01

EXTERNAL SENDER: Use caution with links and attachments.

Hello Cassandra, and thank you for taking my call this morning.

As discussed, Levy County is providing this formal notification to FDOT regarding an earthwork quantity discrepancy identified during construction on the subject project.

During construction, the CEI identified discrepancies between the earthwork quantities bid and the quantities required based on the constructed roadway sections. We are currently working with the EOR, contractor, and CEI to determine the cost impact and to prepare a change order related to the increased quantities. Based on preliminary estimates, the revised quantities result in a net increase to the contract of approximately \$104,000.00.

Can you please provide guidance on the appropriate method to proceed and whether funding may be available to help the County offset these additional costs?

Please let me know if you need any supporting documentation or additional information, or how you would like the County to proceed.

Sincerely,

Thomas C Strom, PE, County Engineer

Office Phone: 352.558.7904

Cell Phone: 352.353.9575

Email: strom-thomas@LevyCounty.org

Address: 310 School Street, Suite 109, Bronson, FL 32621

Under Florida law, emails and email addresses are public records and subject to disclosure upon request. If you do not want your email or email address released in response to a public records request, do not send email to this office. Instead, contact this office by phone.

NOTICE: This message is intended only for the use of the individual(s) or entity to which it is addressed. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this communication is strictly prohibited. If you have received this email in error, please immediately reply to the sender and then delete the email. Thank you.

From: Thomas Strom

Sent: Monday, May 4, 2026 8:50 AM

To: 'Lamey, Cassandra' <Cassandra.Lamey@dot.state.fl.us>

Cc: Don Clifton <clifton-don@levycounty.org>; Alice Lalonde <lalonde-alice@levycounty.org>

Subject: Levy County CR 330 from CR 347 to CR 336 - 438170-1-54-01

Good morning Cassandra,

Do you have time this week for a Teams call to discuss CR 330.

A discrepancy has been identified in the project's earthwork quantities, and we would like the opportunity to review the issue and discuss the appropriate path forward.

Thank you, and we look forward to your guidance.

Sincerely,

Thomas C Strom, PE, County Engineer

Office Phone: 352.558.7904

Cell Phone: 352.353.9575

Email: strom-thomas@LevyCounty.org

Address: 310 School Street, Suite 109, Bronson, FL 32621

Under Florida law, emails and email addresses are public records and subject to disclosure upon request. If you do not want your email or email address released in response to a public records request, do not send email to this office. Instead, contact this office by phone.

NOTICE: This message is intended only for the use of the individual(s) or entity to which it is addressed. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this communication is strictly prohibited. If you have received this email in error, please immediately reply to the sender and then delete the email. Thank you.

From: Alice Lalonde <lalonde-alice@levycounty.org>

Sent: Monday, April 27, 2026 10:00 AM

To: Lamey, Cassandra <Cassandra.Lamey@dot.state.fl.us>

Cc: Thomas Strom <strom-thomas@levycounty.org>; Don Clifton <clifton-don@levycounty.org>

Subject: Quick Teams

Good morning Cassandra,
Are you available for a quick meeting this morning? It's in regards to CR330.
Thank you!

Alice LaLonde
Administrative Coordinator
Office Phone: 352.558.7883
Cell phone: 352.441.1844
Address: 620 N Hathaway Ave, Bronson, FL 32621
Lalonde-alice@levycounty.org



Under Florida law, emails and email addresses are public records and subject to disclosure upon request. If you do not want your email or email address released in response to a public records request, do not send email to this office. Instead, contact this office by phone.

NOTICE: This message is intended only for the use of the individual(s) or entity to which it is addressed. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this communication is strictly prohibited. If you have received this email in error, please immediately reply to the sender and then delete the email. Thank you.

NOTE: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

NOTE: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

NOTE: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

NOTE: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.