



### Buyer's Order

Nextran Truck Centers - Lake City  
 328 SW Ring Court  
 Lake City, FL 32025  
 (386) 754-8822 or (800) 559-6225 Fax (386) 754-8925

Salesperson: Bryan Sapp  
 PO Number: -  
 Date: 8.9.22

#### CUSTOMER INFORMATION

Name: Levy County Solid Waste  
 Address: -  
 City: - State: - Zip Code: -

Phone: -  
 County: -

#### TRUCK INFORMATION

Quantity	Year	Make	Model	VIN #	Body Year	Body Make	Body Model	Body SERIAL #	Selling Price
1	2024	Mack	GR64B	TBA	2023	Galbreath	UR174	tba	\$ 198,901.00
-	-	-	-	-	-	-	-	-	-
0	-	-	-	-	-	-	-	-	\$ -
-	-	-	-	-	-	-	-	-	-
0	-	-	-	-	-	-	-	-	\$ -
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	\$ -
-	-	-	-	-	-	-	-	-	\$ -
1	<b>Total Selling Price ALL</b>								<b>\$ 198,901.00</b>

#### TRADE INFORMATION - See Addendum below

Tire Tax Credit	Registered Weight	FET Tax	Sales Tax
#1 \$ 310.00	#1 -	Tax Exempt	Tax Exempt
#2 \$ -	#2 -		
#3 \$ -	#3 -		

#### Locals and Comments

ALL TRUCKS		Locals and Comments
Total Selling Price	\$ 198,901.00	FSA18-VEH 18.0, Item 76 Mack, Cab and chassis Base Price
Federal Excise Tax	\$ (310.00)	1001761 425 HP engine upgrade
Total with FET	\$ 198,591.00	20F44R - 64,000 package
Extended Warranty	\$ 5,646.00	1464540 Allison RDS 4500
APU	\$ -	Liner - F2 - Double Frame
Premium Maint. Plan	\$ -	NEX 60 174/RP4500 Roll of / tarp
Subtotal	\$ 204,237.00	2540401 - Diff Locks
Less Trade-In Value	\$ -	1898000 - Factory PTO prep
Net Trade Difference	\$ 204,237.00	5YR/ 300K Engine, Emissions, HVAC
Disposal/Temp Tags	\$ -	
Tag and Title	\$ -	
Miscellaneous	\$ -	
County Surtax	\$ -	
State Sales Tax	\$ -	
Out of State Sales Tax	\$ -	
Misc. Tax	\$ -	
Payoff on Trade-In(s)	\$ -	
Total before Down Pmt	\$ 204,237.00	
Down Payment	\$ -	
<b>Total Price ALL</b>	<b>\$ 204,237.00</b>	

I have read and understand the above. It is intended by my signature hereon that this be a binding, enforceable sales agreement. I further understand that the terms and conditions that follow are a true and integral part of this agreement.

Purchaser's Signature \_\_\_\_\_

Date \_\_\_\_\_

Accepted by Nextran Truck Centers \_\_\_\_\_

Date \_\_\_\_\_

This agreement shall not be binding on Nextran Truck Centers until accepted by the General Manager.



**ADDENDUM**

**CUSTOMER INFORMATION**

Name: **Levy County Solid Waste**  
 Address: -  
 City: - State: - Zip Code: - Phone: -  
 County: -

**ADDITIONAL VINS**

Year	Make	Model	VIN #	Body Year	Body Make	Body Model	Body SERIAL #
<b>TRUCK #1</b>							
-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-
<b>TRUCK #2</b>							
-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-
<b>TRUCK #3</b>							
-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-

**TRADE DETAILS**

Year	Make	Model	Body	VIN #	Trade-In Value	Payoff
-	-	-	-	-	\$	\$ -
-	-	-	-	-	\$	\$ -
-	-	-	-	-	\$	\$ -
-	-	-	-	-	\$	\$ -
-	-	-	-	-	\$	\$ -
Total ALL Trades					\$	\$ -

Payoff Lienholder Info: Company -  
 Address -  
 City - State - Contact Name - Zip Code -

*Purchaser's Signature* \_\_\_\_\_

*Date* \_\_\_\_\_



**TERMS AND CONDITIONS**

1. **Acceptance.** The purchaser identified on the first page hereof ("Purchaser") and Nextran Corporation, a Florida corporation d/b/a Nextran Truck Centers ("Dealer") hereby agree that these Terms and Conditions are incorporated into, and constitute an integral part of, the Sales Agreement governing Purchaser's purchase of motor vehicles from Dealer as more particularly described on the first page hereof.
  2. **Purchaser's Payment of Charges.** Purchaser shall pay all charges arising out of or associated with this Agreement, whether correctly stated on page one of this Sales Agreement or otherwise, including without limitation all tag, license, tire, battery and lien fees, and all federal, state and local taxes. Purchaser shall pay all amounts required to pay off and satisfy in full all liens on Purchaser's trade-in vehicle(s), as may be required by any such lien holder, regardless of whether the lien holder has quoted the wrong amount, the payoff amount has changed since the date of any such quote, or Purchaser has failed to disclose all lien holders on such vehicle(s). If Purchaser chooses to pay any portion of the purchase price by using a bank or credit card, Purchaser shall pay all charges associated with the use of such card imposed on Dealer and shall promptly reimburse Dealer upon demand for any such costs arising after the consummation of any sale.
  3. **Deposit.** Upon the execution of this Sales Agreement, Purchaser shall pay to Dealer a non-refundable deposit in the amount set forth on the first page of this Sales Agreement. If Dealer fails to deliver the motor vehicle(s) as contemplated herein, Purchaser's sole remedy against Dealer shall be a return of the deposit as liquidated damages in full settlement of any and all claims relating to this Sales Agreement, and Purchaser hereby waives any claims to the contrary. If Purchaser fails to pay the balance of the Selling Price, fails to take delivery of the motor vehicle for any reason or otherwise breaches its obligations under this Sales Agreement, Dealer shall be entitled to retain the entire deposit as liquidated damages in full settlement of any and all related claims. Purchaser and Dealer acknowledge that their actual damages arising out of any breach of this Sales Agreement would be difficult or impossible to calculate with specificity and that the foregoing treatment of the deposit constitutes mutually bargained liquidated damages and not a penalty.
  4. **Commercially Reasonable Efforts.** Dealer shall use all commercially reasonable efforts to make prompt delivery of the motor vehicle(s) contemplated hereby. However, Purchaser acknowledges and agrees that time is not of the essence with respect to the transactions contemplated in this Sales Agreement.
  5. **Warranties.** DEALER MAKES NO REPRESENTATIONS OR WARRANTIES OTHER THAN THE MANUFACTURER'S WARRANTY ON NEW MOTOR VEHICLES. ALL USED MOTOR VEHICLES ARE SOLD BY PURCHASER "AS IS, WITHOUT WARRANTY," EITHER EXPRESS OR IMPLIED. DEALER SPECIFICALLY DISCLAIMS ALL WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR USE OF THE MOTOR VEHICLE(S) SOLD UNDER THIS SALES AGREEMENT, ALL OF WHICH PURCHASER HEREBY WAIVES TO THE FULLEST EXTENT PERMITTED BY LAW. Purchaser acknowledges that no person is authorized to make any representations or warranties to the contrary, whether oral or written. \_\_\_\_\_ (Initials of Purchaser)
  6. **Limitation of Liability; Waiver of Claims.** Purchaser shall have the right to fully inspect the motor vehicles sold under this Sales Agreement at the time of delivery. Dealer shall not be liable for, and Purchaser's acceptance of such motor vehicle constitutes Purchaser's waiver of, any and all claims, causes of action, losses and damages arising out of Dealer's sale of the motor vehicle to Purchaser, including without limitation any and all actual, incidental or consequential damages arising out of: a) loss, damage or delays for any reason; b) failure to supply any property ordered hereunder; c) loss of use, loss of time, lost profits or income; d) changes in design, materials or specifications; e) modifications to the motor vehicle performed by others; and f) defects in design, materials or workmanship, in each case with respect to the motor vehicles purchased by Purchaser pursuant to this Sales Agreement.
- Purchaser shall indemnify, defend and hold Dealer and its affiliated companies and their officers, agents, and employees harmless from and against all loss, liability and expense, including reasonable attorneys' fees, by reason of bodily injury including death, and property damage, sustained by any persons including but not limited to the officers, agents and employees of Purchaser, as a result of the maintenance, use, operation, servicing, transportation, defect in or failure of such motor vehicles, whether such bodily injury, death or property damage is due or claimed to be due in whole or in part, to any neglect, default, defect, fault, failure, act or omission, by or on behalf of Dealer, its officers, agents and employees or any other person, including but not limited to any claims of strict liability in tort, breach of warranty, and/or negligence. Purchaser acknowledges that this waiver constitutes a material inducement for Dealer to consummate the transactions contemplated in this Sales Agreement and is subject to no exceptions.
7. **Modifications by Others.** Purchaser acknowledges that any requested modifications to the motor vehicles subject to this Sales Agreement to be performed by others are Purchaser's sole responsibility, and Purchaser shall pay Dealer for the cost of such modifications, regardless of whether Purchaser takes delivery of the vehicle. Dealer is not liable for any defects in design, materials or workmanship, or any errors or omissions by such third parties.
  8. **Trade-in Allowance.** The trade-in allowance set forth on page one of this Sales Agreement is based upon an appraisal by Dealer of the trade-in described herein in its present mechanical condition and with the equipment and attachments described on Dealer's appraisal sheet. Such trade-in shall be subject to reappraisal at the time of delivery of the motor vehicle to be sold hereunder. Purchaser shall be liable for any differences in the trade-in allowance due to changes in mechanical condition, equipment or attachments.
  9. **Entire Agreement.** This Sales Agreement constitutes the complete and exclusive statement of the terms of the agreement between Purchaser and Dealer concerning the subject matter hereof and supersedes all prior agreements, understandings, negotiations and discussions of the parties, whether written or oral. No modification, course of conduct, amendment, supplement to or waiver of this Sales Agreement shall be binding unless made in writing and signed by both Purchaser and Dealer.
  10. **Assignment.** This Sales Agreement may not be assigned by Purchaser without Dealer's prior written consent, and any attempted assignment by Purchaser shall be null and void. Subject to the foregoing, this Sales Agreement shall be binding upon and inure to the benefit of the parties hereto and their respective heirs, successors, permitted assigns and legal representatives. There are no third party beneficiaries of this Sales Agreement.
  11. **Governing Law; Consent to Jurisdiction; Waiver of Right to Trial by Jury.** This Sales Agreement and the rights and obligations of the parties hereunder shall be governed by, and construed and interpreted in accordance with, the laws of the State of Florida, without giving effect to the conflict of laws principles thereof. Venue for any litigation, legal action or other proceedings arising out of or relating to this Sales Agreement shall lie solely in the courts of the State of Florida located in Dade County, Florida. Purchaser and Dealer (a) agree that such courts shall have exclusive jurisdiction over any matters arising out of or related to this Sales Agreement and (b) hereby waive any and all claims to the effect that any of such courts constitutes an inconvenient forum. The parties hereby irrevocably and unconditionally waive any right they may have to a trial by jury in any suit, action, proceeding, or counterclaim arising out of or relating to this SALES Agreement.
  12. **Miscellaneous.** Risk of loss shall pass to the Purchaser upon delivery of the motor vehicle sold under this Sales Agreement. A facsimile of this Sales Agreement shall have the same legal effect as an original hereof. In the event of any litigation arising out of this Sales Agreement, the non-prevailing party shall reimburse the prevailing party for the reasonable attorneys' fees and other expenses incurred by the prevailing party in connection therewith.

By: \_\_\_\_\_  
(Purchaser Signature)

\_\_\_\_\_



**Chassis Specification**

<b>Customer</b>	LEVY COUNTY ROAD DEPARTMENT PO BOX 336 BRONSON 326210336 FL	<b>Your ref.</b>	BRYAN SAPP
<b>Customer no</b>	9271216752	<b>Quote no.</b>	NEXT2022000120C620
<b>Org No</b>		<b>Alternative Id</b>	1
<b>Telephone</b>		<b>Date</b>	8/9/2022
<b>Mobile phone</b>		<b>Order Date</b>	8/4/2022
		<b>Last Change</b>	8/9/2022

**Model**

				Qty	List Price
<b>GRANITE 64BR</b>				1	179,682
<b>Order number</b>	202200089				
<b>OM Order Number</b>	22138055				
<b>Chassis Number</b>	39486				
<b>Price List</b>	2022-05-23				
<b>Delivery Time</b>	2023-03-11				
<b>Delivery Address</b>	328 SW RING CT STC620 Lake City 32025 US				
<b>Family</b>	<b>ID</b>	<b>S/O</b>	<b>Description</b>		
<b>APPLICATION PACKAGES</b>					
CHASSIS CONFIGURATION PACKAGE	MPK-GB06	Option	ONEBOX EATS, RH BATTERY BOX, 6.6 GALLON (25L) SLEEVED DEF, 22" SLEEVED LH FUEL TANK WITHOUT BODY BUILDER PKG		
BODY BUILDER PACKAGE	MBP0000	Standard			
<b>CUSTOMER/VEHICLE INFO</b>					
CHASSIS (BASE MODEL)	0029617	Standard	GRANITE 64BR		
ASSEMBLY PLANT	FACT-US6	Standard	Made in Macungie, PA USA		
VEHICLE MODEL YEAR	A192023	Option	2023 MODEL YEAR		
CUSTOMER FLEET SIZE	MP20001	Option	DEALER FLEET WITH LESS THAN 25 VEHICLES IN OWN FLEET OF ANY VEHICLE BRAND		
TYPE OF SERVICE	0130001	Standard	COMMERCIAL		
WARRANTY REGISTRATION LOCATION	M981001	Standard	USA - WARRANTY REGISTRATION LOCATION		
EMISSION WARRANTY CERTIFICATION	MBT0400	Option	EPA (only) for Mack MP7 / MP8 Diesel		
INITIAL REGISTRATION LOCATION	5051718	Standard	USA REGISTRATION		
LANGUAGE-PUBS/DECAL/SIGNS	5340001	Standard	ENGLISH		
ROAD CONDITION	RC-SMOOT	Standard	WELL MAINTAINED SURFACED ROADS >95% DRIVING DISTANCE		

**User**  
BRYAN SAPP

**Date**  
8/9/2022

**Time**  
2:44:27PM

**Quote no.**  
NEXT2022000120C620

VEHICLE USE & BODY/TRAILER TYPE	0059351	Option	DUMP TRUCK	
TRAILER TYPE	UTRLR	Option	WITHOUT TRAILER TYPE	
GROSS COMBINATION WEIGHT (CA in PC29 only)	UGCW	Standard	TRUCK ONLY - NO TRAILER TOWING PROVISIONS PROVIDED	
BRAKE REGULATION	BREG94	Standard	BRAKE REGULATION, STOPPING DISTANCE 94M (310FT)	
TOPOGRAPHY	T-FLAT	Option	GRADES <3% GREATER THAN 98% OF DRIVING DISTANCE MAX GRADE 8%	
AMBIENT TEMP UPPER LIMIT	ATU40	Standard	AMBIENT TEMPERATURE HOT. WARMER THAN 104 F (40 C) ALLOWED UP TO 25 HOURS PER YEAR	
TERRAIN GRADE	0320089	Standard	ON-OFF HIGHWAY, STARTING GRADES<18%	
LOADING SURFACE	0330020	Option	ASPHALT LOADING AND / OR UNLOADING SURFACE	
VEHICLE VOCATION	0340102	Option	PICKUP & DELIVERY / SHORT HAUL SERVICE	
PILOT INSPECTION	0220000	Standard	NO PILOT REQUESTED	
<b>ENGINE/TRANSMISSIONS</b>				
ENGINE / MOTOR	1001857	Option	MP7-425C MACK 425HP @ 1500-1800 RPM (PEAK) 2100 RPM (GOV) 1550 LB-FT, US'21	2,777
GHG APPLICATION, VEHICLE	GHG-VOC	Standard	GREEN HOUSE GAS VOCATIONAL APPLICATION	
TRANSMISSION	1364581	Option	4500 RDS 6 SPEED ALLISON GEN 6 W/PROGNOSTICS, WITH PTO PROVISION WITHOUT 12TH GEARBOX GEAR LOCK-OUT	14,626
GEARBOX 12TH GEAR LOCK-OUT	UGGLT	Standard		
<b>EXHAUST/EMISSIONS</b>				
CARB REGULATION DECAL STICKER	CIR0001	Option	IDLE EMISSION CERTIFICATION, BASIC	
DPF DIESEL PARTICULATE FILTER	DPF0111	Standard	CLEARTECH ONE BOX E.A.T.S. RH SIDE UNDER CAB US17 / US21	
CHASSIS MOUNTED EMISSIONS FINISH	MCF0007	Option	W/O DEF COVER & STAINLESS STEEL DPF COVER	267
DIESEL EXHAUST FLUID TANK	DF12025	Standard	6.6 GALLON (25 L) 22" LEFT SIDE FUEL TANK MTD	
DEF TANK VENTILATION FILTER	UADFLTR	Standard	WITHOUT DEF TANK VENTILATION FILTER	
EXHAUST	1305101	Option	SINGLE VERTICAL RIGHT SIDE CAB MOUNTED, LOWER VENTURI DIFFUSER, TURNED END	392
EXHAUST STACK HEIGHT	EXSTH29	Option	9' 6" FROM GROUND	
EXHAUST - BRIGHT FINISH	EXMF-BS1	Option	SINGLE, BRIGHT FINISH HEAT SHIELD, STACK AND SCR COVER (IF EQUIPPED)	101
EMISSION ON BOARD DIAG CONTROL	EOBD-U22	Option	EMISSION OBD, DISPLAY ONLY, USA2022	
<b>ENGINE EQUIPMENT</b>				
AIR CLEANER	1250402	Standard	UNDER HOOD SINGLE ELEMENT DRY TYPE W/AIR INTAKE FROM BOTH SIDES OF HOOD	
BUG SCREEN	1219001	Standard	BLACK ALUMINUM BUG SCREEN MOUNTED BEHIND GRILLE, WITHOUT WINTER FRONT COVER	
AIR COMPRESSOR/DRYER	1133413	Standard	WABCO AIR DR SS-HP AIR DRYER W/ WABCO 636 (37.4 CFM) AIR COMPRESSOR	
AIR DRYER POSITION (CA)	ADP-STD	Standard	AIR DRYER POSITION STANDARD	
ALTERNATOR	1321236	Standard	DELCO 12V 160A (28SI) BRUSH-TYPE	
BATTERIES	3165105	Standard	(3) MACK 12V 650/1950 CCA THREADED STUD TYPE	



BATTERY BOX - MOUNTING (x)	3930072	Standard	RH RAIL BEHIND SCR		
BATTERY BOX COVER	BBOXC-AP	Option	POLISHED ALUMINUM	81	
EMERGENCY START CONNECTIONS	UESS	Standard	W/O EMERGENCY STARTING RECEPT.		
BATTERY DISCONNECT SWITCH	3180010	Option	FLAMING RIVER BIG SWITCH WIRED TO POSITIVE SIDE	152	
STARTER MOTOR	12STR-S2	Standard	12 VOLT DELCO 39MT-MXT		
ENGINE BRAKE	1100700	Option	MACK MP7 POWERLEASH		
VEHICLE/TRAILER STOP LAMP APPLICATION (CA)	BRLI-BAS	Standard	VEHICLE AND TRAILER (IF APPLICABLE) STOP LAMPS ACTIVATE UPON SERVICE BRAKE APPLICATION ONLY(3899000)		
FAN DRIVE	1180027	Standard	BEHR FAN AND ELECTRONIC MODULATING VISCOUS FAN DRIVE		
COOLANT PROTECTION	1192003	Option	ETHYLENE GLYCOL EXTENDED LIFE COOLANT (50/50 MIX DYED RED) TO -34DEG, W/ LONG LIFE FILTER	75	
RADIATOR TYPE	RADI-NL3	Option	RADIATOR, CORE AREA W/O FEPTO 1345sq in (86sq dm), CORE AREA W/ FEPTO 1296sq in (83sq dm)		
HOSES - RADIATOR/HEATER	1240003	Standard	MACK EPDM RADIATOR & HEATER HOSES		
FUEL-WATER SEPARATOR	2931032	Option	DAVCO 387, (FLUID HTD) FUEL HEATER/WATER SEPARATOR & MACK SEC FUEL FILTER	590	
RELOCATE FUEL FILTER (CA)	FPP-STD	Standard	STANDARD FUEL FILTER POSITION		
FUEL HEATER (CA)	UFUEQWH	Standard	W/O FUEL HEATER		
ENGINE HEATERS	MCA0004	Standard	120v 1500w BLOCK HEATER ONLY (120V-15A PLUG)		
OIL SUMP	OILS-ST	Standard	OIL PAN		
OIL SYSTEM	UENGDRFL	Standard	W/O OIL CHANGE SYSTEM		
TETHER DEV PKG, CAPS & COVERS	UTDCC	Standard	WITHOUT TETHER DEVICE FOR CAPS & COVERS		
ALCOHOL EVAPORATOR (CA in PC29 only)	UALEVAP	Standard	W/O ALCOHOL EVAPORATOR		
EMERGENCY ENGINE STOP (CA)	UENGSTOP	Standard	WITHOUT ENGINE STOP, EMERGENCY		
<b>CLUTCH/TRANS EQUIPMENT</b>					
GEAR SHIFTER	4921003	Option	ALLISON DASH MOUNTED SHIFTER W/NEUTRAL TO RANGE INHIBIT (HD SERIES)		
CLUTCH	1330000	Option	OMIT CLUTCH		
CLUTCH ACTUATION SYSTEM & PEDAL PAD	MCB0000	Standard	WITHOUT CLUTCH CABLE SYSTEM		
CLUTCH RELEASE HOSE	ULBLINE	Standard	W/O LUBRICATION FITTING		
ENGINE START CONDITION	UESC	Standard	W/O CLUTCH STARTING SWITCH		
DRIVELINE - MAIN	1951203	Option	MERITOR 18 MXL "XTENDED LUBE" (PROPS-L)	-780	
DRIVELINE - INTERAXLE	2041202	Option	MERITOR 17 MXL "XTENDED LUBE"	-277	
DRIVESHAFT GUARD	UPSBG	Standard	WITHOUT DRIVESHAFT GUARD FOR CENTER BEARING		
DRIVESHAFT MAIN U-JOINT	PSMUJ-HR	Option	UNIVERSAL JOINT HALF-ROUND TYPE		
DRIVESHAFT INTERAXLE U-JOINT	PSIUJ-HR	Standard	HALF-ROUND UNIVERSAL JOINT		
TRANSMISSION OUTPUT TORQUE	TTOR-B	Standard	TRANSMISSION OUTPUT TORQUE BASIC		
TRANSMISSION BELL HOUSING	BELLH-AL	Standard	ALUMINUM		
LUBRICANTS, TRANSMISSION	LUBET-ST	Option	TRANSYND SYNTHETIC LUBE FOR ALLISON TRANS	472	

User  
BRYAN SAPP

Date  
8/9/2022

Time  
2:44:27PM

Quote no.  
NEXT2022000120C620

TRANSMISSION OIL COOLER	1399006	Option	ALLISON TRANSMISSION W/DIRECT MOUNT COOLER	
TRANSMISSION OIL MONITORING	UTOMRF	Standard	WITHOUT TRANSMISSION OIL MONITORING	
<b>FRONT AXLE EQUIPMENT</b>				
FRONT AXLE	2401501	Option	20000# (9100 KG) MACK FXL20 WIDE PIVOT CENTER STRAIGHT SPINDLE/UNITIZED BEARINGS WITHOUT TWIN STEER SPREAD	418
TWIN STEER SPREAD	UFAS	Standard		
FRONT AXLES FOR MULTI-STEER SPRINGS - FRONT	UVPA	Option	WITHOUT VEHICLE PREPARATION, ADDITIONAL FRONT AXLES	
	2441011	Option	MACK TAPERLEAF 20000# (9100 KG) GROUND LOAD RATING, EQUAL BIAS MERITOR "S" CAM TYPE 16.5" x 6" Q+	41
BRAKES - FRONT	2411105	Standard		
BRAKE DRUMS - FRONT	BF-DRCAS	Standard	CAST IRON	
DUST SHIELDS - FRONT	UFBRDUST	Standard	OMIT FRONT DUST SHIELDS	
SLACK ADJUSTERS - FRONT	FBADJ-AH	Standard	HALDEX - AUTOMATIC	
BRAKE CHAMBERS - FRONT	FBCM-MGM	Standard	FRONT BRAKE CHAMBER MANUFACTURER, MGM FERROUS	
HUBS - FRONT	HUBF-BAS	Standard		
SHOCK ABSORBERS - FRONT	FSHABS	Standard	DOUBLE ACTING TYPE	
STEERING	2452116	Standard	TRW TAS66+RCH60 POWER	
FRONT AXLE LUBRICANT	6150005	Standard	FRONT ALXE LUBE, FAG NLGI2 GREASE	
<b>REAR AXLE EQUIPMENT</b>				
REAR AXLE	2681026	Option	46000# (20900kg) MACK S462R CAST DUCTILE HOUSING W/O WIDE TRACK AXLE	2,635
WIDE TRACK AXLE OPTION	RACWD-ST	Standard		
LUBE PUMP, REAR AXLE	URALUBEP	Standard	W/O LUBE PUMP AND FILTER	
CARRIER - REAR AXLE	0180153	Standard	CRDP150/151 AVAILABLE WITH OPTIONAL DRIVER CONTROLLED INTERWHEEL DIFFERENTIAL LOCKS, SEE 254 SYMBOL	
REAR AXLE RATIO	RAT4.50	Option	4.50 RATIO	
REAR SUSPENSION	1861076	Option	SS46 MACK CAMELBACK MULTILEAF 46,000 lb, STANDARD DUTY 50" AXLE SPACING (BOGIE WHEELBASE)	494
BOGIE SPREAD, REAR	BSR1270	Standard		
SUSPENSION LEVELING DEVICE	USUSPLEV	Standard	WITHOUT SUSPENSION LEVELLING DEVICE	
AIR SUSPENSION DUMP WARNING	UASD	Standard	WITHOUT AIR SUSPENSION DUMP WARNING	
SHOCK ABSORBERS - REAR	URSHABS	Standard	WITHOUT REAR SHOCK ABSORBER	
TRANSVERSE TORQUE RODS	TTR-RD	Standard	TRANSVERSE TORQUE ROD (REAR AXLE ONLY)	
AUX.SPRING BRAKE QTY	2370002	Standard	AUX SPRING BRAKE QTY, 4 CHAMBERS	
BRAKES - REAR	2531104	Standard	MERITOR "S" CAM 16.5"x7" Q+	
BRAKE DRUMS - REAR	BR-DRCAS	Standard	CAST IRON	
SLACK ADJUSTERS - REAR	RBADJ-AH	Standard	HALDEX - AUTOMATIC	
DUST SHIELDS - REAR BRAKE	UDBRDUST	Standard	OMIT REAR DUST SHIELDS	
REAR BRAKE CHAMBER SIZE	RBCS3030	Option	REAR SPRING BRAKE CHAMBERS 30/30 TYPE	
BRAKE ORI REAR-MOST DRIVE AXLE	BORIEN2	Option	DRUM BRAKE CHAMBER ORIENTATION: High Mount - Rear of Axle - Chamber Down	
PARKING BRAKE CHAMBER	3009019	Standard	MGM TR3030LP3THD BRAKE CHAMBERS	
HUBS - REAR	HUBD-PIS	Standard	IRON PRESET REAR HUB W/INTEGRATED SPINDLE NUT	

User  
BRYAN SAPP

Date  
8/9/2022

Time  
2:44:27PM

Quote no.  
NEXT2022000120C620



POWER DIVIDER LOCKOUT	DLS-BL	Standard	POWER DIVIDER LOCKOUT, W/BUZZER & LIGHT	
DRIVE AXLE LUBRICANT	6170003	Standard	DRIVE ALXE LUBE, SHELL 75W90 SYNTHETIC OIL	
TRACTION DIFFERENTIAL	2540401	Option	DRIVER CONTROLLED INTER WHEEL DIFFERENTIAL LOCK ALL RR AXLES, MANUAL AIR VALVE W/WARNING LIGHT. BENDIX WITH TRACTION CONTROL 4S4M	1,517
ANTILOCK BRAKE SYSTEM	6980106	Standard		
AIR SYSTEM VALVE VENDOR	BRV-V4	Standard	BENDIX SWITCHES AND VALVES WHERE POSSIBLE	
TRACTION CONTROL DISABLE (CA in PC29 only)	UTCD	Option	W/O AUTOMATIC TRACTION CONTROL (ATC) DISABLE SWITCH	-37
<b>FRAME EQUIPMENT/FUEL TANKS</b>				
WHEELBASE	2710259	Option	259"	623
AF (OVERHANG)	3740063	Option	63"	
FRAME RAILS & LINERS	MCE0009	Option	9.5 x 90 x 300mm - (0.37" x 3.54" x 11.81")W/ Partial Liner; RBM 3,580,000 LB-IN	1,930
FRAME-RUST PREVENTATIVE	UTRUSTP	Standard	W/O RUST PREVENTATIVE OPTION	
BOLT ON FRONT FRAME EXTENSION	FFE155	Standard	6" BOLT ON FRAME EXTENSION	
FRONT FRAME LENGTH	FFL1285	Standard	STANDARD BUMPER POSITION	
CROSSMEMBERS	2811055	Standard	BOC AND INTERMEDIATE(S) STEEL HD BACK-TO-BACK CHANNEL	
FRAME RAIL CLEARANCE	UFRF	Standard	W/O FRAME RAIL CLEARANCE	
CROSSMEMBERS BEHIND REAR AXLE	UACMR	Standard	W/O OPTIONAL CROSSMEMBERS BEHIND REAR AXLE/BOGIE	
REAR CROSSMEMBER OPTIONS	RXM-STR	Standard	STEEL CLOSING REAR CROSSMEMBER	
TAPERED FRAME RAIL ENDS	RF-STRAI	Standard	WITHOUT TAPERED FRAME RAIL ENDS	
MUD FLAP BRACKETS	URMUDFLA	Standard	W/O REAR MUD FLAP HANGER BRKTS	
MUD FLAP, REAR AXLE	URMUDF	Standard	W/O REAR MUD FLAPS	
FRONT BUMPER	BUM-SCE3	Option	EXTENDED-SWEPT BACK-STEEL BRIGHT FINISH (INCL. PAINTED CNTR TOW PIN)N/A W/ FRM EXT	972
RADIATOR GUARD	GUARD-GB	Option	PLATE TYPE BRIGHT FINISH	404
TRUNNION BRACKET	XMBBT-BA	Standard	BASIC SOLUTION TRUNNION BRACKET, STD HEIGHT	
TOWING DEVICE, FRONT	TDF1PIN	Option	CENTER TOW CAPABILITY BASED ON BUMPER SELECTION	
PINTLE HOOK	UCOUPLIN	Standard	W/O PINTLE HOOK	
TOWING DEVICE,REAR	UTOWR	Standard	WITHOUT TOWING DEVICE, REAR	
TOOL BOX	UTOOLB	Standard	W/O TOOL BOX	
FUEL LEVEL SENDER UNIT, LIQUID	FLS-BASL	Standard	BASIC FUEL LEVEL SENDER MOUNTED ON L,H TANK	
FUEL TANK - LH	288A111	Option	111 GALLON (420 L) 22" ALUMINUM, SLEEVED D-SHAPED	593
FUEL TANK - RH	2900000	Standard	W/O RH FUEL TANK	
FUEL TANKS - BRIGHT FINISH	UFTNKPOL	Standard	W/O BRIGHT FINISH FUEL TANKS	
FUEL LINE MATERIAL	FHOS-WBR	Standard	BRAIDED HOSE	
FUEL FILLER NECK OPTIONS	8520052	Standard	WITHOUT FILLER NECK SCREEN, WITH NON-LOCKABLE FUEL TANK CAP	
FUEL SYSTEM - DUAL	FLI-SING	Option	W/O FUEL LINE OPTION	
CAB ACCESS STEPS	CSTEP-BA	Standard	STANDARD 2 STEP CAB ACCESS	
STEPS (BRIGHT) - FUEL TANK	2230001	Option	BRIGHT FINISH ALUMINUM STEPS & STAINLESS STEEL BRIGHT FINISHED STRAPS	295

ISOLATE TANK FROM FUEL SYSTEM	UHYTP	Standard	W/O ISOLATED TANK(S)	
QUARTER FENDERS	4640000	Standard	W/O QUARTER FENDERS	
<b>AIR/BRAKE</b>				
AIR TANK DRAIN VALVE	DRVA-P	Standard	MANUAL (PETCOCK) DRAIN VALVES ON ALL TANKS	
AIR RESERVOIRS	ATANK-ST	Standard	STEEL AIR TANK PAINTED CHASSIS COLOR	
RELOCATE AIR RESERVOIRS	1411000	Option	UNDER BATTERY BOX, REMAINING BETWEEN FRAME RAILS	77
INCREASE AIR CAPACITY	UAUXATNK	Standard	W/O INCREASED AIR RESERVOIR CAPACITY	
PARK BRAKE ALARM	UPARKAL	Standard	W/O PARK BRAKE ALARM	
PARKING BRAKE VALVE	PBV-Y	Standard	SINGLE VALVE SYSTEM	
<b>ELECTRICAL</b>				
PARKING BRAKE LIGHTING	UPBRLIGH	Standard	WITHOUT PARKING BRAKE LIGHTING	
BACK-UP ALARM	UBUPALAR	Standard	WITHOUT BACK-UP ALARM	
DASH MOUNTED SWITCHES	AUXSW-1	Option	FURN. (1) EXTRA DASH MTD. ROCKER SWITCH (THRU IGNITION) FOR LOCAL INSTALLED ITEMS	14
FOG LAMPS	UFOGLAMP	Standard	WITHOUT FOG LAMPS	
ROOF & SIDE MARKER LIGHTS	3120102	Standard	(5) TRUCKLITE CHROME BULLET ROOF MARKER & STANDARD MARKER / DIRECTIONAL SIGNAL	
WARNING LAMP (CA family in PC29 only)	UWARNLIG	Standard	WITHOUT WARNING LIGHTS	
AUXILIARY LAMPS (CA in PC29 only)	UAUXL	Standard	W/O AUX LAMP PROVISIONS	
AUXILIARY SPOTLIGHT (CA)	UASL	Standard	W/O SPOTLIGHT	
DAYTIME RUNNING LIGHTS	LOWB-D7S	Standard	W/OVERRIDE SWITCH, PARK BRAKE & ENGINE RUNNING ACTIVATED	
DRL OVERRIDE SPEED THRESHOLD	DRLOS08	Standard	DRL OVERRIDE SPEED THRESHOLD 8 KMPH (5 MPH)	
TAIL LAMPS	TL-MULTI	Standard	INCANDESCENT TAIL LAMPS	
WORK LIGHTS - CHASSIS MOUNTED	UCHAWL	Standard	W/O WORK LIGHTS	
<b>TRAILER CONNECTIONS</b>				
FIFTH WHEEL ANGLE THICKNESS	U5WAT	Standard	WITHOUT 5TH WHEEL ANGLE THICKNESS	
HAND CONTROL VALVE	UTRBRAKE	Standard	W/O HAND CONTROL VALVE	
TRAILER CONNECTIONS	UTCP	Standard	OMIT TRAILER AIR BRAKE CONNECTIONS	
TRAILER ELECTRICAL RECEPT	3210000	Standard	WITHOUT TRAILER ELECTRICAL RECEPTACLE	
TRAILER HOOKUP LIGHT	3220000	Standard	W/O TRAILER HOOK-UP LIGHT	
<b>PTO</b>				
TRANSMISSION MOUNTED PTO	1890000	Option	VENDOR TRANSMISSION WITHOUT TRANSMISSION MOUNTED PTO	
HYDRAULIC PUMP	8260000	Standard	WITHOUT HYDRAULIC PUMP	
PTO - CONTROL	PTOTC1PK	Option	TRANSMISSION PTO SWITCH AND LIGHT WITH WIRING AND PIPING FOR LOCAL INSTALLATION	
FRONT ENGINE PTO	1830000	Standard	W/O FRONT ENGINE PTO DRIVE	
REAR ENGINE PTO	4160000	Standard	WITHOUT REAR ENGINE POWER TAKE OFF	
BODY BUILDER INTERFACE	B830025	Standard	BODY LINK III W/CAB PASS-THRU	
<b>SPECIALTY EQUIPMENT</b>				
FRAME MODIFICATIONS	0150000	Standard	NO FRAME MODIFICATIONS PROVIDED	

User  
BRYAN SAPP

Date  
8/9/2022

Time  
2:44:27PM

Quote no.  
NEXT2022000120C620



AUXILIARY TRANSMISSION (CA)	UAUXTRAN	Standard	WITHOUT AUXILIARY TRANSMISSION	
AUX TRANSMISSION COOLER (CA)	UATCOOL	Standard	W/O OIL COOLER AUX TRANS OPTION	
ON BOARD SCALES (CA)	OBS0000	Standard	W/O ON BOARD SCALES	
AIR UNLOAD SYSTEM	UBULKUA	Standard	WITHOUT AIR UNLOAD SYSTEM	
REAR AXLE BREATHERS	UBREF	Standard	WITHOUT BREATHER FILTER RELOCATION	
COLLISION WARNING SYSTEM - FRONT/SIDE (ACC)	5480000	Standard	W/O COLLISION WARNING SYSTEM	
ACC TIME GAP CONFIG SETTING	UACCTG	Standard	WITHOUT TIME GAP SETTINGS	
LANE SUPPORT SYSTEM (LSS)	MCQ0000	Standard	WITHOUT LANE SUPPORT SYSTEM	
ACC / LSS -- VOLUME LEVEL SETTINGS	MCT0000	Standard	WITHOUT ACC / LSS SYSTEMS	
ACC / LSS / BLIND SPOT -- AUDIO CONTROL TYPE	MCU0000	Standard	WITHOUT ACC, LSS, OR BLIND SPOT DETECTION SYSTEMS	
DATA CAPTURE	UDATAC	Standard	WITHOUT DATA CAPTURE	
SURVEILLANCE CAMERA OPTIONS (CA)	UCAMS	Standard	WITHOUT CAMERA	
UNIQUE DECALS MACHINE DIRECTIV (CA in PC29 only)	USIGNSWC	Standard	W/O SPECIAL DECALS	
<b>CAB INTERIOR (A THRU G)</b>				
SPEEDOMETER -&- GAUGES - UNIT(s) OF MEASURE	1980001	Standard	U.S. UNITS (PREDOMINANT)	
GAUGE - PACKAGE, SECONDARY	U2GAUGE	Standard	WITHOUT SECONDARY GAUGE PACKAGE	
GAUGE OIL TEMP-REAR AXLE	GOTRA	Option	REAR AXLE OIL TEMP GAUGE IN DID (DRIVER INFORMATION DISPLAY) WITHOUT AMBIENT OR ROAD TEMPERATURE GAUGE	
GAUGE - AMBIENT TEMPERATURE	UTEMPAMB	Standard	WITHOUT AMBIENT OR ROAD TEMPERATURE GAUGE	
AUX.INCAB PNEUMATIC LINE	APNOUTC	Option	AUX. INCAB PNEUMATIC LINE CLEANOUT	71
AIR CONDITIONING/HEATER	1731002	Standard	BLEND AIR HVAC W/"ATC" TEMP REGULATION	
CUPHOLDER	CUPHOLD	Standard	CUPHOLDER	
DRIVER AUXILIARY FAN (CA family in PC29 only)	UCAFAN	Standard	W/O CAB FAN, AUX AIR CIRC OPTION	
DOME LAMP, INTERIOR	DL-BS2R	Standard	(4) DOME LAMPS - DOOR AND SWITCH ACTIVATED	
DASH INDICATOR - LAMP BODY OUT OF POS	DIL-BOOP	Standard	DASH MTD, INDICATOR BODY/HOIST UP "BODYBUILDER LAMP"	
FIRE EXTINGUISHER	7860007	Option	5LB (ABC RATED/AMEREX) MOUNTED BETWEEN LH SEAT BASE AND DOOR WITH VALVE AIMED REARWARD	103
CARBON MONOXIDE DETECTION SYS	UCOMDET	Standard	WITHOUT CARBON MONOXIDE DETECTION SYSTEM	
FLOOR COVERING	1840007	Standard	POLYURETHANE FLOOR MAT WITHOUT REMOVABLE INSERTS	
<b>CAB INTERIOR (H THRU R)</b>				
IN-DASH STORAGE	UDASHPBX	Option	W/O UPPER STORAGE OPTION	
INSTRUMENT CLUSTER LANGUAGE	C520007	Standard	DEFAULT: ENGLISH, SPANISH, FRENCH	
KEY TYPES FOR DOORS	KEY-BAS	Standard	ALL CHASSIS KEYED AT RANDOM	
KEYLESS ENTRY	DOP-MAN	Standard	W/O ELECTRONIC KEYLESS ENTRY	
OVERHEAD CONSOLE	FOHS2BAS	Standard	(2) STORAGE COMPARTMENTS AND NET RETAINERS W/CENTER MOUNTING FOR CB PROVISIONS	
PERSONALIZED NAME PLATE	UPNPLATE	Standard	W/O PERSONALIZED OPTION	
RADIO/RADIO ACCOMMODATION	1746111	Standard	PREMIUM STEREO, AM/FM, MP3, WEATHER BAND, BLUETOOTH	

User  
BRYAN SAPP

Date  
8/9/2022

Time  
2:44:27PM

Quote no.  
NEXT2022000120C620

INFOTAINMENT SERVICES / FEATURES	MAS0000	Standard	WITHOUT INFOTAINMENT	
RADIO - ANTENNA	ANR-CDL1	Standard	RADIO ANTENNA, CAB MOUNTED BEHIND LH DOOR	
RADIO ANTENNA - CB	ANT-CBML	Option	48" ANTENNA LEFT SIDE MIRROR MOUNTED	58
AUDIO SHUTOFF	UAUDOFF	Option	W/O AUTO RADIO SHUTOFF OPTION	-74
RADIO - BINDING POSTS FOR CB	PWL5WH	Standard	POWER LEADS (5-WAY BINDING POSTS FOR CB RADIO) IN HEADER CONSOLE	
AUDIO SPEAKER LOCATION	SPK-IDM	Standard	SPEAKER LOCATION, IN DOORS, MIDDLE HIGH SIDE PANEL	
RADIO - CB	UCRADIO	Standard	W/O CB RADIO	
RADIO - CB RADIO MOUNTING	CBM-OPR	Standard	CB RADIO MOUNTING REINFORCEMENT IN HEADER CONSOLE	
REAR WALL STORAGE COMPARTMENT REFLECTOR KIT	RWSTC-FI	Standard	STORAGE POUCH REAR	
	7840005	Option	EMERGENCY REFLECTOR KIT MOUNTED PARALLEL & CENTERED AGAINST BOC	43
<b>CAB INTERIOR (S THRU Z)</b>				
INTERIOR TRIM LEVELS	0041110	Standard	STANDARD PACKAGE, STEEL GRAY (Package 11A)	
SEAT - DRIVER'S	1963140	Option	MACK-AIR, HIGH BACK, 4 CHAMBER AIR LUMBAR, BOLSTER, EXTENSION	587
SEAT COVERING - DRIVER'S	MAP2004	Option	DRIVER'S SEAT - STEEL GREY VINYL / CLOTH MIX	262
SEAT - PASSENGER'S	1973000	Standard	MACK-FIXED, HIGH BACK	
SEAT COVERING - PASSENGER'S	MAQ1004	Standard	PASSENGER'S SEAT - STEEL GREY VINYL	
SEAT - DUST COVER(S)	USSDC	Standard	W/O SEAT DUST COVER FOR DRIVER'S AND RIDER'S SEATS	
SEAT ARM REST(S)	ARMRE-DS	Option	INBOARD MOUNTED ARM REST, DRIVER'S SEAT ONLY	28
SEAT BELT(S)	5929003	Option	LAP & SHOULDER (BOTH SEATS) ORANGE IN COLOR	-39
SEAT BELT WARNING INDICATOR	SEATBRIA	Standard	SEAT BELT REMINDER IN INSTRUMENT, WITH AUDIO	
STARTER SWITCH	IGT-KEY	Standard	KEY TYPE	
STEERING WHEEL	1610020	Option	2 SPOKE URETHANE GRIP, SATIN ALUMINUM SPOKES, WITH SWITCHES	30
WINDSHIELD TYPE	WIND-SP	Standard	TWO PIECE WINDSHIELD	
CAB GLASS	1450001	Standard	TINTED WINDSHIELD & SIDE WINDOWS & REAR WINDOW (IF EQUIPPED)	
WINDSHIELD WASHER	WREP-BAS	Standard	W/O WINDSHIELD WASHER OPTION	
WINDSHIELD WIPERS	1480011	Standard	2 SPEED ELECTRIC MOTOR W/INTERMITTENT FEATURE	
<b>CAB - SLEEPER BOX</b>				
SLEEPER BOX	0160000	Standard	Day Cab (No Sleeper)	
LOWER BUNK	7430000	Standard	W/O MATTRESS	
LUGGAGE COMPARTMENT LOCK OPTION	ULCLO	Standard	WITHOUT LUGGAGE COMPARTMENT	
LUGGAGE COMPARTMENT LID OPENING	ULUGOP	Standard	WITHOUT LUGGAGE COMPARTMENT	
SLPR. BOX - WINDOW	7680009	Standard	WITHOUT SLEEPER BOX WINDOWS	
<b>CAB EXTERIOR</b>				
PERMIT PLATE	UPERP	Standard	W/O PERMIT PLATE OPTION	
HOOD LATCH TYPE & FINISH	MCY0002	Standard	STRAP TYPE HOOD LATCH WITH BLACK FINISH	
EXTERIOR TRIM FINISH AND PACKAGES	MCG0003	Standard	GRANITE BRIGHT AIR INTAKE	
GRILLE	4000018	Option	BRIGHT FINISH BARS W/BRIGHT FINISH SURROUND GRILL MOUNTED	378



PASSENGER SIDE VISIBILITY OPTIONS	MCD0020	Standard	AUXILIARY WINDOW IN RH DOOR	
GRAB HANDLES	5870102	Option	BF EXTERIOR CAB GRAB HANDLES, BLACK GRAB HANDLE RH INTERIOR WINDSHIELD POST WITHOUT HOOD HATCH	
HOOD HATCH	UHHATCH	Standard		
HORN - AIR	1549014	Option	(2) MACK RECTANGULAR SINGLE TRUMPET, BRIGHT FINISH ALUMINUM W/SNOW SHIELDS	148
HORN - ELECTRICAL	HORN-E2D	Standard	DUAL TONE	
MIRRORS - EXTERIOR	1529044	Option	BULLDOG STYLIZED MIRRORS - LH & RH HEATED & MOTORIZED W/INTEGRAL CONVEX MIRROR	612
MIRRORS - CONVEX TYPE CAB DOORS	1530000	Option	OMIT CONVEX MIRRORS	
MIRROR - CONVEX HOOD & FENDER	15H0000	Standard	WITHOUT CONVEX TYPE	
SUN VISOR - EXTERIOR	1579001	Option	SUN VISOR, EXTERIOR, STAINLESS STEEL (UNPAINTED)	388
<b>AERODYNAMIC DEVICES</b>				
CAB AERODYNAMIC PACKAGES	1590000	Standard	WITHOUT CAB AERODYNAMIC DEVICES	
FRONT CHASSIS AERODYNAMIC PACKAGE	MCM0000	Standard	WITHOUT FRONT AERODYNAMIC FAIRINGS	
<b>WHEELS &amp; TIRES</b>				
TIRES BRAND/TYPE - FRONT	9006333	Option	425/65R22.5 L MICHELIN XZY3 (22800 lbs)	134
WHEELS - FRONT	5313803	Option	22.5x12.25 ALCOA 82462x CLEAN BUFFED ALUMINUM, 5.81" OFFSET, 10 HAND HOLE	294
TIRES BRAND/TYPE - REAR	9011402	Option	11R24.5 H BRIDGESTONE M726 ELA (26440 lbs) (DRIVE ONLY)	2,080
WHEELS - REAR	3463817	Option	24.5x8.25 ALCOA 98565x SEVERE SERVICE, CLEAN BUFFED ALUMINUM, 6.60" OFFSET, 10 HAND HOLE DRIVE WHEEL STUDS LONGER LENGTH	2,464
DRIVE WHEEL STUDS	DSTUD-L	Standard		
VALVE STEMS & CAPS	VALVESTD	Standard	STANDARD VALVE STEMS AND CAPS	
SPARE WHEEL	USPWT	Standard	W/O SPARE WHEEL, W/O SPARE TIRE	
SPARE WHEEL CARRIER, POS	USPWCARR	Standard	W/O SPARE TIRE CARRIER	
FRONT HUB/WHEEL TRIM	MCH0000	Standard	WITHOUT FRONT HUB/WHEEL TRIM	
REAR HUB/WHEEL TRIM	MCI0000	Standard	WITHOUT REAR HUB/WHEEL TRIM	
WHEEL GUARDS - FRONT	UHWIF	Standard	W/O FRONT WHEEL GUARD OPTION	
WHEEL GUARDS - REAR	UHWID	Standard	W/O PROTECTIVE NYLON SPACER BETWEEN DISCS WHEEL TO DRUM	
WHEEL NUT & FINISH - FRONT (CA)	WNFF-BAS	Standard	WHEEL NUT BASIC FINISH, FRONT	
WHEEL NUT & FINISH - REAR (CA)	WNFR-BAS	Standard		
HYDRAULIC JACK	2820000	Standard	W/O HYDRAULIC JACK	
WRENCH, WHEEL	UWRENCH	Standard	WITHOUT WHEEL (LUG) WRENCH	
<b>COMMUNICATION SYSTEMS</b>				
CO-PILOT - DISPLAY	DFA-LIM	Standard	CO-PILOT DISPLAY, DRIVER ACCESS LEVEL 1	
FEATURES ACCESS LEVEL				
FLEET TRIP MANAGEMENT	UFTMAN	Standard	WITHOUT FLEET TRIP MANAGEMENT DRIVER CONTROL	
COMMUNICATION/TRACKING DEVICE	6210000	Standard	W/O NAVIGATION/COMM DEVICE	
TELEMATIC GATEWAY	M300004	Standard	TELEMATICS GATEWAY, 4G/LTE AND WLAN SYSTEM WITH DIAGNOSTIC SERVICES	

User  
BRYAN SAPP

Date  
8/9/2022

Time  
2:44:27PM

Quote no.  
NEXT2022000120C620



SOFTWARE DOWNLOAD PASSWORD	USWPASS	Standard	WITHOUT SOFTWARE DOWNLOAD PASSWORD		
<b>ENGINE ELECTRONICS</b>					
ENGINE FUEL ECONOMY SETTINGS -- SOFTWARE PACKAGES	MAT0000	Standard	WITHOUT ENGINE SOFTWARE SETTINGS		
SHUTDOWN-ENG.OIL PRESSURE	OPRESHUT	Standard	OIL PRESSURE, ENGINE SHUTDOWN		
SHUTDOWN-ENG.COOLANT LVL.	UCLEVSHU	Standard	WITHOUT COOLANT LEVEL ENGINE SHUTDOWN		
SHUTDOWN-ENG.COOLANT TEMP	CTEMSHUT	Standard	COOLANT TEMP, ENGINE SHUTDOWN		
ENG /OIL TEMP SHUTDOWN	ENGPROT	Standard	ENGINE PROTECTION (SHUTDOWN)		
FAN ENGAGEMENT TIME-MOVING	UFANCMT	Standard	WITHOUT ENG FAN CONTROL, MOVING VEHICLE, TIME SETTING		
FAN ENGAGEMENT TIME-A/C	UFCACT	Standard	WITHOUT ENG FAN CONTROL, A/C ON, TIME SETTING		
LOW IDLE ENGINE RPM	IDLE600	Standard	IDLE CONTROL, 600 RPM		
LOW IDLE RPM ADJUSTMENT	ULOWIADJ	Standard	WITHOUT LOW IDLE RPM ADJUSTMENT		
SMART ENG.IDLE	UENID	Standard	WITHOUT ENGINE IDLE ADJUST		
IDLE RPM UP W/LOW VOLTAGE	IBC010	Standard	INCREASE 10 MINUTE MAXIMUM TIME		
IDLE S/D ABS TAMPER CHECK	ISDTC-E	Standard	IDLE SHUTDOWN ABS TAMPER CHECK, ENABLED		
ENGINE IDLE COOLDOWN	UEIDLEC	Standard	ENGINE IDLE COOLDOWN, DISABLE		
IDLE SHUTDOWN	UEIDLES	Standard	ENGINE IDLE SHUTDOWN, DISABLE		
ENGINE IDLE SHUTDOWN TIME	UISD	Standard	WITHOUT IDLE SHUTDOWN TIME		
IDLE S/D WARNING TIME	ISDW30	Standard	30 SEC IDLE S/D WARNING TIME		
IDLE S/D IF WARM-UP TEMP	WTEMD38	Standard	38C DEG (100F), WARM UP TEMP DELAY		
IDLE S/D WARM-UP TIMER	WTIMD005	Standard	5 MIN. WARM UP TIME DELAY		
IDLE S/D IF EHT ACTIVE	UISDEHT	Standard	WITHOUT ENGINE IDLE SHUTDOWN TIME OVERRIDE IF EHT ACTIVE		
IDLE S/D IF PTO ACTIVE	ISDPTO	Standard	ENGINE IDLE SHUTDOWN TIME OVERRIDDEN IF PTO ACTIVE		
IDLE SHUTDOWN IF POWER > LIMIT	ISDOVTO	Standard	ENG IDLE SHUTDOWN TIME OVERRIDDEN IF TORQUE > THAN LIMIT		
IDLE S/D OVERRIDE %ENGINE LOAD	ISDOT20	Standard	IDLE SHUTDOWN OVERRIDE UPTO 20% ENGINE LOAD THRESHOLD		
IDLE SHUTDOWN CONTROL	UISSC	Standard	WITHOUT IDLE SHUTDOWN CONTROL		
AMBIENT TEMP MIN TRESHOLD	ATMINT16	Standard	AMBIENT TEMP MIN TRESHOLD, 16 DEG C, (60 DEG F)		
AMBIENT TEMP MAX TRESHOLD	ATMAXT27	Standard	AMBIENT TEMP MAX TRESHOLD, 27 DEG C, (80 DEG F)		
EHT, MAX ROAD SPEED	EHTR16	Standard	ELECTRONIC HAND THROTTLE, MAX ROAD SPEED, 16 KMH (10 MPH)		
EHT, MAX ENG SPEED	EHTX2100	Option	ELECTRONIC HAND THROTTLE, MAX ENGINE SPEED, 2100 RPM		
EHT, MIN ENG SPEED	EHTM700	Standard	ELECTRONIC HAND THROTTLE, MIN ENGINE SPEED, 700 RPM		
EHT, SPEED RAMP RATE	EHTRR100	Standard	ELECTRONIC HAND THROTTLE, SPEED RAMP RATE, 100 RPM/SEC		
EHT, SGL SPEED CNTRL	UEHTSSC	Standard	WITHOUT ELECTRONIC HAND THROTTLE, SINGLE SPEED CONTROL		
EHT, SINGLE SPEED SET	UEHTSS	Standard	WITHOUT ELECTRONIC HAND THROTTLE, SINGLE SPEED SETTING		
EHT, JUMP TO MIN ENG SPEED	UEHTJMIS	Standard	WITHOUT ELECTRONIC HAND THROTTLE, JUMP TO MIN. ENGINE SPEED		
EHT HOLD TO NEAREST RPM	UEHTH	Standard	WITHOUT ELECTRONIC HAND THROTTLE HOLD		



EHT ACCEL BUMP-UP RPM	UETHU	Standard	WITHOUT ELECTRONIC HAND THROTTLE ACCEL "BUMP-UP"
EHT DECEL BUMP-DOWN RPM	UEHTD	Standard	WITHOUT ELECTRONIC HAND THROTTLE DECEL "BUMP-DOWN"
<b>TRANSMISSION ELECTRONICS</b>			
TRANSMISSION DRIVE MODE PACKAGES, mDRIVE	M050000	Option	W/O TRANSMISSION SHIFT SETTINGS
mDRIVE MACKCELLERATOR	UTKDM	Option	MACKCELLERATOR DISABLE
SHUTDOWN-TRANS. TEMP.	UTRAPROT	Standard	WITHOUT TRANSMISSION PROTECTION
TRANSMISSION ELECTRONICS PACKAGE	7792231	Option	DUMP/VOCATIONAL(223) - ALLOWS TRUCK TO BE PUT IN GEAR WITHOUT SERVICE BRAKE (FOR PAVING)
TRANSM AUTO NEUTRAL ON P-BRAKE	TANPSISO	Option	ALLISON PARK BRAKE AUTO NEUTRAL-ALLOWS THE DRIVER TO ENGAGE GEAR PRIOR TO DISENGAGING THE PARK BRAKE
TRANSMISSION ELECTRONIC SHIFTING PROPERTIES	MAV0110	Option	FUELSENSE, FULL NEUTRAL AT STOP
<b>VEHICLE ELECTRONICS</b>			
ROAD SPEED LIMIT (RSL)	SPEED105	Standard	105 KM/H ROAD SPEED LIMITER(65 MPH)
PEDAL SPEED LIMITER	PRSL105	Option	105 KM/H PEDAL ROAD SPEED LIMITER (65MPH)
CRUISE CONTROL	CRUISEC	Standard	CRUISE CONTROL
CRUISE CONTROL, MAX SPEED	CCM105	Standard	MAX CRUISE, 105 KPH (65 MPH)
CRUISE CONTROL MIN SPEED	CCMI32	Standard	MIN CRUISE, 32 KPH (20 MPH)
CRUISE RESUME WITH CLUTCH	UCRUISRC	Option	WITHOUT CRUISE RESUME WITH CLUTCH
ENG BRAKE ENGAGE IN CRUISE	EBREC3A	Standard	ENG BRK ENGAGE IN CRUISE, 3 MPH, ABOVE SET SPEED
LOWER GEAR RD.SPD.LMT.OPT	ULGVLF	Standard	WITHOUT LOWER GEAR VEHICLE LIMITING FEATURE
LOW GEAR LIMITING SPEED	UGVLS	Standard	WITHOUT LOW GEAR VEHICLE LIMITING SPEED
ROAD SPEED LIMIT CONTROL TYPE	URSL	Standard	WITHOUT RSL CONTROL TYPE
PDLO ENGAGED VLS	PDLO8	Standard	POWER DIVIDER LOCK OUT (PDLO) ROAD SPEED LIMIT 8KMH (5MPH)
MAXIMUM ENG SPEED AT 0 MPH	UMESZ	Option	WITHOUT MAXIMUM ENGINE SPEED AT 0 MPH
SPEED SENSOR TAMPERING DETECTION	DSST-E	Standard	DETECTION OF SPEED SENSOR TAMPERING, ENABLE
PWR.LIMIT LVL.-MPH SENSOR	ETOL50ST	Standard	ENG TORQUE LIMITED TO 50%, IF SPEED SENSOR TAMPER DETECTED
VEHICLE ACCELERATION LIMITING	ACCLF-D	Standard	ACCELERATION LIMITING FEATURE, DISABLED
1ST RATIO FOR REDUCED HIGH IDLE	U1RHI	Standard	WITHOUT 1ST RATIO FOR REDUCED HIGH IDLE
LAST RATIO FOR FULL HIGH IDLE	ULFHI	Standard	WITHOUT LAST RATIO FOR FULL HIGH IDLE
DRIVER ID FUNCTION	DIDF-DIS	Standard	DRIVER ID FUNCTION, DISABLED
DRIVER ID, RESET TIMER	UDIDRT	Standard	WITHOUT RESET DRIVER ID TIMER
DRIVER ID, ALERT TIMER	UDIDAT	Standard	WITHOUT DRIVER ID ALERT TIMER
BODY CONTROL PACKAGE (CA)	C7C-Z1X	Standard	WITHOUT CUSTOMER UNIQUE VEHICLE PARAMETERS
DR PERFORMANCE PARAMETERS	UDRP	Standard	WITHOUT DRIVER PERFORMANCE PARAMETERS
FUEL ECON CALC DISTANCE INTER	UFECD	Standard	WITHOUT FUEL ECONOMY CALCULATION DISTANCE INTERVAL
FUEL ECON RWRD, SPD LMT INCRS	UFERSLI	Standard	WITHOUT FUEL ECONOMY REWARD, SPEED LIMIT INCREASE

User  
BRYAN SAPP

Date  
8/9/2022

Time  
2:44:27PM

Quote no.  
NEXT2022000120C620



DATAMAX ENGINE OVERSPEED-COMPANY	EOSA2200	Standard	ENGINE OVERSPEED, ALL CONDITIONS, TIME LOG IF ABOVE 2200 RPM		
DATAMAX ENGINE OVERSPEED-FUEL	EOSF2100	Standard	ENGINE OVERSPEED, FUELED, TIME LOG IF ABOVE 2100 RPM		
DATAMAX VEHICLE OVERSPEED-ALL	VOSAC75	Standard	VEHICLE OVERSPEED,ALL COND, TIME LOG IF ABOVE 75MPH (121KMH)		
DATAMAX VEHICLE OVERSPEED-FUEL	VOSF70	Standard	VEHICLE OVERSPEED, FUELED, TIME LOG IF ABOVE 70MPH (113KMH)		
DATAMAX IDLE LOG DELAY	EIDL02	Standard	ENGINE IDLE DELAY TO START LOG, 2 MIN		
PERIODIC TRIP LOG HOUR OF DAY	UPTLOGH	Standard	WITHOUT PERIODIC TRIP LOG, HOUR		
PERIODIC TRIP LOG DAY OF WEEK	UPTLOD	Standard	WITHOUT PERIODIC TRIP LOG, DAY OF WEEK		
PERIODIC TRIP LOG DAY OF MONTH	PTLOM01	Standard	PERIODIC TRIP LOG, DAY 1 OF THE MONTH		
GUARDDOG MAINT. MONITORING	USAS	Standard	WITHOUT SERVICE ALERT SYSTEM		
<b>PTO ELECTRONICS</b>					
FAN ENGAGEMENT DUE TO PTO	UFANEPTO	Standard	WITHOUT FAN ENGAGEMENT DUE TO PTO		
TRANS PTO1 SPLITTER RANGE	UPTO1SR	Option	W/O PTO1 FOR SPLITTER RANGE		
TRANS PTO2 SPLITTER RANGE	UPTO2SR	Option	W/O PTO2 SPLITTER RANGE		
PTO 1ST, SINGLE SPEED CONTROL	UPTO1SSC	Standard	WITHOUT PTO 1ST, SINGLE SPEED CONTROL		
PTO1 SINGLE SPEED CONTROL RPM.	1PSS1000	Standard	PTO 1ST, SINGLE SPEED SETTING, 1000 RPM		
PTO 1ST, MAX ROAD SPEED	1PMXS10	Standard	1ST PTO, MAX ROAD SPEED, 10 MPH (16 KPH)		
PTO 1ST, SPEED RAMP RATE	1PRR100	Standard	PTO 1ST, SPEED RAMP RATE 100 RPM/SEC		
PTO 1ST, MAX ENGINE SPEED	1PMX2100	Standard	PTO 1ST, MAX ENGINE SPEED, 2100 RPM		
PTO 1ST, ROAD SPEED LIMIT	1PRS97	Standard	PTO 1ST, ROAD SPEED LIMIT, 97 KMH (60 MPH)		
PTO 1ST,JUMP TO MIN ENG SPEED	U1PJMIS	Standard	WITHOUT PTO 1ST, JUMP TO MINIMUM ENGINE SPEED		
PTO 1ST, MINIMUM ENGINE SPEED	1PMI600	Standard	PTO 1ST, MINIMUM ENGINE SPEED, 600 RPM		
PTO 1ST,AUTO SET SINGLE SPEED	U1PTOASP	Standard	PTO 1ST, AUTO SET SINGLE SPEED, DISABLE		
PTO1 HOLD TO NEAREST RPM	UPTO1H	Standard	WITHOUT PTO1 HOLD		
PTO1 ACCEL BUMP-UP RPM	UPTO1U	Standard	WITHOUT PTO1 ACCEL "BUMP-UP"		
PTO1 DECEL BUMP-DOWN RPM	UPTO1D	Standard	WITHOUT PTO1 DECEL "BUMP-DOWN"		
PTO 2ND, SINGLE SPEED CONTROL	UPTO2SSC	Standard	WITHOUT 2ND PTO, SINGLE SPEED CONTROL		
PTO 2ND, SINGLE SPEED SETTING	2PSS1000	Standard	PTO 2ND, SINGLE SPEED SETTING, 1000 RPM		
PTO 2ND, MAX ROAD SPEED	2PMXS10	Standard	2ND PTO, MAX ROAD SPEED, 10 MPH (16 KPH)		
PTO 2ND, SPEED RAMP RATE	2PRR100	Standard	PTO 2ND, SPEED RAMP RATE 100 RPM/SEC		
PTO 2ND, MAX ENGINE SPEED	2PMX2100	Standard	PTO 2ND, MAX ENGINE SPEED, 2100 RPM		
PTO 2ND, ROAD SPEED LIMIT	2PRS97	Standard	PTO 2ND, ROAD SPEED LIMIT, 97 KMH (60 MPH)		
PTO 2ND,JUMP TO MIN ENG SPEED	U2PJMIS	Standard	WITHOUT PTO 2ND, JUMP TO MINIMUM ENGINE SPEED		
PTO 2ND, MINIMUM ENGINE SPEED	2PMI600	Standard	PTO 2ND, MINIMUM ENGINE SPEED, 600 RPM		
PTO 2ND,AUTO SET SINGLE SPEED	U2PTOASP	Standard	PTO 2ND, AUTO SET SINGLE SPEED, DISABLE		

User  
BRYAN SAPP

Date  
8/9/2022

Time  
2:44:27PM

Quote no.  
NEXT2022000120C620



PTO2 HOLD TO NEAREST RPM	UPTO2H	Standard	WITHOUT PTO2 HOLD
PTO2 ACCEL BUMP-UP RPM	UPTO2U	Standard	WITHOUT PTO2 ACCEL "BUMP-UP"
PTO2 DECEL BUMP-DOWN RPM	UPTO2D	Standard	WITHOUT PTO2 DECEL "BUMP-DOWN"
<b>PAINT</b>			
PAINT DESIGN	9503100	Standard	SINGLE COLOR
PAINT TYPE	9240001	Standard	SOLID PAINT
PAINT COLOR - FIRST COLOR	9442007	Standard	MACK WHITE; P9188
PAINT COLOR - SECOND COLOR	9451000	Standard	NO SECOND TRUCK COLOR PROVIDED; NO COLOR
PAINT COLOR - THIRD COLOR	9461000	Standard	NO THIRD TRUCK COLOR PROVIDED; NO COLOR
PAINT - CAB PAINT SYSTEM	9960002	Standard	PAINT - CAB, URETHANE CLEAR COAT
CAB COLOR	MPB0944	Standard	SAME AS FIRST COLOR - CAB
HOOD COLOR	MPD0944	Standard	SAME AS FIRST COLOR - HOOD
CHASSIS FAIRING COLOR	9430000	Standard	WITHOUT CHASSIS FAIRINGS
SUN VISOR COLOR	9660000	Standard	WITHOUT SUN VISOR PAINT
MIRROR COVER COLOR	9400000	Standard	WITHOUT MIRROR COVER PAINT
SLEEPER ROOF COLOR	MPC0000	Standard	WITHOUT SLEEPER ROOF COLOR
ROOF FAIRING COLOR	MPA0000	Standard	WITHOUT ROOF FAIRING
CHASSIS RUNNING GEAR	9512006	Standard	MACK BLACK (URETHANE); P3036
BUMPER	9580000	Option	W/O OPTIONAL BUMPER PAINT
FUEL TANK - ***NO INVENTED VARIANTS ALLOWED in the FUEL TANK PAINT FAMILY***	9590000	Standard	W/O OPTIONAL FUEL TANK PAINT
HUBS & DRUMS-FRONT	9629902	Standard	SAME AS CHASSIS RUNNING GEAR
HUBS & DRUMS-REAR	9639902	Standard	SAME AS CHASSIS RUNNING GEAR
<b>CALCULATED CODES - KAX</b>			
PROPCALC SELECTION	PROPCALC	Standard	YES, THE ORDER MUST BE CALCULATED
AUTO ROUTING & CLIPPING, CENTER	UARC	Standard	WITHOUT AUTO ROUTING & CLIPPING PLACEMENT, CENTER
<b>BASE WARRANTY &amp; PURCHASED COVERAGES</b>			
VEHICLE WARRANTY TYPE	8980003	Standard	HEAVY DUTY WARRANTY CLASSIFICATION
BASIC CHASSIS COVERAGE	M501002	Standard	HEAVY DUTY STANDARD BASE COVERAGE 12 MONTHS/100,000 MILES (161,000 KM)
EMISSION - SURCHARGE	M830400	Option	EPA (only) for Mack MP7 / MP8 Diesel
ENGINE WARRANTY	M511001	Standard	MACK MP7/MP8 BASE ENGINE COVERAGE 24 MONTHS / 250,000 MILES (402,000KM)
EMISSION COMPONENT COVERAGE	M521001	Standard	US and CANADA EQUIPPED VEHICLE EMISSION COMPONENTS COVERAGE 60 MONTHS/100,000 MILES (161,000 KM)
ENGINE AFTERTREATMENT SYSTEM	M530000	Standard	W/O MACK ENGINE AFTERTREATMENT PROTECTION PLAN
TRANSMISSION WARRANTY	M541010	Option	ALLISON TRANSMISSIONS (Contact Allison Transmission for standard warranty and extended coverage data
mDRIVE CLUTCH PROTECTION PLAN	M710000	Standard	WITHOUT mDRIVE CLUTCH PROTECTION PLAN
CARRIER & AXLE HOUSING WARRANTY	M551014	Standard	STANDARD MACK HEAVY DUTY COVERAGE 60 MONTHS / 500,000 (804,672 KM)

User  
BRYAN SAPP

Date  
8/9/2022

Time  
2:44:27PM

Quote no.  
NEXT2022000120C620

AIR CONDITIONING WARRANTY	M561000	Standard	AIR CONDITIONING STANDARD COVERAGE (Sealed System Only) 12 MONTHS UNLIMITED MILEAGE		
CHASSIS TOWING WARRANTY	M571000	Standard	STANDARD NORMAL / HEAVY DUTY CHASSIS TOWING 90 DAYS OR 5,000 MILES		
ENGINE TOWING WARRANTY	M581000	Standard	STANDARD MACK ENGINE TOWING COVERAGE 24 MONTHS/250,000 MILES (402,000 KM)		
ALTERNATOR & STARTER WARRANTY	M610000	Standard	W/O ALTERNATOR and STARTER EXTENDED WARRANTY COVERAGE		
STARTER WARRANTY	M590000	Standard	W/O STARTER PURCHASED COVERAGE		
ALTERNATOR WARRANTY	M600000	Standard	W/O ALTERNATOR PURCHASED COVERAGE		
GUARDDOG CONNECT BUNDLE	M691010	Standard	24 MONTH - GUARDDOG CONNECT WITH MACK OTA (with ASIST and Mack OneCall))		
PARTNERED SERVICES	M680000	Standard	W/O TELEMATIC SERVICE PACKAGE		
PREPAID API	M780001	Standard	WITHOUT PREPAID API		
SERVICE AGREEMENTS	M650000	Standard	W/O PREMIUM SERVICE AGREEMENT		
PREMIUM MAINTENANCE AFTERTREATMENT PLAN	M660000	Standard	W/O AFTERTREATMENT PREMIUM MAINTENANCE PLAN		
PREMIUM MAINTENANCE - CHASSIS LUBE AND INSPECTION	M671000	Standard	W/O PREMIUM MAINTENANCE - CHASSIS LUBE AND INSPECTION COVERAGE		
CUSTOM/BUNDLED PURCHASE COVERAGE OPTIONS	M990000	Standard	W/O CUSTOM/BUNDLED PURCHASE COVERAGE OPTION		
<b>Total(\$)</b>				215,701	