



MAC WASTE TRAILER, INC

2360 W. MAIN ST.
ALLIANCE, OH 44601
Phone: (234) 214-6420
Website: WWW.MACTRAILER.COM

Due to Tariffs, Trailer pricing is subject to change at Manufacturer discretion and delivered unit pricing will be finalized 90 days prior to start of production

MOVINGFLOOR SP Quote ID # 125699 JOB # 91112 Rev 6

Table with customer information: Customer (NATIONWIDE HAUL, LLC), Dealer Name (MAC TRAILER MFG, INC), Quote Date (8/15/25), Quote Expires (9/14/25), Qty (1), Cubic Yards (116), Weight (17538 lbs. ***)

Mfg Salesman DAVID EDWARDS Model Code MM Plant of Mfg W
Cust P.O. # Cust Unit #
Dir Sls Rep Sls Rep Email

Model # TNSP48FR1000-2027 VIN # 5MAMN4826VW091112
JOB GROUP: 91109,91110,91111,91112,91113,91114

BODY

Table with body specifications: NO. OF UPRIGHTS TO ADD OR SUBTRACT (1), GATE BRACING (NO BRACING), PRIMARY AXLE TIRE INFLATION SYSTEM (MOVED TO CHASSIS), LENGTH (48), WIDTH (102), DRIVE UNIT (KEITH, 25 SLAT 3 IN. CYLINDERS), FLOOR (KEITH 2299 (2218), 1/2 IN. TRIPLE RIDGE (102 W)), CROSSMEMBER SPACING (5-1/4 IN. I-BEAMS, 12 O.C.), RUBBER SEAL (YES), WALL HEIGHT (100), TOP RAIL OPTION (6 IN. W X 9 IN. T X 5/8 IN.), NO. OF UPRIGHTS (20), HORIZONTAL BRACING (NONE), TARP BAR (YES, SINGLE), BULKHEAD (3/16 IN.), BULKHEAD STEPS (CATWALK & LADDER W/ STEPS INSIDE), FRONT FENDERS WITH FLAPS (NONE), BOTTOM RAIL (SQUARE, NO CLEAN OUT), UPPER CROSS TUBES / CAPS ((1) SPRING-MID & (1) TUBE-REAR), TIRE CARRIER (NONE), GATE SHEET THICKNESS (SMOOTH SIDE PANELS), GATE OPERATION (MECHANICAL SIDE LATCH), HINGE TYPE (C.S. SIDE SWING), SAFETY CHAIN (YES), WINDERS / SAFETY LATCH (WINDERS (1) SIDE ONLY)

GATE STEPS	UP CENTER OF GATE OUTSIDE ONLY
TARP HOOKS	BULKHEAD AND GATE
MODEL	CLOSED TANDEM
NO. OF PRIMARY AXLES	2
SUSPENSION	MAC FABBED GALVANIZED SINGLE LEAF TAN. (49)
AXLE SPACING	49
SUB-FRAME	TANDEM, HI-TENSILE FAB. (SPRING RIDE ONLY)
AXLES	77.5 IN., HEND. 5/8 IN. WALL TP W/ 25K
BRAKES	7 IN. XL, W/ 30-30 CHAMBERS
CAM GUARDS	NONE
HUB AND DRUM	CAST W/ STEEL HUB HP 10 STUD TP, LS, 7 IN.
TIRES	GENERAL RA 11 R 22.5 16 PLY
WHEELS	STEEL HP 22.5X8.25 - WHITE POWDER COATED
NO. OF LIFT AXLES	0
LIFT AXLE SUSPENSION	NONE
LIFT KIT	NONE
LIFT AXLE DISTANCE	N/A
LIFT AXLE	NONE
LIFT AXLE BRAKES	NONE
LIFT AXLE CAM GUARDS	NONE
LIFT AXLE HUB AND DRUM	NONE
LIFT AXLE TIRES	NONE
LIFT AXLE WHEELS	NONE
LIFT AXLE CONTROLS	NONE
FREE WHEEL VALVE	NONE

LIGHTS

LIGHT TYPE	GROTE L.E.D. W/ GROMMET
LIGHT PANEL	3 LARGE-3 SMALL-3 LARGE (IN TAILGATE) OOO ooo OOO
APRON	NONE
STD. MARKER LIGHTS	(5) EACH SIDE
MID-TURNS	(1) PAIR L.E.D. (NON-COMBO)
BACK-UP LIGHTS	NONE
AUXILIARY CABLE	NONE
REAR POCKET LIGHTS	1 PAIR

STEERABLE LIFT AXLES

NO. OF STEERABLE AXLES	0
STEERABLE AXLE SUSPENSION	NONE
STEERABLE AXLE DISTANCE	N/A
STEERABLE AXLES	NONE
STEERABLE AXLE BRAKES	NONE
STEERABLE AXLE HUB AND DRUMS	NONE
STEERABLE AXLE TIRES	NONE
STEERABLE AXLE WHEELS	NONE
STEERABLE AXLE CONTROLS	NONE
STEERABLE AXLE LIFT KIT	NONE

CHASSIS

PIN SETTING	36
5TH WHEEL PLATE	3/8 LOW PROFILE
5TH WHEEL PLATE HEIGHT	49 IN. HIGH
GALVANIZED SUSPENSION HANGERS	INCLUDED W/ SUSPENSION
SUSPENSION CONTROL	NONE
ABS FOR TRAILER	(1) 2S1M MERITOR / WABCO
SLACKS	AUTOMATIC
TIRE INFLATION SYSTEM	NONE
AXLE LUBRICATION	HXL, SYNTHETIC SEMI-FLUID GREASE
HUBODOMETER	NONE
DUST COVERS	NONE
DOLLIES - LANDING GEAR - LANDING LEGS	JOST H451 - (62,500 LB.) - 10 YEAR NO LUBE - GALVANIZED STEEL - D.S.

REGISTRATION HOLDER	NONE
AIR GAUGE / SYSTEM	NONE
ENCLOSURE FOR SWITCHES	NONE
AIR TANKS	ALUMINUM TANK
HYDRAULIC HOSE FITTING	1 IN. X 108 IN. HOSE W/ WING FITTING
FLAPS FRONT OF TIRES	NONE
FLAPS REAR OF TIRES	FLAP BEHIND REAR AXLE
BUMPER	MOVER BUMPER

TARP

TARP MANUFACTURER	NONE
TARP CONTROL	NONE
TARP COLOR	NONE
BOW HOLDERS	NONE
TARP BRACKET	NONE

PAINT

SUSPENSION COLOR	BLACK SOFT COAT
PIN STRIPING	BLACK (931716)
MAC MACHINE FINISH LOGOS	BLACK (931716)
OPTIONAL SIGNS	NONE

Thank you for your business

ORDER CANCELLATION POLICY

Orders configured with common published and non-published options will not be subject to a cancellation penalty when the Manufacturer receives the request for cancellation 12 or more weeks prior to the scheduled production date. All cancellation requests received within 12 weeks but no less than 8 weeks of the scheduled production start date must be approved by the Product Manager for the specified product line and will be subject to a \$2500.00 cancellation fee. Cancellation requests within 8 weeks of the scheduled production start date will not be accepted.

***** denotes a weight for reference only. Trailer weight will be provided with the engineering design approval packet.**

17,200 Actual Scale Weight