

# DRAFT ORDINANCE AMENDMENTS

## Section 14.74.210 – Bicycle Parking Requirements

- A. Short-term bicycle parking space design standards (Class II bicycle parking).
1. Shall be located on a hard and stable surface such as concrete, asphalt, or pavers.
  2. Shall be securely anchored to the ground so they cannot be easily removed and shall be of sufficient strength to resist vandalism and theft.
  3. Shall support bicycles by at least two contact points on the bicycle to prevent the bicycle from pivoting and falling over, such as the inverted U-rack design.
  4. Shall be composed of stainless steel or steel with any of the following finishes: galvanized, polyester-powder coat paint, thermoplastic, or PVC jacket.
  5. Shall be located in a convenient, highly visible, and well lighted area near building entrances on private property.
  6. If located within vehicle parking areas, shall be separated by a curb or other physical barrier to protect bicycles from damage by automobiles and other moving vehicles.
  7. Short-term bicycle parking provided at educational facilities including, without limitation, primary schools, secondary schools, and post-secondary schools (including trade schools), whether public or private, shall be provided in locked, gated spaces.
- B. Long-term bicycle parking space design standards (Class I bicycle parking).
1. Long-term bicycle parking provided through bicycle lockers shall meet the following requirements:
    - a. Shall not be intended for use by more than two bicycles per locker.
    - b. Shall not be stacked on top of each other.
    - c. Shall have minimum dimensions of 42 inches wide, 72 inches deep, and 54 inches high.
    - d. Must be able to withstand a load of 200 pounds per square foot and opened doors must be able to withstand a 500-pound minimum vertical load.
    - e. Shall not be coin operated or require any charge for use.
  2. Long-term bicycle parking provided through locked storage rooms shall meet the following requirements:
    - a. Long-term parking shall be a fully enclosed or located indoors. These enclosures could be located inside a building or parking garage.
    - b. Any windows shall be made of shatterproof glass to prevent vandalism and theft.
    - c. Doors shall lock automatically and shall be equipped with deadbolt locks. Only metal doors shall be used, and entryways shall comply with disability access laws.
    - d. Users shall be able to secure their bikes to racks located inside the space with user-provided U-locks.

## DRAFT ORDINANCE AMENDMENTS

- e. Ceiling heights must be at least 8 feet.
- f. Minimum aisle widths shall be 72 inches to provide space for maneuverability.
- g. A minimum of one electric bicycle charging station shall be provided per project. If twenty or more long-term bicycle parking spaces are required to be provided, then an additional charging station shall be provided for every twenty long-term bicycle parking spaces required, or fraction thereof. Signage shall be provided to direct individuals to charging outlets.

### C. Number of bicycle spaces required.

1. The minimum number of short-term and long-term bicycle parking spaces shall be provided for each development or use as shown in the following table. Any use requiring five-tenths or more parking space shall be deemed to require a full space.

Use	Short-Term Bicycle Parking	Long-Term Bicycle Parking
Cultural or Recreational (Includes Theaters, Museums, Religious Institutions, Private Clubs, and Gyms)	1 space per 1,000 sq. ft.	1 space per 10 employees
Day Care Facilities	1 space per 25 children	1 space per 10 employees
Emergency Shelters and Transitional Housing	0.2 space per bed	1 space per 10 employees
Government and Institutional	1 space per 3,000 sq. ft.	1 space per 20 employees
Hotels and Motels	1 space per 15 rooms	1 space per 10 employees
Hospitals, Residential Care Homes, Convalescent Homes	1 space per 30 beds	1 space per 10 employees
Industrial	1 space per 5,000 sq. ft.	1 space per 5,000 sq. ft.
Medical & Dental Clinics	1 space per 2,000 sq. ft.	1 space per 10 employees
Multifamily Residential	1 space per 20 units	1 per unit
Offices	1 space per 10,000 sq. ft. or a minimum of 2, whichever is greater.	1 per 2,000 sq. ft. or a minimum of 4, whichever is greater.
Personal Service	1 space per 2,000 sq. ft.	1 space per 10 employees
Retail/Commercial	1 space per 2,000 sq. ft.	1 space per 10 employees
Restaurants	1 space per 800 sq. ft.	1 space per 10 employees
Schools	1 space per 8 students	1 space per 10 employees
Other Uses	Same as most similar use listed as determined by the Development Services Director	Same as most similar use listed as determined by the Development Services Director

# DRAFT ORDINANCE AMENDMENTS