

REMODELS - ADDITIONS - NEW HOMES

*Marcie MacDonough, Architect*

CALIFORNIA ARCHITECT C33477  
OREGON ARCHITECT ARI-14073

160 S. OAK  
100 PMB 192  
SISTERS, OR 97759

(408) 455-5103  
MARGIEMACD@GMAIL.COM

## Remodel Project - Proposed Window Sample

This photo is of an example of **Marvin Elevate** windows found in a home in the Historic Shasta Hanchett neighborhood in San Jose. We are proposing similar windows for the Nadeau Festa Home at **155 Hernandez Avenue, Los Gatos**



## UNIT SUMMARY

The following is a schedule of the windows and doors for this project. For additional unit details, please see Line Item Quotes.


Additional charges, tax or Terms and Conditions may apply. Detail pricing is per unit.

NUMBER OF LINES: 3		TOTAL UNIT QTY: 3		EXT NET PRICE: USD 1,975.11		
LINE	MARK UNIT	PRODUCT LINE	ITEM	NET PRICE	QTY	EXTENDED NET PRICE
1		Elevate	Casement CN 2155 RO 21" X 55 5/8" Entered as CN 2155	654.50	1	654.50
2		Elevate	Casement Picture CN 4155 RO 41" X 55 5/8" Entered as CN 4155	666.11	1	666.11
3		Elevate	Casement CN 2155 RO 21" X 55 5/8" Entered as CN 2155	654.50	1	654.50

## LINE ITEM QUOTES

The following is a schedule of the windows and doors for this project. For additional unit details, please see Line Item Quotes. Additional charges, tax or Terms and Conditions may apply. Detail pricing is per unit.

Line #1	Mark Unit:	Net Price:		654.50
Qty: 1		Ext. Net Price:	USD	654.50



As Viewed From The Exterior

**Entered As:** CN  
 CN 2155  
 FS 20" X 55 1/8"  
 RO 21" X 55 5/8"  
**Egress Information**  
 Width: 11 15/64" Height: 50 23/32"  
 Net Clear Opening: 3.96 SqFt  
**Performance Information**  
 U-Factor: 0.27  
 Solar Heat Gain Coefficient: 0.18  
 Visible Light Transmittance: 0.42  
 Condensation Resistance: 59  
 CPD Number: MAR-N-250-01074-00001  
 ENERGY STAR: SC, S  
**Performance Grade**  
 Licensee #898  
 AAMA/WDMA/CSA/101/ I.S.2/A440-08  
 LC-PG50 610X1807 mm (25X71.5 in)  
 LC-PG50 DP +50/-50  
 FL9684


Stone White Exterior  
 White Interior ..... 73.18  
 Elevate Casement - Left Hand ..... 448.64  
 CN 2155  
 Rough Opening 21" X 55 5/8"  
 Stone White Exterior  
 White Interior  
 IG ..... 15.73  
 Low E3 w/Argon  
 Stainless Perimeter and Spacer Bar  
 7/8" SDL - With Spacer Bar - Stainless ..... 95.75  
 Cottage 3W1H  
 4 Rect Lites  
 18" DLO Height  
 Stone White Ext - White Int  
 White Folding Handle  
 Interior Aluminum Screen ..... 21.20  
 Bright View Mesh  
 White Surround  
 4 9/16" Jamb  
 Nailing Fin

\*\*\*Note: Divided lite cut alignment may not be accurately represented in the OMS drawing. Please consult your local representative for exact specifications.  
**\*\*\*Note: Unit Availability and Price is Subject to Change**

Line #2	Mark Unit:	Net Price:		666.11
Qty: 1		Ext. Net Price:	USD	666.11



Stone White Exterior  
 Bare Pine Interior  
 Elevate Casement Picture ..... 588.15  
 CN 4155  
 Rough Opening 41" X 55 5/8"  
 Stone White Exterior  
 Bare Pine Interior  
 IG ..... 30.09  
 Low E3 w/Argon  
 Stainless Perimeter and Spacer Bar  
 7/8" SDL - With Spacer Bar - Stainless ..... 47.87  
 Cottage 1W1H  
 2 Rect Lites




As Viewed From The Exterior

18" DLO Height  
 Stone White Ext - Bare Int  
 4 9/16" Jambs  
 Nailing Fin  
 \*\*\*Note: Divided lite cut alignment may not be accurately represented in the OMS drawing. Please consult your local representative for exact specifications.  
 \*\*\*Note: Unit Availability and Price is Subject to Change

**Entered As:** CN  
 CN 4155  
 FS 40" X 55 1/8"  
 RO 41" X 55 5/8"  
**Egress Information**  
 No Egress Information available.  
**Performance Information**  
 U-Factor: 0.26  
 Solar Heat Gain Coefficient: 0.2  
 Visible Light Transmittance: 0.47  
 Condensation Resistance: 58  
 CPD Number: MAR-N-252-01640-00001  
 ENERGY STAR: SC, S  
**Performance Grade**  
 Licensee #900  
 AAMA/WDMA/CSA 101/I.S.2/A440-17  
 LC-PG50 1422X1807 mm (56X71.13 in)  
 LC-PG50 DP +50/-50  
 FL9690

Line #3	Mark Unit:	Net Price:		654.50
Qty: 1		Ext. Net Price:	USD	654.50



As Viewed From The Exterior

Stone White Exterior  
 White Interior ..... 73.18  
 Elevate Casement - Right Hand ..... 448.64  
 CN 2155  
 Rough Opening 21" X 55 5/8"  
 Stone White Exterior  
 White Interior  
 IG ..... 15.73  
 Low E3 w/Argon  
 Stainless Perimeter and Spacer Bar  
 7/8" SDL - With Spacer Bar - Stainless ..... 95.75  
 Cottage 3W1H  
 4 Rect Lites  
 18" DLO Height  
 Stone White Ext - White Int  
 White Folding Handle  
 Interior Aluminum Screen ..... 21.20  
 Bright View Mesh  
 White Surround  
 4 9/16" Jambs  
 Nailing Fin  
 \*\*\*Note: Divided lite cut alignment may not be accurately represented in the OMS drawing. Please consult your local representative for exact specifications.  
 \*\*\*Note: Unit Availability and Price is Subject to Change

**Entered As:** CN  
 CN 2155  
 FS 20" X 55 1/8"  
 RO 21" X 55 5/8"  
**Egress Information**  
 Width: 11 15/64" Height: 50 23/32"  
 Net Clear Opening: 3.96 SqFt  
**Performance Information**

U-Factor: 0.27  
Solar Heat Gain Coefficient: 0.18  
Visible Light Transmittance: 0.42  
Condensation Resistance: 59  
CPD Number: MAR-N-250-01074-00001  
ENERGY STAR: SC, S  
**Performance Grade**  
Licensee #898  
AAMA/WDMA/CSA/101/ I.S.2/A440-08  
LC-PG50 610X1807 mm (25X71.5 in)  
LC-PG50 DP +50/-50  
FL9684

Project Subtotal Net Price: USD	1,975.11
9.125% Sales Tax: USD	180.23
Project Total Net Price: USD	2,155.34

## PRODUCT AND PERFORMANCE INFORMATION

### NFRC Ratings:


NFRC energy ratings may vary depending on the exact configuration of glass thickness used on the unit. NFRC energy values and ratings may change over time due to ongoing product changes, updated test results or requirements. NFRC values and ratings are finalized on the date of manufacture.

The National Fenestration Rating Council (NFRC) has developed and operates a uniform rating system for the energy performance of fenestration products, including windows, doors and skylights. For additional information regarding this rating system, see [www.nfrc.org](http://www.nfrc.org).


### Code (residential, building or energy) Compliance:

Determining the suitability and compliance with state, provincial, local, or other applicable building codes or standards, including energy codes, is the responsibility of the buyer, user, architect, contractor, installer, and/or other construction professional.

### 2021 IECC Climate Zone Map:



### ENERGY STAR Version 7 Climate Zone Map:






## CALIFORNIA USERS

### About California Proposition 65

California's Proposition 65 entitles California consumers to special warnings for products that contain chemicals known to the state of California to cause cancer and birth defects or other reproductive harm.

We are providing the following warnings in connection with this quote:

-  **WARNING:** This product can expose you to chemicals including titanium dioxide, which is known to the State of California to cause cancer. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).
-  **WARNING:** This product can expose you to chemicals including methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).
-  **WARNING:** Drilling, sawing, sanding or machining wood products can expose you to wood dust, a substance known to the State of California to cause cancer. Avoid inhaling wood dust or use a dust mask or other safeguards for personal protection. For more information go to [www.P65Warnings.ca.gov/wood](http://www.P65Warnings.ca.gov/wood).

### California Warranties

Pursuant to California Civil Code Section 1973.01, for product sold and originally delivered in California, the Limited Warranty is made and the warranty notice period begins to run on the original date of product delivery.

***This Page  
Intentionally  
Left Blank***