

#### dba: RENEWAL BY ANDERSEN OF SAN FRANCISCO

Legal Name: Jemico, LLC | License # CA CSLB#: 972702



Measure Tech: Pirthy Jassi,

# Installation Package

354 Bachman Ct. Los Gatos, CA 95030

PRODUCTS: 14 WINDOWS: 12 PATIO DOORS: 1 ENTRY DOORS: 0 SPECIALTY: 0 MISC: 1

Updated 11/19/24

BUYER

**John Haas** 

354 Bachman Ct. Los Gatos, CA 95030

Year Built:

Est. Duration: 4 days

REPRESENTATIVE

Jon Persson

TECH MEASUDE

**Pirthy Jassi** 

dba: RENEWAL BY ANDERSEN OF SAN FRANCISCO

Legal Name: Jemico, LLC | License # CA CSLB#: 972702

Measure Tech: Pirthy Jassi,



## dba: RENEWAL BY ANDERSEN OF SAN FRANCISCO

Legal Name: Jemico, LLC | License # CA CSLB#: 972702

John Haas 354 Bachman Ct. Los Gatos, CA 95030

Measure Tech: Pirthy Jassi,

ID#	ROOM	SIZE		DETAILS
JOB				
203	Primary Bedroom	25" 23-1/2"	63" <b>62"</b>	Window: Acclaim™ Double-Hung (DG), 1:1, Slope Sill, Base Frame, Traditional Checkrail, Exterior White, Interior White Performance Calculator: PG Rating: 40   DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun with HeatLock Glass, No Pattern Hardware: White, Standard Color Recessed Hand Lift, Standard Color Extra Recessed Hand Lift Screen: TruScene, Full Screen Grille Style: No Grille Misc: 2nd Floor Install Construction: 2nd Floor Charge (1) Material: Flashing Tape 4" (0.25), Foam Can (0.15), White Caulk (Retro) (5), White L-Trim 12ft (2), White Retro-L Coil 10ft (2) Sill Angle: 14°
204	Primary Bedroom	28" 27-1/2"	62" 61-1/2"	Window: Acclaim™ Double-Hung (DG), 1:1, Slope Sill, Base Frame, Traditional Checkrail, Exterior White, Interior White Performance Calculator: PG Rating: 40   DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun with HeatLock Glass, No Pattern Hardware: White, Standard Color Recessed Hand Lift, Standard Color Extra Recessed Hand Lift Screen: TruScene, Full Screen Grille Style: No Grille Misc: 2nd Floor Install Construction: 2nd Floor Charge (1) Material: Flashing Tape 4" (0.25), Foam Can (0.15), White Caulk (Retro) (5), White L-Trim 12ft (2), White Retro-L Coil 10ft (2) Sill Angle: 14°
205	Primary Bedroom	29" <b>27-1/2"</b>	63" <b>62"</b>	Window: Acclaim™ Double-Hung (DG), 1:1, Slope Sill, Base Frame, Traditional Checkrail, Exterior White, Interior White Performance Calculator: PG Rating: 40   DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun with HeatLock Glass, No Pattern Hardware: White, Standard Color Recessed Hand Lift, Standard Color Extra Recessed Hand Lift Screen: TruScene, Full Screen Grille Style: No Grille Misc: 2nd Floor Install Construction: 2nd Floor Charge (1) Material: Flashing Tape 4" (0.25), Foam Can (0.15), White Caulk (Retro) (5), White L-Trim 12ft (2), White Retro-L Coil 10ft (2) Sill Angle: 14°

11/19/24 Page 2 / 39



## dba: RENEWAL BY ANDERSEN OF SAN FRANCISCO

Legal Name: Jemico, LLC | License # CA CSLB#: 972702

John Haas 354 Bachman Ct. Los Gatos, CA 95030

Measure Tech: Pirthy Jassi,

	Medsare reen. Firthy sassi,				
ID#	ROOM	SIZE		DETAILS	
201	Primary Bedroom	34" <b>31-1/2"</b>	63" <b>61-1/2"</b>	Window: Acclaim™ Double-Hung (DG), 1:1, Slope Sill, Base Frame, Traditional Checkrail, Exterior White, Interior White Performance Calculator: PG Rating: 40   DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun with HeatLock Glass, No Pattern Hardware: White, Standard Color Recessed Hand Lift, Standard Color Extra Recessed Hand Lift Screen: TruScene, Full Screen Grille Style: No Grille Misc: 2nd Floor Install Construction: 2nd Floor Charge (1) Material: Flashing Tape 4" (0.25), Foam Can (0.15), White Caulk (Retro) (6), White L-Trim 12ft (2), White Retro-L Coil 10ft (2) Sill Angle: 14°	
202	Primary Bedroom	33" <b>31-1/2"</b>	63" <b>61-1/2"</b>	Window: Acclaim™ Double-Hung (DG), 1:1, Slope Sill, Base Frame, Traditional Checkrail, Exterior White, Interior White Performance Calculator: PG Rating: 40   DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun with HeatLock Glass, No Pattern Hardware: White, Standard Color Recessed Hand Lift, Standard Color Extra Recessed Hand Lift Screen: TruScene, Full Screen Grille Style: No Grille Misc: 2nd Floor Install Construction: 2nd Floor Charge (1) Material: Flashing Tape 4" (0.25), Foam Can (0.15), White Caulk (Retro) (6), White L-Trim 12ft (2), White Retro-L Coil 10ft (2) Sill Angle: 14°	
206	office	23" <b>23-1/2"</b>	63" <b>61-1/2"</b>	Window: Acclaim™ Double-Hung (DG), 1:1, Slope Sill, Base Frame, Traditional Checkrail, Exterior White, Interior White Performance Calculator: PG Rating: 40   DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun with HeatLock Glass, No Pattern Hardware: White, Standard Color Recessed Hand Lift, Standard Color Extra Recessed Hand Lift Screen: TruScene, Full Screen Grille Style: No Grille Misc: 2nd Floor Install Construction: 2nd Floor Charge (1) Material: Flashing Tape 4" (0.25), Foam Can (0.15), White Caulk (Retro) (5), White L-Trim 12ft (2), White Retro-L Coil 10ft (2) Sill Angle: 14°	

11/19/24 Page 3 / 39



## dba: RENEWAL BY ANDERSEN OF SAN FRANCISCO

Legal Name: Jemico, LLC | License # CA CSLB#: 972702

John Haas 354 Bachman Ct. Los Gatos, CA 95030

Measure Tech: Pirthy Jassi,

ID#	ROOM	SIZE		DETAILS
207	office	44" 43-1/2"	62 " 61-1/2"	Window: Acclaim™ Double-Hung (DG), 1:1, Meets Egress, Slope Sill, Base Frame, Traditional Checkrail, Exterior White, Interior White Performance Calculator: PG Rating: 40   DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun with HeatLock Glass, No Pattern Hardware: White, Standard Color Extra Lock, Standard Color Recessed Hand Lift, Standard Color Extra Recessed Hand Lift Screen: TruScene, Full Screen Grille Style: No Grille Misc: 2nd Floor Install Construction: 2nd Floor Charge (1) Material: Flashing Tape 4" (0.25), Foam Can (0.15), White Caulk (Retro) (6), White L-Trim 12ft (2), White Retro-L Coil 10ft (2) Sill Angle: 14°
208	office	23" <b>23-1/2"</b>	63" <b>61-1/2"</b>	Window: Acclaim™ Double-Hung (DG), 1:1, Slope Sill, Base Frame, Traditional Checkrail, Exterior White, Interior White Performance Calculator: PG Rating: 40   DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun with HeatLock Glass, No Pattern Hardware: White, Standard Color Recessed Hand Lift, Standard Color Extra Recessed Hand Lift Screen: TruScene, Full Screen Grille Style: No Grille Misc: 2nd Floor Install Construction: 2nd Floor Charge (1) Material: Flashing Tape 4" (0.25), Foam Can (0.15), White Caulk (Retro) (5), White L-Trim 12ft (2), White Retro-L Coil 10ft (2) Sill Angle: 14°
105	Dining	71-1/4" <b>71-1/4"</b>	79-1/2" <b>79-1/2"</b>	Patio Door: Gliding, A-Series Traditional, 2 Panel, Stationary / Active, Grey Sill, Exterior White, Interior Pine, Interior Pre-Finish White Performance Calculator: PG Rating: 50   DP Rating: + 50 / - 50 Glass: All Sash: Tempered High Perf. SmartSun with Heatlock Glass, No Pattern Hardware: Anvers®, Bright Brass, Auxiliary Foot Lock Color Matched Screen: Gliding, Full Screen Grille Style: No Grille Misc: None Construction: Add Exterior Trim (1), Field Assemble Door (KD) / Per Panel (2), Interior Casing/Jamb & Case (1) Material: Flashing Tape 4" (0.25), Foam Can (0.15), White Caulk (Retro) (7), White L-Trim 12ft

11/19/24 Page 4 / 39



## dba: RENEWAL BY ANDERSEN OF SAN FRANCISCO

Legal Name: Jemico, LLC | License # CA CSLB#: 972702

John Haas 354 Bachman Ct. Los Gatos, CA 95030

Measure Tech: Pirthy Jassi,

ID#	ROOM	SIZE		DETAILS
				(2), White Retro-L Coil 10ft (3), Door Pan - 8ft (1), Drip-Cap/Drip-Edge -12ft
				(1), 1x4 Radiatta (AUTO) - 10ft (3), 2-1/4" Colonial (AUTO) - 8ft (3)
103	Living	33"	64"	<b>Window:</b> Acclaim™ Double-Hung (DG), 1:1, Slope Sill, Base Frame,
		31-1/2"	61-1/2"	Traditional Checkrail, Exterior White, Interior White Performance Calculator:
				PG Rating: 40   DP Rating: + 40 / - 40 Glass: All Sash: High Performance
				SmartSun with HeatLock Glass, No Pattern Hardware: White, Standard
				Color Recessed Hand Lift, Standard Color Extra Recessed Hand Lift Screen:
				TruScene, Full Screen Grille Style: No Grille Misc: None Construction: Add
				Exterior Trim (1) Material: Flashing Tape 4" (0.25), Foam Can (0.15), White
				Caulk (Retro) (6), White L-Trim 12ft (2), White Retro-L Coil 10ft (2), 1x4
				Radiatta (AUTO) - 10ft (2) <b>Sill Angle:</b> 14°
104	Living	33"	64"	<b>Window:</b> Acclaim™ Double-Hung (DG), 1:1, Slope Sill, Base Frame,
		31-1/2"	61-1/2"	Traditional Checkrail, Exterior White, Interior White Performance Calculator:
				PG Rating: 40   DP Rating: + 40 / - 40 Glass: All Sash: High Performance
				SmartSun with HeatLock Glass, No Pattern Hardware: White, Standard
				Color Recessed Hand Lift, Standard Color Extra Recessed Hand Lift Screen:
				TruScene, Full Screen Grille Style: No Grille Misc: None Construction:
				None <b>Material:</b> Flashing Tape 4" (0.25), Foam Can (0.15), White Caulk
				(Retro) (6), White L-Trim 12ft (2), White Retro-L Coil 10ft (2) Sill Angle: 14°
		0"	0"	Misc: Misc, All Job Charges Miscellaneous charges, Production OHLJ
		U	U	Adjustment Fee, Quantity 1, Haul Away, Dispose, City, County, State, Home
				Owner Association Regulatory and Compliance Fees (as applicable).
				Construction: None Material: None

11/19/24 Page 5 / 39



#### dba: RENEWAL BY ANDERSEN OF SAN FRANCISCO

Legal Name: Jemico, LLC | License # CA CSLB#: 972702

John Haas 354 Bachman Ct. Los Gatos, CA 95030

Measure Tech: Pirthy Jassi,

ID#	ROOM	SIZE		DETAILS
101	Living	35" <b>35-1/2"</b>	94" <b>94-1/2"</b>	Window: Acclaim™ Double-Hung (DG), 1:1, Limited Travel Reduced 2.25, Slope Sill, Base Frame, Traditional Checkrail, Exterior White, Interior White Performance Calculator: PG Rating: 30   DP Rating: + 30 / - 30 Glass: All Sash: High Performance SmartSun with HeatLock Glass, No Pattern Hardware: White, Standard Color Recessed Hand Lift, Standard Color Extra Recessed Hand Lift Screen: TruScene, Full Screen Grille Style: No Grille Misc: None Construction: None Material: Flashing Tape 4" (0.25), Foam Can (0.15), White Caulk (Retro) (8), White L-Trim 12ft (2), White Retro-L Coil 10ft (3) Sill Angle: 14°
102	Living	35" <b>35-1/2"</b>	94" <b>94-1/2"</b>	Window: Acclaim™ Double-Hung (DG), 1:1, Limited Travel Reduced 2.25, Slope Sill, Base Frame, Traditional Checkrail, Exterior White, Interior White Performance Calculator: PG Rating: 30   DP Rating: + 30 / - 30 Glass: All Sash: High Performance SmartSun with HeatLock Glass, No Pattern Hardware: White, Standard Color Recessed Hand Lift, Standard Color Extra Recessed Hand Lift Screen: TruScene, Full Screen Grille Style: No Grille Misc: None Construction: Add Exterior Trim (1) Material: Flashing Tape 4" (0.25), Foam Can (0.15), White Caulk (Retro) (8), White L-Trim 12ft (2), White Retro-L Coil 10ft (3), 1x8 Radiatta (AUTO) - 10ft (1) Sill Angle: 14°

PRODUCTS: 14 WINDOWS: 12 PATIO DOORS: 1 ENTRY DOORS: 0 SPECIALTY: 0 MISC: 1

Updated 11/19/24

## **JOB NOTES**

Tech Submitted by IM Pirthy Jassi - 510 398 1381

\*\*\*\*Green Diamond Certified Commitment\*\*\*\*

Here are important steps for the customer:

- Protect the house with Plastic and Drop Cloths.
- Keep Job site Clean and Neat.
- Not to damage Exterior Trim.
- Not to damage Interior Trim or stops to minimize painting.
- Follow HOA Guidelines

Scheduling: 12 Retrofit Windows and 1 Gliding Patio Door

11/19/24 Page 6 / 39



dba: RENEWAL BY ANDERSEN OF SAN FRANCISCO

Legal Name: Jemico, LLC | License # CA CSLB#: 972702

354 Bachman Ct. Los Gatos, CA 95030

**John Haas** 

Measure Tech: Pirthy Jassi,

**JOB NOTES** 

Stucco/Scaffolding: N/A

Permitting: Permit Requires for Retrofit - Los Gatos City Jurisdiction

HOA: Yes, Need HOA Approval and Guidelines, Like for Like

Ordering: All Unit = White Exterior / Interior Color, All DH have 1L and 2RH except Line 207 2L 2RH

Recast: Job came in short at 100%

\*\*\*\*Installer Notes\*\*\*:

Two Story HOA Community, Existing Vinyl / Wood Frame, All New Units are Retrofit, White Interior / Exterior color, Use Side Gate for Easy Access, park by the house on the right side

Windows: Prepare and Clean the opening, Remove Exterior Stops to Cut and Remove old Wood / Vinyl Frame, Install Retro L Flashing, Waterproof Flashing, Plumb and Square, Foam and White Caulking to Insulate, Set windows as in as existing place by the stops, Finish Exterior with White L Trim and Keep the L Trim inside the Exterior Wood Trim, Save Interior Stops, if breaks then change all interior stops with RBA to match all alike

Patio Door: Prepare and Clean the opening, Remove Exterior Trim to Cut and Remove old Wood Door, Install Door Pan, Retro L Flashing, Waterproof Flashing, Threshold, Foot Lock, Plumb and Square, Foam and White Caulking to Insulate, Support Exterior Threshold with 1x4 underneath as needed, Finish Exterior with White L Trim and 1x4 Primed Radiata and Interior with 2.25" Primed Colonial Jamb and Casing

Please call me with any questions.

**Estimated Duration: 4 days** 

11/19/24 Page 7 / 39



## dba: RENEWAL BY ANDERSEN OF SAN FRANCISCO


Legal Name: Jemico, LLC | License # CA CSLB#: 972702

Measure Tech: Pirthy Jassi,

#### John Haas

354 Bachman Ct. Los Gatos, CA 95030


## FLOORPLAN - 1ST FLOOR



#### UNIT NOTES

Haul Away, Dispose, City, County, State, Home Owner Association Regulatory and Compliance Fees (as applicable).

# FLOORPLAN - 2ND FLOOR



#### UNIT NOTES

11/19/24 Page 8 / 39



dba: RENEWAL BY ANDERSEN OF SAN FRANCISCO

Legal Name: Jemico, LLC | License # CA CSLB#: 972702

John Haas 354 Bachman Ct. Los Gatos, CA 95030

Measure Tech: Pirthy Jassi,

## **JOB PHOTOS**



Image 1



Image 4



Image 7



Image 2



Image 5



Image 8




Image 3



**Image 6** 



Image 9

11/19/24 Page 9 / 39



#### dba: RENEWAL BY ANDERSEN OF SAN FRANCISCO

Legal Name: Jemico, LLC | License # CA CSLB#: 972702

John Haas 354 Bachman Ct. Los Gatos, CA 95030

Measure Tech: Pirthy Jassi,

Primary Bedroom
23-1/2" W 62" H
Window, Double-Hung (DG)



Window: Acclaim™ Double-Hung (DG), 1:1, Slope Sill, Base Frame, Traditional Checkrail, Exterior White, Interior White Performance Calculator: PG Rating: 40 | DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun with HeatLock Glass, No Pattern Hardware: White, Standard Color Recessed Hand Lift, Standard Color Extra Recessed Hand Lift Screen: TruScene, Full Screen Grille Style: No Grille Misc: 2nd Floor Install Construction: 2nd Floor Charge (1) Material: Flashing Tape 4" (0.25), Foam Can (0.15), White Caulk (Retro) (5), White L-Trim 12ft (2), White Retro-L Coil 10ft (2) Sill Angle: 14°

UNIT NOTES					
UNIT CONSTRUCTION					
2nd Floor Charge	1				
UNIT MATERIALS					
COMMON Flashing Tape 4" MATERIALS (AUTO)	0.25 units				
COMMON Foam Can MATERIALS (AUTO)	0.15 cans				
COMMON White Caulk (Retro) MATERIALS (AUTO)	5 x 3ft				
COMMON White L-Trim 12ft MATERIALS (AUTO)	2 x 12ft				
COMMON White Retro-L Coil 10ft MATERIALS (AUTO)	2 x 10ft				



## dba: RENEWAL BY ANDERSEN OF SAN FRANCISCO

Legal Name: Jemico, LLC | License # CA CSLB#: 972702

John Haas 354 Bachman Ct. Los Gatos, CA 95030

Measure Tech: Pirthy Jassi,

# **UNIT PHOTOS**







Image 1 Image 2 Image 3

11/19/24 Page 11 / 39



#### dba: RENEWAL BY ANDERSEN OF SAN FRANCISCO

Legal Name: Jemico, LLC | License # CA CSLB#: 972702

Measure Tech: Pirthy Jassi,

**John Haas** 

354 Bachman Ct. Los Gatos, CA 95030



# **Primary Bedroom** 27-1/2" W 61-1/2" H Window, Double-Hung Window, Double-Hung (DG)



Window: Acclaim™ Double-Hung (DG), 1:1, Slope Sill, Base Frame, Traditional Checkrail, Exterior White, Interior White Performance Calculator: PG Rating: 40 | DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun with HeatLock Glass, No Pattern Hardware: White, Standard Color Recessed Hand Lift, Standard Color Extra Recessed Hand Lift Screen: TruScene, Full Screen Grille Style: No Grille Misc: 2nd Floor Install Construction: 2nd Floor Charge (1) Material: Flashing Tape 4" (0.25), Foam Can (0.15), White Caulk (Retro) (5), White L-Trim 12ft (2), White Retro-L Coil 10ft (2) Sill Angle: 14°

UNIT NOTES	
UNIT CONSTRUCTION	
2nd Floor Charge	1
UNIT MATERIALS	
COMMON Flashing Tape 4" MATERIALS (AUTO)	0.25 units
COMMON Foam Can MATERIALS (AUTO)	0.15 cans
COMMON White Caulk (Retro) MATERIALS (AUTO)	5 x 3ft
COMMON White L-Trim 12ft MATERIALS (AUTO)	2 x 12ft
COMMON White Retro-L Coil 10ft MATERIALS (AUTO)	2 x 10ft



## dba: RENEWAL BY ANDERSEN OF SAN FRANCISCO

Legal Name: Jemico, LLC | License # CA CSLB#: 972702

John Haas 354 Bachman Ct. Los Gatos, CA 95030

Measure Tech: Pirthy Jassi,

# **UNIT PHOTOS**






Image 1 Image 2

11/19/24 Page 13 / 39



#### dba: RENEWAL BY ANDERSEN OF SAN FRANCISCO

Legal Name: Jemico, LLC | License # CA CSLB#: 972702

John Haas 354 Bachman Ct. Los Gatos, CA 95030

Measure Tech: Pirthy Jassi,

Primary Bedroom
27-1/2" W 62" H
Window, Double-Hung (DG)



Window: Acclaim™ Double-Hung (DG), 1:1, Slope Sill, Base Frame, Traditional Checkrail, Exterior White, Interior White Performance Calculator: PG Rating: 40 | DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun with HeatLock Glass, No Pattern Hardware: White, Standard Color Recessed Hand Lift, Standard Color Extra Recessed Hand Lift Screen: TruScene, Full Screen Grille Style: No Grille Misc: 2nd Floor Install Construction: 2nd Floor Charge (1) Material: Flashing Tape 4" (0.25), Foam Can (0.15), White Caulk (Retro) (5), White L-Trim 12ft (2), White Retro-L Coil 10ft (2) Sill Angle: 14°

UNIT NOTES	
UNIT CONSTRUCTION	
2nd Floor Charge	1
UNIT MATERIALS	
COMMON Flashing Tape 4" MATERIALS (AUTO)	0.25 units
COMMON Foam Can MATERIALS (AUTO)	0.15 cans
COMMON White Caulk (Retro) MATERIALS (AUTO)	5 x 3ft
COMMON White L-Trim 12ft MATERIALS (AUTO)	2 x 12ft
COMMON White Retro-L Coil 10ft MATERIALS (AUTO)	2 x 10ft




## dba: RENEWAL BY ANDERSEN OF SAN FRANCISCO

Legal Name: Jemico, LLC | License # CA CSLB#: 972702

John Haas 354 Bachman Ct. Los Gatos, CA 95030

Measure Tech: Pirthy Jassi,

# **UNIT PHOTOS**






Image 1 Image 2

11/19/24 Page 15 / 39



#### dba: RENEWAL BY ANDERSEN OF SAN FRANCISCO

Legal Name: Jemico, LLC | License # CA CSLB#: 972702



Measure Tech: Pirthy Jassi,

201

Primary Bedroom
31-1/2" W 61-1/2" H
Window, Double-Hung (DG)



Window: Acclaim™ Double-Hung (DG), 1:1, Slope Sill, Base Frame, Traditional Checkrail, Exterior White, Interior White Performance Calculator: PG Rating: 40 | DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun with HeatLock Glass, No Pattern Hardware: White, Standard Color Recessed Hand Lift, Standard Color Extra Recessed Hand Lift Screen: TruScene, Full Screen Grille Style: No Grille Misc: 2nd Floor Install Construction: 2nd Floor Charge (1) Material: Flashing Tape 4" (0.25), Foam Can (0.15), White Caulk (Retro) (6), White L-Trim 12ft (2), White Retro-L Coil 10ft (2) Sill Angle: 14°

UNIT NOTES					
UNIT CONSTRUCTION					
2nd Floor Charge	1				
UNIT MATERIALS					
COMMON Flashing Tape 4" MATERIALS (AUTO)	0.25 units				
COMMON Foam Can MATERIALS (AUTO)	0.15 cans				
COMMON White Caulk (Retro) MATERIALS (AUTO)	6 x 3ft				
COMMON White L-Trim 12ft MATERIALS (AUTO)	2 x 12ft				
COMMON White Retro-L Coil 10ft MATERIALS (AUTO)	2 x 10ft				




## dba: RENEWAL BY ANDERSEN OF SAN FRANCISCO

Legal Name: Jemico, LLC | License # CA CSLB#: 972702

John Haas 354 Bachman Ct. Los Gatos, CA 95030

Measure Tech: Pirthy Jassi,

# **UNIT PHOTOS**






Image 1 Image 2

11/19/24 Page 17 / 39



#### dba: RENEWAL BY ANDERSEN OF SAN FRANCISCO

Legal Name: Jemico, LLC | License # CA CSLB#: 972702

354 Bachman Ct. Los Gatos, CA 95030

**John Haas** 

Measure Tech: Pirthy Jassi,

**Primary Bedroom** 2 Primary Bedroom
31-1/2" W 61-1/2" H
Window, Double-Hung Window, Double-Hung (DG)



Window: Acclaim™ Double-Hung (DG), 1:1, Slope Sill, Base Frame, Traditional Checkrail, Exterior White, Interior White Performance Calculator: PG Rating: 40 | DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun with HeatLock Glass, No Pattern Hardware: White, Standard Color Recessed Hand Lift, Standard Color Extra Recessed Hand Lift Screen: TruScene, Full Screen Grille Style: No Grille Misc: 2nd Floor Install Construction: 2nd Floor Charge (1) Material: Flashing Tape 4" (0.25), Foam Can (0.15), White Caulk (Retro) (6), White L-Trim 12ft (2), White Retro-L Coil 10ft (2) Sill Angle: 14°

UNIT NOTES					
UNIT CONSTRUCTION					
2nd Floor Charge	1				
UNIT MATERIALS					
COMMON Flashing Tape 4" MATERIALS (AUTO)	0.25 units				
COMMON Foam Can MATERIALS (AUTO)	0.15 cans				
COMMON White Caulk (Retro) MATERIALS (AUTO)	6 x 3ft				
COMMON White L-Trim 12ft MATERIALS (AUTO)	2 x 12ft				
COMMON White Retro-L Coil 10ft MATERIALS (AUTO)	2 x 10ft				



## dba: RENEWAL BY ANDERSEN OF SAN FRANCISCO

Legal Name: Jemico, LLC | License # CA CSLB#: 972702

John Haas 354 Bachman Ct. Los Gatos, CA 95030

Measure Tech: Pirthy Jassi,

# **UNIT PHOTOS**






Image 1 Image 2

11/19/24 Page 19 / 39



#### dba: RENEWAL BY ANDERSEN OF SAN FRANCISCO

Legal Name: Jemico, LLC | License # CA CSLB#: 972702



354 Bachman Ct. Los Gatos, CA 95030

**John Haas** 

Measure Tech: Pirthy Jassi,

206 office 23-1/2" W 61-1/2" H Window, Double-Hung (DG)



Window: Acclaim™ Double-Hung (DG), 1:1, Slope Sill, Base Frame, Traditional Checkrail, Exterior White, Interior White Performance Calculator: PG Rating: 40 | DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun with HeatLock Glass, No Pattern Hardware: White, Standard Color Recessed Hand Lift, Standard Color Extra Recessed Hand Lift Screen: TruScene, Full Screen Grille Style: No Grille Misc: 2nd Floor Install Construction: 2nd Floor Charge (1) Material: Flashing Tape 4" (0.25), Foam Can (0.15), White Caulk (Retro) (5), White L-Trim 12ft (2), White Retro-L Coil 10ft (2) Sill Angle: 14°

UNIT NOTES	
UNIT CONSTRUCTION	
2nd Floor Charge	1
UNIT MATERIALS	
COMMON Flashing Tape 4" MATERIALS (AUTO)	0.25 units
COMMON Foam Can MATERIALS (AUTO)	0.15 cans
COMMON White Caulk (Retro) MATERIALS (AUTO)	5 x 3ft
COMMON White L-Trim 12ft MATERIALS (AUTO)	2 x 12ft
COMMON White Retro-L Coil 10ft MATERIALS (AUTO)	2 x 10ft



## dba: RENEWAL BY ANDERSEN OF SAN FRANCISCO

Legal Name: Jemico, LLC | License # CA CSLB#: 972702

John Haas 354 Bachman Ct. Los Gatos, CA 95030

Measure Tech: Pirthy Jassi,

# **UNIT PHOTOS**








Image 1 Image 3

11/19/24 Page 21 / 39



#### dba: RENEWAL BY ANDERSEN OF SAN FRANCISCO

Legal Name: Jemico, LLC | License # CA CSLB#: 972702

John Haas 354 Bachman Ct. Los Gatos, CA 95030

Measure Tech: Pirthy Jassi,

207

office 43-1/2" W 61-1/2" H Window, Double-Hung (DG)



Window: Acclaim™ Double-Hung (DG), 1:1, Meets Egress, Slope Sill, Base Frame, Traditional Checkrail, Exterior White, Interior White Performance Calculator: PG Rating: 40 | DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun with HeatLock Glass, No Pattern Hardware: White, Standard Color Extra Lock, Standard Color Recessed Hand Lift, Standard Color Extra Recessed Hand Lift Screen: TruScene, Full Screen Grille Style: No Grille Misc: 2nd Floor Install Construction: 2nd Floor Charge (1) Material: Flashing Tape 4" (0.25), Foam Can (0.15), White Caulk (Retro) (6), White L-Trim 12ft (2), White Retro-L Coil 10ft (2) Sill Angle: 14°

UNIT NOTES	
UNIT CONSTRUCTION	
2nd Floor Charge	1
UNIT MATERIALS	
COMMON Flashing Tape 4" MATERIALS (AUTO)	0.25 units
COMMON Foam Can MATERIALS (AUTO)	0.15 cans
COMMON White Caulk (Retro) MATERIALS (AUTO)	6 x 3ft
COMMON White L-Trim 12ft MATERIALS (AUTO)	2 x 12ft
COMMON White Retro-L Coil 10ft MATERIALS (AUTO)	2 x 10ft



## dba: RENEWAL BY ANDERSEN OF SAN FRANCISCO

Legal Name: Jemico, LLC | License # CA CSLB#: 972702

John Haas 354 Bachman Ct. Los Gatos, CA 95030

Measure Tech: Pirthy Jassi,

# **UNIT PHOTOS**







Image 1 Image 2 Image 3

11/19/24 Page 23 / 39



#### dba: RENEWAL BY ANDERSEN OF SAN FRANCISCO

Legal Name: Jemico, LLC | License # CA CSLB#: 972702

354 Bachman Ct. Los Gatos, CA 95030

**John Haas** 

Measure Tech: Pirthy Jassi,

208 office 23-1/2" W 61-1/2" H Window, Double-Hung (DG)



Window: Acclaim™ Double-Hung (DG), 1:1, Slope Sill, Base Frame, Traditional Checkrail, Exterior White, Interior White Performance Calculator: PG Rating: 40 | DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun with HeatLock Glass, No Pattern Hardware: White, Standard Color Recessed Hand Lift, Standard Color Extra Recessed Hand Lift Screen: TruScene, Full Screen Grille Style: No Grille Misc: 2nd Floor Install Construction: 2nd Floor Charge (1) Material: Flashing Tape 4" (0.25), Foam Can (0.15), White Caulk (Retro) (5), White L-Trim 12ft (2), White Retro-L Coil 10ft (2) Sill Angle: 14°

UNIT NOTES					
UNIT CONSTRUCTION					
2nd Floor Charge	1				
UNIT MATERIALS					
COMMON Flashing Tape 4" MATERIALS (AUTO)	0.25 units				
COMMON Foam Can MATERIALS (AUTO)	0.15 cans				
COMMON White Caulk (Retro) MATERIALS (AUTO)	5 x 3ft				
COMMON White L-Trim 12ft MATERIALS (AUTO)	2 x 12ft				
COMMON White Retro-L Coil 10ft MATERIALS (AUTO)	2 x 10ft				



## dba: RENEWAL BY ANDERSEN OF SAN FRANCISCO

Legal Name: Jemico, LLC | License # CA CSLB#: 972702

John Haas 354 Bachman Ct. Los Gatos, CA 95030

Measure Tech: Pirthy Jassi,

# **UNIT PHOTOS**








Image 1 Image 2 Image 3

11/19/24 Page 25 / 39



#### dba: RENEWAL BY ANDERSEN OF SAN FRANCISCO

Legal Name: Jemico, LLC | License # CA CSLB#: 972702

John Haas 354 Bachman Ct. Los Gatos, CA 95030

Measure Tech: Pirthy Jassi,

# Dining 71-1/4" W 79-1/2" H Patio Door, Gliding - A-Series Traditional



Patio Door: Gliding, A-Series Traditional, 2 Panel, Stationary / Active, Grey Sill, Exterior White, Interior Pine, Interior Pre-Finish White Performance Calculator: PG Rating: 50 | DP Rating: + 50 / - 50 Glass: All Sash: Tempered High Perf. SmartSun with Heatlock Glass, No Pattern Hardware: Anvers®, Bright Brass, Auxiliary Foot Lock Color Matched Screen: Gliding, Full Screen Grille Style: No Grille Misc: None Construction: Add Exterior Trim (1), Field Assemble Door (KD) / Per Panel (2), Interior Casing/Jamb & Case (1) Material: Flashing Tape 4" (0.25), Foam Can (0.15), White Caulk (Retro) (7), White L-Trim 12ft (2), White Retro-L Coil 10ft (3), Door Pan - 8ft (1), Drip-Cap/Drip-Edge -12ft (1), 1x4 Radiatta (AUTO) - 10ft (3), 2-1/4" Colonial (AUTO) - 8ft (3)

UNIT NOTES						
UNIT CONSTRUCTION						
Add Exterior Trim	1					
Field Assemble Door (KD) / Per Panel	2					
Interior Casing/Jamb & Case	1					
UNIT MATERIALS						
COMMON Flashing Tape 4" MATERIALS (AUTO)	0.25 units					
COMMON Foam Can MATERIALS (AUTO)	0.15 cans					
COMMON White Caulk (Retro) MATERIALS (AUTO)	7 x 3ft					
COMMON White L-Trim 12ft MATERIALS (AUTO)	2 x 12ft					
COMMON White Retro-L Coil 10ft MATERIALS (AUTO)	3 x 10ft					



#### dba: RENEWAL BY ANDERSEN OF SAN FRANCISCO

Legal Name: Jemico, LLC | License # CA CSLB#: 972702

John Haas 354 Bachman Ct. Los Gatos, CA

Measure Tech: Pirthy Jassi,

Door Pan - 8ft **DOOR** 

1 unit

**MATERIALS** 

**Drip-Cap/Drip-Edge -12ft** 

1 unit

**MATERIALS** 

1x4 Radiatta (AUTO) - 10ft **EXTERIOR** 

3 x 10ft

**TRIM** 

**DOOR** 

2-1/4" Colonial (AUTO) - 8ft **INTERIOR** 

3 x 8ft

FJP TRIM/ JAMB/ **STOPS** 

## **UNIT PHOTOS**







Image 2 **Image 1** 

**Image 3** 



#### dba: RENEWAL BY ANDERSEN OF SAN FRANCISCO

Legal Name: Jemico, LLC | License # CA CSLB#: 972702

John Haas 354 Bachman Ct. Los Gatos, CA 95030

Measure Tech: Pirthy Jassi,

103 Living
31-1/2" W 61-1/2" H
Window, Double-Hung (DG)



Window: Acclaim™ Double-Hung (DG), 1:1, Slope Sill, Base Frame, Traditional Checkrail, Exterior White, Interior White Performance Calculator: PG Rating: 40 | DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun with HeatLock Glass, No Pattern Hardware: White, Standard Color Recessed Hand Lift, Standard Color Extra Recessed Hand Lift Screen: TruScene, Full Screen Grille Style: No Grille Misc: None Construction: Add Exterior Trim (1) Material: Flashing Tape 4" (0.25), Foam Can (0.15), White Caulk (Retro) (6), White L-Trim 12ft (2), White Retro-L Coil 10ft (2), 1x4 Radiatta (AUTO) - 10ft (2) Sill Angle: 14°

UNIT NOTES	
UNIT CONSTRUCTION	
Add Exterior Trim	1
UNIT MATERIALS	
COMMON Flashing Tape 4" MATERIALS (AUTO)	0.25 units
COMMON Foam Can MATERIALS (AUTO)	0.15 cans
COMMON White Caulk (Retro) MATERIALS (AUTO)	6 x 3ft
COMMON White L-Trim 12ft MATERIALS (AUTO)	2 x 12ft
COMMON White Retro-L Coil 10ft MATERIALS (AUTO)	2 x 10ft
EXTERIOR 1x4 Radiatta (AUTO) - 10ft TRIM	2 x 10ft



## dba: RENEWAL BY ANDERSEN OF SAN FRANCISCO


Legal Name: Jemico, LLC | License # CA CSLB#: 972702

John Haas 354 Bachman Ct. Los Gatos, CA 95030

Measure Tech: Pirthy Jassi,

# **UNIT PHOTOS**








Image 1 Image 2 Image 3

11/19/24 Page 29 / 39



#### dba: RENEWAL BY ANDERSEN OF SAN FRANCISCO

Legal Name: Jemico, LLC | License # CA CSLB#: 972702



Measure Tech: Pirthy Jassi,

**John Haas** 354 Bachman Ct. Los Gatos, CA 95030

Living 31-1/2" W 61-1/2" H
Window, Double-Hung Window, Double-Hung (DG)



Window: Acclaim™ Double-Hung (DG), 1:1, Slope Sill, Base Frame, Traditional Checkrail, Exterior White, Interior White Performance Calculator: PG Rating: 40 | DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun with HeatLock Glass, No Pattern Hardware: White, Standard Color Recessed Hand Lift, Standard Color Extra Recessed Hand Lift Screen: TruScene, Full Screen Grille Style: No Grille Misc: None Construction: None Material: Flashing Tape 4" (0.25), Foam Can (0.15), White Caulk (Retro) (6), White L-Trim 12ft (2), White Retro-L Coil 10ft (2) Sill Angle: 14°

UNIT NOTES		
UNIT CONSTRUCT	TION	
UNIT MATERIALS		
COMMON MATERIALS (AUTO)	Flashing Tape 4"	0.25 units
COMMON MATERIALS (AUTO)	Foam Can	0.15 cans
COMMON MATERIALS (AUTO)	White Caulk (Retro)	6 x 3ft
COMMON MATERIALS (AUTO)	White L-Trim 12ft	2 x 12ft
COMMON MATERIALS (AUTO)	White Retro-L Coil 10ft	2 x 10ft



## dba: RENEWAL BY ANDERSEN OF SAN FRANCISCO

Legal Name: Jemico, LLC | License # CA CSLB#: 972702

John Haas 354 Bachman Ct. Los Gatos, CA 95030

Measure Tech: Pirthy Jassi,

# **UNIT PHOTOS**






Image 1 Image 2

11/19/24 Page 31 / 39



#### dba: RENEWAL BY ANDERSEN OF SAN FRANCISCO

Legal Name: Jemico, LLC | License # CA CSLB#: 972702

**John Haas** 354 Bachman Ct. Los Gatos, CA 95030

Measure Tech: Pirthy Jassi,



# Misc

Misc: Misc, All Job Charges Miscellaneous charges, Production OHLJ Adjustment Fee, Quantity 1, Haul Away, Dispose, City, County, State, Home Owner Association Regulatory and Compliance Fees (as applicable). Construction: None Material: None

#### **UNIT NOTES**

Haul Away, Dispose, City, County, State, Home Owner Association Regulatory and Compliance Fees (as applicable).

#### **UNIT CONSTRUCTION**

### **UNIT MATERIALS**

## **UNIT PHOTOS**







Image 2

11/19/24 Page 32 / 39



#### dba: RENEWAL BY ANDERSEN OF SAN FRANCISCO

Legal Name: Jemico, LLC | License # CA CSLB#: 972702

354 Bachman Ct. Los Gatos, CA 95030

**John Haas** 

Measure Tech: Pirthy Jassi,

101

Living 35-1/2" W 94-1/2" H Window, Double-Hung (DG)



Window: Acclaim™ Double-Hung (DG), 1:1, Limited Travel Reduced 2.25, Slope Sill, Base Frame, Traditional Checkrail, Exterior White, Interior White Performance Calculator: PG Rating: 30 | DP Rating: + 30 / - 30 Glass: All Sash: High Performance SmartSun with HeatLock Glass, No Pattern Hardware: White, Standard Color Recessed Hand Lift, Standard Color Extra Recessed Hand Lift Screen: TruScene, Full Screen Grille Style: No Grille Misc: None Construction: None Material: Flashing Tape 4" (0.25), Foam Can (0.15), White Caulk (Retro) (8), White L-Trim 12ft (2), White Retro-L Coil 10ft (3) Sill Angle: 14°

UNIT	NO	ΓES

#### **UNIT CONSTRUCTION**

UNIT MATERIALS	
COMMON Flashing Tape 4" MATERIALS (AUTO)	0.25 units
COMMON Foam Can MATERIALS (AUTO)	0.15 cans
COMMON White Caulk (Retro) MATERIALS (AUTO)	8 x 3ft
COMMON White L-Trim 12ft MATERIALS (AUTO)	2 x 12ft
COMMON White Retro-L Coil 10ft MATERIALS (AUTO)	3 x 10ft



## dba: RENEWAL BY ANDERSEN OF SAN FRANCISCO

Legal Name: Jemico, LLC | License # CA CSLB#: 972702

John Haas 354 Bachman Ct. Los Gatos, CA 95030

Measure Tech: Pirthy Jassi,

# **UNIT PHOTOS**







Image 1 Image 2 Image 3

11/19/24 Page 34 / 39



#### dba: RENEWAL BY ANDERSEN OF SAN FRANCISCO

Legal Name: Jemico, LLC | License # CA CSLB#: 972702

John Haas 354 Bachman Ct. Los Gatos, CA 95030

Measure Tech: Pirthy Jassi,

102 Living
35-1/2" W 94-1/2" H
Window, Double-Hung (DG)



Window: Acclaim™ Double-Hung (DG), 1:1, Limited Travel Reduced 2.25, Slope Sill, Base Frame, Traditional Checkrail, Exterior White, Interior White Performance Calculator: PG Rating: 30 | DP Rating: + 30 / - 30 Glass: All Sash: High Performance SmartSun with HeatLock Glass, No Pattern Hardware: White, Standard Color Recessed Hand Lift, Standard Color Extra Recessed Hand Lift Screen: TruScene, Full Screen Grille Style: No Grille Misc: None Construction: Add Exterior Trim (1) Material: Flashing Tape 4" (0.25), Foam Can (0.15), White Caulk (Retro) (8), White L-Trim 12ft (2), White Retro-L Coil 10ft (3), 1x8 Radiatta (AUTO) - 10ft (1) Sill Angle: 14°

UNIT NOTES					
UNIT CONSTRUCTION					
Add Exterior Trim	1				
UNIT MATERIALS					
COMMON Flashing Tape 4" MATERIALS (AUTO)	0.25 units				
COMMON Foam Can MATERIALS (AUTO)	0.15 cans				
COMMON White Caulk (Retro) MATERIALS (AUTO)	8 x 3ft				
COMMON White L-Trim 12ft MATERIALS (AUTO)	2 x 12ft				
COMMON White Retro-L Coil 10ft MATERIALS (AUTO)	3 x 10ft				
EXTERIOR 1x8 Radiatta (AUTO) - 10ft TRIM	1 x 10ft				



## dba: RENEWAL BY ANDERSEN OF SAN FRANCISCO

Legal Name: Jemico, LLC | License # CA CSLB#: 972702

John Haas 354 Bachman Ct. Los Gatos, CA 95030

Measure Tech: Pirthy Jassi,

# **UNIT PHOTOS**






Image 1 Image 2

11/19/24 Page 36 / 39

# Installation Invoice



ase Unit Installation Charges, Full Frame & EJ Frame  ase Unit Installation Charges, Insert Frame & Base Frame  astall Double-Hung Window-DG (Base Frame), 80-89.99 UI  5 astall Double-Hung Window-DG (Base Frame), 90-99.99 UI  4 astall Double-Hung Window-DG (Base Frame), 100-109.99 UI  5 astall Double-Hung Window-DG (Base Frame), 130-139.99 UI  6 asse Unit Installation Charges, Patio Doors  6 asse Unit Installation Charges, Entry Doors  6 asse Unit Installation Charges, Entry Doors  7 asse Unit Installation Charges, Entry Doors  7 asse Unit Installation Charges  8 asse Unit Installation Charges, Entry Doors  9 asse Unit Installation Charges  9 a	\$215.00 \$215.00 \$230.00	\$1,075.0
astall Double-Hung Window-DG (Base Frame), 80-89.99 UI 5 Istall Double-Hung Window-DG (Base Frame), 90-99.99 UI 4 Istall Double-Hung Window-DG (Base Frame), 100-109.99 UI 1 Istall Double-Hung Window-DG (Base Frame), 130-139.99 UI 2 Istall Gliding Patio Door 2 Panel 1 Istall Gliding Patio Door 2 Panel 1 Installation Charges, Entry Doors Installation Charges Entry Doors Iterior Casing/Jamb & Case, 105 1 I eld Assemble Door (KD) / Per Panel, 105 2	\$215.00	\$1,075.0
astall Double-Hung Window-DG (Base Frame), 90-99.99 UI 4 Install Double-Hung Window-DG (Base Frame), 100-109.99 UI 1 Install Double-Hung Window-DG (Base Frame), 130-139.99 UI 2 Install Gliding Patio Charges, Patio Doors Install Gliding Patio Door 2 Panel 1 Installation Charges, Entry Doors Installation Charges Interior Casing/Jamb & Case, 105 1 I eld Assemble Door (KD) / Per Panel, 105 2	\$215.00	\$1,075.0
astall Double-Hung Window-DG (Base Frame), 100-109.99 UI 1 Install Double-Hung Window-DG (Base Frame), 130-139.99 UI 2 Install Gliding Patio Charges, Patio Doors Install Gliding Patio Door 2 Panel 1 Installation Charges, Entry Doors Installation Charges Interior Casing/Jamb & Case, 105 1 Installation Charges 1 Installat	·	
ase Unit Installation Charges, Patio Doors  Istall Gliding Patio Door 2 Panel 1  ase Unit Installation Charges, Entry Doors  onstruction Charges  Iterior Casing/Jamb & Case, 105 1  eld Assemble Door (KD) / Per Panel, 105 2	\$230.00	\$860.0
ase Unit Installation Charges, Patio Doors  Istall Gliding Patio Door 2 Panel 1  ase Unit Installation Charges, Entry Doors  onstruction Charges  Iterior Casing/Jamb & Case, 105 1  eld Assemble Door (KD) / Per Panel, 105 2		\$230.0
ase Unit Installation Charges, Entry Doors  onstruction Charges  eterior Casing/Jamb & Case, 105  eld Assemble Door (KD) / Per Panel, 105  1	\$250.00	\$500.0
ase Unit Installation Charges, Entry Doors  onstruction Charges  terior Casing/Jamb & Case, 105  1  eld Assemble Door (KD) / Per Panel, 105  2		
onstruction Charges  Iterior Casing/Jamb & Case, 105  eld Assemble Door (KD) / Per Panel, 105  2	\$675.00	\$675.0
iterior Casing/Jamb & Case, 105 1 eld Assemble Door (KD) / Per Panel, 105 2		
eld Assemble Door (KD) / Per Panel, 105		
	\$55.00	\$55.0
dd Exterior Trim. 103. 102. 105	\$40.00	\$80.0
	\$55.00	\$165.0
nd Floor Charge, 208, 207, 206, 202, 201, 203, 204, 205	\$125.00	\$1,000.0
SUBTOTAL	\$	4,640.00

		John Haas 354 Bachman Ct. Los Gatos, CA 95030	
Additional Items			
	ADDITIONA	AL	\$

**TOTAL** 

\$



# **Unit Net Clear Opening Report**

**DBA: RENEWAL BY ANDERSEN OF SAN FRANCISCO**Legal Name: Jemico, LLC
CA CSLB#: 972702

John Haas 354 Bachman Ct. Los Gatos, CA 95030

The following table provides the net clear opening width, net clear opening height and overall net clear opening area for each unit specified for the project address above and are based on engineered manufactured dimensions. The net clear opening dimensions can be provided to the local code official as may be needed to verify compliance with local requirements for emergency escape (egress) and rescue requirements.

#### **UNIT SPECIFICATIONS**

				NET CLEAR OPENING			
ID	ROOM	PRODUCT TYPE	UNIT SIZE(in)	WIDTH(in)	HEIGHT(in)	AREA(ft²)	SASH TRAVEL
207	office	Acclaim™ Double-Hung (DG)	43 1/2 x 61 1/2	40 1/4	26 5/16	7.3547	Full

Any requirements for emergency escape (egress) and rescue must be verified with the local code official. Some states allow replacement of the same window type or of a type that allows for a larger net clear opening without the need to meet net clear opening requirements required as for new construction.

This Page Intentionally Left Blank