

CTAI CTAIN ACCREGITED ACCREGITED

14700 Winchester Blvd., Los Gatos, CA 95032 | (408) 378-4010 | www.sccfd.org

Wildland Urban Interface (WUI) Enforced Safety Regulations 2024 Non-Compliant Properties

June 05, 2024

TOWN OF LOS GATOS

1	APN	52934092	WUI Letter	LGA 100	
ı	Re-Inspection Date	5/31/2024	Inspector	Marlon Spencer	
Violations [X] Create 30 feet of Defensible Space around the home this, you must clear all flammable vegetation a minimum the property line) around structures.					
		[X] Remove pine needles, leaves, and other dead vegetation from ro eaves and rain gutters.123 CLELAND AV, LOS GATOS		vegetation from roofs,	
	Situs Address				
Property Owner Name 123 CLELAND AV, LOS GATOS					

2	APN	52937016	WUI Letter	LGA 100	
	Re-Inspection Date	6/3/2024	Inspector	Marlon Spencer	
	Violations	[X] Create 30 feet of Defensible Space around the home. To accomplish this, you must clear all flammable vegetation a minimum of 30 feet (or to the property line) around structures.			
		[X] Remove pine needles, leaves, a eaves and rain gutters.	nd other dead ve	ead vegetation from roofs,	
l	Situs Address	1 HIGHLAND AV, LOS GATOS			
Property Owner Name					
	Property Owner Address	1 HIGHLAND AV, LOS GATOS			

ATTACHMENT 1

SANTA CLARA COUNTY FIRE DEPARTMENT

14700 Winchester Blvd., Los Gatos, CA 95032 | (408) 378-4010 | www.sccfd.org

Wildland Urban Interface (WUI) Enforced Safety Regulations 2024 Non-Compliant Properties

June 05, 2024

TOWN OF LOS GATOS

3	APN	53723061	WUI Letter	LGA 100	
	Re-Inspection Date	5/28/2024	Inspector	Tracey Oliver	
	Violations				
		[X] Create 100 feet of Defensible Space around your home. accomplish this, you must clear all flammable vegetation a minimum 30-feet around structures. Additionally, create a Reduced Fuel Zone the remaining 70 feet (or to the property line). 130 HAPPY ACRES RD, LOS GATOS		ation a minimum of	
	Situs Address				
	Property Owner Name				
	Property Owner Address	130 HAPPY ACRES RD, LOS GATOS			

4	APN	53724015	WUI Letter	LGA 100
	Re-Inspection Date	5/23/2024	Inspector	Marlon Spencer
	Violations	 [X] Create 30 feet of Defensible Space around the home. To accomp this, you must clear all flammable vegetation a minimum of 30 feet (o the property line) around structures. 333 HAPPY ACRES RD, LOS GATOS 		
	Situs Address			
	Property Owner Name			
	Property Owner Address	333 HAPPY ACRES RD, LOS GATOS		

SANTA CLARA COUNTY FIRE DEPARTMENT

14700 Winchester Blvd., Los Gatos, CA 95032 | (408) 378-4010 | www.sccfd.org

Wildland Urban Interface (WUI) Enforced Safety Regulations 2024 Non-Compliant Properties

June 05, 2024

TOWN OF LOS GATOS

5	APN	53725024	WUI Letter	LGA 100
	Re-Inspection Date	5/31/2024	Inspector	Andrew Chen
	Violations		[] Create 30 feet of Defensible Space around the home. To accompli is, you must clear all flammable vegetation a minimum of 30 feet (or e property line) around structures.	
		 [X] Create 100 feet of Defensible Space around your home. To accomplish this, you must clear all flammable vegetation a minimum of 30-feet around structures. Additionally, create a Reduced Fuel Zone for the remaining 70 feet (or to the property line). [X] Remove all non-fire-resistive vegetation a minimum of 10 feet on each side of a fire apparatus access road or driveway. 15403 SHANNON RD, LOS GATOS 		
	Situs Address			
	Property Owner Name			
	Property Owner Address	15403 SHANNON RD, LOS GATOS		

6	APN	53726001	WUI Letter	LGA 100
	Re-Inspection Date	5/28/2024	Inspector	Dean Whipple
	Violations	this, you must clear all flammable vegetation a minimum of 30 feet the property line) around structures. us Address 15605 SHANNON RD, LOS GATOS operty Owner Name		
	Situs Address			
ı	Property Owner Name			
	Property Owner Address			





14700 Winchester Blvd., Los Gatos, CA 95032 | (408) 378-4010 | www.sccfd.org

Wildland Urban Interface (WUI) Enforced Safety Regulations 2024 Non-Compliant Properties

June 05, 2024

TOWN OF LOS GATOS

7	APN	53726034	WUI Letter	LGA 100	
Г	Re-Inspection Date	05/28/2024	Inspector	Dean Whipple	
	Violations		(] Create 30 feet of Defensible Space around the home. To accor its, you must clear all flammable vegetation a minimum of 30 feet be property line) around structures.		
		 [X] Create 100 feet of Defensible Space around your home. To accomplish this, you must clear all flammable vegetation a minimum of 30-feet around structures. Additionally, create a Reduced Fuel Zone for the remaining 70 feet (or to the property line). [X] Remove pine needles, leaves, and other dead vegetation from roofs eaves and rain gutters. 15800 SHANNON RD, LOS GATOS 		ation a minimum of	
				getation from roofs,	
	Situs Address				
	Property Owner Name				
	Property Owner Address	15800 SHANNON RD, LOS GATOS			

8	APN	53727047	WUI Letter	LGA 100
	Re-Inspection Date	05/28/2024	Inspector	Tracey Oliver
	Violations	ner Name		getation from roofs,
	Situs Address			
	Property Owner Name			
	Property Owner Address			

9	APN	53730021	WUI Letter	LGA 100
	Re-Inspection Date	05/28/2024	Inspector	Tracey Oliver
Violations [X] Post a clearly visible house address, using at least 4' for easy identification. For homes located more than 5 street, post address numbers at the driveway entrance.		n 50 feet from the		
ı	Situs Address	135 HILLTOP DR, LOS GATOS Name		
	Property Owner Name			
	Property Owner Address	135 HILLTOP DR, LOS GATOS		