




06/22/2026 10:32 PM
Quote #15074664
Prepared by: Valentino Corporal

Donna Boger Project





Exterior View



Interior View

1 Dining Room

Quantity 1

Options

Product Details	
Description:	<i>100 Series Single-Hung Insert</i>
Product Category:	<i>Complete Window Unit</i>
Series:	<i>100 Series</i>
Product Type:	<i>Single-Hung</i>
Product Group:	<i>Single-Hung Insert</i>
Product Configuration:	<i>Single-Hung</i>
Room Location:	<i>Dining Room</i>
Enhanced Performance:	<i>No</i>
Standard Width:	<i>Custom</i>
Standard Height:	<i>Custom</i>
Frame Height:	<i>53.5</i>
Measurement Type:	<i>Frame Size</i>
Overall Frame Width:	<i>35.5</i>
Overall Frame Height:	<i>53.5</i>
Frame Width:	<i>35.5</i>
RO Width:	<i>35.875</i>
RO Height:	<i>53.875</i>
Product Style:	<i>Equal Sash</i>
Venting / Handing:	<i>Fixed/Active</i>
Frame Option:	<i>Insert</i>
Drywall Access:	<i>No</i>
Exterior Frame Color:	<i>Black</i>
Exterior Sash / Panel Color:	<i>Black</i>
Interior Frame Finish Color:	<i>White</i>
Interior Sash / Panel Finish Color:	<i>White</i>
Installation Zip Code:	<i>95120</i>
U.S. ENERGY STAR® Climate Zone:	<i>South Central</i>
Glass Construction Type:	<i>Dual Pane</i>
Glass Option:	<i>Low-E SmartSun</i>
Glass Strength:	<i>Tempered</i>
Glass Tint:	<i>No Tint</i>
Specialty Glass:	<i>No Specialty Glass</i>
High Altitude:	<i>No</i>
Gas Fill:	<i>Argon</i>
Glass / Grille Spacer Color:	<i>Stainless</i>

Hardware Style:	<i>Auto Lock</i>
Lock Hardware Style:	<i>Slim Line</i>
Number of Sash Locks:	<i>1</i>
Lock Hardware Color/Finish:	<i>White</i>
Window Opening Control Device:	<i>No</i>
Insect Screen Type:	<i>Half Screen</i>
Insect Screen Material:	<i>Fiberglass</i>
Insect Screen Color:	<i>Black</i>
Exterior Frame Extenders:	<i>No</i>
Exterior Sill Extender:	<i>Yes</i>
Head Expander:	<i>Yes</i>
Extender Trim Width:	<i>2" (Fibrex)</i>
Installation Material Options:	<i>No</i>
Grille Type:	<i>Full Divided Light w/Energy Spacer</i>
Grille Pattern:	<i>Colonial</i>
Grille Bar Width:	<i>3/4"</i>
Exterior Grille Color:	<i>Black</i>
Interior Grille Color:	<i>White</i>
Lower Grille Division Type:	<i>None</i>
Upper Grille Division Type:	<i>Typical</i>
Upper Number Horizontal:	<i>3</i>
Upper Number Vertical:	<i>2</i>
Grille Alignment Type:	<i>Standard Grille Alignment</i>
Unit U-Factor:	<i>0.29</i>
Unit Solar Heat Gain Coefficient (SHGC):	<i>0.19</i>
U.S. ENERGY STAR® Certified:	<i>No</i>
California Title 24 Energy Code:	<i>No</i>
Clear Opening Width:	<i>32</i>
Clear Opening Height:	<i>23.039</i>
Clear Opening Area:	<i>5.1198</i>
Unit CPD Number:	<i>AND-N-80-03326-00004</i>
Vendor Number:	<i>60014818</i>
Vendor Name:	<i>HDIS ANDERSEN LOGISTICS</i>
SKU:	<i>1011886489</i>
SKU Description:	<i>HDIS-ANDERSEN-100 SERIES-WINDOWS</i>
Supplier Customer Service Number:	<i>(866) 466-3578</i>
Catalog Version Date:	<i>05/13/2026</i>
Flange Window Removal W/ Reinstallation (Per Opening):	<i>HDE CAT WIN</i>

Interior Casing - Labor Only - Per Opening: HDE CAT WIN

Exterior Casing - Labor Only - Per Opening: HDE CAT WIN

Miscellaneous Labor (Per Each): HDE CAT WIN

Lead Safe Renovation -- Windows/Patio Doors: HDE CAT WIN

Line Item Adders	Original	New
------------------	----------	-----

Interior Casing - Labor Only - Per Opening

Quantity:	1	1
-----------	---	---

Exterior Casing - Labor Only - Per Opening

Quantity:	1	1
-----------	---	---

Miscellaneous Labor (Per Each)

Quantity:	1	1
-----------	---	---

Flange Window Removal W/ Reinstallation (Per Opening)

Quantity:	1	1
-----------	---	---

Lead Safe Renovation -- Windows/Patio Doors

Quantity:	1	1
-----------	---	---

Change Details	Original	New
----------------	----------	-----

Frame Height:	54	53.5
---------------	----	------

Overall Frame Width:	36	35.5
----------------------	----	------

Overall Frame Height:	54	53.5
-----------------------	----	------

Frame Width:	36	35.5
--------------	----	------

RO Width:	36.375	35.875
-----------	--------	--------

RO Height:	54.375	53.875
------------	--------	--------

Clear Opening Width:	32.5	32
----------------------	------	----

Clear Opening Height:	23.289	23.039
-----------------------	--------	--------

Clear Opening Area:	5.2562	5.1198
---------------------	--------	--------

Fields to Validate	Original	New
--------------------	----------	-----

Frame Height:	54	53.5
---------------	----	------

Overall Frame Width:	36	35.5
----------------------	----	------

Overall Frame Height:	54	53.5
-----------------------	----	------

Frame Width:	36	35.5
--------------	----	------

RO Width:	36.375	35.875
-----------	--------	--------


RO Height:	54.375	53.875
------------	--------	--------

Clear Opening Width:	32.5	32
----------------------	------	----

Clear Opening Height:	23.289	23.039
-----------------------	--------	--------

Additional Work Info	Answers
----------------------	---------

Is there a Window Sticker on this Opening?:	No
---	----



Exterior View



Interior View

2 Dining Room


Quantity 1

Options

Product Details	
Description:	<i>100 Series Single-Hung Insert</i>
Product Category:	<i>Complete Window Unit</i>
Series:	<i>100 Series</i>
Product Type:	<i>Single-Hung</i>
Product Group:	<i>Single-Hung Insert</i>
Product Configuration:	<i>Single-Hung</i>
Room Location:	<i>Dining Room</i>
Enhanced Performance:	<i>No</i>
Standard Width:	<i>Custom</i>
Standard Height:	<i>Custom</i>
Frame Height:	<i>53.5</i>
Measurement Type:	<i>Frame Size</i>
Overall Frame Width:	<i>35.5</i>
Overall Frame Height:	<i>53.5</i>
Frame Width:	<i>35.5</i>
RO Width:	<i>35.875</i>
RO Height:	<i>53.875</i>
Product Style:	<i>Equal Sash</i>
Venting / Handing:	<i>Fixed/Active</i>
Frame Option:	<i>Insert</i>
Drywall Access:	<i>No</i>
Exterior Frame Color:	<i>Black</i>
Exterior Sash / Panel Color:	<i>Black</i>
Interior Frame Finish Color:	<i>White</i>
Interior Sash / Panel Finish Color:	<i>White</i>
Installation Zip Code:	<i>95120</i>
U.S. ENERGY STAR® Climate Zone:	<i>South Central</i>
Glass Construction Type:	<i>Dual Pane</i>
Glass Option:	<i>Low-E SmartSun</i>
Glass Strength:	<i>Tempered</i>
Glass Tint:	<i>No Tint</i>
Specialty Glass:	<i>No Specialty Glass</i>
High Altitude:	<i>No</i>
Gas Fill:	<i>Argon</i>
Glass / Grille Spacer Color:	<i>Stainless</i>

Hardware Style:	<i>Auto Lock</i>
Lock Hardware Style:	<i>Slim Line</i>
Number of Sash Locks:	<i>1</i>
Lock Hardware Color/Finish:	<i>White</i>
Window Opening Control Device:	<i>No</i>
Insect Screen Type:	<i>Half Screen</i>
Insect Screen Material:	<i>Fiberglass</i>
Insect Screen Color:	<i>Black</i>
Exterior Frame Extenders:	<i>No</i>
Exterior Sill Extender:	<i>Yes</i>
Head Expander:	<i>Yes</i>
Extender Trim Width:	<i>2" (Fibrex)</i>
Installation Material Options:	<i>No</i>
Grille Type:	<i>Full Divided Light w/Energy Spacer</i>
Grille Pattern:	<i>Colonial</i>
Grille Bar Width:	<i>3/4"</i>
Exterior Grille Color:	<i>Black</i>
Interior Grille Color:	<i>White</i>
Lower Grille Division Type:	<i>None</i>
Upper Grille Division Type:	<i>Typical</i>
Upper Number Horizontal:	<i>3</i>
Upper Number Vertical:	<i>2</i>
Grille Alignment Type:	<i>Standard Grille Alignment</i>
Unit U-Factor:	<i>0.29</i>
Unit Solar Heat Gain Coefficient (SHGC):	<i>0.19</i>
U.S. ENERGY STAR® Certified:	<i>No</i>
California Title 24 Energy Code:	<i>No</i>
Clear Opening Width:	<i>32</i>
Clear Opening Height:	<i>23.039</i>
Clear Opening Area:	<i>5.1198</i>
Unit CPD Number:	<i>AND-N-80-03326-00004</i>
Vendor Number:	<i>60014818</i>
Vendor Name:	<i>HDIS ANDERSEN LOGISTICS</i>
SKU:	<i>1011886489</i>
SKU Description:	<i>HDIS-ANDERSEN-100 SERIES-WINDOWS</i>
Supplier Customer Service Number:	<i>(866) 466-3578</i>
Catalog Version Date:	<i>05/13/2026</i>
Interior Casing - Labor Only - Per Opening:	<i>HDE CAT WIN</i>
Exterior Casing - Labor Only - Per Opening:	<i>HDE CAT WIN</i>

Miscellaneous Labor (Per Each):	HDE CAT WIN	
Flange Window Removal W/ Reinstallation (Per Opening):	HDE CAT WIN	
Lead Safe Renovation -- Windows/Patio Doors:	HDE CAT WIN	
Line Item Adders	Original	New
Interior Casing - Labor Only - Per Opening		
Quantity:	1	1
Exterior Casing - Labor Only - Per Opening		
Quantity:	1	1
Miscellaneous Labor (Per Each)		
Quantity:	1	1
Flange Window Removal W/ Reinstallation (Per Opening)		
Quantity:	1	1
Lead Safe Renovation -- Windows/Patio Doors		
Quantity:	1	1
Change Details	Original	New
Frame Height:	54	53.5
Overall Frame Width:	36	35.5
Overall Frame Height:	54	53.5
Frame Width:	36	35.5
RO Width:	36.375	35.875
RO Height:	54.375	53.875
Clear Opening Width:	32.5	32
Clear Opening Height:	23.289	23.039
Clear Opening Area:	5.2562	5.1198
Fields to Validate	Original	New
Frame Height:	54	53.5
Overall Frame Width:	36	35.5
Overall Frame Height:	54	53.5
Frame Width:	36	35.5
RO Width:	36.375	35.875
RO Height:	54.375	53.875
Clear Opening Width:	32.5	32
Clear Opening Height:	23.289	23.039
Additional Work Info	Answers	
Is there a Window Sticker on this Opening?:	No	



Exterior View



Interior View

3 Dining Room


Quantity 1

Options

Product Details	
Description:	100 Series Single-Hung Insert
Product Category:	Complete Window Unit
Series:	100 Series
Product Type:	Single-Hung
Product Group:	Single-Hung Insert
Product Configuration:	Single-Hung
Room Location:	Dining Room
Enhanced Performance:	No
Standard Width:	Custom
Standard Height:	Custom
Frame Height:	53.5
Measurement Type:	Frame Size
Overall Frame Width:	29.5
Overall Frame Height:	53.5
Frame Width:	29.5
RO Width:	29.875
RO Height:	53.875
Product Style:	Equal Sash
Venting / Handing:	Fixed/Active
Frame Option:	Insert
Drywall Access:	No
Exterior Frame Color:	Black
Exterior Sash / Panel Color:	Black
Interior Frame Finish Color:	White
Interior Sash / Panel Finish Color:	White
Installation Zip Code:	95120
U.S. ENERGY STAR® Climate Zone:	South Central
Glass Construction Type:	Dual Pane
Glass Option:	Low-E SmartSun
Glass Strength:	Tempered
Glass Tint:	No Tint
Specialty Glass:	No Specialty Glass
High Altitude:	No
Gas Fill:	Argon
Glass / Grille Spacer Color:	Stainless

Hardware Style:	<i>Auto Lock</i>
Lock Hardware Style:	<i>Slim Line</i>
Number of Sash Locks:	<i>1</i>
Lock Hardware Color/Finish:	<i>White</i>
Window Opening Control Device:	<i>No</i>
Insect Screen Type:	<i>Half Screen</i>
Insect Screen Material:	<i>Fiberglass</i>
Insect Screen Color:	<i>Black</i>
Exterior Frame Extenders:	<i>No</i>
Exterior Sill Extender:	<i>Yes</i>
Head Expander:	<i>Yes</i>
Extender Trim Width:	<i>2" (Fibrex)</i>
Installation Material Options:	<i>No</i>
Grille Type:	<i>Full Divided Light w/Energy Spacer</i>
Grille Pattern:	<i>Colonial</i>
Grille Bar Width:	<i>3/4"</i>
Exterior Grille Color:	<i>Black</i>
Interior Grille Color:	<i>White</i>
Lower Grille Division Type:	<i>None</i>
Upper Grille Division Type:	<i>Typical</i>
Upper Number Horizontal:	<i>3</i>
Upper Number Vertical:	<i>2</i>
Grille Alignment Type:	<i>Standard Grille Alignment</i>
Unit U-Factor:	<i>0.29</i>
Unit Solar Heat Gain Coefficient (SHGC):	<i>0.19</i>
U.S. ENERGY STAR® Certified:	<i>No</i>
California Title 24 Energy Code:	<i>No</i>
Clear Opening Width:	<i>26</i>
Clear Opening Height:	<i>23.039</i>
Clear Opening Area:	<i>4.1598</i>
Unit CPD Number:	<i>AND-N-80-03326-00004</i>
Vendor Number:	<i>60014818</i>
Vendor Name:	<i>HDIS ANDERSEN LOGISTICS</i>
SKU:	<i>1011886489</i>
SKU Description:	<i>HDIS-ANDERSEN-100 SERIES-WINDOWS</i>
Supplier Customer Service Number:	<i>(866) 466-3578</i>
Catalog Version Date:	<i>05/13/2026</i>
Interior Casing - Labor Only - Per Opening:	<i>HDE CAT WIN</i>
Exterior Casing - Labor Only - Per Opening:	<i>HDE CAT WIN</i>

Miscellaneous Labor (Per Each):	HDE CAT WIN	
Flange Window Removal W/ Reinstallation (Per Opening):	HDE CAT WIN	
Lead Safe Renovation -- Windows/Patio Doors:	HDE CAT WIN	
Line Item Adders	Original	New
Interior Casing - Labor Only - Per Opening		
Quantity:	1	1
Exterior Casing - Labor Only - Per Opening		
Quantity:	1	1
Miscellaneous Labor (Per Each)		
Quantity:	1	1
Flange Window Removal W/ Reinstallation (Per Opening)		
Quantity:	1	1
Lead Safe Renovation -- Windows/Patio Doors		
Quantity:	1	1
Change Details	Original	New
Frame Height:	54	53.5
Overall Frame Width:	30	29.5
Overall Frame Height:	54	53.5
Frame Width:	30	29.5
RO Width:	30.375	29.875
RO Height:	54.375	53.875
Clear Opening Width:	26.5	26
Clear Opening Height:	23.289	23.039
Clear Opening Area:	4.2858	4.1598
Fields to Validate	Original	New
Frame Height:	54	53.5
Overall Frame Width:	30	29.5
Overall Frame Height:	54	53.5
Frame Width:	30	29.5
RO Width:	30.375	29.875
RO Height:	54.375	53.875
Clear Opening Width:	26.5	26
Clear Opening Height:	23.289	23.039
Additional Work Info	Answers	
Is there a Window Sticker on this Opening?:	No	



Exterior View



Interior View

4 Bedroom 1

Quantity 1

Options

Product Details	
Description:	<i>100 Series Single-Hung Insert</i>
Product Category:	<i>Complete Window Unit</i>
Series:	<i>100 Series</i>
Product Type:	<i>Single-Hung</i>
Product Group:	<i>Single-Hung Insert</i>
Product Configuration:	<i>Single-Hung</i>
Room Location:	<i>Bedroom 1</i>
Enhanced Performance:	<i>No</i>
Standard Width:	<i>Custom</i>
Standard Height:	<i>Custom</i>
Frame Height:	<i>41.5</i>
Measurement Type:	<i>Frame Size</i>
Overall Frame Width:	<i>29.5</i>
Overall Frame Height:	<i>41.5</i>
Frame Width:	<i>29.5</i>
RO Width:	<i>29.875</i>
RO Height:	<i>41.875</i>
Product Style:	<i>Equal Sash</i>
Venting / Handing:	<i>Fixed/Active</i>
Frame Option:	<i>Insert</i>
Drywall Access:	<i>No</i>
Exterior Frame Color:	<i>Black</i>
Exterior Sash / Panel Color:	<i>Black</i>
Interior Frame Finish Color:	<i>White</i>
Interior Sash / Panel Finish Color:	<i>White</i>
Installation Zip Code:	<i>95120</i>
U.S. ENERGY STAR® Climate Zone:	<i>South Central</i>
Glass Construction Type:	<i>Dual Pane</i>
Glass Option:	<i>Low-E SmartSun</i>
Glass Strength:	<i>Tempered</i>
Glass Tint:	<i>No Tint</i>
Specialty Glass:	<i>No Specialty Glass</i>
High Altitude:	<i>No</i>
Gas Fill:	<i>Argon</i>
Glass / Grille Spacer Color:	<i>Stainless</i>

Hardware Style:	Auto Lock	
Lock Hardware Style:	Slim Line	
Number of Sash Locks:	1	
Lock Hardware Color/Finish:	White	
Window Opening Control Device:	No	
Insect Screen Type:	Half Screen	
Insect Screen Material:	Fiberglass	
Insect Screen Color:	Black	
Exterior Frame Extenders:	No	
Exterior Sill Extender:	Yes	
Head Expander:	Yes	
Extender Trim Width:	2" (Fibrex)	
Installation Material Options:	No	
Grille Type:	No Grille(s)	
Unit U-Factor:	0.29	
Unit Solar Heat Gain Coefficient (SHGC):	0.21	
U.S. ENERGY STAR® Certified:	No	
California Title 24 Energy Code:	No	
Clear Opening Width:	26	
Clear Opening Height:	17.039	
Clear Opening Area:	3.0765	
Unit CPD Number:	AND-N-80-03326-00001	
Vendor Number:	60014818	
Vendor Name:	HDIS ANDERSEN LOGISTICS	
SKU:	1011886489	
SKU Description:	HDIS-ANDERSEN-100 SERIES-WINDOWS	
Supplier Customer Service Number:	(866) 466-3578	
Catalog Version Date:	05/13/2026	
Flange Window Removal W/ Reinstallation (Per Opening):	HDE CAT WIN	
Exterior Casing - Labor Only - Per Opening:	HDE CAT WIN	
Interior Casing - Labor Only - Per Opening:	HDE CAT WIN	
Miscellaneous Labor (Per Each):	HDE CAT WIN	
Lead Safe Renovation -- Windows/Patio Doors:	HDE CAT WIN	
Line Item Adders	Original	New
Exterior Casing - Labor Only - Per Opening		
Quantity:	1	1
Interior Casing - Labor Only - Per Opening		


Quantity:	1	1
Miscellaneous Labor (Per Each)		
Quantity:	3	3
Flange Window Removal W/ Reinstallation (Per Opening)		
Quantity:	1	1
Lead Safe Renovation -- Windows/Patio Doors		
Quantity:	1	1
Change Details	Original	New
Frame Height:	42	41.5
Overall Frame Width:	30	29.5
Overall Frame Height:	42	41.5
Frame Width:	30	29.5
RO Width:	30.375	29.875
RO Height:	42.375	41.875
Clear Opening Width:	26.5	26
Clear Opening Height:	17.289	17.039
Clear Opening Area:	3.1817	3.0765
Fields to Validate	Original	New
Frame Height:	42	41.5
Overall Frame Width:	30	29.5
Overall Frame Height:	42	41.5
Frame Width:	30	29.5
RO Width:	30.375	29.875
RO Height:	42.375	41.875
Clear Opening Width:	26.5	26
Clear Opening Height:	17.289	17.039
Additional Work Info	Answers	
Is there a Window Sticker on this Opening?:	No	

5 Bedroom 1

Quantity 1

Options

Product Details	
Description:	100 Series Single-Hung Insert
Product Category:	Complete Window Unit
Series:	100 Series
Product Type:	Single-Hung



Exterior View




Interior View

Product Group:	<i>Single-Hung Insert</i>
Product Configuration:	<i>Single-Hung</i>
Room Location:	<i>Bedroom 1</i>
Enhanced Performance:	<i>No</i>
Standard Width:	<i>Custom</i>
Standard Height:	<i>Custom</i>
Frame Height:	<i>41.5</i>
Measurement Type:	<i>Frame Size</i>
Overall Frame Width:	<i>29.5</i>
Overall Frame Height:	<i>41.5</i>
Frame Width:	<i>29.5</i>
RO Width:	<i>29.875</i>
RO Height:	<i>41.875</i>
Product Style:	<i>Equal Sash</i>
Venting / Handing:	<i>Fixed/Active</i>
Frame Option:	<i>Insert</i>
Drywall Access:	<i>No</i>
Exterior Frame Color:	<i>Black</i>
Exterior Sash / Panel Color:	<i>Black</i>
Interior Frame Finish Color:	<i>White</i>
Interior Sash / Panel Finish Color:	<i>White</i>
Installation Zip Code:	<i>95120</i>
U.S. ENERGY STAR® Climate Zone:	<i>South Central</i>
Glass Construction Type:	<i>Dual Pane</i>
Glass Option:	<i>Low-E SmartSun</i>
Glass Strength:	<i>Tempered</i>
Glass Tint:	<i>No Tint</i>
Specialty Glass:	<i>No Specialty Glass</i>
High Altitude:	<i>No</i>
Gas Fill:	<i>Argon</i>
Glass / Grille Spacer Color:	<i>Stainless</i>
Hardware Style:	<i>Auto Lock</i>
Lock Hardware Style:	<i>Slim Line</i>
Number of Sash Locks:	<i>1</i>
Lock Hardware Color/Finish:	<i>White</i>
Window Opening Control Device:	<i>No</i>
Insect Screen Type:	<i>Half Screen</i>
Insect Screen Material:	<i>Fiberglass</i>
Insect Screen Color:	<i>Black</i>

Exterior Frame Extenders:	No
Exterior Sill Extender:	Yes
Head Expander:	Yes
Extender Trim Width:	2" (Fibrex)
Installation Material Options:	No
Grille Type:	No Grille(s)
Unit U-Factor:	0.29
Unit Solar Heat Gain Coefficient (SHGC):	0.21
U.S. ENERGY STAR® Certified:	No
California Title 24 Energy Code:	No
Clear Opening Width:	26
Clear Opening Height:	17.039
Clear Opening Area:	3.0765
Unit CPD Number:	AND-N-80-03326-00001
Vendor Number:	60014818
Vendor Name:	HDIS ANDERSEN LOGISTICS
SKU:	1011886489
SKU Description:	HDIS-ANDERSEN-100 SERIES-WINDOWS
Supplier Customer Service Number:	(866) 466-3578
Catalog Version Date:	05/13/2026
Interior Casing - Labor Only - Per Opening:	HDE CAT WIN
Exterior Casing - Labor Only - Per Opening:	HDE CAT WIN
Flange Window Removal W/ Reinstallation (Per Opening):	HDE CAT WIN
Miscellaneous Labor (Per Each):	HDE CAT WIN
Lead Safe Renovation -- Windows/Patio Doors:	HDE CAT WIN

Line	Item	Adders	Original	New
Exterior Casing - Labor Only - Per Opening				
	Quantity:		1	1
Interior Casing - Labor Only - Per Opening				
	Quantity:		1	1
Miscellaneous Labor (Per Each)				
	Quantity:		3	3
Flange Window Removal W/ Reinstallation (Per Opening)				
	Quantity:		1	1
Lead Safe Renovation -- Windows/Patio Doors				
	Quantity:		1	1

Change Details	Original	New
Frame Height:	42	41.5
Overall Frame Width:	30	29.5
Overall Frame Height:	42	41.5
Frame Width:	30	29.5
RO Width:	30.375	29.875
RO Height:	42.375	41.875
Clear Opening Width:	26.5	26
Clear Opening Height:	17.289	17.039
Clear Opening Area:	3.1817	3.0765
Fields to Validate	Original	New
Frame Height:	42	41.5
Overall Frame Width:	30	29.5
Overall Frame Height:	42	41.5
Frame Width:	30	29.5
RO Width:	30.375	29.875
RO Height:	42.375	41.875
Clear Opening Width:	26.5	26
Clear Opening Height:	17.289	17.039
Additional Work Info	Answers	
Is there a Window Sticker on this Opening?:	No	



Exterior View

6 Bedroom 1

Quantity 1

Options

Product Details	
Description:	100 Series Single-Hung Insert
Product Category:	Complete Window Unit
Series:	100 Series
Product Type:	Single-Hung
Product Group:	Single-Hung Insert
Product Configuration:	Single-Hung
Room Location:	Bedroom 1
Enhanced Performance:	No
Standard Width:	Custom
Standard Height:	Custom
Frame Height:	41.5




Interior View

Measurement Type:	<i>Frame Size</i>
Overall Frame Width:	<i>29.5</i>
Overall Frame Height:	<i>41.5</i>
Frame Width:	<i>29.5</i>
RO Width:	<i>29.875</i>
RO Height:	<i>41.875</i>
Product Style:	<i>Equal Sash</i>
Venting / Handing:	<i>Fixed/Active</i>
Frame Option:	<i>Insert</i>
Drywall Access:	<i>No</i>
Exterior Frame Color:	<i>Black</i>
Exterior Sash / Panel Color:	<i>Black</i>
Interior Frame Finish Color:	<i>White</i>
Interior Sash / Panel Finish Color:	<i>White</i>
Installation Zip Code:	<i>95120</i>
U.S. ENERGY STAR® Climate Zone:	<i>South Central</i>
Glass Construction Type:	<i>Dual Pane</i>
Glass Option:	<i>Low-E SmartSun</i>
Glass Strength:	<i>Tempered</i>
Glass Tint:	<i>No Tint</i>
Specialty Glass:	<i>No Specialty Glass</i>
High Altitude:	<i>No</i>
Gas Fill:	<i>Argon</i>
Glass / Grille Spacer Color:	<i>Stainless</i>
Hardware Style:	<i>Auto Lock</i>
Lock Hardware Style:	<i>Slim Line</i>
Number of Sash Locks:	<i>1</i>
Lock Hardware Color/Finish:	<i>White</i>
Window Opening Control Device:	<i>No</i>
Insect Screen Type:	<i>Half Screen</i>
Insect Screen Material:	<i>Fiberglass</i>
Insect Screen Color:	<i>Black</i>
Exterior Frame Extenders:	<i>No</i>
Exterior Sill Extender:	<i>Yes</i>
Head Expander:	<i>Yes</i>
Extender Trim Width:	<i>2" (Fibrex)</i>
Installation Material Options:	<i>No</i>
Grille Type:	<i>No Grille(s)</i>
Unit U-Factor:	<i>0.29</i>

Unit Solar Heat Gain Coefficient (SHGC):	0.21	
U.S. ENERGY STAR® Certified:	No	
California Title 24 Energy Code:	No	
Clear Opening Width:	26	
Clear Opening Height:	17.039	
Clear Opening Area:	3.0765	
Unit CPD Number:	AND-N-80-03326-00001	
Vendor Number:	60014818	
Vendor Name:	HDIS ANDERSEN LOGISTICS	
SKU:	1011886489	
SKU Description:	HDIS-ANDERSEN-100 SERIES-WINDOWS	
Supplier Customer Service Number:	(866) 466-3578	
Catalog Version Date:	05/13/2026	
Flange Window Removal W/ Reinstallation (Per Opening):	HDE CAT WIN	
Exterior Casing - Labor Only - Per Opening:	HDE CAT WIN	
Miscellaneous Labor (Per Each):	HDE CAT WIN	
Interior Casing - Labor Only - Per Opening:	HDE CAT WIN	
Lead Safe Renovation -- Windows/Patio Doors:	HDE CAT WIN	
Line Item Adders	Original	New
Exterior Casing - Labor Only - Per Opening		
Quantity:	1	1
Interior Casing - Labor Only - Per Opening		
Quantity:	1	1
Miscellaneous Labor (Per Each)		
Quantity:	3	3
Flange Window Removal W/ Reinstallation (Per Opening)		
Quantity:	1	1
Lead Safe Renovation -- Windows/Patio Doors		
Quantity:	1	1
Change Details	Original	New
Frame Height:	42	41.5
Overall Frame Width:	30	29.5
Overall Frame Height:	42	41.5
Frame Width:	30	29.5
RO Width:	30.375	29.875
RO Height:	42.375	41.875
Clear Opening Width:	26.5	26

Clear Opening Height:	17.289	17.039
Clear Opening Area:	3.1817	3.0765
Fields to Validate	Original	New
Frame Height:	42	41.5
Overall Frame Width:	30	29.5
Overall Frame Height:	42	41.5
Frame Width:	30	29.5
RO Width:	30.375	29.875
RO Height:	42.375	41.875
Clear Opening Width:	26.5	26
Clear Opening Height:	17.289	17.039
Additional Work Info	Answers	
Is there a Window Sticker on this Opening?:	No	



Exterior View



7 Bedroom 1

Quantity 1

Options

Product Details	
Description:	100 Series Single-Hung Insert
Product Category:	Complete Window Unit
Series:	100 Series
Product Type:	Single-Hung
Product Group:	Single-Hung Insert
Product Configuration:	Single-Hung
Room Location:	Bedroom 1
Enhanced Performance:	No
Standard Width:	Custom
Standard Height:	Custom
Frame Height:	41.5
Measurement Type:	Frame Size
Overall Frame Width:	29.5
Overall Frame Height:	41.5
Frame Width:	29.5
RO Width:	29.875
RO Height:	41.875
Product Style:	Equal Sash
Venting / Handing:	Fixed/Active

Interior View

Frame Option:	<i>Insert</i>
Drywall Access:	<i>No</i>
Exterior Frame Color:	<i>Black</i>
Exterior Sash / Panel Color:	<i>Black</i>
Interior Frame Finish Color:	<i>White</i>
Interior Sash / Panel Finish Color:	<i>White</i>
Installation Zip Code:	<i>95120</i>
U.S. ENERGY STAR® Climate Zone:	<i>South Central</i>
Glass Construction Type:	<i>Dual Pane</i>
Glass Option:	<i>Low-E SmartSun</i>
Glass Strength:	<i>Tempered</i>
Glass Tint:	<i>No Tint</i>
Specialty Glass:	<i>No Specialty Glass</i>
High Altitude:	<i>No</i>
Gas Fill:	<i>Argon</i>
Glass / Grille Spacer Color:	<i>Stainless</i>
Hardware Style:	<i>Auto Lock</i>
Lock Hardware Style:	<i>Slim Line</i>
Number of Sash Locks:	<i>1</i>
Lock Hardware Color/Finish:	<i>White</i>
Window Opening Control Device:	<i>No</i>
Insect Screen Type:	<i>Half Screen</i>
Insect Screen Material:	<i>Fiberglass</i>
Insect Screen Color:	<i>Black</i>
Exterior Frame Extenders:	<i>No</i>
Exterior Sill Extender:	<i>Yes</i>
Head Expander:	<i>Yes</i>
Extender Trim Width:	<i>2" (Fibrex)</i>
Installation Material Options:	<i>No</i>
Grille Type:	<i>No Grille(s)</i>
Unit U-Factor:	<i>0.29</i>
Unit Solar Heat Gain Coefficient (SHGC):	<i>0.21</i>
U.S. ENERGY STAR® Certified:	<i>No</i>
California Title 24 Energy Code:	<i>No</i>
Clear Opening Width:	<i>26</i>
Clear Opening Height:	<i>17.039</i>
Clear Opening Area:	<i>3.0765</i>
Unit CPD Number:	<i>AND-N-80-03326-00001</i>
Vendor Number:	<i>60014818</i>

Vendor Name:	<i>HDIS ANDERSEN LOGISTICS</i>
SKU:	<i>1011886489</i>
SKU Description:	<i>HDIS-ANDERSEN-100 SERIES-WINDOWS</i>
Supplier Customer Service Number:	<i>(866) 466-3578</i>
Catalog Version Date:	<i>05/13/2026</i>
Miscellaneous Labor (Per Each):	<i>HDE CAT WIN</i>
Interior Casing - Labor Only - Per Opening:	<i>HDE CAT WIN</i>
Exterior Casing - Labor Only - Per Opening:	<i>HDE CAT WIN</i>
Flange Window Removal W/ Reinstallation (Per Opening):	<i>HDE CAT WIN</i>
Lead Safe Renovation -- Windows/Patio Doors:	<i>HDE CAT WIN</i>

Line Item Adders	Original	New
------------------	----------	-----

Exterior Casing - Labor Only - Per Opening

Quantity:	<i>1</i>	<i>1</i>
-----------	----------	----------

Interior Casing - Labor Only - Per Opening

Quantity:	<i>1</i>	<i>1</i>
-----------	----------	----------

Miscellaneous Labor (Per Each)

Quantity:	<i>3</i>	<i>3</i>
-----------	----------	----------

Flange Window Removal W/ Reinstallation (Per Opening)

Quantity:	<i>1</i>	<i>1</i>
-----------	----------	----------

Lead Safe Renovation -- Windows/Patio Doors

Quantity:	<i>1</i>	<i>1</i>
-----------	----------	----------

Change Details	Original	New
----------------	----------	-----

Frame Height:	<i>42</i>	<i>41.5</i>
---------------	-----------	-------------

Overall Frame Width:	<i>30</i>	<i>29.5</i>
----------------------	-----------	-------------

Overall Frame Height:	<i>42</i>	<i>41.5</i>
-----------------------	-----------	-------------

Frame Width:	<i>30</i>	<i>29.5</i>
--------------	-----------	-------------

RO Width:	<i>30.375</i>	<i>29.875</i>
-----------	---------------	---------------

RO Height:	<i>42.375</i>	<i>41.875</i>
------------	---------------	---------------

Clear Opening Width:	<i>26.5</i>	<i>26</i>
----------------------	-------------	-----------

Clear Opening Height:	<i>17.289</i>	<i>17.039</i>
-----------------------	---------------	---------------

Clear Opening Area:	<i>3.1817</i>	<i>3.0765</i>
---------------------	---------------	---------------

Fields to Validate	Original	New
--------------------	----------	-----

Frame Height:	<i>42</i>	<i>41.5</i>
---------------	-----------	-------------


Overall Frame Width:	<i>30</i>	<i>29.5</i>
----------------------	-----------	-------------

Overall Frame Height:	<i>42</i>	<i>41.5</i>
-----------------------	-----------	-------------

Frame Width:	<i>30</i>	<i>29.5</i>
--------------	-----------	-------------

RO Width:	<i>30.375</i>	<i>29.875</i>
-----------	---------------	---------------

RO Height:	42.375	41.875
Clear Opening Width:	26.5	26
Clear Opening Height:	17.289	17.039
Additional Work Info Answers		
Is there a Window Sticker on this Opening?:	No	



Exterior View



Interior View

8 Bedroom 1

Quantity 1

Options

Product Details	
Description:	100 Series Single-Hung Insert
Product Category:	Complete Window Unit
Series:	100 Series
Product Type:	Single-Hung
Product Group:	Single-Hung Insert
Product Configuration:	Single-Hung
Room Location:	Bedroom 1
Enhanced Performance:	No
Standard Width:	Custom
Standard Height:	Custom
Frame Height:	41.5
Measurement Type:	Frame Size
Overall Frame Width:	29.5
Overall Frame Height:	41.5
Frame Width:	29.5
RO Width:	29.875
RO Height:	41.875
Product Style:	Equal Sash
Venting / Handing:	Fixed/Active
Frame Option:	Insert
Drywall Access:	No
Exterior Frame Color:	Black
Exterior Sash / Panel Color:	Black
Interior Frame Finish Color:	White
Interior Sash / Panel Finish Color:	White
Installation Zip Code:	95120
U.S. ENERGY STAR® Climate Zone:	South Central

Glass Construction Type:	<i>Dual Pane</i>
Glass Option:	<i>Low-E SmartSun</i>
Glass Strength:	<i>Tempered</i>
Glass Tint:	<i>No Tint</i>
Specialty Glass:	<i>No Specialty Glass</i>
High Altitude:	<i>No</i>
Gas Fill:	<i>Argon</i>
Glass / Grille Spacer Color:	<i>Stainless</i>
Hardware Style:	<i>Auto Lock</i>
Lock Hardware Style:	<i>Slim Line</i>
Number of Sash Locks:	<i>1</i>
Lock Hardware Color/Finish:	<i>White</i>
Window Opening Control Device:	<i>No</i>
Insect Screen Type:	<i>Half Screen</i>
Insect Screen Material:	<i>Fiberglass</i>
Insect Screen Color:	<i>Black</i>
Exterior Frame Extenders:	<i>No</i>
Exterior Sill Extender:	<i>Yes</i>
Head Expander:	<i>Yes</i>
Extender Trim Width:	<i>2" (Fibrex)</i>
Installation Material Options:	<i>No</i>
Grille Type:	<i>No Grille(s)</i>
Unit U-Factor:	<i>0.29</i>
Unit Solar Heat Gain Coefficient (SHGC):	<i>0.21</i>
U.S. ENERGY STAR® Certified:	<i>No</i>
California Title 24 Energy Code:	<i>No</i>
Clear Opening Width:	<i>26</i>
Clear Opening Height:	<i>17.039</i>
Clear Opening Area:	<i>3.0765</i>
Unit CPD Number:	<i>AND-N-80-03326-00001</i>
Vendor Number:	<i>60014818</i>
Vendor Name:	<i>HDIS ANDERSEN LOGISTICS</i>
SKU:	<i>1011886489</i>
SKU Description:	<i>HDIS-ANDERSEN-100 SERIES-WINDOWS</i>
Supplier Customer Service Number:	<i>(866) 466-3578</i>
Catalog Version Date:	<i>05/13/2026</i>
Exterior Casing - Labor Only - Per Opening:	<i>HDE CAT WIN</i>
Flange Window Removal W/ Reinstallation (Per Opening):	<i>HDE CAT WIN</i>

Interior Casing - Labor Only - Per Opening: HDE CAT WIN

Miscellaneous Labor (Per Each): HDE CAT WIN

Lead Safe Renovation -- Windows/Patio Doors: HDE CAT WIN

Line Item Adders	Original	New
------------------	----------	-----

Exterior Casing - Labor Only - Per Opening

Quantity:	1	1
-----------	---	---

Interior Casing - Labor Only - Per Opening

Quantity:	1	1
-----------	---	---

Miscellaneous Labor (Per Each)

Quantity:	4	4
-----------	---	---

Flange Window Removal W/ Reinstallation (Per Opening)

Quantity:	1	1
-----------	---	---

Lead Safe Renovation -- Windows/Patio Doors

Quantity:	1	1
-----------	---	---

Change Details	Original	New
----------------	----------	-----

Frame Height:	42	41.5
---------------	----	------

Overall Frame Width:	30	29.5
----------------------	----	------

Overall Frame Height:	42	41.5
-----------------------	----	------

Frame Width:	30	29.5
--------------	----	------

RO Width:	30.375	29.875
-----------	--------	--------

RO Height:	42.375	41.875
------------	--------	--------

Clear Opening Width:	26.5	26
----------------------	------	----

Clear Opening Height:	17.289	17.039
-----------------------	--------	--------

Clear Opening Area:	3.1817	3.0765
---------------------	--------	--------

Fields to Validate	Original	New
--------------------	----------	-----

Frame Height:	42	41.5
---------------	----	------

Overall Frame Width:	30	29.5
----------------------	----	------

Overall Frame Height:	42	41.5
-----------------------	----	------

Frame Width:	30	29.5
--------------	----	------

RO Width:	30.375	29.875
-----------	--------	--------


RO Height:	42.375	41.875
------------	--------	--------

Clear Opening Width:	26.5	26
----------------------	------	----

Clear Opening Height:	17.289	17.039
-----------------------	--------	--------

Additional Work Info	Answers
----------------------	---------

Is there a Window Sticker on this Opening?:	No
---	----



Exterior View



Interior View

9 Kitchen

Quantity 1

Options

Product Details	
Description:	<i>100 Series Single-Hung Insert</i>
Product Category:	<i>Complete Window Unit</i>
Series:	<i>100 Series</i>
Product Type:	<i>Single-Hung</i>
Product Group:	<i>Single-Hung Insert</i>
Product Configuration:	<i>Single-Hung</i>
Room Location:	<i>Bedroom 1</i>
Enhanced Performance:	<i>No</i>
Standard Width:	<i>Custom</i>
Standard Height:	<i>Custom</i>
Frame Height:	<i>41.5</i>
Measurement Type:	<i>Frame Size</i>
Overall Frame Width:	<i>29.5</i>
Overall Frame Height:	<i>41.5</i>
Frame Width:	<i>29.5</i>
RO Width:	<i>29.875</i>
RO Height:	<i>41.875</i>
Product Style:	<i>Equal Sash</i>
Venting / Handing:	<i>Fixed/Active</i>
Frame Option:	<i>Insert</i>
Drywall Access:	<i>No</i>
Exterior Frame Color:	<i>Black</i>
Exterior Sash / Panel Color:	<i>Black</i>
Interior Frame Finish Color:	<i>White</i>
Interior Sash / Panel Finish Color:	<i>White</i>
Installation Zip Code:	<i>95120</i>
U.S. ENERGY STAR® Climate Zone:	<i>South Central</i>
Glass Construction Type:	<i>Dual Pane</i>
Glass Option:	<i>Low-E SmartSun</i>
Glass Strength:	<i>Tempered</i>
Glass Tint:	<i>No Tint</i>
Specialty Glass:	<i>No Specialty Glass</i>
High Altitude:	<i>No</i>
Gas Fill:	<i>Argon</i>
Glass / Grille Spacer Color:	<i>Stainless</i>

Hardware Style:	<i>Auto Lock</i>	
Lock Hardware Style:	<i>Slim Line</i>	
Number of Sash Locks:	<i>1</i>	
Lock Hardware Color/Finish:	<i>White</i>	
Window Opening Control Device:	<i>No</i>	
Insect Screen Type:	<i>Half Screen</i>	
Insect Screen Material:	<i>Fiberglass</i>	
Insect Screen Color:	<i>Black</i>	
Exterior Frame Extenders:	<i>No</i>	
Exterior Sill Extender:	<i>Yes</i>	
Head Expander:	<i>Yes</i>	
Extender Trim Width:	<i>2" (Fibrex)</i>	
Installation Material Options:	<i>No</i>	
Grille Type:	<i>No Grille(s)</i>	
Unit U-Factor:	<i>0.29</i>	
Unit Solar Heat Gain Coefficient (SHGC):	<i>0.21</i>	
U.S. ENERGY STAR® Certified:	<i>No</i>	
California Title 24 Energy Code:	<i>No</i>	
Clear Opening Width:	<i>26</i>	
Clear Opening Height:	<i>17.039</i>	
Clear Opening Area:	<i>3.0765</i>	
Unit CPD Number:	<i>AND-N-80-03326-00001</i>	
Vendor Number:	<i>60014818</i>	
Vendor Name:	<i>HDIS ANDERSEN LOGISTICS</i>	
SKU:	<i>1011886489</i>	
SKU Description:	<i>HDIS-ANDERSEN-100 SERIES-WINDOWS</i>	
Supplier Customer Service Number:	<i>(866) 466-3578</i>	
Catalog Version Date:	<i>05/13/2026</i>	
Flange Window Removal W/ Reinstallation (Per Opening):	<i>HDE CAT WIN</i>	
Interior Casing - Labor Only - Per Opening:	<i>HDE CAT WIN</i>	
Exterior Casing - Labor Only - Per Opening:	<i>HDE CAT WIN</i>	
Miscellaneous Labor (Per Each):	<i>HDE CAT WIN</i>	
Lead Safe Renovation -- Windows/Patio Doors:	<i>HDE CAT WIN</i>	
Line Item Adders	Original	New
<i>Exterior Casing - Labor Only - Per Opening</i>		
Quantity:	<i>1</i>	<i>1</i>
<i>Interior Casing - Labor Only - Per Opening</i>		

Quantity:	1	1
Miscellaneous Labor (Per Each)		
Quantity:	3	3
Flange Window Removal W/ Reinstallation (Per Opening)		
Quantity:	1	1
Lead Safe Renovation -- Windows/Patio Doors		
Quantity:	1	1
Change Details	Original	New
Frame Height:	42	41.5
Overall Frame Width:	30	29.5
Overall Frame Height:	42	41.5
Frame Width:	30	29.5
RO Width:	30.375	29.875
RO Height:	42.375	41.875
Clear Opening Width:	26.5	26
Clear Opening Height:	17.289	17.039
Clear Opening Area:	3.1817	3.0765
Fields to Validate	Original	New
Frame Height:	42	41.5
Overall Frame Width:	30	29.5
Overall Frame Height:	42	41.5
Frame Width:	30	29.5
RO Width:	30.375	29.875
RO Height:	42.375	41.875
Clear Opening Width:	26.5	26
Clear Opening Height:	17.289	17.039
Additional Work Info	Answers	
Is there a Window Sticker on this Opening?:	No	



Exterior View

10 Kitchen

Quantity 1

Options

Product Details	
Description:	100 Series Single-Hung Insert
Product Category:	Complete Window Unit
Series:	100 Series
Product Type:	Single-Hung




Interior View

Product Group:	<i>Single-Hung Insert</i>
Product Configuration:	<i>Single-Hung</i>
Room Location:	<i>Kitchen</i>
Enhanced Performance:	<i>No</i>
Standard Width:	<i>Custom</i>
Standard Height:	<i>Custom</i>
Frame Height:	<i>41.5</i>
Measurement Type:	<i>Frame Size</i>
Overall Frame Width:	<i>47.5</i>
Overall Frame Height:	<i>41.5</i>
Frame Width:	<i>47.5</i>
RO Width:	<i>47.875</i>
RO Height:	<i>41.875</i>
Product Style:	<i>Equal Sash</i>
Venting / Handing:	<i>Fixed/Active</i>
Frame Option:	<i>Insert</i>
Drywall Access:	<i>No</i>
Exterior Frame Color:	<i>Black</i>
Exterior Sash / Panel Color:	<i>Black</i>
Interior Frame Finish Color:	<i>White</i>
Interior Sash / Panel Finish Color:	<i>White</i>
Installation Zip Code:	<i>95120</i>
U.S. ENERGY STAR® Climate Zone:	<i>South Central</i>
Glass Construction Type:	<i>Dual Pane</i>
Glass Option:	<i>Low-E SmartSun</i>
Glass Strength:	<i>Tempered</i>
Glass Tint:	<i>No Tint</i>
Specialty Glass:	<i>No Specialty Glass</i>
High Altitude:	<i>No</i>
Gas Fill:	<i>Argon</i>
Glass / Grille Spacer Color:	<i>Stainless</i>
Hardware Style:	<i>Auto Lock</i>
Lock Hardware Style:	<i>Slim Line</i>
Number of Sash Locks:	<i>1</i>
Lock Hardware Color/Finish:	<i>White</i>
Window Opening Control Device:	<i>No</i>
Insect Screen Type:	<i>Half Screen</i>
Insect Screen Material:	<i>Fiberglass</i>
Insect Screen Color:	<i>Black</i>

Exterior Frame Extenders:	No
Exterior Sill Extender:	Yes
Head Expander:	Yes
Extender Trim Width:	2" (Fibrex)
Installation Material Options:	No
Grille Type:	No Grille(s)
Unit U-Factor:	0.29
Unit Solar Heat Gain Coefficient (SHGC):	0.21
U.S. ENERGY STAR® Certified:	No
California Title 24 Energy Code:	No
Clear Opening Width:	44
Clear Opening Height:	17.039
Clear Opening Area:	5.2064
Unit CPD Number:	AND-N-80-03326-00001
Vendor Number:	60014818
Vendor Name:	HDIS ANDERSEN LOGISTICS
SKU:	1011886489
SKU Description:	HDIS-ANDERSEN-100 SERIES-WINDOWS
Supplier Customer Service Number:	(866) 466-3578
Catalog Version Date:	05/13/2026
Flange Window Removal W/ Reinstallation (Per Opening):	HDE CAT WIN
Interior Casing - Labor Only - Per Opening:	HDE CAT WIN
Exterior Casing - Labor Only - Per Opening:	HDE CAT WIN
Miscellaneous Labor (Per Each):	HDE CAT WIN
Lead Safe Renovation -- Windows/Patio Doors:	HDE CAT WIN

Line	Item Adders	Original	New
Exterior Casing - Labor Only - Per Opening			
	Quantity:	1	1
Interior Casing - Labor Only - Per Opening			
	Quantity:	1	1
Miscellaneous Labor (Per Each)			
	Quantity:	3	3
Flange Window Removal W/ Reinstallation (Per Opening)			
	Quantity:	1	1
Lead Safe Renovation -- Windows/Patio Doors			
	Quantity:	1	1

Change Details	Original	New
Frame Height:	42	41.5
Overall Frame Height:	42	41.5
RO Height:	42.375	41.875
Clear Opening Height:	17.289	17.039
Clear Opening Area:	5.2828	5.2064
Fields to Validate	Original	New
Frame Height:	42	41.5
Overall Frame Height:	42	41.5
RO Height:	42.375	41.875
Clear Opening Height:	17.289	17.039
Additional Work Info	Answers	
Is there a Window Sticker on this Opening?:	No	



Exterior View



Interior View

11 Kitchen

Quantity 1

Options

Product Details	
Description:	100 Series Single-Hung Insert
Product Category:	Complete Window Unit
Series:	100 Series
Product Type:	Single-Hung
Product Group:	Single-Hung Insert
Product Configuration:	Single-Hung
Room Location:	Kitchen
Enhanced Performance:	No
Standard Width:	Custom
Standard Height:	Custom
Frame Height:	35.5
Measurement Type:	Frame Size
Overall Frame Width:	35.5
Overall Frame Height:	35.5
Frame Width:	35.5
RO Width:	35.875
RO Height:	35.875
Product Style:	Equal Sash
Venting / Handing:	Fixed/Active

Frame Option:	<i>Insert</i>
Drywall Access:	<i>No</i>
Exterior Frame Color:	<i>Black</i>
Exterior Sash / Panel Color:	<i>Black</i>
Interior Frame Finish Color:	<i>White</i>
Interior Sash / Panel Finish Color:	<i>White</i>
Installation Zip Code:	<i>95120</i>
U.S. ENERGY STAR® Climate Zone:	<i>South Central</i>
Glass Construction Type:	<i>Dual Pane</i>
Glass Option:	<i>Low-E SmartSun</i>
Glass Strength:	<i>Tempered</i>
Glass Tint:	<i>No Tint</i>
Specialty Glass:	<i>No Specialty Glass</i>
High Altitude:	<i>No</i>
Gas Fill:	<i>Argon</i>
Glass / Grille Spacer Color:	<i>Stainless</i>
Hardware Style:	<i>Auto Lock</i>
Lock Hardware Style:	<i>Slim Line</i>
Number of Sash Locks:	<i>1</i>
Lock Hardware Color/Finish:	<i>White</i>
Window Opening Control Device:	<i>No</i>
Insect Screen Type:	<i>Half Screen</i>
Insect Screen Material:	<i>Fiberglass</i>
Insect Screen Color:	<i>Black</i>
Exterior Frame Extenders:	<i>No</i>
Exterior Sill Extender:	<i>Yes</i>
Head Expander:	<i>Yes</i>
Extender Trim Width:	<i>2" (Fibrex)</i>
Installation Material Options:	<i>No</i>
Grille Type:	<i>No Grille(s)</i>
Unit U-Factor:	<i>0.29</i>
Unit Solar Heat Gain Coefficient (SHGC):	<i>0.21</i>
U.S. ENERGY STAR® Certified:	<i>No</i>
California Title 24 Energy Code:	<i>No</i>
Clear Opening Width:	<i>32</i>
Clear Opening Height:	<i>14.039</i>
Clear Opening Area:	<i>3.1198</i>
Unit CPD Number:	<i>AND-N-80-03326-00001</i>
Vendor Number:	<i>60014818</i>

Vendor Name:	HDIS ANDERSEN LOGISTICS
SKU:	1011886489
SKU Description:	HDIS-ANDERSEN-100 SERIES-WINDOWS
Supplier Customer Service Number:	(866) 466-3578
Catalog Version Date:	05/13/2026
Miscellaneous Labor (Per Each):	HDE CAT WIN
Flange Window Removal W/ Reinstallation (Per Opening):	HDE CAT WIN
Interior Casing - Labor Only - Per Opening:	HDE CAT WIN
Exterior Casing - Labor Only - Per Opening:	HDE CAT WIN
Lead Safe Renovation -- Windows/Patio Doors:	HDE CAT WIN

Line Item Adders	Original	New
------------------	----------	-----

Exterior Casing - Labor Only - Per Opening

Quantity:	1	1
-----------	---	---

Interior Casing - Labor Only - Per Opening

Quantity:	1	1
-----------	---	---

Miscellaneous Labor (Per Each)

Quantity:	3	3
-----------	---	---

Flange Window Removal W/ Reinstallation (Per Opening)

Quantity:	1	1
-----------	---	---

Lead Safe Renovation -- Windows/Patio Doors

Quantity:	1	1
-----------	---	---

Change Details	Original	New
----------------	----------	-----

Frame Height:	36	35.5
---------------	----	------

Overall Frame Width:	36	35.5
----------------------	----	------

Overall Frame Height:	36	35.5
-----------------------	----	------

Frame Width:	36	35.5
--------------	----	------

RO Width:	36.375	35.875
-----------	--------	--------

RO Height:	36.375	35.875
------------	--------	--------

Clear Opening Width:	32.5	32
----------------------	------	----

Clear Opening Height:	14.289	14.039
-----------------------	--------	--------

Clear Opening Area:	3.2249	3.1198
---------------------	--------	--------

Fields to Validate	Original	New
--------------------	----------	-----

Frame Height:	36	35.5
---------------	----	------


Overall Frame Width:	36	35.5
----------------------	----	------

Overall Frame Height:	36	35.5
-----------------------	----	------

Frame Width:	36	35.5
--------------	----	------

RO Width:	36.375	35.875
-----------	--------	--------

RO Height:	36.375	35.875
Clear Opening Width:	32.5	32
Clear Opening Height:	14.289	14.039
Additional Work Info Answers		
Is there a Window Sticker on this Opening?:	No	



Exterior View



Interior View

12 Living Room


Quantity 1

Options


Product Details	
Description:	100 Series Single-Hung Insert
Product Category:	Complete Window Unit
Series:	100 Series
Product Type:	Single-Hung
Product Group:	Single-Hung Insert
Product Configuration:	Single-Hung
Room Location:	Living Room
Enhanced Performance:	No
Standard Width:	Custom
Standard Height:	Custom
Frame Height:	53.5
Measurement Type:	Frame Size
Overall Frame Width:	29.5
Overall Frame Height:	53.5
Frame Width:	29.5
RO Width:	29.875
RO Height:	53.875
Product Style:	Equal Sash
Venting / Handing:	Fixed/Active
Frame Option:	Insert
Drywall Access:	No
Exterior Frame Color:	Black
Exterior Sash / Panel Color:	Black
Interior Frame Finish Color:	White
Interior Sash / Panel Finish Color:	White
Installation Zip Code:	94026
U.S. ENERGY STAR® Climate Zone:	South Central

Glass Construction Type:	<i>Dual Pane</i>
Glass Option:	<i>Low-E SmartSun</i>
Glass Strength:	<i>Tempered</i>
Glass Tint:	<i>No Tint</i>
Specialty Glass:	<i>No Specialty Glass</i>
High Altitude:	<i>No</i>
Gas Fill:	<i>Argon</i>
Glass / Grille Spacer Color:	<i>Stainless</i>
Hardware Style:	<i>Auto Lock</i>
Lock Hardware Style:	<i>Slim Line</i>
Number of Sash Locks:	<i>1</i>
Lock Hardware Color/Finish:	<i>White</i>
Window Opening Control Device:	<i>No</i>
Insect Screen Type:	<i>Half Screen</i>
Insect Screen Material:	<i>Fiberglass</i>
Insect Screen Color:	<i>Black</i>
Exterior Frame Extenders:	<i>Yes</i>
Exterior Sill Extender:	<i>Yes</i>
Head Expander:	<i>No</i>
Extender Trim Width:	<i>2" (Fibrex)</i>
Installation Material Options:	<i>No</i>
Grille Type:	<i>Finelight Grilles-Between-the-Glass</i>
Grille Pattern:	<i>Colonial</i>
Grille Bar Width:	<i>3/4"</i>
Exterior Grille Color:	<i>Black</i>
Interior Grille Color:	<i>White</i>
Lower Grille Division Type:	<i>None</i>
Upper Grille Division Type:	<i>Typical</i>
Upper Number Horizontal:	<i>3</i>
Upper Number Vertical:	<i>2</i>
Grille Alignment Type:	<i>Standard Grille Alignment</i>
Unit U-Factor:	<i>0.29</i>
Unit Solar Heat Gain Coefficient (SHGC):	<i>0.19</i>
U.S. ENERGY STAR® Certified:	<i>No</i>
California Title 24 Energy Code:	<i>No</i>
Clear Opening Width:	<i>26</i>
Clear Opening Height:	<i>23.039</i>
Clear Opening Area:	<i>4.1598</i>
Unit CPD Number:	<i>AND-N-80-03334-00001</i>

Vendor Number:	60014818	
Vendor Name:	HDIS ANDERSEN LOGISTICS	
SKU:	1011886489	
SKU Description:	HDIS-ANDERSEN-100 SERIES-WINDOWS	
Supplier Customer Service Number:	(866) 466-3578	
Catalog Version Date:	05/13/2026	
Miscellaneous Labor (Per Each):	HDE CAT WIN	
Flange Window Removal W/ Reinstallation (Per Opening):	HDE CAT WIN	
Lead Safe Renovation -- Windows/Patio Doors:	HDE CAT WIN	
Line Item Adders	Original	New
Miscellaneous Labor (Per Each)		
Quantity:	6	6
Flange Window Removal W/ Reinstallation (Per Opening)		
Quantity:	1	1
Lead Safe Renovation -- Windows/Patio Doors		
Quantity:	1	1
Change Details	Original	New
Frame Height:	54	53.5
Overall Frame Width:	30	29.5
Overall Frame Height:	54	53.5
Frame Width:	30	29.5
RO Width:	30.375	29.875
RO Height:	54.375	53.875
Clear Opening Width:	26.5	26
Clear Opening Height:	23.289	23.039
Clear Opening Area:	4.2858	4.1598
Fields to Validate	Original	New
Frame Height:	54	53.5
Overall Frame Width:	30	29.5
Overall Frame Height:	54	53.5
Frame Width:	30	29.5
RO Width:	30.375	29.875
RO Height:	54.375	53.875
Clear Opening Width:	26.5	26
Clear Opening Height:	23.289	23.039
Additional Work Info	Answers	
Is there a Window Sticker on this Opening?:	No	



Exterior View



Interior View

13 Living Room

Quantity 1

Options

Product Details	
Description:	100 Series Single-Hung Insert
Product Category:	Complete Window Unit
Series:	100 Series
Product Type:	Single-Hung
Product Group:	Single-Hung Insert
Product Configuration:	Single-Hung
Room Location:	Living Room
Enhanced Performance:	No
Standard Width:	Custom
Standard Height:	Custom
Frame Height:	53.5
Measurement Type:	Frame Size
Overall Frame Width:	39.5
Overall Frame Height:	53.5
Frame Width:	39.5
RO Width:	39.875
RO Height:	53.875
Product Style:	Equal Sash
Venting / Handing:	Fixed/Active
Frame Option:	Insert
Drywall Access:	No
Exterior Frame Color:	Black
Exterior Sash / Panel Color:	Black
Interior Frame Finish Color:	White
Interior Sash / Panel Finish Color:	White
Installation Zip Code:	94026
U.S. ENERGY STAR® Climate Zone:	South Central
Glass Construction Type:	Dual Pane
Glass Option:	Low-E SmartSun
Glass Strength:	Tempered
Glass Tint:	No Tint
Specialty Glass:	No Specialty Glass
High Altitude:	No
Gas Fill:	Argon

Glass / Grille Spacer Color:	<i>Stainless</i>
Hardware Style:	<i>Auto Lock</i>
Lock Hardware Style:	<i>Slim Line</i>
Number of Sash Locks:	<i>1</i>
Lock Hardware Color/Finish:	<i>White</i>
Window Opening Control Device:	<i>No</i>
Insect Screen Type:	<i>Half Screen</i>
Insect Screen Material:	<i>Fiberglass</i>
Insect Screen Color:	<i>Black</i>
Exterior Frame Extenders:	<i>Yes</i>
Exterior Sill Extender:	<i>Yes</i>
Head Expander:	<i>No</i>
Extender Trim Width:	<i>2" (Fibrex)</i>
Installation Material Options:	<i>No</i>
Grille Type:	<i>Finelight Grilles-Between-the-Glass</i>
Grille Pattern:	<i>Colonial</i>
Grille Bar Width:	<i>3/4"</i>
Exterior Grille Color:	<i>Black</i>
Interior Grille Color:	<i>White</i>
Lower Grille Division Type:	<i>None</i>
Upper Grille Division Type:	<i>Typical</i>
Upper Number Horizontal:	<i>4</i>
Upper Number Vertical:	<i>2</i>
Grille Alignment Type:	<i>Standard Grille Alignment</i>
Unit U-Factor:	<i>0.29</i>
Unit Solar Heat Gain Coefficient (SHGC):	<i>0.19</i>
U.S. ENERGY STAR® Certified:	<i>No</i>
California Title 24 Energy Code:	<i>No</i>
Clear Opening Width:	<i>36</i>
Clear Opening Height:	<i>23.039</i>
Clear Opening Area:	<i>5.7597</i>
Unit CPD Number:	<i>AND-N-80-03334-00001</i>
Vendor Number:	<i>60014818</i>
Vendor Name:	<i>HDIS ANDERSEN LOGISTICS</i>
SKU:	<i>1011886489</i>
SKU Description:	<i>HDIS-ANDERSEN-100 SERIES-WINDOWS</i>
Supplier Customer Service Number:	<i>(866) 466-3578</i>
Catalog Version Date:	<i>05/13/2026</i>
Miscellaneous Labor (Per Each):	<i>HDE CAT WIN</i>

Flange Window Removal W/ Reinstallation
(Per Opening): *HDE CAT WIN*

Lead Safe Renovation -- Windows/Patio
Doors: *HDE CAT WIN*

Line Item Adders	Original	New
------------------	----------	-----

Miscellaneous Labor (Per Each)

Quantity:	6	6
-----------	---	---

Flange Window Removal W/ Reinstallation (Per Opening)

Quantity:	1	1
-----------	---	---

Lead Safe Renovation -- Windows/Patio Doors

Quantity:	1	1
-----------	---	---

Change Details	Original	New
----------------	----------	-----

Frame Height:	54	53.5
---------------	----	------

Overall Frame Width:	40	39.5
----------------------	----	------

Overall Frame Height:	54	53.5
-----------------------	----	------

Frame Width:	40	39.5
--------------	----	------

RO Width:	40.375	39.875
-----------	--------	--------

RO Height:	54.375	53.875
------------	--------	--------

Clear Opening Width:	36.5	36
----------------------	------	----

Clear Opening Height:	23.289	23.039
-----------------------	--------	--------

Clear Opening Area:	5.9031	5.7597
---------------------	--------	--------

Fields to Validate	Original	New
--------------------	----------	-----

Frame Height:	54	53.5
---------------	----	------

Overall Frame Width:	40	39.5
----------------------	----	------

Overall Frame Height:	54	53.5
-----------------------	----	------

Frame Width:	40	39.5
--------------	----	------

RO Width:	40.375	39.875
-----------	--------	--------

RO Height:	54.375	53.875
------------	--------	--------

Clear Opening Width:	36.5	36
----------------------	------	----

Clear Opening Height:	23.289	23.039
-----------------------	--------	--------

Additional Work Info	Answers
----------------------	---------

Is there a Window Sticker on this Opening?:	No
---	----


14 Living Room

Quantity 1

Options

Product Details

Description:	100 Series Single-Hung Insert
--------------	-------------------------------



Exterior View




Interior View

Product Category:	<i>Complete Window Unit</i>
Series:	<i>100 Series</i>
Product Type:	<i>Single-Hung</i>
Product Group:	<i>Single-Hung Insert</i>
Product Configuration:	<i>Single-Hung</i>
Room Location:	<i>Living Room</i>
Enhanced Performance:	<i>No</i>
Standard Width:	<i>Custom</i>
Standard Height:	<i>Custom</i>
Frame Height:	<i>53.5</i>
Measurement Type:	<i>Frame Size</i>
Overall Frame Width:	<i>29.5</i>
Overall Frame Height:	<i>53.5</i>
Frame Width:	<i>29.5</i>
RO Width:	<i>29.875</i>
RO Height:	<i>53.875</i>
Product Style:	<i>Equal Sash</i>
Venting / Handling:	<i>Fixed/Active</i>
Frame Option:	<i>Insert</i>
Drywall Access:	<i>No</i>
Exterior Frame Color:	<i>Black</i>
Exterior Sash / Panel Color:	<i>Black</i>
Interior Frame Finish Color:	<i>White</i>
Interior Sash / Panel Finish Color:	<i>White</i>
Installation Zip Code:	<i>94026</i>
U.S. ENERGY STAR® Climate Zone:	<i>South Central</i>
Glass Construction Type:	<i>Dual Pane</i>
Glass Option:	<i>Low-E SmartSun</i>
Glass Strength:	<i>Tempered</i>
Glass Tint:	<i>No Tint</i>
Specialty Glass:	<i>No Specialty Glass</i>
High Altitude:	<i>No</i>
Gas Fill:	<i>Argon</i>
Glass / Grille Spacer Color:	<i>Stainless</i>
Hardware Style:	<i>Auto Lock</i>
Lock Hardware Style:	<i>Slim Line</i>
Number of Sash Locks:	<i>1</i>
Lock Hardware Color/Finish:	<i>White</i>
Window Opening Control Device:	<i>No</i>

Insect Screen Type:	Half Screen	
Insect Screen Material:	Fiberglass	
Insect Screen Color:	Black	
Exterior Frame Extenders:	Yes	
Exterior Sill Extender:	Yes	
Head Expander:	No	
Extender Trim Width:	2" (Fibrex)	
Installation Material Options:	No	
Grille Type:	Finelight Grilles-Between-the-Glass	
Grille Pattern:	Colonial	
Grille Bar Width:	3/4"	
Exterior Grille Color:	Black	
Interior Grille Color:	White	
Lower Grille Division Type:	None	
Upper Grille Division Type:	Typical	
Upper Number Horizontal:	3	
Upper Number Vertical:	2	
Grille Alignment Type:	Standard Grille Alignment	
Unit U-Factor:	0.29	
Unit Solar Heat Gain Coefficient (SHGC):	0.19	
U.S. ENERGY STAR® Certified:	No	
California Title 24 Energy Code:	No	
Clear Opening Width:	26	
Clear Opening Height:	23.039	
Clear Opening Area:	4.1598	
Unit CPD Number:	AND-N-80-03334-00001	
Vendor Number:	60014818	
Vendor Name:	HDIS ANDERSEN LOGISTICS	
SKU:	1011886489	
SKU Description:	HDIS-ANDERSEN-100 SERIES-WINDOWS	
Supplier Customer Service Number:	(866) 466-3578	
Catalog Version Date:	05/13/2026	
Miscellaneous Labor (Per Each):	HDE CAT WIN	
Flange Window Removal W/ Reinstallation (Per Opening):	HDE CAT WIN	
Lead Safe Renovation -- Windows/Patio Doors:	HDE CAT WIN	
Line Item Adders	Original	New
Miscellaneous Labor (Per Each)		

Quantity:	6	6
Flange Window Removal W/ Reinstallation (Per Opening)		
Quantity:	1	1
Lead Safe Renovation -- Windows/Patio Doors		
Quantity:	1	1
Change Details	Original	New
Frame Height:	54	53.5
Overall Frame Width:	30	29.5
Overall Frame Height:	54	53.5
Frame Width:	30	29.5
RO Width:	30.375	29.875
RO Height:	54.375	53.875
Clear Opening Width:	26.5	26
Clear Opening Height:	23.289	23.039
Clear Opening Area:	4.2858	4.1598
Fields to Validate	Original	New
Frame Height:	54	53.5
Overall Frame Width:	30	29.5
Overall Frame Height:	54	53.5
Frame Width:	30	29.5
RO Width:	30.375	29.875
RO Height:	54.375	53.875
Clear Opening Width:	26.5	26
Clear Opening Height:	23.289	23.039
Additional Work Info	Answers	
Is there a Window Sticker on this Opening?:	No	




Exterior View

15 Living Room

Quantity 1

Options

Product Details	
Description:	100 Series Awning Insert
Product Category:	Complete Window Unit
Series:	100 Series
Product Type:	Awning
Product Group:	Awning Insert
Product Configuration:	Awning




Interior View


Room Location:	<i>Living Room</i>
Enhanced Performance:	<i>No</i>
Standard Width:	<i>Custom</i>
Standard Height:	<i>Custom</i>
Frame Height:	<i>25.5</i>
Measurement Type:	<i>Frame Size</i>
Overall Frame Width:	<i>35.5</i>
Overall Frame Height:	<i>25.5</i>
Frame Width:	<i>35.5</i>
RO Width:	<i>35.875</i>
RO Height:	<i>25.875</i>
Venting / Handing:	<i>Vent</i>
Frame Option:	<i>Insert</i>
Vent Limiter:	<i>No</i>
Exterior Frame Color:	<i>Black</i>
Exterior Sash / Panel Color:	<i>Black</i>
Interior Frame Finish Color:	<i>White</i>
Interior Sash / Panel Finish Color:	<i>White</i>
Installation Zip Code:	<i>95120</i>
U.S. ENERGY STAR® Climate Zone:	<i>South Central</i>
Glass Construction Type:	<i>Dual Pane</i>
Glass Option:	<i>Low-E SmartSun</i>
Glass Strength:	<i>Tempered</i>
Glass Tint:	<i>No Tint</i>
Specialty Glass:	<i>No Specialty Glass</i>
High Altitude:	<i>No</i>
Gas Fill:	<i>Argon</i>
Glass / Grille Spacer Color:	<i>Stainless</i>
Hardware Style:	<i>Folding</i>
Number of Sash Locks:	<i>2</i>
Lock Hardware Color/Finish:	<i>White</i>
Corrosion Resistant Hardware:	<i>None</i>
Insect Screen Type:	<i>Full Screen</i>
Insect Screen Material:	<i>Fiberglass</i>
Insect Screen Color:	<i>White</i>
Exterior Frame Extenders:	<i>No</i>
Exterior Sill Extender:	<i>Yes</i>
Extender Trim Width:	<i>2" (Fibrex)</i>
Installation Material Options:	<i>No</i>

Grille Type:	<i>Full Divided Light w/Energy Spacer</i>	
Grille Pattern:	<i>Colonial</i>	
Grille Bar Width:	<i>3/4"</i>	
Exterior Grille Color:	<i>Black</i>	
Interior Grille Color:	<i>White</i>	
Grille Division Type:	<i>Typical</i>	
Number Horizontal:	<i>3</i>	
Number Vertical:	<i>2</i>	
Grille Alignment Type:	<i>Standard Grille Alignment</i>	
Unit U-Factor:	<i>0.27</i>	
Unit Solar Heat Gain Coefficient (SHGC):	<i>0.17</i>	
U.S. ENERGY STAR® Certified:	<i>Yes</i>	
California Title 24 Energy Code:	<i>Yes</i>	
Unit CPD Number:	<i>AND-N-85-03413-00004</i>	
Vendor Number:	<i>60014818</i>	
Vendor Name:	<i>HDIS ANDERSEN LOGISTICS</i>	
SKU:	<i>1011886489</i>	
SKU Description:	<i>HDIS-ANDERSEN-100 SERIES-WINDOWS</i>	
Supplier Customer Service Number:	<i>(866) 466-3578</i>	
Catalog Version Date:	<i>05/13/2026</i>	
Lead Safe Renovation -- Windows/Patio Doors:	<i>HDE CAT WIN</i>	
Exterior Casing - Labor Only - Per Opening:	<i>HDE CAT WIN</i>	
Flange Window Removal W/ Reinstallation (Per Opening):	<i>HDE CAT WIN</i>	
Interior Casing - Labor Only - Per Opening:	<i>HDE CAT WIN</i>	
Miscellaneous Labor (Per Each):	<i>HDE CAT WIN</i>	
Line Item Adders	Original	New
<i>Exterior Casing - Labor Only - Per Opening</i>		
Quantity:	<i>1</i>	<i>1</i>
<i>Interior Casing - Labor Only - Per Opening</i>		
Quantity:	<i>1</i>	<i>1</i>
<i>Miscellaneous Labor (Per Each)</i>		
Quantity:	<i>4</i>	<i>4</i>
<i>Flange Window Removal W/ Reinstallation (Per Opening)</i>		
Quantity:	<i>1</i>	<i>1</i>
<i>Lead Safe Renovation -- Windows/Patio Doors</i>		
Quantity:	<i>1</i>	<i>1</i>

Change Details	Original	New
Frame Height:	28	25.5
Overall Frame Width:	36	35.5
Overall Frame Height:	28	25.5
Frame Width:	36	35.5
RO Width:	36.375	35.875
RO Height:	28.375	25.875
Fields to Validate	Original	New
Frame Height:	28	25.5
Overall Frame Width:	36	35.5
Overall Frame Height:	28	25.5
Frame Width:	36	35.5
RO Width:	36.375	35.875
RO Height:	28.375	25.875
Additional Work Info	Answers	
Is there a Window Sticker on this Opening?:	No	



Exterior View



Interior View

16 Living Room

Quantity 1


Options

Product Details	
Description:	100 Series Awning Insert
Product Category:	Complete Window Unit
Series:	100 Series
Product Type:	Awning
Product Group:	Awning Insert
Product Configuration:	Awning
Room Location:	Living Room
Enhanced Performance:	No
Standard Width:	Custom
Standard Height:	Custom
Frame Height:	25.5
Measurement Type:	Frame Size
Overall Frame Width:	35.5
Overall Frame Height:	25.5
Frame Width:	35.5
RO Width:	35.875


RO Height:	25.875
Venting / Handing:	Vent
Frame Option:	Insert
Vent Limiter:	No
Exterior Frame Color:	Black
Exterior Sash / Panel Color:	Black
Interior Frame Finish Color:	White
Interior Sash / Panel Finish Color:	White
Installation Zip Code:	95120
U.S. ENERGY STAR® Climate Zone:	South Central
Glass Construction Type:	Dual Pane
Glass Option:	Low-E SmartSun
Glass Strength:	Tempered
Glass Tint:	No Tint
Specialty Glass:	No Specialty Glass
High Altitude:	No
Gas Fill:	Argon
Glass / Grille Spacer Color:	Stainless
Hardware Style:	Folding
Number of Sash Locks:	2
Lock Hardware Color/Finish:	White
Corrosion Resistant Hardware:	None
Insect Screen Type:	Full Screen
Insect Screen Material:	Fiberglass
Insect Screen Color:	White
Exterior Frame Extenders:	No
Exterior Sill Extender:	Yes
Extender Trim Width:	2" (Fibrex)
Installation Material Options:	No
Grille Type:	Full Divided Light w/Energy Spacer
Grille Pattern:	Colonial
Grille Bar Width:	3/4"
Exterior Grille Color:	Black
Interior Grille Color:	White
Grille Division Type:	Typical
Number Horizontal:	3
Number Vertical:	2
Grille Alignment Type:	Standard Grille Alignment
Unit U-Factor:	0.27

Unit Solar Heat Gain Coefficient (SHGC):	0.17	
U.S. ENERGY STAR® Certified:	Yes	
California Title 24 Energy Code:	Yes	
Unit CPD Number:	AND-N-85-03413-00004	
Vendor Number:	60014818	
Vendor Name:	HDIS ANDERSEN LOGISTICS	
SKU:	1011886489	
SKU Description:	HDIS-ANDERSEN-100 SERIES-WINDOWS	
Supplier Customer Service Number:	(866) 466-3578	
Catalog Version Date:	05/13/2026	
Exterior Casing - Labor Only - Per Opening:	HDE CAT WIN	
Miscellaneous Labor (Per Each):	HDE CAT WIN	
Interior Casing - Labor Only - Per Opening:	HDE CAT WIN	
Flange Window Removal W/ Reinstallation (Per Opening):	HDE CAT WIN	
Lead Safe Renovation -- Windows/Patio Doors:	HDE CAT WIN	
Line Item Adders	Original	New
Exterior Casing - Labor Only - Per Opening		
Quantity:	1	1
Interior Casing - Labor Only - Per Opening		
Quantity:	1	1
Miscellaneous Labor (Per Each)		
Quantity:	4	4
Flange Window Removal W/ Reinstallation (Per Opening)		
Quantity:	1	1
Lead Safe Renovation -- Windows/Patio Doors		
Quantity:	1	1
Change Details	Original	New
Frame Height:	28	25.5
Overall Frame Width:	36	35.5
Overall Frame Height:	28	25.5
Frame Width:	36	35.5
RO Width:	36.375	35.875
RO Height:	28.375	25.875
Fields to Validate	Original	New
Frame Height:	28	25.5
Overall Frame Width:	36	35.5
Overall Frame Height:	28	25.5

Frame Width:	36	35.5
RO Width:	36.375	35.875
RO Height:	28.375	25.875
Additional Work Info	Answers	
Is there a Window Sticker on this Opening?:	No	



Exterior View



Interior View

1 Kitchen

Quantity 1

Options

Product Details	
Description:	<i>A Series Outswing Patio Door - 2 Panel - Traditional</i>
Product:	<i>Patio Doors</i>
Product Category:	<i>Complete Patio Door Unit</i>
Series:	<i>A Series</i>
Product Type:	<i>Hinged Patio Door - Outswing</i>
Product Group:	<i>Traditional</i>
Product Configuration:	<i>2 Panel</i>
Room Location:	<i>Kitchen</i>
Product Performance:	<i>Standard</i>
Standard Width:	<i>Custom</i>
Standard Height:	<i>Custom</i>
Frame Height:	<i>79.5</i>
Measurement Type:	<i>Frame Size</i>
Overall Frame Width:	<i>59.5</i>
Overall Frame Height:	<i>79.5</i>
Frame Width:	<i>59.5</i>
RO Width:	<i>60.25</i>
RO Height:	<i>80</i>
Frame Depth:	<i>4 9/16"</i>
Patio Door Assembly:	<i>Factory Assembled</i>
Venting / Handing:	<i>Active Left-Passive Right</i>
Glass Stop Profile:	<i>Chamfer</i>
Exterior Frame Color:	<i>Black</i>
Exterior Sash / Panel Color:	<i>Black</i>
Interior Frame Wood Species:	<i>Pine</i>
Interior Frame Finish Color:	<i>White - Painted</i>
Interior Sash / Panel Wood Species:	<i>Pine</i>

Interior Sash / Panel Finish Color:	<i>White - Painted</i>
Sill Style:	<i>Bronze Appearance</i>
Installation Zip Code:	<i>95044</i>
U.S. ENERGY STAR® Climate Zone:	<i>South Central</i>
Glass Construction Type:	<i>Dual Pane</i>
Glass Option:	<i>Low-E4 SmartSun</i>
Glass Strength:	<i>Tempered</i>
Glass Tint:	<i>No Tint</i>
Specialty Glass:	<i>No Specialty Glass</i>
High Altitude:	<i>No</i>
Gas Fill:	<i>Argon</i>
Glass / Grille Spacer Color:	<i>Stainless</i>
Hardware Collection:	<i>ANDERSEN</i>
Hardware Style:	<i>Albany</i>
Hardware Color/Finish:	<i>Black (Matte)</i>
Corrosion Resistant Hinges:	<i>None</i>
Temporary Construction Trim Set:	<i>None</i>
Exterior Keyed Lock:	<i>None</i>
Corrosion Resistant Locking Mechanism:	<i>None</i>
Insect Screen Type:	<i>None</i>
Exterior Trim Style:	<i>2" Brickmould</i>
Exterior Trim Type:	<i>3-Sided</i>
Exterior Trim Color:	<i>Black</i>
Exterior Trim Application Method:	<i>Pre-cut Trim Kit</i>
Extension Jamb Type:	<i>None</i>
Sill Step:	<i>No</i>
Installation Material Options:	<i>No</i>
Grille Type:	<i>No Grille(s)</i>
Unit U-Factor:	<i>0.29</i>
Unit Solar Heat Gain Coefficient (SHGC):	<i>0.16</i>
U.S. ENERGY STAR® Certified:	<i>No</i>
California Title 24 Energy Code:	<i>No</i>
Unit CPD Number:	<i>AND-N-93-03753-00001</i>
Vendor Number:	<i>60014818</i>
Vendor Name:	<i>HDIS ANDERSEN LOGISTICS</i>
SKU:	<i>1011886605</i>
SKU Description:	<i>HDIS-ANDERSEN-A SERIES-PATIO DOORS</i>
Supplier Customer Service Number:	<i>(866) 466-3578</i>
Catalog Version Date:	<i>05/13/2026</i>


Trim Set 1 Part Number:	9007553	
Miscellaneous Labor (Per Each):	HDE CAT WIN	
Interior Casing - Labor Only - Per Opening:	HDE CAT WIN	
Interior Wood Casing 2 1/4 Paint Grade Pine - Material Only (Per Lineal Ft):	HDE CAT WIN	
Lead Safe Renovation -- Windows/Patio Doors:	HDE CAT WIN	
Line Item Adders	Original	New
Interior Casing - Labor Only - Per Opening		
Quantity:	1	1
Interior Wood Casing 2 1/4 Paint Grade Pine - Material Only (Per Lineal Ft)		
Quantity:	19	19
Miscellaneous Labor (Per Each)		
Quantity:	8	8
Lead Safe Renovation -- Windows/Patio Doors		
Quantity:	1	1
Change Details	Original	New
Frame Height:	80	79.5
Overall Frame Width:	59	59.5
Overall Frame Height:	80	79.5
Frame Width:	59	59.5
RO Width:	59.75	60.25
RO Height:	80.5	80
Fields to Validate	Original	New
Frame Height:	80	79.5
Overall Frame Width:	59	59.5
Overall Frame Height:	80	79.5
Frame Width:	59	59.5
RO Width:	59.75	60.25
RO Height:	80.5	80
Additional Work Info	Answers	
Is there a Window Sticker on this Opening?:	No	

2 Entry/Foyer


Quantity 1

Options

Product Details	
Description:	A Series Outswing Patio Door - 1 Panel - Traditional



Exterior View



Interior View

Product:	<i>Patio Doors</i>
Product Category:	<i>Complete Patio Door Unit</i>
Series:	<i>A Series</i>
Product Type:	<i>Hinged Patio Door - Outswing</i>
Product Group:	<i>Traditional</i>
Product Configuration:	<i>1 Panel</i>
Room Location:	<i>Entry/Foyer</i>
Product Performance:	<i>Standard</i>
Standard Width:	<i>Custom</i>
Standard Height:	<i>Custom</i>
Frame Height:	<i>81.5</i>
Measurement Type:	<i>Frame Size</i>
Overall Frame Width:	<i>37.5</i>
Overall Frame Height:	<i>81.5</i>
Frame Width:	<i>37.5</i>
RO Width:	<i>38.375</i>
RO Height:	<i>82</i>
Frame Depth:	<i>4 9/16"</i>
Patio Door Assembly:	<i>Factory Assembled</i>
Venting / Handing:	<i>Left</i>
Glass Stop Profile:	<i>Chamfer</i>
Exterior Frame Color:	<i>Black</i>
Exterior Sash / Panel Color:	<i>Black</i>
Interior Frame Wood Species:	<i>Pine</i>
Interior Frame Finish Color:	<i>White - Painted</i>
Interior Sash / Panel Wood Species:	<i>Pine</i>
Interior Sash / Panel Finish Color:	<i>White - Painted</i>
Sill Style:	<i>Bronze Appearance</i>
Installation Zip Code:	<i>95044</i>
U.S. ENERGY STAR® Climate Zone:	<i>South Central</i>
Glass Construction Type:	<i>Dual Pane</i>
Glass Option:	<i>Low-E4 SmartSun</i>
Glass Strength:	<i>Tempered</i>
Glass Tint:	<i>No Tint</i>
Specialty Glass:	<i>No Specialty Glass</i>
High Altitude:	<i>No</i>
Gas Fill:	<i>Argon</i>
Glass / Grille Spacer Color:	<i>Stainless</i>
Hardware Collection:	<i>ANDERSEN</i>

Hardware Style:	<i>Newbury</i>
Hardware Color/Finish:	<i>Black (Matte)</i>
Corrosion Resistant Hinges:	<i>None</i>
Temporary Construction Trim Set:	<i>None</i>
Exterior Keyed Lock:	<i>None</i>
Corrosion Resistant Locking Mechanism:	<i>None</i>
Insect Screen Type:	<i>None</i>
Exterior Trim Style:	<i>2" Brickmould</i>
Exterior Trim Type:	<i>3-Sided</i>
Exterior Trim Color:	<i>Black</i>
Exterior Trim Application Method:	<i>Pre-cut Trim Kit</i>
Extension Jamb Type:	<i>None</i>
Sill Step:	<i>No</i>
Installation Material Options:	<i>No</i>
Grille Type:	<i>Full Divided Light w/Energy Spacer</i>
Grille Pattern:	<i>Colonial</i>
Exterior Grille Bar Profile:	<i>Chamfer</i>
Interior Grille Bar Profile:	<i>Chamfer</i>
Grille Bar Width:	<i>1 1/8"</i>
Exterior Grille Color:	<i>Black</i>
Interior Grille Species:	<i>Pine</i>
Interior Grille Color:	<i>White</i>
Grille Division Type:	<i>Typical</i>
Number Wide:	<i>3</i>
Number High:	<i>5</i>
Grille Alignment Type:	<i>Standard Grille Alignment</i>
Unit U-Factor:	<i>0.29</i>
Unit Solar Heat Gain Coefficient (SHGC):	<i>0.13</i>
U.S. ENERGY STAR® Certified:	<i>No</i>
California Title 24 Energy Code:	<i>No</i>
Unit CPD Number:	<i>AND-N-93-03753-00008</i>
Vendor Number:	<i>60014818</i>
Vendor Name:	<i>HDIS ANDERSEN LOGISTICS</i>
SKU:	<i>1011886605</i>
SKU Description:	<i>HDIS-ANDERSEN-A SERIES-PATIO DOORS</i>
Supplier Customer Service Number:	<i>(866) 466-3578</i>
Catalog Version Date:	<i>05/13/2026</i>
Trim Set 1 Part Number:	<i>9214442</i>
Miscellaneous Labor (Per Each):	<i>HDE CAT WIN</i>

Interior Casing - Labor Only - Per Opening: *HDE CAT WIN*

Interior Wood Casing 2 1/4 Paint Grade Pine -
Material Only (Per Lineal Ft): *HDE CAT WIN*

Lead Safe Renovation -- Windows/Patio
Doors: *HDE CAT WIN*

Line Item Adders	Original	New
------------------	----------	-----

Interior Casing - Labor Only - Per Opening

Quantity:	1	1
-----------	---	---

Interior Wood Casing 2 1/4 Paint Grade Pine - Material Only (Per Lineal Ft)

Quantity:	18	18
-----------	----	----

Miscellaneous Labor (Per Each)

Quantity:	7	7
-----------	---	---

Lead Safe Renovation -- Windows/Patio Doors

Quantity:	1	1
-----------	---	---

Change Details	Original	New
----------------	----------	-----

Frame Height:	80	81.5
---------------	----	------

Overall Frame Width:	36	37.5
----------------------	----	------

Overall Frame Height:	80	81.5
-----------------------	----	------

Frame Width:	36	37.5
--------------	----	------

RO Width:	36.875	38.375
-----------	--------	--------

RO Height:	80.5	82
------------	------	----

Fields to Validate	Original	New
--------------------	----------	-----

Frame Height:	80	81.5
---------------	----	------

Overall Frame Width:	36	37.5
----------------------	----	------

Overall Frame Height:	80	81.5
-----------------------	----	------

Frame Width:	36	37.5
--------------	----	------

RO Width:	36.875	38.375
-----------	--------	--------

RO Height:	80.5	82
------------	------	----

Additional Work Info	Answers
----------------------	---------

Is there a Window Sticker on this Opening?:	No
--	----

3 Entry/Foyer 2

Quantity 1


Options

Product Details	
-----------------	--


Description:	<i>A Series Outswing Patio Door - 1 Panel - Traditional</i>
--------------	---

Product:	<i>Patio Doors</i>
----------	--------------------

Product Category:	<i>Complete Patio Door Unit</i>
-------------------	---------------------------------



Exterior View



Interior View

Series:	<i>A Series</i>
Product Type:	<i>Hinged Patio Door - Outswing</i>
Product Group:	<i>Traditional</i>
Product Configuration:	<i>1 Panel</i>
Room Location:	<i>Entry/Foyer</i>
Product Performance:	<i>Standard</i>
Standard Width:	<i>Custom</i>
Standard Height:	<i>Custom</i>
Frame Height:	<i>81.5</i>
Measurement Type:	<i>Frame Size</i>
Overall Frame Width:	<i>37.5</i>
Overall Frame Height:	<i>81.5</i>
Frame Width:	<i>37.5</i>
RO Width:	<i>38.375</i>
RO Height:	<i>82</i>
Frame Depth:	<i>4 9/16"</i>
Patio Door Assembly:	<i>Factory Assembled</i>
Venting / Handing:	<i>Right</i>
Glass Stop Profile:	<i>Chamfer</i>
Exterior Frame Color:	<i>Black</i>
Exterior Sash / Panel Color:	<i>Black</i>
Interior Frame Wood Species:	<i>Pine</i>
Interior Frame Finish Color:	<i>White - Painted</i>
Interior Sash / Panel Wood Species:	<i>Pine</i>
Interior Sash / Panel Finish Color:	<i>White - Painted</i>
Sill Style:	<i>Bronze Appearance</i>
Installation Zip Code:	<i>95044</i>
U.S. ENERGY STAR® Climate Zone:	<i>South Central</i>
Glass Construction Type:	<i>Dual Pane</i>
Glass Option:	<i>Low-E4 SmartSun</i>
Glass Strength:	<i>Tempered</i>
Glass Tint:	<i>No Tint</i>
Specialty Glass:	<i>No Specialty Glass</i>
High Altitude:	<i>No</i>
Gas Fill:	<i>Argon</i>
Glass / Grille Spacer Color:	<i>Stainless</i>
Hardware Collection:	<i>ANDERSEN</i>
Hardware Style:	<i>Newbury</i>
Hardware Color/Finish:	<i>Black (Matte)</i>

Corrosion Resistant Hinges:	<i>None</i>
Temporary Construction Trim Set:	<i>None</i>
Exterior Keyed Lock:	<i>None</i>
Corrosion Resistant Locking Mechanism:	<i>None</i>
Insect Screen Type:	<i>None</i>
Exterior Trim Style:	<i>2" Brickmould</i>
Exterior Trim Type:	<i>3-Sided</i>
Exterior Trim Color:	<i>Black</i>
Exterior Trim Application Method:	<i>Pre-cut Trim Kit</i>
Extension Jamb Type:	<i>None</i>
Sill Step:	<i>No</i>
Installation Material Options:	<i>No</i>
Grille Type:	<i>Full Divided Light w/Energy Spacer</i>
Grille Pattern:	<i>Colonial</i>
Exterior Grille Bar Profile:	<i>Chamfer</i>
Interior Grille Bar Profile:	<i>Chamfer</i>
Grille Bar Width:	<i>1 1/8"</i>
Exterior Grille Color:	<i>Black</i>
Interior Grille Species:	<i>Pine</i>
Interior Grille Color:	<i>White</i>
Grille Division Type:	<i>Typical</i>
Number Wide:	<i>3</i>
Number High:	<i>5</i>
Grille Alignment Type:	<i>Standard Grille Alignment</i>
Unit U-Factor:	<i>0.29</i>
Unit Solar Heat Gain Coefficient (SHGC):	<i>0.13</i>
U.S. ENERGY STAR® Certified:	<i>No</i>
California Title 24 Energy Code:	<i>No</i>
Unit CPD Number:	<i>AND-N-93-03753-00008</i>
Vendor Number:	<i>60014818</i>
Vendor Name:	<i>HDIS ANDERSEN LOGISTICS</i>
SKU:	<i>1011886605</i>
SKU Description:	<i>HDIS-ANDERSEN-A SERIES-PATIO DOORS</i>
Supplier Customer Service Number:	<i>(866) 466-3578</i>
Catalog Version Date:	<i>05/13/2026</i>
Trim Set 1 Part Number:	<i>9214442</i>
Interior Casing - Labor Only - Per Opening:	<i>HDE CAT WIN</i>
Miscellaneous Labor (Per Each):	<i>HDE CAT WIN</i>


Interior Wood Casing 2 1/4 Paint Grade Pine - Material Only (Per Lineal Ft):	<i>HDE CAT WIN</i>	
Lead Safe Renovation -- Windows/Patio Doors:	<i>HDE CAT WIN</i>	
Line Item Adders	Original	New
Interior Casing - Labor Only - Per Opening		
Quantity:	1	1
Interior Wood Casing 2 1/4 Paint Grade Pine - Material Only (Per Lineal Ft)		
Quantity:	18	18
Miscellaneous Labor (Per Each)		
Quantity:	7	7
Lead Safe Renovation -- Windows/Patio Doors		
Quantity:	1	1
Change Details	Original	New
Frame Height:	80	81.5
Overall Frame Width:	36	37.5
Overall Frame Height:	80	81.5
Frame Width:	36	37.5
RO Width:	36.875	38.375
RO Height:	80.5	82
Venting / Handing:	<i>Left</i>	<i>Right</i>
Fields to Validate	Original	New
Frame Height:	80	81.5
Overall Frame Width:	36	37.5
Overall Frame Height:	80	81.5
Frame Width:	36	37.5
RO Width:	36.875	38.375
RO Height:	80.5	82
Venting / Handing:	<i>Left</i>	<i>Right</i>
Additional Work Info	Answers	
Is there a Window Sticker on this Opening?:	<i>No</i>	

4 Entry/Foyer 3


Quantity 1

Options

Product Details	
Description:	<i>A Series Outswing Patio Door - 1 Panel - Traditional</i>
Product:	<i>Patio Doors</i>



Exterior View



Interior View

Product Category:	<i>Complete Patio Door Unit</i>
Series:	<i>A Series</i>
Product Type:	<i>Hinged Patio Door - Outswing</i>
Product Group:	<i>Traditional</i>
Product Configuration:	<i>1 Panel</i>
Room Location:	<i>Entry/Foyer</i>
Product Performance:	<i>Standard</i>
Standard Width:	<i>Custom</i>
Standard Height:	<i>Custom</i>
Frame Height:	<i>81.5</i>
Measurement Type:	<i>Frame Size</i>
Overall Frame Width:	<i>37.5</i>
Overall Frame Height:	<i>81.5</i>
Frame Width:	<i>37.5</i>
RO Width:	<i>38.375</i>
RO Height:	<i>82</i>
Frame Depth:	<i>4 9/16"</i>
Patio Door Assembly:	<i>Factory Assembled</i>
Venting / Handing:	<i>Left</i>
Glass Stop Profile:	<i>Chamfer</i>
Exterior Frame Color:	<i>Black</i>
Exterior Sash / Panel Color:	<i>Black</i>
Interior Frame Wood Species:	<i>Pine</i>
Interior Frame Finish Color:	<i>White - Painted</i>
Interior Sash / Panel Wood Species:	<i>Pine</i>
Interior Sash / Panel Finish Color:	<i>White - Painted</i>
Sill Style:	<i>Bronze Appearance</i>
Installation Zip Code:	<i>95044</i>
U.S. ENERGY STAR® Climate Zone:	<i>South Central</i>
Glass Construction Type:	<i>Dual Pane</i>
Glass Option:	<i>Low-E4 SmartSun</i>
Glass Strength:	<i>Tempered</i>
Glass Tint:	<i>No Tint</i>
Specialty Glass:	<i>No Specialty Glass</i>
High Altitude:	<i>No</i>
Gas Fill:	<i>Argon</i>
Glass / Grille Spacer Color:	<i>Stainless</i>
Hardware Collection:	<i>ANDERSEN</i>
Hardware Style:	<i>Newbury</i>

Hardware Color/Finish:	<i>Black (Matte)</i>
Corrosion Resistant Hinges:	<i>None</i>
Temporary Construction Trim Set:	<i>None</i>
Exterior Keyed Lock:	<i>None</i>
Corrosion Resistant Locking Mechanism:	<i>None</i>
Insect Screen Type:	<i>None</i>
Exterior Trim Style:	<i>2" Brickmould</i>
Exterior Trim Type:	<i>3-Sided</i>
Exterior Trim Color:	<i>Black</i>
Exterior Trim Application Method:	<i>Pre-cut Trim Kit</i>
Extension Jamb Type:	<i>None</i>
Sill Step:	<i>No</i>
Installation Material Options:	<i>No</i>
Grille Type:	<i>Full Divided Light w/Energy Spacer</i>
Grille Pattern:	<i>Colonial</i>
Exterior Grille Bar Profile:	<i>Chamfer</i>
Interior Grille Bar Profile:	<i>Chamfer</i>
Grille Bar Width:	<i>1 1/8"</i>
Exterior Grille Color:	<i>Black</i>
Interior Grille Species:	<i>Pine</i>
Interior Grille Color:	<i>White</i>
Grille Division Type:	<i>Typical</i>
Number Wide:	<i>3</i>
Number High:	<i>5</i>
Grille Alignment Type:	<i>Standard Grille Alignment</i>
Unit U-Factor:	<i>0.29</i>
Unit Solar Heat Gain Coefficient (SHGC):	<i>0.13</i>
U.S. ENERGY STAR® Certified:	<i>No</i>
California Title 24 Energy Code:	<i>No</i>
Unit CPD Number:	<i>AND-N-93-03753-00008</i>
Vendor Number:	<i>60014818</i>
Vendor Name:	<i>HDIS ANDERSEN LOGISTICS</i>
SKU:	<i>1011886605</i>
SKU Description:	<i>HDIS-ANDERSEN-A SERIES-PATIO DOORS</i>
Supplier Customer Service Number:	<i>(866) 466-3578</i>
Catalog Version Date:	<i>05/13/2026</i>
Trim Set 1 Part Number:	<i>9214442</i>
Miscellaneous Labor (Per Each):	<i>HDE CAT WIN</i>

Interior Wood Casing 2 1/4 Paint Grade Pine - Material Only (Per Lineal Ft): *HDE CAT WIN*

Interior Casing - Labor Only - Per Opening: *HDE CAT WIN*

Lead Safe Renovation -- Windows/Patio Doors: *HDE CAT WIN*

Line Item Adders	Original	New
------------------	----------	-----

Interior Casing - Labor Only - Per Opening

Quantity:	1	1
-----------	---	---

Interior Wood Casing 2 1/4 Paint Grade Pine - Material Only (Per Lineal Ft)

Quantity:	18	18
-----------	----	----

Miscellaneous Labor (Per Each)

Quantity:	7	7
-----------	---	---

Lead Safe Renovation -- Windows/Patio Doors

Quantity:	1	1
-----------	---	---

Change Details	Original	New
----------------	----------	-----

Frame Height:	80	81.5
---------------	----	------

Overall Frame Width:	36	37.5
----------------------	----	------

Overall Frame Height:	80	81.5
-----------------------	----	------

Frame Width:	36	37.5
--------------	----	------

RO Width:	36.875	38.375
-----------	--------	--------

RO Height:	80.5	82
------------	------	----

Fields to Validate	Original	New
--------------------	----------	-----

Frame Height:	80	81.5
---------------	----	------

Overall Frame Width:	36	37.5
----------------------	----	------

Overall Frame Height:	80	81.5
-----------------------	----	------

Frame Width:	36	37.5
--------------	----	------

RO Width:	36.875	38.375
-----------	--------	--------

RO Height:	80.5	82
------------	------	----

Additional Work Info	Answers
----------------------	---------

Is there a Window Sticker on this Opening?: *No*

5 Entry/Foyer 4

Quantity 1


Options

Product Details


Description:	<i>A Series Outswing Patio Door - 1 Panel - Traditional</i>
--------------	---

Product:	<i>Patio Doors</i>
----------	--------------------

Product Category:	<i>Complete Patio Door Unit</i>
-------------------	---------------------------------



Exterior View



Interior View

Series:	<i>A Series</i>
Product Type:	<i>Hinged Patio Door - Outswing</i>
Product Group:	<i>Traditional</i>
Product Configuration:	<i>1 Panel</i>
Room Location:	<i>Entry/Foyer</i>
Product Performance:	<i>Standard</i>
Standard Width:	<i>Custom</i>
Standard Height:	<i>Custom</i>
Frame Height:	<i>81.5</i>
Measurement Type:	<i>Frame Size</i>
Overall Frame Width:	<i>37.5</i>
Overall Frame Height:	<i>81.5</i>
Frame Width:	<i>37.5</i>
RO Width:	<i>38.375</i>
RO Height:	<i>82</i>
Frame Depth:	<i>4 9/16"</i>
Patio Door Assembly:	<i>Factory Assembled</i>
Venting / Handing:	<i>Right</i>
Glass Stop Profile:	<i>Chamfer</i>
Exterior Frame Color:	<i>Black</i>
Exterior Sash / Panel Color:	<i>Black</i>
Interior Frame Wood Species:	<i>Pine</i>
Interior Frame Finish Color:	<i>White - Painted</i>
Interior Sash / Panel Wood Species:	<i>Pine</i>
Interior Sash / Panel Finish Color:	<i>White - Painted</i>
Sill Style:	<i>Bronze Appearance</i>
Installation Zip Code:	<i>95044</i>
U.S. ENERGY STAR® Climate Zone:	<i>South Central</i>
Glass Construction Type:	<i>Dual Pane</i>
Glass Option:	<i>Low-E4 SmartSun</i>
Glass Strength:	<i>Tempered</i>
Glass Tint:	<i>No Tint</i>
Specialty Glass:	<i>No Specialty Glass</i>
High Altitude:	<i>No</i>
Gas Fill:	<i>Argon</i>
Glass / Grille Spacer Color:	<i>Stainless</i>
Hardware Collection:	<i>ANDERSEN</i>
Hardware Style:	<i>Newbury</i>
Hardware Color/Finish:	<i>Black (Matte)</i>

Corrosion Resistant Hinges:	<i>None</i>
Temporary Construction Trim Set:	<i>None</i>
Exterior Keyed Lock:	<i>None</i>
Corrosion Resistant Locking Mechanism:	<i>None</i>
Insect Screen Type:	<i>None</i>
Exterior Trim Style:	<i>2" Brickmould</i>
Exterior Trim Type:	<i>3-Sided</i>
Exterior Trim Color:	<i>Black</i>
Exterior Trim Application Method:	<i>Pre-cut Trim Kit</i>
Extension Jamb Type:	<i>None</i>
Sill Step:	<i>No</i>
Installation Material Options:	<i>No</i>
Grille Type:	<i>Full Divided Light w/Energy Spacer</i>
Grille Pattern:	<i>Colonial</i>
Exterior Grille Bar Profile:	<i>Chamfer</i>
Interior Grille Bar Profile:	<i>Chamfer</i>
Grille Bar Width:	<i>1 1/8"</i>
Exterior Grille Color:	<i>Black</i>
Interior Grille Species:	<i>Pine</i>
Interior Grille Color:	<i>White</i>
Grille Division Type:	<i>Typical</i>
Number Wide:	<i>3</i>
Number High:	<i>5</i>
Grille Alignment Type:	<i>Standard Grille Alignment</i>
Unit U-Factor:	<i>0.29</i>
Unit Solar Heat Gain Coefficient (SHGC):	<i>0.13</i>
U.S. ENERGY STAR® Certified:	<i>No</i>
California Title 24 Energy Code:	<i>No</i>
Unit CPD Number:	<i>AND-N-93-03753-00008</i>
Vendor Number:	<i>60014818</i>
Vendor Name:	<i>HDIS ANDERSEN LOGISTICS</i>
SKU:	<i>1011886605</i>
SKU Description:	<i>HDIS-ANDERSEN-A SERIES-PATIO DOORS</i>
Supplier Customer Service Number:	<i>(866) 466-3578</i>
Catalog Version Date:	<i>05/13/2026</i>
Trim Set 1 Part Number:	<i>9214442</i>
Interior Wood Casing 2 1/4 Paint Grade Pine - Material Only (Per Lineal Ft):	<i>HDE CAT WIN</i>
Miscellaneous Labor (Per Each):	<i>HDE CAT WIN</i>

Interior Casing - Labor Only - Per Opening:	HDE CAT WIN	
Lead Safe Renovation -- Windows/Patio Doors:	HDE CAT WIN	
Line Item Adders	Original	New
Interior Casing - Labor Only - Per Opening		
Quantity:	1	1
Interior Wood Casing 2 1/4 Paint Grade Pine - Material Only (Per Lineal Ft)		
Quantity:	18	18
Miscellaneous Labor (Per Each)		
Quantity:	7	7
Lead Safe Renovation -- Windows/Patio Doors		
Quantity:	1	1
Change Details	Original	New
Frame Height:	80	81.5
Overall Frame Width:	36	37.5
Overall Frame Height:	80	81.5
Frame Width:	36	37.5
RO Width:	36.875	38.375
RO Height:	80.5	82
Venting / Handing:	Left	Right
Fields to Validate	Original	New
Frame Height:	80	81.5
Overall Frame Width:	36	37.5
Overall Frame Height:	80	81.5
Frame Width:	36	37.5
RO Width:	36.875	38.375
RO Height:	80.5	82
Venting / Handing:	Left	Right
Additional Work Info	Answers	
Is there a Window Sticker on this Opening?:	No	

Additional Project Details	Original	New
<i>Window/Patio Doors- Permit and Administrative Fees</i>		
Quantity:	1	1

Notes

lines 17,18,19,20,21 is new construction.

Measure Confirmation

You hereby acknowledge that The Home Depot re-measured your project to confirm its details, including dimensions, and to note any changes you requested to your project. This form is not a legally binding change order to your agreement with The Home Depot. If you requested any changes, you will be contacted by your sales consultant to discuss any resulting increase or decrease in the cost of your project, or the time to perform it, and to execute a binding change order for those changes.

I have read and acknowledged the Customer Reminder Form.



Customer Signature
Donna Boger

Signed at 06/22/2026 10:33 PM

Date



Measure Signature
Valentino Corporal

Signed at 06/22/2026 10:33 PM

Date

This Page Intentionally Left Blank