




06/22/2026 10:31 PM
Quote #15296137
Prepared by: Valentino Corporal

Zachary Boger Project





Technical Drawing

1 Door 1

Quantity 1

Options

Product Details	
Description:	<i>Exterior Fiberglass Single Prehung</i>
Material:	<i>Fiberglass</i>
Unit Type:	<i>Single Prehung</i>
Room Location:	
Fire Rating:	<i>No</i>
Impact Rated:	<i>No</i>
Door Swing:	<i>Inswing</i>
Handing:	<i>Left Hand Inswing (1A)</i>
Sill Type:	<i>Composite Adjustable</i>
Slab Width:	<i>3'6"</i>
Slab Height:	<i>6'8"</i>
Cut Down:	<i>No</i>
Frame Width:	<i>43.5</i>
Frame Height:	<i>81.625</i>
Exact Slab Width:	<i>41.8125</i>
Exact Slab Height:	<i>79</i>
Overall Frame Width:	<i>43.5</i>
Overall Frame Height:	<i>81.625</i>
RO Width:	<i>44.25</i>
RO Height:	<i>82</i>
Glass Layout:	<i>Full Lite</i>
Material:	<i>Smooth-Star</i>
Panel Design:	<i>Full Lite W/ No Stile Lines</i>
Glass Size:	<i>22x64</i>
Glass Type:	<i>Clear w/ Grilles</i>
Grille Style:	<i>SDLGBG (Simulated Divided Lites with GBG)</i>
Glass Style:	<i>15 Lite SDL with GBG</i>
Grille Color:	<i>Bronze</i>
Low-E:	<i>Yes</i>
Caming Option:	<i>None</i>
Frame Type:	<i>Scroll Frame</i>
Model:	<i>S6063-SDLGBGLE</i>
Prefinish Options:	<i>Door and Frame</i>
Door Prefinishing:	<i>Paint Both Sides</i>
Exterior Paint:	<i>Obsidian</i>

Interior Paint:	Alpine	
Frame Prefinishing Options:	Paint Both Sides	
Exterior Frame Paint:	Obsidian	
Interior Frame Paint:	Alpine	
Jamb Depth:	4 9/16"	
Jamb Material:	Composite Smooth	
Hardware Finish:	Bronze Tone	
Sill Finish:	Bronze	
Weather Protection:	No	
Protective Sill Cover:	No	
Weatherstrip Option:	Compression Bronze	
Lock System Type:	Multi-Point Locking Systems	
Door Bore:	Multi-Point Lock	
Multi-Point Lock Type:	Heirloom Wide	
Multi-Point Lock Finish Options:	Oil Rubbed Bronze	
Hinge_Finish:	Oil-Rubbed Bronze (US10B)	
Hinge_Type:	Ball-Bearing	
Hinge_Shape:	1/4" Radius	
Exterior Casing:	Brickmould (1-1/4" x 2")	
Exterior Casing Application:	Apply Brickmould	
Exterior Casing Finish:	Painted	
Exterior Casing Paint Color:	Obsidian	
Interior Casing:	None	
Door U-Factor:	0.31	
Door Solar Heat Gain Coefficient:	0.16	
Energy Star Rated:	No	
SKU Description:	HDE-OREPAC-TTRU	
SKU:	1011013817	
Vendor Number:	60014808	
Vendor Name:	OrePac Building Products	
Catalog Version Date:	6/15/2026	
Entry Door Only Miscellaneous Labor:	HDE DOOR CAT	
Lead Safe Renovation - Entry Doors:	HDE DOOR CAT	
Line Item Adders	Original	New
Entry Door Only Miscellaneous Labor		
Quantity:	10	10
Lead Safe Renovation - Entry Doors		
Quantity:	1	1

Change Details	Original	New
Jamb Depth:	6 9/16"	4 9/16"
Catalog Version Date:	5/5/2026	6/15/2026
Fields to Validate	Original	New
Jamb Depth:	6 9/16"	4 9/16"
Additional Work Info	Answers	
Was the casing removed for exact measurement?:	No	



Technical Drawing

2 Door 1 2

Quantity 1

Options	
Product Details	
Description:	Exterior Fiberglass Single Prehung
Material:	Fiberglass
Unit Type:	Single Prehung
Room Location:	
Fire Rating:	No
Impact Rated:	No
Door Swing:	Inswing
Handing:	Right Hand Inswing (1B)
Sill Type:	Composite Adjustable
Slab Width:	3'0"
Slab Height:	6'8"
Cut Down:	No
Frame Width:	37.5
Frame Height:	81.625
Exact Slab Width:	35.8125
Exact Slab Height:	79
Overall Frame Width:	37.5
Overall Frame Height:	81.625
RO Width:	38.25
RO Height:	82
Glass Layout:	3/4 Lite
Material:	Smooth-Star
Panel Design:	3/4 Lite 1 Panel
Glass Size:	22x47
Glass Type:	Privacy Glass

Grille Style:	<i>None</i>
Glass Style:	<i>Satin Etch</i>
Grille Color:	<i>None</i>
Low-E:	<i>No</i>
Caming Option:	<i>None</i>
Frame Type:	<i>Scroll Frame</i>
Model:	<i>S90XE-ADVS</i>
Prefinish Options:	<i>Door and Frame</i>
Door Prefinishing:	<i>Paint Both Sides</i>
Exterior Paint:	<i>Obsidian</i>
Interior Paint:	<i>Alpine</i>
Frame Prefinishing Options:	<i>Paint Both Sides</i>
Exterior Frame Paint:	<i>Obsidian</i>
Interior Frame Paint:	<i>Alpine</i>
Jamb Depth:	<i>4 9/16"</i>
Jamb Material:	<i>Composite Smooth</i>
Hardware Finish:	<i>Bronze Tone</i>
Sill Finish:	<i>Bronze</i>
Weather Protection:	<i>No</i>
Protective Sill Cover:	<i>No</i>
Weatherstrip Option:	<i>Compression Bronze</i>
Lock System Type:	<i>Multi-Point Locking Systems</i>
Door Bore:	<i>Multi-Point Lock</i>
Multi-Point Lock Type:	<i>Heirloom Wide</i>
Multi-Point Lock Finish Options:	<i>Oil Rubbed Bronze</i>
Hinge_Finish:	<i>Oil-Rubbed Bronze (US10B)</i>
Hinge_Type:	<i>Self-Aligning Ball-Bearing</i>
Hinge_Shape:	<i>5/8" Radius x Square RH</i>
Exterior Casing:	<i>Brickmould (1-1/4" x 2")</i>
Exterior Casing Application:	<i>Apply Brickmould</i>
Exterior Casing Finish:	<i>Painted</i>
Exterior Casing Paint Color:	<i>Obsidian</i>
Interior Casing:	<i>1x4 Craftsman / Contemp Paintable (11/16"x3-1/2")</i>
Interior Casing Finish:	<i>Unfinished</i>
Door U-Factor:	<i>0.25</i>
Door Solar Heat Gain Coefficient:	<i>0.23</i>
Energy Star Rated:	<i>Yes</i>
SKU Description:	<i>HDE-OREPAC-TTRU</i>

SKU:	1011013817	
Vendor Number:	60014808	
Vendor Name:	OrePac Building Products	
Catalog Version Date:	6/15/2026	
Entry Door Only Miscellaneous Labor:	HDE DOOR CAT	
Lead Safe Renovation - Entry Doors:	HDE DOOR CAT	
Line Item Adders	Original	New
Entry Door Only Miscellaneous Labor		
Quantity:	8	8
Lead Safe Renovation - Entry Doors		
Quantity:	1	1
Change Details	Original	New
Handing:	Left Hand Inswing (1A)	Right Hand Inswing (1B)
Jamb Depth:	6 9/16"	4 9/16"
Hinge_Shape:	5/8" Radius x Square LH	5/8" Radius x Square RH
Catalog Version Date:	5/5/2026	6/15/2026
Fields to Validate	Original	New
Handing:	Left Hand Inswing (1A)	Right Hand Inswing (1B)
Jamb Depth:	6 9/16"	4 9/16"
Additional Work Info	Answers	
Was the casing removed for exact measurement?:	No	

Additional Project Details	Original	New
<i>Entry Door- Permit and Administrative Fees</i>		
Quantity:	<i>1</i>	<i>1</i>

Measure Confirmation

You hereby acknowledge that The Home Depot re-measured your project to confirm its details, including dimensions, and to note any changes you requested to your project. This form is not a legally binding change order to your agreement with The Home Depot. If you requested any changes, you will be contacted by your sales consultant to discuss any resulting increase or decrease in the cost of your project, or the time to perform it, and to execute a binding change order for those changes.

I have read and acknowledged the Customer Reminder Form.



Customer Signature
Zachary Boger

Signed at 06/22/2026 10:31 PM

Date



Measure Signature
Valentino Corporal

Signed at 06/22/2026 10:31 PM

Date