			Medium ar	nd Hea	avy Trucks (2510	1600-21-STC)			
Silves -				Price	Quote Form (PO	(F)			
			STATE AGENC	ES MI	UST ALSO SUBN	MIT FORM MP630)1)		
			Δws		pdated 10/15/2021 Contractor Inforr	41-			
Contractor Name:		Tampa Truck Center LLC of	ba: Southport Truck	k Group	ontractor inform	nation			
Street Address: City, State, Zip:		7528 US HWY 301 N. Tampa, FL 33637							
Contact Person:		Scott Endris			I metal a	fee			
Original Quote Da		4/7/2024	Revised Quote Da	ate:	Title:	Municipal Fleet Mg			
Phone #'s: Email Address:	Primary:	813-293-0866	2/0			Secondary:	Est. Delivery: 813-262-0904		
Fax #:		sendris@southporttruck.co 813-262-0904	m						
Contractor's Purcha	ise Order #:								
A zanau/Eliaible III			Requ	esting	Customer Infor	mation			
Agency/Eligible U	ser Name:	Loxahatchee Groves Richard Gallant			TANK THE PARTY OF				The second secon
Phone #'s:	Primary:	Richard Gallant			Title:				
Email Address:		7				Secondary:			
Fax #:			C						
Contact Person:			Second	lary Cor	ntact for Customer (C	Optional)			
Phone #'s:	Primary:				Title:	Secondary:	Г		
Email Address: Fax #:						Journal, J.			
UNSPSC									
Commodity Code		Group			Base Vehicle Code		Base Vehicle	Specification	
25101601		DUMP TRUCI	KS		380	12		VY-DUTY DUMP BOI	DV
Manufacturer	/Brand	Renresent	ative Model		Representative	Base Vehicle Price	OEM Options	Non-OEM Options	Customer Pick-Up
		Nopresent	Tive Model		Model Number	\$###,###.##	Discount	Non-OEM Options Discount ##%	Discount
Freightlin	er	N	12			\$ 106,330.00	##% 3%		\$(#,###.##)
THIS SECTION	SHOULD ON!	LY BE USED FOR OEM AND	NON-OEM OPTION	IS THAT	ARE SPECIFICALL	VIDENTIEUED AND D	DIACO ON THE	CE SHEET FOR THE	BASE VEHICLE
			THER UPTIONS SE	TOULDE	Identified Option	Identified Option	PTIONS SECTIONS	BELOW.	
DINTLE BACKAGE	Idellal	fied Option Description		QTY	Manufacturer	Model Number	Identified Option Type	Identified Option Price (Per Unit)	Total Price
PINTLE PACKAGE TRAILER PACKAGE	F			1	8001		1300	\$ 1,850.00	\$ 1,850.00
11R22.5 TIRES				1	8002 7001			\$ 996.00	\$ 996.00
					7001			\$ 175.00	
									\$ -
			SUBTOTAL: Ident	ified On	otions <u>CONTINUED</u>				\$ -
			TOTAL COS	T: Ident	tified Options				\$ 3.021.00
	OEM	Option Description	- Charles	QTY	OEM Option	OEM Option Model	OEM Option MSRP	OEM Option Price	
GHG24 ENHANCEN	MENT CUMMI	INS		1	Manufacturer PMV-024	Number	(Per Unit)	(Per Unit)	Total Price
CUMMINS TARIFF				1	RAG-020		\$ 555.00 \$ 205.00		
							200.00	\$ 196.85	\$ 198.85 \$ -
				\vdash				\$ -	\$ -
								\$ -	\$ - \$ -
								\$ -	\$ -
			SUBTOTAL: OE	M Ontio	ne CONTINUED				\$ -
					M Options				\$ - \$ 737.20
		EM Option Description		QTY	Non-OEM Option	Non-OEM Option	Non-OEM Option	Non-OEM Option	Total Price
OX BODY I.L.O. STI				1	Manufacturer	Model Number	MSRP (Per Unit) \$ 2,889.00	Price (Per Unit)	
ELECTRIC BRAKES DTNA 2023-24 PRO	DI ICTION SI	DOLLABOR		1					\$ 2,889.00 \$ 361.00
DINA 2025-24 FRO	DUCTION SO	IRCHARGE		1			\$ 6,700.00	\$ 6,700.00	\$ 6,700.00
									\$ -
									\$ - \$ -
								\$ -	\$ -
			SUBTOTAL: Non-O	EM Opt	tions CONTINUED				\$ -
			TOTAL COST	T: Non-O	DEM Options				\$ - \$ 9,950.00
			Grand Total Sta	te Term	Contract Price				\$ 120,038.20
								and the state of t	
Contractor									l
Comments:									
SWETTER									
Customer									
Comments:									
IMSDSC = United Na	tione Ctandar	1 B dt1 C1 C							
ONSPISC - United Na	nons Standard	d Products and Services Comm	lodity Code. Refer to t	he price	sheet for the code(s) :	applicable to each Grou	up.		The second second second

ERROR: Image type not supported.

Prepared by:
Scott Endris
SOUTHPORT TRUCK GROUP
7528 US HWY 301 NORTH
TAMPA, FL 33637
Phone: 813-293-0866

SPECIFICATION PROPOSAL

D	ata Code	Description	Weight Front	Weight Rear	
Price Lev	el				
Р	RL-28M	M2 PRL-28M (EFF:MY25 ORDERS)			
Data Vers	ion				
D	RL-038	SPECPRO21 DATA RELEASE VER 038			
Vehicle C	onfiguration	on			
0	01-172	M2 106 PLUS CONVENTIONAL CHASSIS	5,709	3,450	
00	04-225	2025 MODEL YEAR SPECIFIED	-,,	0,100	
00	02-004	SET BACK AXLE - TRUCK			
0	19-006	TRAILER TOWING PROVISION AT END OF FRAME WITH SAE J560	10	10	
00	03-001	LH PRIMARY STEERING LOCATION			
General S	ervice				
A	A1-002	TRUCK CONFIGURATION			
A	A6-002	DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES)			
99	9D-027	EPA EMISSIONS CERTIFICATION FOR REGISTRATION OUTSIDE CARB STATES - EPA CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD OF DRIVER DOOR)			
AF	-2-998	NONE			
A	35-002	PICKUP AND DELIVERY/SHORT HAUL SERVICE			
A	34-1GM	GOVERNMENT BUSINESS SEGMENT			
AA	N4-001	GENERAL FREIGHT COMMODITY			
AA	\5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS			
AE	31-008	MAXIMUM 8% EXPECTED GRADE			
AE	35-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE			
99	5-091	MEDIUM TRUCK WARRANTY			

ERROR: Image type not supported.

Prepared by: Scott Endris SOUTHPORT TRUCK GROUP 7528 US HWY 301 NORTH TAMPA, FL 33637 Phone: 813-293-0866

Data Code	Description	Weight Front	Weight Rear	
A66-99D	EXPECTED FRONT AXLE(S) LOAD: 18000.0 lbs		rtour	
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD: 46000.0 lbs			
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 64000.0 lbs			
Truck Service				
AA3-005	FLATBED/PLATFORM/STAKE BODY			
AF3-165	OX BODIES (TBEI)			
AF7-99D	EXPECTED BODY/PAYLOAD CG HEIGHT ABOVE FRAME "XX" INCHES: 32.0 in			
Engine				
101-3BN	CUM L9 300 HP @ 2200 RPM; 2200 GOV RPM, 860 LB-FT @ 1200 RPM	640	30	
Electronic Paramet			Control of	
79A-075	75 MPH ROAD SPEED LIMIT			
79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT			
79K-005	PTO MODE ENGINE RPM LIMIT - 900 RPM			
79M-001	PTO MODE BRAKE OVERRIDE - SERVICE BRAKE APPLIED			
79P-004	PTO RPM WITH CRUISE SET SWITCH - 900 RPM			
79Q-004	PTO RPM WITH CRUISE RESUME SWITCH - 900 RPM			
79S-001	PTO MODE CANCEL VEHICLE SPEED - 5 MPH			
79U-007	PTO GOVERNOR RAMP RATE - 250 RPM PER SECOND			
79VV-001	ONE TEM PTO SPEED			
79X-005	PTO SPEED 1 SETTING - 900 RPM			
80G-002	PTO MINIMUM RPM - 700			
80J-002	REGEN INHIBIT SPEED THRESHOLD - 5 MPH			
80S-019	PTO 1, WITH SWITCH, TEM SUPPLIED REQUEST AND INTERLOCKS, WITH PTO CONNECTIONS, STATIONARY INTERLOCKS			
Engine Equipment				148/883
99C-024	EPA 2010/GHG 2024 CONFIGURATION			
13E-001	STANDARD OIL PAN			
105-001	ENGINE MOUNTED OIL CHECK AND FILL			
014-099	SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER			
124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE			

Application Version 11.9.708 Data Version PRL-28M.038 LOXAHATCHEE 2025 12YD DUMP 4-7-24

ERROR: Image type not supported.

ERROR: Image type not supported.

Data Code	Description	Weight Front	Weight Rear	
292-235	(2) DTNA GENUINE, FLOODED STARTING, MIN 2000CCA, 370RC, THREADED STUD BATTERIES	10	rout	
290-017	BATTERY BOX FRAME MOUNTED			
281-001	STANDARD BATTERY JUMPERS			
282-001	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB			
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN			
289-001	NON-POLISHED BATTERY BOX COVER			
306-015	PROGRESSIVE LOW VOLTAGE DISCONNECT AT 12.3 VOLTS FOR DESIGNATED CIRCUITS			
107-032	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE			
108-002	STANDARD MECHANICAL AIR COMPRESSOR GOVERNOR			
131-013	AIR COMPRESSOR DISCHARGE LINE			
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM			
128-076	CUMMINS ENGINE INTEGRAL BRAKE WITH VARIABLE GEOMETRY TURBO ON/OFF	20		
016-1C3	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH HORIZONTAL TAILPIPE			
28F-014	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND VIRTUAL REGENERATION REQUEST SWITCH IN CLUSTER			
239-001	STANDARD EXHAUST SYSTEM LENGTH			
237-052	RH STANDARD HORIZONTAL TAILPIPE			
23U-001	6 GALLON DIESEL EXHAUST FLUID TANK			
30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL			
43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION			
23Y-001	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING			
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP			
273-058	AIR POWERED ON/OFF ENGINE FAN CLUTCH			
276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED			
110-003	CUMMINS SPIN ON FUEL FILTER			
118-008	COMBINATION FULL FLOW/BYPASS OIL FILTER			
266-013	1100 SQUARE INCH ALUMINUM RADIATOR	70		
103-036	ANTIFREEZE TO -34F, ETHYLENE GLYCOL PRE- CHARGED SCA HEAVY DUTY COOLANT			

ERROR: Image type not supported.

Data Code	Description	Weight Front	Weight Rear	
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT		11001	
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES			
270-016	RADIATOR DRAIN VALVE			
168-002	LOWER RADIATOR GUARD			
134-001	ALUMINUM FLYWHEEL HOUSING			
132-004	ELECTRIC GRID AIR INTAKE WARMER			
155-058	DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH			
Transmission		98933		100000
342-584	ALLISON 3500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION	200	60	
Transmission Equi	pment			
343-339	ALLISON VOCATIONAL PACKAGE 223 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, HS, MH AND TRV			
84B-012	ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES			
84C-023	PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			
84D-023	SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			
84E-000	PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			
84F-000	SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			
84G-000	PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			
84H-000	SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			
84J-000	ENGINE BRAKE RANGE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			
84K-000	ENGINE BRAKE RANGE ALTERNATE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			

TALLAHASSEE, FL 32399 Phone: 850-488-7540 ERROR: Image type not supported.

Prepared by:
Scott Endris
SOUTHPORT TRUCK GROUP
7528 US HWY 301 NORTH
TAMPA, FL 33637
Phone: 813-293-0866

Data Code	Description	Weight Front	Weight Rear
84N-200	FUEL SENSE 2.0 DISABLED - PERFORMANCE - TABLE BASED		. 1341
84U-000	DRIVER SWITCH INPUT - DEFAULT - NO SWITCHES		
353-074	QUICKFIT BODY LIGHTING CONNECTOR UNDER CAB, WITH BLUNTCUTS		
34C-011	ELECTRONIC TRANSMISSION WIRING TO CUSTOMER INTERFACE CONNECTOR		
362-823	CUSTOMER INSTALLED CHELSEA 280 SERIES PTO		
363-001	PTO MOUNTING, LH SIDE OF MAIN TRANSMISSION ALLISON		
341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN		
345-003	PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED		
97G-004	TRANSMISSION PROGNOSTICS - ENABLED 2013		
370-015	WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK		
346-003	TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK		
35T-001	SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)		
Front Axle and Eq	uipment		
400-1BA	DETROIT DA-F-18.0-5 18,000# FL1 71.0 KPI/3.74 DROP SINGLE FRONT AXLE	210	
402-030	MERITOR 16.5X6 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES	10	
403-002	NON-ASBESTOS FRONT BRAKE LINING		
419-023	CONMET CAST IRON FRONT BRAKE DRUMS		
409-006	FRONT OIL SEALS		
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL		
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES		
405-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS		
536-012	TRW TAS-85 POWER STEERING	40	
539-003	POWER STEERING PUMP	10.70	
534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR		
40T-002	CURRENT AVAILABLE SYNTHETIC 75W-90		

FRONT AXLE LUBE

ERROR: Image type not supported.

Prepared by:
Scott Endris
SOUTHPORT TRUCK GROUP
7528 US HWY 301 NORTH
TAMPA, FL 33637
Phone: 813-293-0866

Data Code	Description	Weight Front	Weight Rear	
Front Suspension				
620-005	18,000# FLAT LEAF FRONT SUSPENSION	290	A STATE OF THE STA	
619-004	GRAPHITE BRONZE BUSHINGS WITH SEALS - FRONT SUSPENSION			
410-001	FRONT SHOCK ABSORBERS			
Rear Axle and Equi	pment			
420-103	CUMMINS-MERITOR RT-46-160 46,000# R- SERIES TANDEM REAR AXLE		2,960	
421-538	5.38 REAR AXLE RATIO			
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING			
386-073	MXL 17T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES			
388-073	MXL 17T MERITOR EXTENDED LUBE INTERAXLE DRIVELINE WITH HALF ROUND YOKES			
452-005	DRIVER CONTROLLED TRACTION DIFFERENTIAL - REAR MOST TANDEM/TRIDEM REAR AXLE		20	
878-021	(1) INTERAXLE LOCK VALVE AND (1) DRIVER CONTROLLED DIFFERENTIAL LOCK REAR-REAR AXLE VALVE			
87A-005	INDICATOR LIGHT FOR EACH INTERAXLE LOCKOUT SWITCH			
87B-008	INDICATOR LIGHT FOR EACH DIFFERENTIAL LOCKOUT SWITCH			
423-020	MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES			
433-002	NON-ASBESTOS REAR BRAKE LINING			
434-019	ASPHALT SPREADER CLEARANCE REAR BRAKE GEOMETRY			
451-001	CAST IRON OUTBOARD REAR BRAKE DRUMS		-20	
440-006	REAR OIL SEALS			
426-101	WABCO TRISTOP D LONGSTROKE 2-DRIVE AXLE SPRING PARKING CHAMBERS		20	
428-003	HALDEX AUTOMATIC REAR SLACK ADJUSTERS			
41T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 REAR AXLE LUBE			
Rear Suspension				
622-1CJ	HENDRICKSON RT463 @46,000# REAR SUSPENSION		810	
621-016	HENDRICKSON RT/RTE - 7.19" SADDLE			

Application Version 11.9.708 Data Version PRL-28M.038 LOXAHATCHEE 2025 12YD DUMP 4-7-24

ERROR: Image type not supported.

TALLAHASSEE, FL 32399 Phone: 850-488-7540 ERROR: Image type not supported.

Data Code	Description	Weight Front	Weight Rear
431-001	STANDARD AXLE SEATS IN AXLE CLAMP GROUP		
624-011	52 INCH AXLE SPACING		
628-005	STEEL BEAMS AND BRONZE CENTER BUSHINGS WITH BAR PIN ADJUSTABLE END CONNECTIONS		
623-005	FORE/AFT CONTROL RODS		
Pusher / Tag Equipr	nent		
429-998	NO PUSHER/TAG BRAKE DUST SHIELDS		
Brake System			
018-002	AIR BRAKE PACKAGE		
490-100	WABCO 4S/4M ABS		
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES		
904-001	FIBER BRAID PARKING BRAKE HOSE		
412-001	STANDARD BRAKE SYSTEM VALVES		
46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM		
413-002	STD U.S. FRONT BRAKE VALVE		
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE		
480-088	WABCO SYSTEM SAVER HP WITH INTEGRAL AIR GOVERNOR AND HEATER		
479-015	AIR DRYER FRAME MOUNTED		
460-001	STEEL AIR BRAKE RESERVOIRS		
477-006	BW DV-2 AUTO DRAIN VALVE WITHOUT HEATER ON ALL TANK(S)		
Trailer Connections			
481-998	NO TRAILER AIR HOSE		
476-998	NO AIR HOSE HANGER		
914-001	AIR CONNECTIONS TO END OF FRAME WITH GLAD HANDS FOR TRUCK AND NO DUST COVERS		
296-010	PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN, ABS CENTER PIN POWERED THROUGH IGNITION		
303-025	SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED END OF FRAME	27	
310-998	NO TRAILER ELECTRICAL CABLE		
Wheelbase & Frame			
545-450	4500MM (177 INCH) WHEELBASE		

TALLAHASSEE, FL 32399 Phone: 850-488-7540 ERROR: Image type not supported.

Prepared by: Scott Endris SOUTHPORT TRUCK GROUP 7528 US HWY 301 NORTH TAMPA, FL 33637 Phone: 813-293-0866

Data Code	Description	Weight Front	Weight Rear	
546-101	11/32X3-1/2X10-15/16 INCH STEEL FRAME (8.73MMX277.8MM/0.344X10.94 INCH) 120KSI	10	120	
547-001	1/4 INCH (6.35MM) C-CHANNEL INNER FRAME REINFORCEMENT	120	340	
552-030	1600MM (63 INCH) REAR FRAME OVERHANG			
55W-006	FRAME OVERHANG RANGE: 61 INCH TO 70 INCH			
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA): 111.61 in			
AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 108.61 in			
AE4-99D	CALC'D FRAME LENGTH - OVERALL: 269.55 in			
FSS-0LH	CALCULATED FRAME SPACE LH SIDE: 30.2 in			
FSS-0RH	CALCULATED FRAME SPACE RH SIDE: 57.49 in			
553-001	SQUARE END OF FRAME			
550-001	FRONT CLOSING CROSSMEMBER			
559-003	LIGHTWEIGHT HEAVY DUTY ALUMINUM ENGINE CROSSMEMBER	-12		
561-001	STANDARD CROSSMEMBER BACK OF TRANSMISSION			
562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)			
572-001	STANDARD REARMOST CROSSMEMBER			
565-001	STANDARD SUSPENSION CROSSMEMBER			
Chassis Equipment			NEWS AND ADDRESS.	
556-1AP	THREE-PIECE 14 INCH PAINTED STEEL BUMPER WITH COLLAPSIBLE ENDS	30		
558-001	FRONT TOW HOOKS - FRAME MOUNTED	15		
574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE	1000		
585-998	NO MUDFLAP BRACKETS			
590-998	NO REAR MUDFLAPS			
586-024	FENDER AND FRONT OF HOOD MOUNTED FRONT MUDFLAPS			
551-007	GRADE 8 THREADED HEX HEADED FRAME FASTENERS			
44Z-002	EXTERIOR HARNESSES WRAPPED IN ABRASION TAPE			
Fifth Wheel				
578-998	NO FIFTH WHEEL			110M
Fuel Tanks				
204-034	80 GALLON/302 LITER RECTANGULAR ALUMINUM FUEL TANK - LH	40	10	

Application Version 11.9.708 Data Version PRL-28M.038 LOXAHATCHEE 2025 12YD DUMP 4-7-24

ERROR: Image type not supported.

ERROR: Image type not supported.

Prepared by:
Scott Endris
SOUTHPORT TRUCK GROUP
7528 US HWY 301 NORTH
TAMPA, FL 33637
Phone: 813-293-0866

NULL TALLAHASSEE, FL 32399 Phone: 850-488-7540

7	Data Code	Description	Weight Front	Weight Rear
	218-005	RECTANGULAR FUEL TANK(S)		
	215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS		
	212-007	FUEL TANK(S) FORWARD		
	664-001	PLAIN STEP FINISH		
	205-001	FUEL TANK CAP(S)		
	122-1H3	DETROIT FUEL/WATER SEPARATOR WITH WATER IN FUEL SENSOR	-5	
	216-020	EQUIFLO INBOARD FUEL SYSTEM		
	202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE		
Tires				
6.	093-0TA	MICHELIN XZY-3 385/65R22.5 18 PLY RADIAL FRONT TIRES	130	
	094-1RB	CONTINENTAL HDL2 11R22.5 14 PLY RADIAL REAR TIRES		88
Hubs				
	418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS		
	450-060	CONMET PRESET PLUS PREMIUM IRON REAR HUBS		
Wheels				
	502-566	MAXION WHEELS 10035 22.5X12.25 10-HUB PILOT 4.75 INSET 5-HAND STEEL DISC FRONT WHEELS	102	
	505-752	MAXION WHEELS 91541 22.5X8.25 10-HUB PILOT 2-HAND STEEL DISC REAR WHEELS		
	496-011	FRONT WHEEL MOUNTING NUTS		
	497-011	REAR WHEEL MOUNTING NUTS		
Cab Ex	terior			
	829-071	106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB		
	650-008	AIR CAB MOUNTING		
	754-008	2-1/2 INCH FENDER EXTENSIONS	10	
	678-001	LH AND RH GRAB HANDLES		
	646-045	MOLD-IN COLOR GRILLE		
	65X-011	MOLD-IN COLOR HOOD MOUNTED AIR INTAKE GRILLE		
	644-004	FIBERGLASS HOOD		
	690-998	NO NOISE SHIELD-ENG COMPARTMENT		

ERROR: Image type not supported.

	Data Code	Description	Weight Front	Weight Rear
	727-1AF	SINGLE 14 INCH ROUND HADLEY AIR HORN UNDER LH DECK	4	
	726-001	SINGLE ELECTRIC HORN		
	728-001	SINGLE HORN SHIELD		
	575-001	REAR LICENSE PLATE MOUNT END OF FRAME		
	312-043	INTEGRAL HEADLIGHT/MARKER ASSEMBLY		(5)
	302-047	LED AERODYNAMIC MARKER LIGHTS		
	311-001	DAYTIME RUNNING LIGHTS		
	294-001	INTEGRAL STOP/TAIL/BACKUP LIGHTS		
	300-015	STANDARD FRONT TURN SIGNAL LAMPS		
	744-1BC	DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS WITH LH AND RH REMOTE		
	797-001	DOOR MOUNTED MIRRORS		
	796-001	102 INCH EQUIPMENT WIDTH		
	743-204	LH AND RH 8 INCH BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS		
	729-001	STANDARD SIDE/REAR REFLECTORS		
	768-043	63X14 INCH TINTED REAR WINDOW		
	661-003	TINTED DOOR GLASS LH AND RH WITH TINTED NON-OPERATING WING WINDOWS		
	654-011	RH AND LH ELECTRIC POWERED WINDOWS		
	663-013	1-PIECE SOLAR GREEN GLASS WINDSHIELD		
	659-019	2 GALLON WINDSHIELD WASHER RESERVOIR WITHOUT FLUID LEVEL INDICATOR, FRAME MOUNTED		
Cab In	terior			
	055-019	RUGGED TRIM PACKAGE		
	707-107	GRAY & CARBON VINYL INTERIOR "RUGGED"		
	70K-020	CARBON WITH PREMIUM GUNMETAL ACCENT (RUGGED)		
	706-013	MOLDED PLASTIC DOOR PANEL		
	708-013	MOLDED PLASTIC DOOR PANEL		
	772-006	BLACK MATS WITH SINGLE INSULATION		
	785-035	ASH CUP AND (1)LIGHTER,(1)DASH MOUNTED DUAL USB-C OUTLET		
	691-001	FORWARD ROOF MOUNTED CONSOLE		
	693-019	LH AND RH DOOR STORAGE POCKETS INTEGRATED INTO MOLDED DOOR PANELS		
	693-019 738-021			
		INTEGRATED INTO MOLDED DOOR PANELS		

Phone: 850-488-7540

ERROR: Image type not supported.

Prepared by:
Scott Endris
SOUTHPORT TRUCK GROUP
7528 US HWY 301 NORTH
TAMPA, FL 33637
Phone: 813-293-0866

Data Code	Description	Weight Front	Weight	
700-002	HEATER, DEFROSTER AND AIR CONDITIONER	Front	Rear	
701-001	STANDARD HVAC DUCTING			
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH			
170-015	STANDARD HEATER PLUMBING			
130-041	VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR			
702-002	BINARY CONTROL, R-134A			
739-033	STANDARD INSULATION			
285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES			
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM			
324-1B3	STANDARD LED CAB LIGHTING			
787-998	NO SECURITY DEVICE			
657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME			
78G-004	KEY QUANTITY OF 4			
655-005	LH AND RH ELECTRIC DOOR LOCKS			
756-338	BASIC ISRINGHAUSEN HIGH BACK AIR SUSPENSION DRIVERS SEAT WTIH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION	30	9	
760-335	BASIC ISRI HIGH BACK NON SUSPENSION PASSENGER SEAT			
759-006	DUAL DRIVER SEAT ARMRESTS AND INBOARD PASSENGER SEAT ARMREST	6		
711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS			
758-014	BLACK CORDURA PLUS CLOTH DRIVER SEAT COVER			
761-014	BLACK CORDURA PLUS CLOTH PASSENGER SEAT COVER			
763-101	BLACK SEAT BELTS			
532-001	FIXED STEERING COLUMN			
540-070	4-SPOKE 18 INCH (450MM) LEATHER WRAPPED STEERING WHEEL WITH CHROME SWITCH BEZELS			

Instruments & Controls

765-002

734-024	INTEGRATED UPPER & LOWER STORAGE PANELS
870-002	BRIGHT ARGENT FINISH GAUGE BEZELS
486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM

VISORS

DRIVER AND PASSENGER INTERIOR SUN

Application Version 11.9.708 Data Version PRL-28M.038 LOXAHATCHEE 2025 12YD DUMP 4-7-24

ERROR: Image type not supported.

Phone: 850-488-7540

ERROR: Image type not supported.

Data Code	Description	Weight Front	Weight Rear	
840-001	DUAL NEEDLE PRIMARY AND SECONDARY AIR PRESSURE GAUGE			
198-025	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS			
149-015	ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES			
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY			
811-044	PREMIUM INSTRUMENT CLUSTER WITH 5.0 INCH TFT COLOR DISPLAY			
81B-003	DIGITAL PANEL LAMP DIMMER SWITCH IN DRIVER DISPLAY			
160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH			
844-001	2 INCH ELECTRIC FUEL GAUGE			
148-072	ENGINE REMOTE INTERFACE WITH ONE OR MORE SET SPEEDS			
48H-002	QUICKFIT POWERTRAIN INTERFACE CONNECTOR LOCATED BETWEEN SEATS WITH BLUNTCUTS			
4C0-998	NO ADDITIONAL EXTRA SWITCH ACCUATORS			
48C-004	QUICKFIT PROGRAMMABLE INTERFACE CONNECTOR(S) UNDER CAB WITH BLUNTCUTS			
163-014	ENGINE REMOTE INTERFACE CONNECTOR AT POWERTRAIN INTERFACE CONNECTOR			
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE			
864-001	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE			
867-004	ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER			
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY			
372-123	PTO CONTROLS FOR ENHANCED VEHICLE ELECTRIC/ELECTRONIC ARCHITECTURE			
736-998	NO OBSTACLE DETECTION SYSTEM			
72K-998	NO REVERSE PROXIMITY SENSOR			
72J-998	NO DR ASSIST SYSTEM			
49B-998	NO VEHICLE STABILITY ADVISOR OR CONTROL		8	
73B-998	NO LANE DEPARTURE WARNING SYSTEM			
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE			
35M-010	QUICKFIT PROGRAMMABLE INTERFACE MODULE	10		

ERROR: Image type not supported.

Data Code	Description	Weight Front	Weight Rear	
746-137	AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH, USB AND AUXILIARY INPUTS, J1939			
747-001	DASH MOUNTED RADIO			
750-002	(2) RADIO SPEAKERS IN CAB			
753-001	AM/FM ANTENNA MOUNTED ON FORWARD LH			
74D-006	STANDARD RADIO WIRING WITH STEERING WHEEL CONTROLS			
810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER			
817-001	STANDARD VEHICLE SPEED SENSOR		50	
812-001	ELECTRONIC 3000 RPM TACHOMETER			
813-1C8	DETROIT CONNECT PLATFORM HARDWARE			
8D1-313	3 YEARS DAIMLER CONNECTIVITY BASE PACKAGE ON (FEATURES VARY BY MODEL) POWERED BY DETROIT CONNECT ON CUMMINS ENGINES			
6TS-006	TMC RP1226 ACCESSORY CONNECTOR LOCATED CENTER OF OVERHEAD CONSOLE			
162-002	IGNITION SWITCH CONTROLLED ENGINE STOP			
4C1-998	NO HARDWIRE SWITCH #1			
4C2-998	NO HARDWIRE SWITCH #2			
4C3-998	NO HARDWIRE SWITCH #3			
4C4-998	NO HARDWIRE SWITCH #4			
264-030	(1) OVERHEAD MOUNTED LANYARD CONTROL FOR DRIVER AIR HORN			
482-001	BW TRACTOR PROTECTION VALVE			
883-998	NO TRAILER HAND CONTROL BRAKE VALVE			
836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY			
660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY		92	
304-030	ROTARY HEADLAMP SWITCH, MARKER LIGHTS/HEADLIGHTS SWITCH WITH PULL OUT FOR OPTIONAL FOG/ROAD LAMPS			
882-004	TWO VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR			
299-020	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, HEADLAMP FLASH, WASH/WIPE/INTERMITTENT			
298-046	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH 40 AMP (20 AMP PER SIDE) TRAILER LAMP CAPACITY			

TALLAHASSEE, FL 32399 Phone: 850-488-7540 ERROR: Image type not supported.

Prepared by:
Scott Endris
SOUTHPORT TRUCK GROUP
7528 US HWY 301 NORTH
TAMPA, FL 33637
Phone: 813-293-0866

Weight Weight **Data Code** Description Front Rear Design 065-000 PAINT: ONE SOLID COLOR Color 980-5F6 CAB COLOR A: L0006EY WHITE ELITE EY 986-020 BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT 962-972 POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW) 966-972 POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW) 964-6Z7 BUMPER PAINT: FP24812 ARGENT SILVER DUPONT FLEX 969-998 NO CAB/BODY EXTERIOR DECALS 963-003 STANDARD E COAT/UNDERCOATING **Certification / Compliance** 996-001 U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS **Secondary Factory Options** 998-001 CORPORATE PDI CENTER IN-SERVICE ONLY

Weight Summary			
	Weight	Weight	Total
	Front	Rear	Weight
Factory Weight ⁺	7699 lbs	7898 lbs	15597 lbs
Dealer Installed Options	0 lbs	0 lbs	0 lbs
Total Weight ⁺	7699 lbs	7898 lbs	15597 lbs

VEHICLE

SUMMARY

TOTAL

er Installe	ed Options		
		Weight	Weight
		Front	Rear
12YD	12YD DUMP, ELEC TARP	0	0
	Total Dealer Installed Options	0 lbs	0 lbs

Application Version 11.9.708 Data Version PRL-28M.038 LOXAHATCHEE 2025 12YD DUMP 4-7-24

ERROR: Image type not supported.

ERROR: Image type not supported.

Prepared by: Scott Endris SOUTHPORT TRUCK GROUP 7528 US HWY 301 NORTH TAMPA, FL 33637 Phone: 813-293-0866

(+) Weights shown are estimates only.

If weight is critical, contact Customer Application Engineering.

(***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.

ERROR: Image type not supported.