

		CONTRACT PRICING WORKSHEET		Contract No.: 113021-RVG-1		Date Prepared: 6/4/2025	
Buying Agency:	City of Madison / Madison Fire and Rescue			Contractor:	E-ONE, Inc.		
Contact Person:	Brandy Williams, Fire Chief			Prepared By:	Rick Stuardi		
Phone:	(256) 464-8421			Phone:	(251) 929-9523		
Fax:	N/A			Fax:	(251) 928-9933		
Email:	brandy.williams@madisonal.gov			Email:	rstuardi@sunbeltfire.com		
Fire & Emergency Category				Model Used		Discount Offered	
Commercial Mini Pumpers				VMMP-COMM		\$5,000.00	
Commercial Pumpers - VM models				VMRP-COMM; VMRP-SPAR		\$15,000.00	
Commercial Pumpers				PAEM-COMM; PAEU-COMM; PRAL-COMM; PRAL-SPAR; PTAL-COMM; PTAL-SPAR; PMRM-COMM; PSEM-COMM; PRSS-COMM; PRSS-SPAR; PSTE-COMM; PTSS-COMM; PTSS-SPAR		5%	
Custom Pumpers (ValueOne)				XPSS-TYPN; XRSS-TYPN		15%	
Custom Pumpers				PRAL-CYCN; PRAL-TYPN; PTAL-CYCN; PTAL-TYPN; PRSS-CYCN; PRSS-TYPN; PTSS-CYCN; PTSS-TYPN		17%	
Custom Pumpers (EMAX)				PSEM-CYCN; PSEM-TYPN; PAEM-CYCN; PAEM-TYPN		16%	
Custom Urban Interface				PAEU-CYCN; PAEU-TYPN		16%	
Commercial Wetside Tankers				WTSS-COMM; WTRSS-SPAR; WTTS-COMM; WTTS-SPAR		\$15,000.00	
Commercial Tankers				TSAL-COMM; TSAL-SPAR; TSSA-COMM; TSSA-SPAR; TSSS-COMM; TSSS-SPAR; TSTE-COMM; TTAL-COMM; TTAL-SPAR; TTSS-COMM; TTSS-SPAR		6%	
Commercial Tankers (VM Models)				VMT2-COMM; VMT3-COMM		\$10,000.00	
Custom Tankers				TSAL-CYCN; TSAL-TYPN; TSSS-CYCN; TSSS-TYPN; TTAL-CYCN; TTAL-TYPN; TTSS-CYCN; TTSS-TYPN		17%	
Commercial Light Rescues				RELN-COMM; RELW-COMM; RSLN-COMM; VMMR-COMM		\$5,000.00	
Commercial Heavy Rescues				REHN-COMM; REHN-SPAR; REHW-COMM; REHW-SPAR; RSHN-COMM; RSHN-SPAR; RSHW-COMM; RSHW-SPAR		5%	
Custom Heavy Rescues				REHN-CYCN; REHN-TYPN; REHW-CYCN; REHW-TYPN; RSHN-CYCN; RSHN-TYPN; RSHW-CYCN; RSHW-TYPN		15%	
Custom Aerial Booms				AEMM-CYCN-050B; AEMM-TYPN-050B		17%	

Custom Aerial Ladder (Typhoon Only)	AERM-TYPN-075L	20%	
Custom Aerial Ladders	AERM-CYCN-075L; ASRM-CYCN-075L; ASRM-TYPN-075L; AERM-CYCN-078L; ASRM-CYCN-078L; AERM-TYPN-078L; ASRM-TYPN-078L; AERS-CYCN-100L; ASRS-CYCN-100L; AERT-CYCN-100L; ASRT-CYCN-100L; AERS-TYPN-100L; ASRS-TYPN-100L; AERT-TYPN-100L; ASRT-TYPN-100L; AERS-CYCN-110L; ASRS-CYCN-110L; AERT-CYCN-110L; ASRT-TYPN-110L; AERS-TYPN-110L; ASRS-TYPN-110L; AERT-TYPN-110L; ASRT-TYPN-110L; AERM-CYCN-137L; AERM-TYPN-137L	17%	
Custom Aerial Platforms	AERM-CYCN-092P; AERM-TYPN-092P; AERM-CYCN-100P; ASRM-CYCN-100P; AERM-TYPN-100P; ASRM-TYPN-100P	17%	
Custom Aerial Platforms (Mid-Mount)	AEMM-CYCN-095P; AEMM-TYPN-095P	12%	
Custom Aerial TDA (Tillers)	AETI-CYCN-100L; AETI-TYPN-100L; AETR-TYPN-110L	13%	
WaterMaster	WMSS-COMM	\$15,000.00	
Wildlands	IAVA-COMM; IAVS-COMM; WLBT-COMM; WLMP-COMM; VM34-COMM	\$5,000.00	
Wildlands (Type III)	WLSP-COMM	7%	
Industrial Commercial Pumper	ITAL-COMM	5%	
Industrial Custom Pumpers	ITAL-CYCN; ITAL-TYPN; ITSS-CYCN; ITSS-TYPN	12%	
Industrial Custom Booms	AEIM-CYCN-050B; AEIM-TYPN-050B	12%	
Industrial Custom Ladders & Platforms	AEIR-CYCN-078L; AEIR-TYPN-078L; AEIR-CYCN-100P; AEIR-TYPN-100P	13%	
ARFF (4x4)	ARFF-4XP8; ARFF-4XP8-HRET	7%	
ARFF (6x6)	ARFF-6XP8; ARFF-6XP8-HRET	7%	
ARFF (Ecologic & Rhino Turret)		0%	
Vehicle Shop Order/Quote No.:	Q140276 / SO148983	Vehicle List Price:	\$ 1,287,240.00
		Discount Amount:	(\$218,830.00)
		Discounted Subtotal:	\$ 1,068,410.00
		Contract Fee:	\$ -
Est. Delivery Date:	1050 ARO	Total Price:	\$ 1,068,410.00

Sourcwell Contract 113021-RVG-1 - E-ONE, Inc.

Pricing Updated 4/25/25

Date Sold	4/11/2025
Projected Del Date	1050 ARO
Number of Vehicles on this Sale	1
Total Contract Price	\$ 1,068,410
Total Contract Purchase Pricing (per vehicle):	\$ 1,068,410

Customer Name: City of Madison Fire and Rescue

Total Contract Purchase Pricing (per vehicle):

BASE UNIT

Item	Description	List Price
PRAL-TYPN	Custom Rescue Pumper on a Typhoon Chassis	\$ 1,287,240.00

CONFIGURATION

Item No	Description	Price
1001-0103	The E-ONE supplied components of the vehicle shall meet the requirements of NFPA 1900, 2024 edition.	\$ -
3090-0002	OAH. Unit has no overall height restrictions.	\$ -
3090-0004	OAL. Unit has no overall length restrictions.	\$ -
3090-0007	Hosebed hoseload allowance on the apparatus shall be 1200 lbs.	\$ -
3340-1137-12C	Equipment allowance on the apparatus shall be 2500 lbs. This allowance is in addition to the weight of the hoses and ground ladders listed in the shop order as applicable.	\$ -
1002-0001	Final inspection trip.	\$ -
1160-0008	3/16" Front Bumper Gravel Shield.	\$ 271.00
1160-0014	20" Front Bumper Gravel Shield Extension.	\$ 990.00
1160-0345	Heavy duty, formed, 10" front bumper with full wrap around. Corners to be tapered for up to an 8.5" wide mounting area (Units with drop style frame extension and recess notch mayl reduce size of mounting area). Includes support wings for outboard sides (as applicable). To be painted as specified.	\$ 4,494.00
1160-0347-198	Bumper to have a 5.625" deep x 10.5" wide notch for recessed mechanical siren. Location: driver's side	\$ 1,097.00
1150-0055	Hinged diamond plate lid for center bumper tray. Includes: seal, 1/4 turn latch and gas shock hold open device.	\$ 618.00
1150-0120	Bumper tray center of bumper with slats 12 inches deep (approx 11 inches to slats).	\$ 923.00
1250-0011	Rear underbody support frame.	\$ 1,177.00
1250-0080	Frame assembly with 10.25 x 3.5 x .375 powder coated galvanized rails.	\$ 15,406.00
1250-0083	Frame liner 9.375 x 3.125 x .375, galvanized and powder coated.	\$ 8,892.00
1250-0092	GEOMET coated frame assembly fasteners.	\$ -
1025-0016	Meritor RS-24-160 single rear axle 24,000 lb. capacity.	\$ 23,402.00
1025-0028	Koni shock absorbers for front axle - adjustable.	\$ 733.00
1025-0030	Stemco sight glass for front axle hubs. Inboard wheel seals will be Chicago Rawhide (or equivalent).	\$ 248.00
1025-0209	Meritor FL-943 front axle 20,000 lb. Includes maintenance free bushings.	\$ 38,394.00
1070-0026	Rear axle shocks for Reyco single axle rear spring suspension up to 35K.	\$ 1,405.00
1070-0038	Reyco 27K rear suspension springs for a 24K rear axle.	\$ 3,600.00
1050-0001	Alcoa aluminum wheels for front axle (2).	\$ 2,623.00
1050-0003	Alcoa aluminum wheels for rear axle (4).	\$ 4,198.00
1050-0007	Front axle wheel trim kit. Includes stainless steel lug nut covers (chrome plated plastic if applicable) and center cap with E-ONE logo. Note: Center cap will have an inspection port IPO a logo if equipped with Stemco oil seals.	\$ 504.00
1050-0008	Rear axle (single) wheel trim kit. Includes stainless steel lug nut covers (chrome plated plastic if applicable) and center cap with E-ONE logo. E-ONE custom chassis w/steel wheels will have chrome plated plastic lug covers.	\$ 620.00

1050-0017	Each inside wheel of the single rear axle shall have valve stem extensions.	\$ 256.00
1050-0033	Dura-Bright finish on aluminum wheel (EA).	\$ 1,400.00
1060-0004	Four Michelin 11R tires model XZE2 highway tread for rear axle.	\$ 6,276.00
1060-0117	RWC AirGuard LED tire pressure monitoring valve stem caps (6) for single rear axle applications.	\$ 363.00
1060-0210	Two Michelin 385 tires model X MULTI HL Z for front axle.	\$ 4,328.00
1100-0001	Meritor EX225H 17" disc brakes for front axle.	\$ 2,513.00
1100-0002	ArvinMeritor 16-1/2" x 7" S-cam brakes with cast brake drums for a single rear axle.	\$ 651.00
1100-0005	Brake system air 4X2/4X4.	\$ 16,920.00
1100-0006	Parking brake release mounted on the driver's side lower dash.	\$ -
1100-0024	G4 Electronic Stability Control (4x2), Includes RSC and ATC. Not available on mechanical 4x4, commercial chassis or tiller. (Available with Ez-Trac 4x4).	\$ 7,131.00
1110-0000-001	Inlet for air system. Location: driver door jamb.	\$ 768.00
1110-0002	Air dryer Bendix AD-9.	\$ 1,000.00
1110-0006	Air lines nylon.	\$ -
1110-0026	Air horns Hadley e-tone recessed in bumper (PR).	\$ 1,693.00
1110-0027	Isolated air tank. Includes pressure protection valve.	\$ 1,155.00
1110-0043	Auxiliary air tank to be plumbed to the following optional accessories (if equipped): Chassis air horns, brake system air outlet, air reel, light tower, air primer, air operated devices and or customer/dealer installed pneumatic add-on(s).	\$ -
1200-0017	Push-button transmission shift selector.	\$ -
1200-0020	TranSynd, Shell Spirax S6ATF A295, or equivalent synthetic transmission fluid for EVS3000 series.	\$ 393.00
1200-0097	Electronic limiting of speed to 68 MPH maximum. Note: Axle gear ratio will be as low as possible while allowing for 68 MPH top speed to improve acceleration. Note: Max speed may be set at 65 MPH due to tire rating.	\$ -
1200-0489	Eng/Trans Cummins X10 450HP/1250TQ with EVS3000P transmission. 2027 EPA Compliant. Includes Acumen telematics and Certified Clean Idle holographic decal. Note: Until the 2027 EPA engine integration is finalized, option availability and body design relative to engine and aftertreatment are subject to change. Additional costs associated with the 2027 EPA engine will be passed on to the end user. No exceptions.	\$ 305,538.00
1200-0495	Transmission cooler. Required with 2027 EPA engine/trans w/o trans retarder.	\$ 3,166.00
1125-0002	Jacobs engine compression brake. Note: Brake lights will illuminate when auxiliary brake is activated.	\$ 3,574.00
1125-0023	Transmission to seek second gear when Jacobs engine brake or Telma retarder is engaged. N/A with Trans retarder.	\$ -
1225-0086	Firwin exhaust blanket from the turbo down to the DPF and between the DPF and SCR. Required on 2027 EPA engines.	\$ 1,872.00
1800-0041	Cooling system for use with Typhoon and Cyclone chassis. For use with 2027 EPA engines. Includes fan clutch.	\$ 19,214.00
1350-0005	Fuel system 65 gallons.	\$ 3,221.00
1350-0013	Racor fuel/water separator to be a bottom drop out style. Shall include indicator light and audible alarm.	\$ 1,478.00
1350-0022	Fuel line hose rubber.	\$ -
1350-0102	Fuel shut-off valves (3). Locate each side of fuel / water separator and at tank.	\$ 680.00
1700-0019	Alternator Niehoff 360 amp (360 amp SAE/320 NFPA rating). Available on X10, X12 and X15.	\$ 6,496.00
1400-0032	Battery five group 31 1000 CCA (two left / three right). For use with below cab DEF tank only.	\$ 2,523.00
1680-0006	Drivelines 1710.	\$ 2,116.00
1680-0008	Tow eyes front painted below bumper/cab (PR). Tow eyes will be integral when used with a drop style frame extension.	\$ 543.00
1680-0011	Tow eyes rear below body, painted.	\$ 1,235.00
1680-0187	On-Spot tire chain installation. Requires pre-wire option located in Cab Electrical. Requires engineering review and approval if less than 165" WB.	\$ 5,601.00
1680-0250-M58	Diesel Exhaust Fluid (DEF) 5 gallon tank. Location: left side below rear of cab.	\$ 3,458.00
1680-0284	Radiator mounted power steering cooler.	\$ 975.00

1520-0221	Typhoon stretched long cab with radial wipers (74" CA).	\$ 112,906.00
1615-0001	Vista full height rear doors 12". Note: Requires 1615-0006 when used on 100" wide Cyclone cabs (front side windows are not available on the 100" wide Cyclone).	\$ 7,293.00
1615-0005	Delete front vista roof windows.	\$ -
1615-0006	Delete side vista roof windows ahead of rear doors.	\$ -
1615-0007	Delete rear vista roof windows.	\$ -
1615-0009	Delete upper rear door vista roof windows	\$ -
1610-0000	Cab and body to have applicable E-ONE logos.	\$ -
1550-0003	Rear crew cab doors in the medium position.	\$ -
1550-0084	All cab exterior entry doors to have 1250 keyed locks.	\$ -
1550-0157	Anodize aluminum protective trim on rear edge of cab door openings. E-ONE custom chassis only.	\$ 476.00
1550-0159	Interior cab door locks - manual. Will be individually actuated from each respective door. Includes key lock on each exterior cab door handle.	\$ -
1550-0185	Cab door panels aluminum painted multi-tone to match cab interior paint. Includes upper and lower panels with seam below handrail.	\$ 3,142.00
1550-0285	Driver and officer door windows to be power actuated with HD regulators. Switches to be located at center dash. For use with new Typhoon and 100" wide Cyclone cabs.	\$ 3,067.00
1550-0286	Rear crew cab door windows to be power actuated with HD regulators. Switches to be located on each door with add'l switches accessible by driver. For use with new Typhoon and 100" wide Cyclone cabs.	\$ 3,067.00
1550-0288	Cab doors to extend down to cover lower step well. For use with new Typhoon cab and 100" wide Cyclone only.	\$ 781.00
1550-0332-000-HN	color to match rear striping chevron "A" individual stripe on lower cab door panel of an extended door. Stainless steel/painted door panels only. E-ONE cabs only.	\$ 586.00
1550-0377	All cab doors shall have exterior pull style handles with integral key lock (glass reinforced nylon).	\$ -
1550-0395	Door mounted 5" Amdor model ALS-W red LED flashing lights (4). Locate lights horizontally on each cab door in the outboard position. Each individual light to be activated by corresponding cab door ajar circuit.	\$ 959.00
1640-0047	Lower steps to extend 3.5" past cab. For use with legacy Typhoon / Cyclone with barrier style doors and new Typhoon / Cyclone with barrier style or extended doors.	\$ -
1670-0001-275	Ramco 8001FFR mirrors. Remote controlled with top CAS750 manual convex. Location: mounted on cab doors.	\$ 3,110.00
1670-0088	Driver and officer Ramco cab mirrors to be heated. Includes all surfaces (flat and convex, as applicable).	\$ 671.00
1670-0091	Cab mirrors to have black finish IPOS. (Does not apply to tubular S/S arms and convex look down mirrors.)	\$ 357.00
1535-0464	Paint Drip Rails. All exterior drip rails over cabinets, etc including vertical drip rails ahead of front cab doors to be painted job color (two tone as applicable).	\$ 516.00
1550-0020	Windows cab side fixed driver's side.	\$ -
1550-0033	Windows cab side fixed officer's side.	\$ -
1675-0030	Mud flaps, front, black with E-ONE logo.	\$ 323.00
1675-0046	Rear cab wall to be smooth 3/16" aluminum plate. Cab wall to be finish painted to match the cab paint scheme.	\$ -
1675-0053	Stainless steel scuff plates full height on rear cab corners (PR)	\$ 492.00
1675-0201	Large radius cab wheel well. Includes bolt-on adjustable wheel well trim.	\$ -
1675-0202	Mounting plate for battery charger receptacle, indicator, air inlet, etc (if applicable). Plate to be removable brushed stainless steel.	\$ -
1675-0210	Deflector / Shield for Cab 3 sided roof mounted AC with 45 degree front slope painted job color.	\$ 1,943.00

1675-0422	Handrails 12" pair, located on the front face of cab, driver and officer side just below the wipers and above the headlight/warning lights. Aid for ascending bumper. Requires 1160-0289 embossed diamond plate upgrade for extended bumper (embossed not required if coated with LINE-X / Scorpion). This option is only for use with Typhoon and 100" wide Cyclone cabs with radial wipers.	\$ 753.00
1675-0448	Pair of one piece powder coated black knurled stainless steel 18" handrails located just behind driver and officer front door one each side.	\$ 1,010.00
1675-0450	Pair of one piece powder coated black knurled stainless steel 36" handrails located just behind driver and officer rear door (ALS doors if equipped) one each side.	\$ 1,187.00
1515-0012	Paint air conditioning condenser job color.	\$ 1,604.00
1515-0034	Roof mtd A/C system Coleman 13,500 BTU. Locate on rear cab roof wired to shore power and (if equipped w/auto transfer) generator. Standard Profile unit.	\$ 3,951.00
1515-0035	Stainless steel pan for cab roof mounted A/C unit. Includes drain line to rear of cab. Drain not to drip on drivelines.	\$ 1,296.00
1515-0133	Air conditioning with roof top mounted condenser. Includes reduced profile evaporator w/powder coated cover, brushless motors and a rear fan speed switch on the driver side of the rear air distribution housing. Requires A/C controls in multiplex display.	\$ 16,432.00
1510-0003	Seats, Inc. brand 911 cab seats.	\$ -
1510-0008	Seat color gray.	\$ -
1510-0038	(Obsolete; use sales code 1510-0642) Driver seat 911 air ride.	\$ 2,426.00
1510-0042	Officer seat to be 911 fixed SCBA.	\$ 1,940.00
1510-0050	Rear facing 911 seat with SCBA driver's side.	\$ 1,795.00
1510-0053	Rear facing 911 seat with SCBA officer's side.	\$ 1,795.00
1510-0120-131	Flip up 911 attendant seat located driver's side inboard.	\$ 2,235.00
1510-0120-133	Flip up 911 attendant seat located officer's side inboard.	\$ 2,235.00
1510-0203-147	Bracket SCBA IMMI SmartDock Gen2 restraint system. Location: officer's seat.	\$ 1,327.00
1510-0203-148	Bracket SCBA IMMI SmartDock Gen2 restraint system. Location: rear facing driver's side.	\$ 1,327.00
1510-0203-215	Bracket SCBA IMMI SmartDock Gen2 restraint system. Location: rear facing officer's side.	\$ 1,327.00
1510-0234	Seat cover material Turnout Tuff.	\$ -
1685-0033	Seating capacity tag of six occupants.	\$ -
1535-0202	Finish. Cab medical/storage cabinet(s) finish to be multi-tone gray. Includes interior/exterior of cabinet and shelves/trays if equipped.	\$ -
1535-0471	Interior medical cabinet. Locate to rear of engine cover. Cabinet to be 30" high x 38" wide x 20" deep with rear cargo net for opening. Includes (1) adjustable shelf.	\$ 6,167.00
1540-0013	All map boxes in the cab to be painted multi-tone gray finish.	\$ -
1540-0015	Map box suspended with drop-down door. Box offset to rear to allow engine access door to open further.	\$ 1,159.00
1685-0005	Lexan sun visors, driver and officer's side overhead.	\$ -
1685-0187	Severe duty engine cover, molded polyurethane.	\$ -
1685-0192	PAC TRAC panels vertical stacked with tool mounting grooves orientated horizontal on back wall of cab each side outboard of inboard seating positions.	\$ 2,928.00
1685-0285	Cup holder / tray for engine cover painted to match cab interior. Approx 14" wide x 10" long with tapered front corners and cup holders at each rear corner. For use in Typhoon and CII with severe duty engine cover.	\$ 825.00
1685-0446	Severe duty overhead console. Includes driver, center and officer overhead ahead of air conditioning plenum. Center overhead includes siren mounting locations. Overhead to match cab interior.	\$ 2,668.00
1685-0531	Reduced profile rear engine cover for increased legroom.	\$ -
1685-0669	Severe duty dash package with low profile center section. Cast alum construction. Includes smooth plate alum lower kick panels; all painted to match cab interior.	\$ 2,196.00
1685-0692	Cab insulation package. Includes insulation for ceiling, front wall, rear wall, side walls, below seat risers and in doors.	\$ 1,940.00
1685-0891	Cab interior padding to be gray.	\$ -
1750-0024-179-02	Auto-Eject receptacle inlet 20 amp located outside driver's door next to handrail with a Red cover.	\$ 1,139.00

1750-0046-195	Cab Headlights. Position: lower.	\$ -
1750-0072-546	12 VDC electrical outlet wired battery hot. Location: In cab officer side on 3 x 3 post rear facing just above engine cover (or seat riser if in a Hush).	\$ 128.00
1750-0072-593	12 VDC electrical outlet wired battery hot. Location: officer side dash.	\$ 128.00
1750-0158	Dome Lts Weldon Red/White LED. Package includes two lights mounted in the front and two mounted in the rear of the cab. White light wired through door and light assembly switch. Red light through light assembly switch.	\$ 1,604.00
1750-0166	ATC override switch.	\$ -
1750-0198-A31	Battery charger to be located behind driver's seat.	\$ -
1750-0423-09V	Programming instructions for auxiliary switch 1 on steering wheel switch pod. Switch function: Q2B.	\$ 186.00
1750-0424-3J4	Programming instructions for auxiliary switch 2 on steering wheel switch pod. Switch function: front scene light(s).	\$ 186.00
1750-0425-09W	Programming instructions for auxiliary switch 3 on steering wheel switch pod. Switch function: Q2B Brake.	\$ 186.00
1750-0449	Momentary DPF regeneration override switch.	\$ 407.00
1750-0451	Steering wheel with switch pods IPOS. Includes wiper functions, master warning sw, air horn sw, aux brake on/off and (3) aux switches. For use only with Typhoon and Cyclone NOT equipped with 4Front. (Requires separate programming options to activate aux switches)	\$ 1,800.00
1750-0482	Control push-button switch officer switch panel for Q2B siren.	\$ 407.00
1750-0483	Control push-button switch on officer's switch panel for Q2B siren brake.	\$ 407.00
1750-0485	Control push-button switch officer switch panel for air horns.	\$ 407.00
1750-0491	The chassis shall be pre-wired for installation of tire chains. Includes lock-out/safety rocker style switch.	\$ 1,071.00
1750-0554	FireTech LED cab headlights.	\$ 2,780.00
1750-0768	TecNiq D07 LED cab door step area lighting. Includes (2) lights at each door area. Lights to be switched with door ajar.	\$ 396.00
1750-0796	Turn signal TecNiq LED strip (PR) with clear lens and polished alum housing located between quad headlight bezels (New Typhoon and Cyclone only).	\$ 300.00
1750-0827	Quad headlight bezels (4) black ipos. Includes strip light mounting bezel between quad housings.	\$ 1,018.00
1750-0833	Install E-ONE supplied radio interface cable for 2 way radio. Radio model to be specified by sales. Run cable from intercom base to location specified by sales leaving a service loop at each end.	\$ 1,242.00
1750-1004	Battery charger Kussmaul Chief Series. 120/240 volt inlet, 40 amp output. Includes remote and built-in touch screen displays.	\$ 2,449.00
1750-1013-593	Dual port USB charging receptacle in the cab wired battery hot. Includes USB-A and USB-C ports. Location: officer side dash.	\$ 319.00
1750-1016	Digital dash display for driver.	\$ 4,020.00
3100-0548	(2) driver side roof top compartments with extra width to inboard side. Includes hinged raised compartment lids with turn latches, grab handle(s) and gas shock hold open and drain line(s) ran to below body. Each lid to have (1) Hansen LED strip light and to be wired to door ajar indicator in cab.	\$ 10,287.00
3100-0571	Flat back Driver side body with full height 42" wide forward and 56" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$ 28,347.00
3120-0744	(2) officer side roof top compartments with extra width to inboard side. Includes hinged raised compartment lids with turn latches, grab handle(s) and gas shock hold open and drain line(s) ran to below body. Each lid to have (1) Hansen LED strip light and to be wired to door ajar indicator in cab.	\$ 10,287.00
3120-0771	Flat back Officer side body with full height 42" wide forward and 56" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$ 28,347.00
3110-0238	Bolt-on diamond plate 18" tailboard (full width of body). Includes handrails- (2) vertically on trailing edge of body and handrail(s) horizontally below hosebed.	\$ 3,497.00
3110-0240	Lower Rear Compartment with access door above to the ladders storage thru tank. Includes smooth plate panels and storage access door with push button latches.	\$ 3,387.00

3300-0021-004	Door roll up short (up to 45") with painted finish ROM. Location(s): L2.	\$ 2,809.00
3300-0021-016	Door roll up short (up to 45") with painted finish ROM. Location(s): R2.	\$ 2,809.00
3300-0022-003	Door roll up tall (greater than 45") with painted finish ROM. Location(s): L1.	\$ 3,516.00
3300-0022-005	Door roll up tall (greater than 45") with painted finish ROM. Location(s): L3.	\$ 3,516.00
3300-0022-015	Door roll up tall (greater than 45") with painted finish ROM. Location(s): R1.	\$ 3,516.00
3300-0022-017	Door roll up tall (greater than 45") with painted finish ROM. Location(s): R3.	\$ 3,516.00
3300-0103-027	Door double vertical hinged smooth plate sanded. Location(s): B1.	\$ 1,650.00
3300-0368	Pull-down bungee type straps for full height and high side roll-up door(s) on body / pump module. For use with ROM and AMDOR doors only.	\$ -
3370-0245	Permanent fixed shelf. Aluminum or stainless steel body applications. Location:	\$ 211.00
3370-0247	Tracks for adjustable shelf and/or adjustable tray in a compartment. Location:	\$ 1,004.00
3370-0263	Adjustable shelf w/ HD front lip for non-transverse compartments. Location:	\$ 2,349.00
3390-0557	Partition, bolt-in vertical partition wall. Location:	\$ 1,353.00
3380-0498	Tray, floor mounted roll-out with gas spring. 500 lbs. capacity. Location:	\$ 5,382.00
3380-0508	Adjustable heavy duty tool board with 500 lbs. capacity. Includes return style reinforcing bends on vertical front and rear edges of tool board, upper and lower adjustable track and gas shock actuated. Tool board sized to compartment height and depth as applicable. Location:	\$ 6,798.00
3380-0571	Floor mounted steel SlideMaster roll-out/tilt down model SMT powder coated silver with aluminum tray. Note: May require spacer/s on floor due to striker (With lift-up door, tray latch to be offset as required to clear striker). Location(s):	\$ 1,903.00
3380-0572	Adjustable mounted steel SlideMaster roll-out/tilt down model SMT powder coated silver with aluminum tray. Location(s):	\$ 4,266.00
3380-0574	Adjustable mounted steel SlideMaster model SM3-SP powder coated silver with aluminum tray. Location(s):	\$ 2,583.00
3305-0003	Single diamond plate cover for the crosslay area. Includes applicable grab handle(s) and (2) butterfly style latches.	\$ 1,190.00
3305-0004	Crosslay cover to be hinged forward.	\$ -
3305-0119	Hold open device(s) for aluminum crosslay (single or bi-fold) cover. Locate as required based off options on module.	\$ -
3305-0220	(2) piece light weight aluminum hose bed cover. Includes divider-less cross structure, fill tower(s) access door(s) and handles (as applicable), (2) gas shocks, positive hold-opens/hold-closed at the rear, (2) grab handles (fwd) and (2) hand rails (rear).	\$ 5,993.00
3305-0419	Nylon black cargo net on sides for crosslay cover. Includes seat belt style buckles at each upper corner of flap attached to a lanyard pull release to extend down and join to a common pull point. Pulling lanyard shall release both buckles and allow net to drop down for rapid deployment.	\$ 830.00
3305-0732	Nylon black cargo net cover at rear of hose bed. Attached at the top and bottom corners with aluminum quick release buckles. Each side will be connected to a single Orange pull cord.	\$ 2,171.00
3130-0167	Pump module to be 76" wide (side to side). Includes upper, lower, crosswalk, speedlay and tranverse module(s) if applicable.	\$ -
3130-0523	Side mount pump module. Extruded aluminum with runningboards.	\$ 9,880.00
3130-0534	Pump panel opening is 51" wide.	\$ -
3130-0540	Pump module height is 80". Pumper / tanker only.	\$ -
3134-0016	Stainless steel driver and officer side pump panels.	\$ -
3134-0055	Officer side upper pump access panel to be horizontally hinged with stainless steel door. Includes (2) push button latches and (2) hold open devices.	\$ 432.00
3134-0152	The pump panels including gauge panels shall be coated with LINE-X.	\$ 2,572.00
4460-0003	Pump panel tags color coded per NFPA compliance.	\$ -
4460-0004	All tags installed on the exterior of the apparatus shall be mechanically fastened with stainless steel screws. These include but not limited to tags installed on the pump module, body, cab and bumper. Pump panel tags shall be mechanically fastened regardless whether the panel is enclosed behind a door.	\$ 2,521.00
4460-0088-282	Air outlet with Innovative Control 1/4" valve w/1/4 turn "T" handle and label for: driver's side pump panel.	\$ 491.00

3136-0000-202	Air horn switch at pump panel. Switch to be labeled "Evacuation Alert". Location: driver side pump panel.	\$ 407.00
3136-0001	Backboard storage compartment in pump module. Locate rearward of crosslays on SM and forward of crosslays on TM. Includes vertical hinged diamond plate access door each side.	\$ 2,062.00
3136-0011	P-Rubber in flex joint(s) between pump module and/or body modules.	\$ 1,198.00
3136-0048	Notched crosslay divider(s) on both ends for preconnect line(s) nozzle end storage with NFPA cover(s) in closed position.	\$ -
3136-0058	E-ONE logo mounted one each side on pump module/preconnect panels or at upper body section as shown on approval drawing. Logos to be sized as applicable to available space on panels.	\$ -
3136-0138	Pump module storage pan.	\$ 1,518.00
3136-0460	Crosslay triple 7.75/7.75/10" wide double stack to hold up to 400' of 2.0" DJ (each) in front lays and 300' of 2.5" DJ hose in rear lay.	\$ 2,628.00
4010-0057	530 Gallon "L" shaped Water Tank. Includes lowered rear section for lower hose bed height. Note: Any foam cell(s) optioned will reduce the overall water capacity. Tank capacity is 530 US gallon / 441 Imperial gallons / 2006 Liters.	\$ 16,772.00
4010-0099	Fill tower(s) to be located offset to officer side of water tank.	\$ -
4010-0463	Water tank shell size will be increased to maintain water capacity with storage tunnel.	\$ 4,363.00
4020-0056	Tank sleeve for rear or hosebed (low hosebed applications) discharge.	\$ 1,107.00
4450-0011	2.5" tank fill Akron manual valve. At pump panel.	\$ 2,359.00
4450-0119	3" tank to pump Akron manual valve w/4" tank connection.	\$ 2,367.00
4100-0009-590	30 gallon integral foam tank for Class A foam. Foam tank capacity will reduce the water tank capacity. Tank capacity is 30 US gallon / 25 Imperial gallons / 113 Liters.	\$ 2,252.00
3365-0023	Ladder storage through tank for (1) 2-section 24' extension, (1) 14' roof, (1) 10' attic with feet and (2) pike poles. Reduces selected water tank capacity by approximately 250 gallons for pumpers and 300 gallons for tankers.	\$ 7,450.00
3365-0049	Brand of ladders capable of being carried on unit to be Alco-Lite.	\$ -
3365-0086-B99	Pike pole(s) capable of being stored are to be the following length: (2) 10' pike poles.	\$ -
3365-0377-015	Fire extinguisher storage rack to hold (3) extinguishers in a single horz row. The rack shall be raised 3" on the open end to allow the extinguishers to slide back into the box at an angle. Bottom and sides to include ribbed rubber inserts. Each opening to have a vertically mounted strap. The rearward opening shall be 15" wide, the middle opening shall be 10.125", and forward opening shall be 10" wide. The total height of the assembly shall be 20.25". The top shall be flat and have a 2" lip up for storing items as a permanent shelf. Locate floor mtd in R1.	\$ 1,818.00
3330-0201	Step rear intermediate embossed tread plate. Locate rear body. Includes hand hold cut-outs on top of the step in place of the hand rail.	\$ 1,142.00
3330-0277	Innovative Controls dual lighted LED folding steps rear NFPA. Includes folding steps on driver side rear of the body. (staggered stepped as applicable with tailboard depth) for NFPA hosebed access and handrail mounted on driver side upper hosebed side (as applicable).	\$ 926.00
3330-0279-060	Innovative Controls dual lighted LED folding step. Location: officer side front compartment face. Each location requires a minimum of (1) handrail per NFPA.	\$ 1,492.00
3330-0279-062	Innovative Controls dual lighted LED folding step. Location: driver side front compartment face. Each location requires a minimum of (1) handrail per NFPA.	\$ 1,492.00
3330-0350	Hand rail, Brey-Krause Stainless steel knurled grip surface hand rails shall be provided in place of standard anodized handrails on Body and Pump Module (as applicable). Handrails shall be powder coated black from the factory.	\$ 1,467.00
3340-0004	Hosebed above the booster tank. Includes forward hosebed and tower(s) cover plate work (as applicable). Hosebed adjustable divider extrusion in the forward area and rearward area of the hose bed to run full width of the hosebed (as is practical with other hosebed mounted equipment).	\$ 3,313.00
3340-0027	Diamond plate corner guards for the driver and officer front compartment face. Guards to wrap around the corner and be full height of side assembly or to a max of 96".	\$ 437.00
3340-0035	Divider Long. To run full length of hose bed (front to rear).	\$ 3,043.00
3340-0049	Hosebed storage pan. Locate in forward area of hosebed.	\$ 1,518.00
3340-0058	Recessed fuel fill driver side wheel well.	\$ -

3340-0079	Locate Tank Fill Tower(s) in the hose bed storage pan as applicable.	\$ -
3340-0093	Mud flaps, rear, black with E-ONE logo.	\$ 344.00
3340-0094	Body mainframe and hosebed side assemblies for a 95" high body.	\$ 7,146.00
3340-0102	(Boston style) Angled tailboard corners.	\$ 916.00
3340-0110	The rear of each hose bed divider to have a hand hold cut-out(s).	\$ -
3340-0145	Rub rail for the body and pump area module(s).	\$ 1,537.00
3340-0191	Divider Support to run full width of hosebed (side to side) at the front of the hosebed and towards the rear of the hosebed at top of the divider(s). Attach to each hosebed divider to provide additional support.	\$ 695.00
3340-0681	Body mainframe layout line to be 24". Includes body and all applicable modules.	\$ -
3340-0698	Body compartment floors to be 3/16" aluminum smooth plate.	\$ 1,377.00
3340-0894	Smooth plate and flush single axle wheel well painted job color. Includes bolt-on composite wheel well liners and bolt-on polished alum fenderettes.	\$ 6,204.00
3340-1648	Anodized aluminum trim on bottom edge of all body compartment openings including pump enclosure if applicable with painted edges.	\$ -
3340-2106	Notched hosebed divider(s). Notch to be per customer provided dimensions. See drawing on file. Priced per divider.	\$ 2,555.00
3340-2668	The outboard panels of the roof top compartments (or full width hosebed if applicable) to have painted smooth plate overlays that are flush with the body sides. Note: The front and rear of the panel will have a shallow vertical seam. Long bodies may also have a center seam.	\$ 4,840.00
3340-2761	Raise floor in right side compartment(s) as required to clear engine after-treatment system. Door opening(s) to remain standard height. This modification affects compartment dimensions in specs. See sales drawing for updated dimensions.	\$ -
3320-0100	Strap, loop style to retain SCBA bottle(s). Locate one per bottle in each exterior body storage compartment.	\$ -
3320-0182-497	E-ONE designed (1) SCBA bottle storage driver side body wheel well offset rearward with hinged door and push button latch. Door material to match wheel well material. Holds standard size SCBA bottle, 20lbs ABC Extinguisher (10.25"x7"x24") or 2.5 gal Water Extinguisher (9"x7"x24.5"). Door shall cover the recessed fuel fill if located in the wheel well adjacent to the SCBA storage.	\$ 513.00
3320-0184-495	E-ONE designed (3) SCBA bottle storage driver side body wheel well offset forward with hinged door and push button latch. Door material to match wheel well material. Holds standard size SCBA bottles. Upper storage troughs hold standard size 20lbs ABC Extinguisher (10.25"x7"x24") or 2.5 gal Water Extinguisher (9"x7"x24.5") in each trough.	\$ 1,188.00
3320-0184-498	E-ONE designed (3) SCBA bottle storage officer side body wheel well offset forward with hinged door and push button latch. Door material to match wheel well material. Holds standard size SCBA bottles. Upper storage troughs hold standard size 20lbs ABC Extinguisher (10.25"x7"x24") or 2.5 gal Water Extinguisher (9"x7"x24.5") in each trough.	\$ 1,188.00
3320-0184-500	E-ONE designed (3) SCBA bottle storage officer side body wheel well offset rearward with hinged door and push button latch. Door material to match wheel well material. Holds standard size SCBA bottles. Upper storage troughs hold standard size 20lbs ABC Extinguisher (10.25"x7"x24") or 2.5 gal Water Extinguisher (9"x7"x24.5") in each trough.	\$ 1,188.00
4005-0031	Rating 1500 GPM.	\$ -
4005-0196	Hale QMAX 1000-2250 GPM single stage pump. Requires primer option.	\$ 50,167.00
4475-0000	Pump certification 750-2250 GPM (or metric/imperial equivalent).	\$ 5,154.00
4015-0008	Zinc anodes for Hale pump (PR), (1) discharge side and (1) intake side.	\$ 651.00
4015-0016	Thermal relief valve, Hale TRVL-120.	\$ 2,997.00
4015-0022	Mechanical pump seal - Hale.	\$ -
4015-0053-198	Steamers to be Flush + 1". Location: driver's side.	\$ -
4015-0053-199	Steamers to be Flush + 1". Location: officer's side.	\$ -
4015-0098	Manual operated master pump drain. The master drain shall be clearly marked and placed in accessible location on pump panel.	\$ -
4015-0210	Pump cooler with Innovative Control 1/4 turn valve with "T" handle and label.	\$ 329.00
4015-0242	Trident primer W/3 barrel push button control. For use with 1250 GPM and larger pumps. Requires 15.6 CFM or larger engine air compressor.	\$ 3,637.00

4015-0384	2-Button electric pump shift.	\$ -
4440-0005	2.5" Left Intake Akron Manual Valve.	\$ 2,216.00
4440-0006	2.5" Right intake Akron manual valve.	\$ 2,216.00
4445-0048	Intake pressure relief valve, Task Force Tips.	\$ 894.00
4415-0008	1.5" Front bumper discharge Akron manual valve.	\$ 3,140.00
4415-0012-654	1.5" Crosslay with Akron manual valve. Location: crosslay 1 & 2.	\$ 3,916.00
4415-0014-581	2.5" Left Pump Panel Discharge Akron Manual Valve. Location: left side discharge 1.	\$ 2,041.00
4415-0014-582	2.5" Left Pump Panel Discharge Akron Manual Valve. Location: left side discharge 2.	\$ 2,041.00
4415-0016-584	2.5" Right Pump Panel Discharge Akron Manual Valve. Location: right side discharge 2.	\$ 2,263.00
4415-0022-350	2.5" Left Rear Discharge Akron Manual Valve. Location: left rear discharge.	\$ 2,383.00
4415-0028-351	2.5" Right Rear Discharge Akron Manual Valve. Location: right rear discharge.	\$ 2,383.00
4415-0041	3" Deck Gun Discharge, Akron manual valve. (outlet shall terminate with MNPT threads unless extend gun is install)	\$ 3,336.00
4415-0058-655	2.5" Crosslay Akron Manual Valve. Location: crosslay 3.	\$ 2,359.00
4415-0176-210	Brass Swivel in Tray center front bumper for Front Bumper Discharge.	\$ -
4415-1123-583	4" Pump Panel Discharge Akron Valve with Trident Handwheel Control. (Waterous pumps noted location to be forward lower port.) Location: right side discharge 1.	\$ 7,798.00
4417-0106-L65	Deck gun piping to be positioned centered in deck gun channel.	\$ -
4417-0034	Deck gun TFT 18" Extend-A-Gun, 3" manual operation.(outlet shall terminate with MNPT threads)	\$ 4,009.00
4417-0175	Innovative Controls push/pull valve controls with locking T handles.	\$ -
4417-0177	Innovative Controls 3/4" bleeder/drain valve include 1/4 turn T-handle.	\$ -
4417-0185	Innovative Controls discharge and intake bezels with integral color code and verbiage for side mount pump panel.	\$ 983.00
4417-0246	Dealer/Customer installed monitor, nozzle and/or tips, make and model as specified.	\$ -
4465-0011	Class 1 TPG pressure governor. Includes, water, oil, volt and tachometer.	\$ 4,483.00
4435-0031	Pump hourmeter on pump operator's panel.	\$ 323.00
4435-0084	Innovative Controls 10 LED SL series foam tank level gauge. On pump panel.	\$ 1,439.00
4435-0347-527	IC 10 LED SL series/Whelen PSTank2 water tank level gauge package. Location of Whelen PSTank2 Strip Lights: each side of cab rear of front doors.	\$ 4,216.00
4435-0451	Innovative Controls TC Series 2.5" (63MM) pressure gauge with chrome bezel.	\$ 3,183.00
4435-0453	Innovative Controls TC Series 4" (100MM) Master pressure gauges with dual chrome bezel. Includes integrated test ports and alarm.	\$ 805.00
4435-0458	Pump panel pressure gauges to be 0-400 / Master Intake gauge to be 30-0-400.	\$ -
4430-0020	2002 Hypro/FoamPro foam system.	\$ 28,855.00
4430-0079	The foam system performance shall be tested and certified in compliance with the applicable NFPA requirements.	\$ 582.00
4432-0053-556	Foam system plumbed to 1.5 first crosslay.	\$ -
4432-0053-557	Foam system plumbed to 1.5 second crosslay.	\$ -
4432-0053-560	Foam system plumbed to first 2.5 crosslay.	\$ -
4432-0053-566	Foam system plumbed to center bumper front jump line.	\$ -
5010-0049	Vehicle data recorder - 2009 / 2016 / 2024 NFPA compliant. Includes occupant detection shown in multiplex display. E-ONE chassis only.	\$ 4,424.00
5010-0094	Nanoprotech (or equivalent) corrosion inhibiting spray coating to be applied on all exposed electrical connections.	\$ -
5010-0140	V-MUX2 DTD Electrical system for pumper / tanker / rescue / ARFF.	\$ 9,378.00
5010-0144-649	7" UltraView display for multiplex electrical system. Location: driver's side engine cover.	\$ 4,774.00
5010-0145	HVAC Controlled through multiplex display(s). For use with VMUX DTD.	\$ -
5300-0547	Light bar Federal Signal Navigator model NVG73-NFPA4 73" with two (2) SLR red/white rotating LEDs and four (4) red SLR rotating LEDs with clear lenses. Location: Centered on the front cab roof.	\$ 7,298.00
5300-0548	2" standard mount for front Federal Navigator light bar (PR).	\$ 148.00
5550-0067	Flash rate for Federal QuadraFlare and/or FireRay LED lower level warning lights to be set at QuadFlash 75 - Simultaneous.	\$ 191.00
5600-0105-170	Hazard (door ajar) light 2" LED. Location: center overhead.	\$ 165.00

5600-0346	All warning lights to have black bezels ipo chrome where applicable.	\$ -
5600-0680-3RE-4U	Warning light Federal Signal FireRay model FR6 LED (PR) RED with RED lenses (Note: Split LEDs are not available). Surface mounted with bezel. Location: (1) each side NFPA/ULC required lower zone front facing.	\$ 1,338.00
5600-0680-3RF-4U	Warning light Federal Signal FireRay model FR6 LED (PR) RED with RED lenses (Note: Split LEDs are not available). Surface mounted with bezel. Location: (1) each side NFPA/ULC required lower zone forward side facing.	\$ 1,338.00
5600-0680-3RG-4U	Warning light Federal Signal FireRay model FR6 LED (PR) RED with RED lenses (Note: Split LEDs are not available). Surface mounted with bezel. Location: (1) each side NFPA/ULC required lower zone midship side facing.	\$ 1,338.00
5600-0680-3RI-4U	Warning light Federal Signal FireRay model FR6 LED (PR) RED with RED lenses (Note: Split LEDs are not available). Surface mounted with bezel. Location: (1) each side NFPA/ULC required lower zone rear facing.	\$ 1,338.00
5600-0680-460-4U	Warning light Federal Signal FireRay model FR6 LED (PR) RED with RED lenses (Note: Split LEDs are not available). Surface mounted with bezel. Location: (1) each side of cab centered over wheel well.	\$ 1,338.00
5600-0680-463-4U	Warning light Federal Signal FireRay model FR6 LED (PR) RED with RED lenses (Note: Split LEDs are not available). Surface mounted with bezel. Location: (1) each side in front quad inboard of NFPA warning light.	\$ 1,338.00
5600-0681-457-4U	Warning light Federal Signal FireRay model FR9 LED (PR) RED with RED lenses (Note: Split LEDs are not available). Surface mounted with bezel. Location: (1) each side of body rear facing up high.	\$ 1,875.00
5600-0681-G98-4U	Warning light Federal Signal FireRay model FR9 LED (PR) RED with RED lenses (Note: Split LEDs are not available). Surface mounted with bezel. Location: (1) each side of body side facing upper forward.	\$ 1,875.00
5600-0681-G99-4U	Warning light Federal Signal FireRay model FR9 LED (PR) RED with RED lenses (Note: Split LEDs are not available). Surface mounted with bezel. Location: (1) each side of body side facing upper rearward.	\$ 1,875.00
5600-0773-3RH-4T	Warning light Federal Signal Micro Pulse Ultra model MPS3 LED w/ bezel (PR) RED with CLEAR lenses. Location: (1) each side NFPA/ULC required lower zone rear side facing. Note: MicroPulse Series lights are only available with clear lenses.	\$ 718.00
5600-0773-469-4T	Warning light Federal Signal Micro Pulse Ultra model MPS3 LED w/ bezel (PR) RED with CLEAR lenses. Location: (1) each side centered below forward compartments in rubrail if equipped. Note: MicroPulse Series lights are only available with clear lenses.	\$ 718.00
5600-0773-471-4T	Warning light Federal Signal Micro Pulse Ultra model MPS3 LED w/ bezel (PR) RED with CLEAR lenses. Location: (1) each side just behind rear wheels in rubrail if equipped. Note: MicroPulse Series lights are only available with clear lenses.	\$ 718.00
5600-0773-742-4T	Warning light Federal Signal Micro Pulse Ultra model MPS3 LED w/ bezel (PR) RED with CLEAR lenses. Location: (1) each side in pump module rubrail if equipped. Note: MicroPulse Series lights are only available with clear lenses.	\$ 718.00
5500-0009	Federal PA300 electronic siren recessed (if applicable) mounted.	\$ 1,424.00
5500-0010-209	Federal Q2B siren - flush mounted in bumper. Location: driver side front bumper. Requires activation switch.	\$ 6,049.00
5500-0024-170	The primary electronic siren control is to be located center overhead.	\$ -
5500-0134	Federal Q2B and/or EQ2B siren - Black Chrome in place of standard.	\$ 1,130.00
5510-0029-211	Speaker, Federal Signal Dynamax ES100 with "E-ONE" grille through bumper. Location: officer side front bumper.	\$ 1,106.00
5150-0017	License plate light LED with chrome housing located at the rear of the body.	\$ 286.00
5150-0151	Marker light package cab / body LED. Body lights to be .75" Dia for custom pumpers and tankers.	\$ 1,573.00
5150-0205	Federal Signal FireRay LED vertical mount tail lights. Includes LED stop/tail, arrow turn and back-up lights with vertical 4 housing and weatherproof connectors.	\$ 2,670.00
5150-0271	Bracket license plate at rear of body. Smooth plate sanded bracket.	\$ 91.00
5380-0280	Ground light package TecNiq T440 4" LED - large.	\$ 1,650.00

5380-0311	Compartment light package Hansen LED for medium bodies. Includes two lights per compartment (four if transverse).	\$ 4,909.00
5390-0007	Deck/scene light circuit wiring through chassis reverse. Requires rear deck or scene light.	\$ 253.00
5390-0190	Hose bed light Amdor H2O. Locate at the front area of hose bed. Switched with work light switch in cab.	\$ 977.00
5390-0280-457	Federal Signal FireRay model FR6LEDSCENE LED scene light (PR) with weatherproof connectors. Includes switch accessible to driver (driver and officer side lights switched separately). Locate (1) each side of body rear facing up high.	\$ 1,680.00
5400-0185	LED pump compartment light (EA).	\$ 146.00
5400-0224	Engine compartment light Optronics LED Series ILL22 (EA).	\$ 263.00
5400-0259	TecNiq model E10 pump panel LED light package with (3) lights per side pump panel. Pump panels over 45" may require additional lights. Side mount only.	\$ 1,092.00
5100-0006-198	Foot switch to control Q2B located driver's side.	\$ 407.00
5100-0165	Audible door ajar alarm wired through door ajar light. For use with multiplex display(s) only.	\$ -
5350-0192	Safety Vision back-up camera wired through multiplex display. Video displays automatically when transmission is in reverse. Camera only - does not include monitor.	\$ 1,835.00
5350-0334	FireCom (6) position, (1) which is wireless. Intercom kit to include a digital intercom model 5100D, one (1) base transmit unit with up to 5 radio/intercom only transmission, (5) plug in modules and (6) headset hooks shall be installed within the cab. Headsets are not included and ordered separately (misc loose equip).	\$ 8,685.00
5110-0017	Back-up alarm 97 dB.	\$ 218.00
5110-0219-762	Blue Sea 12V power distribution module model 5032. Location: behind officer's seat.	\$ 624.00
5450-0321	FireTech 75" 12V brow light with integrated marker lights and black housing. Includes switch accessible to driver. Replaces front brow marker lights. Requires special bracket 5450-0340 on aerials with waterway trough. Not available on aerials with deep trough.	\$ 7,813.00
5450-0805-063	FireTech FT-SL-GESM-B LED Pole Mount Guardian Elite Scene Light. Head only (Requires separate pole option). Location: officer side back of cab.	\$ 2,666.00
5450-0805-064	FireTech FT-SL-GESM-B LED Pole Mount Guardian Elite Scene Light. Head only (Requires separate pole option). Location: driver side back of cab.	\$ 2,666.00
5450-0915-063	FRC model 530 external push up pole. Includes up indicator switch (-SW). Requires seperate light head option. Location: officer side back of cab.	\$ 1,336.00
5450-0915-064	FRC model 530 external push up pole. Includes up indicator switch (-SW). Requires seperate light head option. Location: driver side back of cab.	\$ 1,336.00
7400-0004	Elbow 30 degree chrome swivel w/2.5"FNST x 2.5"MNST.	\$ 466.00
7800-0007	Alco-Lite PRL-14' roof ladder.	\$ 891.00
7800-0016	Alco-Lite PEL-24' 2-section extension ladder.	\$ 1,813.00
7800-0032	Alco-Lite FL-10, 10' folding ladder w/safety shoes.	\$ 530.00
7900-0014	DOT Required Drive Away Kit - Kit includes three (3) triangular warning reflectors with carrying case. This kit is for the end user and is to remain with the truck.	\$ 69.00
7900-0210	FireCom headset. One (1) model UH-51 (intercom ordered separately).	\$ 1,027.00
7900-0215	FireCom headset. One (1) model UH-54 (intercom ordered separately).	\$ 4,106.00
7900-0291	FireCom model UHW505 under helmet wireless radio transmit headset.	\$ 2,163.00
8100-0084	All applicable pump/pre-connect application modules are to have a job color finish. Includes upper and lower pump modules, crosswalk module and/or speedlay/pre-connect module (as applicable). Rear mounted body/pump module to be painted job color.	\$ 1,245.00
8100-0116	Rear body surface to have a sanded finish (not painted job color). Includes hinged doors that do not have discrete sales codes and removable panels.	\$ -
8100-0222	Paint roll up door header plate(s) job color for all painted roll-up doors.	\$ 1,612.00
8100-0595	Paint front cab grille black.	\$ 1,353.00
8100-0838	PPG brand paint will be used on the E-ONE supplied components.	\$ -
8100-0839	Paint Body - Small - For Pumpers, Rear Mounts, S/A Tankers and Rescues (non-metallic). Color:	\$ 3,494.00
8100-0851	Paint E-ONE cab - (non-metallic) paint. Color:	\$ 11,327.00
8150-0011	The interior of the cab to be painted multi-tone gray finish.	\$ -

1160-0149	LINE-X bumper package: Includes all visible diamond plate/smooth aluminum surfaces including gravel shield, exterior surface of trays and lids(flat or raised). If equipped, exterior of the fabricated booster reel housing, fabricated box for booster reel rollers and winch access door shall be included in this package.	\$ 1,813.00
1640-0036	LINE-X package for custom cab steps: Includes cab step wells (everything below the cab floor) and all welded and bolt on steps including stirrup and swing out steps as applicable. Steps hanging below the cab shall have LINE-X coating inside and outside. DEF tank door or any other access doors are also included in this package if located in the step well area below the cab floor.	\$ 1,853.00
1675-0217	LINE-X package for custom cab roof: All roof plate surfaces including the rear lip over the back wall and trough plates if applicable shall have LINE-X coating. All plate work (risers, boxes, etc) fabricated at E-ONE and installed on the roof shall be included in this package.	\$ 3,377.00
1675-0219	LINE-X package for custom cab fenderettes.	\$ 293.00
3130-0645	LINE-X package for side mount pump module: Includes exterior surfaces of all running boards (including speedlay running boards if applicable), integral running board platforms (underbody style not included), exterior surface of runningboard trays and lids, intermediate steps and all fabricated mounting plates installed under the module or body for plumbing options like drains, bleeders, etc. as applicable.	\$ 911.00
3305-0302	LINE-X package for Pump Module top cover(s): Includes exterior surfaces only on all crosslay/speedlay cover(s) and top surface of backboard storage and deck gun channel as applicable.	\$ 404.00
3305-0303	LINE-X package for aluminum hosebed cover(s): Includes exterior surfaces only on hosebed cover(s) including fabricated hold opens and access door(s) for fill towers, etc as applicable. Also includes the rear intermediate step/platform under the hosebed.	\$ 3,278.00
3340-0993	LINE-X package for hosebed storage pan(s): Includes all surfaces of the pan visible from top of the truck. Also includes all platework fabricated at E-ONE mounted inside the pan such as hydraulic system cover, generator shield, reservoir cover, cooler cover, cord reel cover, boxes, dividers, trays, etc as applicable.	\$ 1,450.00
3340-0994	LINE-X package for Pumper or Tanker body (excluding eMAX), see specification for more details. Does not include LINE-X finish on hosebed cover(added separately).	\$ 4,422.00
3340-1018	LINE-X package for body fenderettes.	\$ 456.00
3340-1065	LINE-X package for Pumper or Tanker body stepping surfaces, see specification for more details.	\$ 1,481.00
3340-1329	LINE-X finish for the driver and officer front compartment face corner guards.	\$ 1,188.00
8100-0495	LINE-X: One or more components installed on this unit shall have LINE-X coating. Color shall be Black unless otherwise specified.	\$ -
8175-0086-000-39	The top perimeter of the bumper to have Job Color Scorpion finish. Includes top lip, radius, and approx. 1" down. Requires formed heavy duty bumper.	\$ 706.00
8175-0133	Poly-Elastomer (Line-X) coating shall be applied on the exterior of the body or cab as specified by the customer. Up to three (3) square feet of surface will be to painted. (EA)	\$ 957.00
8300-0001	NFPA required reflective striping to be dealer/customer applied.	\$ -
8300-0061-000-7W	Chevron "A" style 6" individual Scotchlite striping full width on rear of body. Includes rear facing extrusions, panels and doors. Colors to be As Specified.	\$ 3,676.00
8300-0101	Black rubrail scotchlite insert.	\$ 438.00
8300-0381	Yellow perimeter marking to indicate designated standing / walking areas above 48" high in compliance with NFPA 1900/1901 consisting of individual Reflexite diamonds approximately 1" wide. Steps, ladders and areas with a railing or structure at least 12" high are excluded from this requirement.	\$ -
9100-0101	Meritor 5 year / unlimited miles parts and labor warranty for front non-drive axle. Exceptions: MFS rated at 22,800 includes a 2 year / 200K miles parts and labor warranty and a front drive axle includes a 2 year / unlimited miles parts and labor warranty.	\$ -
9100-0102	Meritor 5 year unlimited miles, parts and labor rear drive single or rear drive tandem axle warranty.	\$ -
9100-0117	General One (1) year or 24,000 Miles Limited Warranty (RFW0001)	\$ -
9100-0126	Custom chassis One (1) Year or 18,000 Miles Limited Warranty (RFW0101).	\$ -

9100-0132	Electrical One (1) Year or 18,000 Miles Limited Warranty (RFW0201).	\$ -
9100-0136	Body Structure Aluminum Ten (10) years or 100,000 Miles Limited Warranty (RFW0502).	\$ -
9100-0138	Cab Structural Ten (10) Years or 100,000 Miles Limited Warranty (RFW0602).	\$ -
9100-0139	Plumbing and piping (Stainless Steel) Ten (10) years or 100,000 Miles Limited Warranty (RFW0800).	\$ -
9100-0140	Paint and Finish (Exterior Clear coated) Ten (10) Years Limited Warranty (RFW0710).	\$ -
9100-0141	Cab Paint and Finish (Exterior Clear coated) Ten (10) Years Limited Warranty (RFW0710).	\$ -
9100-0151	Frame Rail Corrosion (Zinc Plate and Powder Coat) Twenty Five (25) Years or 150,000 Miles Limited Warranty (RFW0316).	\$ -
9100-0165	Frame Rail Lifetime (50) Years or 250,000 Miles Limited Warranty (RFW0305).	\$ -
9100-0167	Regulated Emissions Systems Ten (10) Years or 280,000 Miles or 14,000 Engine Hours Limited Warranty (RFW0143).	\$ -
9100-0169	Regulated Emissions Two (2) Year or 24,000 Miles Tire Warranty (RFW0145).	\$ -
9100-0170	Regulated Emissions Five (5) Year or 100,000 Miles AC Leak Warranty (RFW0146).	\$ -
9300-0009	Manuals, Operator and Service in digital format.	\$ 695.00
9300-0012	Pump panel approval drawings. Will be provided on purchased units prior to construction.	
9300-0016	Approval Drawings-Standard.	
9300-0031	Dash/Console panel layout approval drawings. Will be provided on purchased units prior to construction.	
9300-0316	Fire Apparatus Safety Guide published by FAMA, latest edition.	